



TAMILNADU POLLUTION CONTROL BOARD



**Plastic Pollution Free
Tamilnadu**

DISTRICT OFFICE: PUDUKKOTTAI DISTRICT

DLCCC MEETING HELD ON 18.08.2022

Item No	Subject	Applied for	Category and Classification	Decision of the Committee
236-1	M/s. Bishop Packiam Arockiasamy College Of Education S.F. No. 137, 174/1, 2 ,3(Part), 4, 10, 175/1, 3(Part) of Manjanviduthi village, Alangudi Taulk, Pudukkottai District	CTO – Direct	Orange – Small	Approved
236-2	M/s. Aruputha college of Arts and Science S.F.No. 174/3(Part),5,7,8,9, 175/3(Part),176/1 ,2,3,4,5,177/1,2,3,5,6, of Manjanviduthi village, Alangudi Taulk, Pudukkottai District	CTO – Direct	Orange – Small	Approved
236-3	M/s. V Kannaiyan Rough Stone Quarry S.F.No:98/1A2 & 98/1B, Kulathur Village, Kulathur Taluk, Pudukkottai District.	CTO – Direct	Red-Small	Approved
236-4	M/s. R Murugesan Gravel Quarry S.F.No:337/2C,3C,338/1,2,3 & 339/2, Nodiyur Village, Gandharvakottai Taluk, Pudukkottai District.	CTO – Direct	Red-Small	Approved
236-5	M/s. S.S.HOSPITAL T.S. No. 5767/1, 5767/2A, 5767/2B, 5768/1, Pudukkottai South Village, Pudukkottai Taluk, Pudukkottai District	CTO-expansion	Orange – Small	Approved
236-6	M/s. SANDHIVEERAN CRUSHER S.F.No.32/1,2,3,5,6&33/1,2,3 Themavur Village, Kulathur Taluk, Pudukkottai District.	CTO – Direct	Orange – Small	Approved
236-7	M/s. PKS POLYMERS Plot No:DP-22, SF.No:332(Part),333(Part),559(Part),SIDCO Industrial Estate,SIPCOT Complex, Vellanur Village, Kulathur Taluk, Pudukkottai District.	CTE-New	Green-Small	Approved

236-8	M/s. KARUNANITHI WOOD WORKS S.F.No: 43/17, Veralipatti Village, Gandarvakottai Taluk, Pudukkottai District.	CTO – Direct	Green-Small	Approved
236-9	M/s. KSP CRUSHER S.F No. 815/1A,815/1A2, 816/3B,C &320/2A, Vadavalam, Mukkanipatti, Pudukkottai Taluk, Pudukkottai Distict	CTE-expansion	Orange – Small	Rejected

Sd/-
District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Pudukkottai.