



O/o. THE DISTRICT ENVIRONMENTAL ENGINEER, TNPCB, CUDDALORE.

MINUTES OF THE 143rd DLCCC MEETING HELD ON 22.09.2023.

(CATEGORY: GREEN / SMALL)

DLCCC - ITEM No. 143 – 001

DATE:22.09.2023

SUB: TO CONSIDER THE ISSUE OF CONSENT TO OPERATE – AFTER CTE TO THE UNIT OF M/s. RPP INFRA PROJECTS LTD LEAD PARTNER IN RPP RK JV WET MIX PLANT, S.F No. 150/2, 150/2B1C, PANDRAKOTTAI VILLAGE, PANRUTI TALUK, CUDDALORE DISTRICT UNDER THE WATER (PREVENTION AND CONTROL OF POLLUTION) ACT, 1974 AS AMENDED AND UNDER THE AIR (PREVENTION AND CONTROL OF POLLUTION) ACT, 1981 AS AMENDED FOR ITS NEW ACTIVITY.

The DLCCC decided to grant Consent to Operate – after CTE to the unit of M/s. RPP Infra Projects Ltd Lead Partner in RPP RK JV Wet Mix Plant, S.F No. 150/2, 150/2B1C, Pandrakottai Village, Panruti Taluk, Cuddalore District Under the Water (Prevention and Control of Pollution) Act, 1974 As Amended and Under the Air (Prevention and Control of Pollution) Act, 1981 as amended for its New activity valid up to 31.03.2025 subject to the following conditions:

Water Act:-

1. The unit shall provide septic tank followed by soak pit arrangements to treat the sewage so as to satisfy the standards prescribed by the Board
2. The unit shall ensure that no trade effluent is generated at any stage of the process.
3. The unit shall ensure that the production quantity shall not exceed the consented production quantity.
4. The unit's operation shall not attract any public complaints.

5. The unit shall obtain other permissions from the competent authorities whatever it is necessary for establishment/operation of the unit.
6. This Consent under the Water Act shall not be construed as the Right to supersede or Overrule other Acts or Rules or Bylaws or Directions etc issued by other Government Department / Statutory Body / Local Body /Organisation etc and the unit shall abide the same, as and when issued by the respective Authority.
7. The unit shall develop green belt to an extent of 25% of the total extent of land with a tree density of 400 trees/hectare.
8. The unit shall not use the "use and throw plastic" as specified in the G.O.Ms.No.84, E & F Department dated 25.06.2018.

Air Act:-

1. The unit shall adhere to the Ambient Air Quality /Stack Monitoring / Ambient Noise Level standards prescribed by the Board.
2. The unit shall ensure that the production quantity shall not exceed the consented production quantity.
3. The unit's operation shall not attract any public complaints.
4. The unit shall provide adequate fire protection equipment at salient places within the premises in accordance with fire safety regulations. The unit shall obtain necessary certificate from fire department regarding the safety measures taken by the unit.
5. The unit shall obtain other permissions from the competent authorities whatever it is necessary for establishment/operation of the unit.
6. The unit shall ensure that, "In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be withdrawn without any notice and further action will be initiated against the units as per law".
7. This Consent under the Air Act shall not be construed as the Right to supersede or Overrule other Acts or Rules or Bylaws or Directions etc issued by other Government Department / Statutory Body / Local Body /Organisation etc and the unit shall abide the same, as and when issued by the respective Authority.

8. The unit shall develop green belt to an extent of 25% of the total extent of land with a tree density of 400 trees/hectare.
9. The unit shall not use the "use and throw plastic" as specified in the G.O.Ms.No.84, E & F Department dated 25.06.2018.

[Signature]
22/9/23
AE/CUD

[Signature]
22/9/23
AEE / CUD

[Signature]
22/9/2023
DEE / CUD



O/o. THE DISTRICT ENVIRONMENTAL ENGINEER, TNPCB, CUDDALORE.

MINUTES OF THE 143rd DLCCC MEETING HELD ON 22.09.2023.

(CATEGORY: ORANGE / SMALL)

DLCCC - ITEM No. 143 – 002

DATE:22.09.2023

SUB: TO CONSIDER THE ISSUE OF CONSENT TO ESTABLISHMENT - NEW TO THE UNIT OF M/s. ESKM CNSL OIL PRIVATE LIMITED, S.F No. 10/4B1, SILAMBINATHAN PETTAI VILLAGE, PANRUTI TALUK, CUDDALORE DISTRICT UNDER THE WATER (PREVENTION AND CONTROL OF POLLUTION) ACT, 1974 AS AMENDED AND UNDER THE AIR (PREVENTION AND CONTROL OF POLLUTION) ACT, 1981 AS AMENDED FOR ITS NEW ACTIVITY.

The DLCCC decided to grant Consent to Establishment – New to the unit of M/s. ESKM CNSL Oil Private Limited, S.F No. 10/4B1, Silambinathan Pettai Village, Panruti Taluk, Cuddalore District Under the Water (Prevention and Control of Pollution) Act, 1974 As Amended and Under the Air (Prevention and Control of Pollution) Act, 1981 as amended for its New activity valid up to 31.03.2028 subject to the following conditions:

Water Act:-

1. The unit shall provide septic tank followed by soak pit arrangements to treat the sewage so as to satisfy the standards prescribed by the Board
2. The unit shall provide elevated impervious Solar Evaporation Pan for the disposal of scrubber bleed off.
3. The unit shall follow all the safety precautionary measures as directed by the competent Authority.
4. The unit shall obtain other permissions from the competent authorities whatever it is necessary for establishment/operation of the unit.
5. This Consent under the Water Act shall not be construed as the Right to supersede or Overrule other Acts or Rules or Bylaws or Directions etc issued by other Government Department / Statutory Body /Local Body /Organization etc.,

- and the unit shall abide the same, as and when issued by the respective Authority.
6. The issue of this consent is not construed as consent to operate to the unit and the unit shall obtain Consent to operate before commencing the operation of the unit.
 7. The unit shall develop green belt to an extent of 25% of the total extent of land with a tree density of 400 trees/hectare.
 8. The unit shall not use the "use and throw plastic" as specified in the G.O.Ms.No.84, E & F Department dated 25.06.2018.

Air Act:-

1. The unit shall provide the Air Pollution Control Measures such as Acoustic enclosure with stack to the D.G.Set-125 KVA and Common Wet Scrubber with Common Stack of 18 m height to the Baby Boiler (250 Kg/Hr) & Oil Heating Chamber (2 No's) as reported so as to satisfy the Emission / NAAQ standards prescribed by the Board.
2. The unit shall obtain other permissions from the competent authorities whatever it is necessary for establishment/operation of the unit.
3. This Consent under the Air Act shall not be construed as the Right to supersede or Overrule other Acts or Rules or Bylaws or Directions etc issued by other Government Department / Statutory Body / Local Body /Organisation etc and the unit shall abide the same, as and when issued by the respective Authority.
4. The unit shall follow all the safety precautionary measures as directed by the competent Authority.
5. The unit shall provide adequate fire protection equipment at salient places within the premises in accordance with fire safety regulations. The unit shall obtain necessary certificate from fire department regarding the safety measures taken by the unit.
6. The unit shall obtain other permissions from the competent authorities whatever it is necessary for establishment/operation of the unit.
7. The unit shall ensure that, "In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be

withdrawn without any notice and further action will be initiated against the units as per law".

8. This Consent under the Air Act shall not be construed as the Right to supersede or Overrule other Acts or Rules or Bylaws or Directions etc issued by other Government Department / Statutory Body /Local Body /Organization etc., and the unit shall abide the same, as and when issued by the respective Authority.
9. The unit shall obtain other permissions from the competent authorities for operation of the unit.
10. The unit shall not use the "use and throw plastic" as specified in the G.O.Ms.No.84, E & F Department dated 25.06.2018

J. J. J.
22/9/23
AE/CUD

K. N. N.
22/9/23
AEE / CUD

R. R. R.
22/9/2023
DEE / CUD



O/o. THE DISTRICT ENVIRONMENTAL ENGINEER, TNPCB, CUDDALORE.

MINUTES OF THE 143rd DLCCC MEETING HELD ON 22.09.2023.

(CATEGORY: ORANGE / SMALL)

DLCCC - ITEM No. 143 – 003

DATE:22.09.2023

SUB: TO CONSIDER THE ISSUE OF CONSENT TO OPERATE – DIRECT TO THE UNIT OF M/s. JOTHI CASHEWS, S.F No. 194/2, 194/3, MELMAMPATTU VILLAGE, PANRUTI TALUK, CUDDALORE DISTRICT UNDER THE WATER (PREVENTION AND CONTROL OF POLLUTION) ACT, 1974 AS AMENDED AND UNDER THE AIR (PREVENTION AND CONTROL OF POLLUTION) ACT, 1981 AS AMENDED FOR ITS NEW ACTIVITY.

The DLCCC decided to grant Consent to Operate – Direct to the unit of M/s. Jothi Cashews, S.F No. 194/2, 194/3, Melmampattu Village, Panruti Taluk, Cuddalore District Under the Water (Prevention and Control of Pollution) Act, 1974 As Amended and Under the Air (Prevention and Control of Pollution) Act, 1981 as amended for its New activity valid up to 31.03.2027 subject to the following conditions:

Water Act:-

1. The unit shall treat and dispose the sewage in septic tank followed by soak pit arrangements.
2. The unit shall dispose the scrubber bleed off through adequate impervious Solar Evaporation Pan without any seepage/over flow.
3. The unit shall dispose the non-hazardous solid waste scientifically for further beneficial use then and there without accumulation inside the premises.
4. The unit shall not operate the facilities during night hours and may be restricted up to 6.00 pm.
5. The unit shall ensure that the production quantity shall not exceed the consented production quantity.

6. The unit's operation shall not attract any public complaints.
7. The unit shall ensure that, "In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be withdrawn without any notice and further action will be initiated against the units as per law".
8. This Consent under the Water Act shall not be construed as the Right to supersede or Over rule other Acts or Rules or Bylaws or Directions etc issued by other Government Department / Statutory Body /Local Body /Organization etc., and the unit shall abide the same, as and when issued by the respective Authority.
9. The unit shall obtain other permissions from the competent authorities for operation of the unit.
10. The unit shall not use the "use and throw plastic" as specified in the G.O.Ms.No.84, E & F Department dated 25.06.2018.
11. The unit shall develop green belt to an extent of 25% of the total extent of land with a tree density of 400 trees/hectares.


Air Act:-

1. The unit shall operate and maintain the APC measures continuously and effectively so that the AAQ / emission shall meet the standards prescribed by the Board.
2. The unit shall comply with the Ambient Noise Level Standards prescribed by the Board.
3. The unit shall not operate the facilities during night hours and may be restricted up to 6.00 pm.
4. The unit shall maintain good housekeeping.
5. The unit shall ensure that the production quantity shall not exceed the consented production quantity.
6. The unit's operation shall not attract any public complaints.
7. The unit shall ensure that, "In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be

withdrawn without any notice and further action will be initiated against the units as per law".

8. The issue of this consent is not construed as consent to operate to the unit and the unit shall obtain Consent to operate before commencing the operation of the unit.
9. The unit shall develop green belt to an extent of 25% of the total extent of land with a tree density of 400 trees/hectare.
10. The unit shall not use the "use and throw plastic" as specified in the G.O.Ms.No.84, E & F Department dated 25.06.2018.


AE/CUD


AEE / CUD


DEE / CUD



O/o. THE DISTRICT ENVIRONMENTAL ENGINEER, TNPCB, CUDDALORE.

MINUTES OF THE 143rd DLCCC MEETING HELD ON 22.09.2023.

(CATEGORY: ORANGE / SMALL)

DLCCC - ITEM No. 143 – 004

DATE:22.09.2023

SUB: TO CONSIDER THE ISSUE OF CONSENT TO OPERATE – DIRECT TO THE UNIT OF M/s. S.S.R AGENCY, S.F No. 205/2A, MELMAMPATTU VILLAGE, PANRUTI TALUK, CUDDALORE DISTRICT UNDER THE WATER (PREVENTION AND CONTROL OF POLLUTION) ACT, 1974 AS AMENDED AND UNDER THE AIR (PREVENTION AND CONTROL OF POLLUTION) ACT, 1981 AS AMENDED FOR ITS NEW ACTIVITY.

The DLCCC decided to grant Consent to Operate – Direct to the unit of M/s. S.S.R Agency, S.F No. 205/2A, Melmampattu Village, Panruti Taluk, Cuddalore District Under the Water (Prevention and Control of Pollution) Act, 1974 As Amended and Under the Air (Prevention and Control of Pollution) Act, 1981 as amended for its New activity valid up to 31.03.2027 subject to the following conditions:

Water Act:-

1. The unit shall treat and dispose the sewage in septic tank followed by soak pit arrangements.
2. The unit shall dispose the scrubber bleed off through adequate impervious Solar Evaporation Pan without any seepage/over flow.
3. The unit shall dispose the non-hazardous solid waste scientifically for further beneficial use then and there without accumulation inside the premises.
4. The unit shall not operate the facilities during night hours and may be restricted up to 6.00 pm.
5. The unit shall ensure that the production quantity shall not exceed the consented production quantity.

6. The unit's operation shall not attract any public complaints.
7. The unit shall ensure that, "In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be withdrawn without any notice and further action will be initiated against the units as per law".
8. This Consent under the Water Act shall not be construed as the Right to supersede or Over rule other Acts or Rules or Bylaws or Directions etc issued by other Government Department / Statutory Body /Local Body /Organization etc., and the unit shall abide the same, as and when issued by the respective Authority.
9. The unit shall obtain other permissions from the competent authorities for operation of the unit.
10. The unit shall not use the "use and throw plastic" as specified in the G.O.Ms.No.84, E & F Department dated 25.06.2018.
11. The unit shall develop green belt to an extent of 25% of the total extent of land with a tree density of 400 trees/hectares.

Air Act:-

1. The unit shall operate and maintain the APC measures continuously and effectively so that the AAQ / emission shall meet the standards prescribed by the Board.
2. The unit shall comply with the Ambient Noise Level Standards prescribed by the Board.
3. The unit shall not operate the facilities during night hours and may be restricted up to 6.00 pm.
4. The unit shall maintain good housekeeping.
5. The unit shall ensure that the production quantity shall not exceed the consented production quantity.
6. The unit's operation shall not attract any public complaints.
7. The unit shall ensure that, "In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be

8. The unit shall develop green belt to an extent of 25% of the total extent of land with a tree density of 400 trees/hectare.
9. The unit shall not use the "use and throw plastic" as specified in the G.O.Ms.No.84, E & F Department dated 25.06.2018.

[Handwritten Signature]
22/9/23
AE/CUD

[Handwritten Signature]
22/9/23
AEE / CUD

[Handwritten Signature]
22/9/2023
DEE / CUD