



TAMILNADU POLLUTION CONTROL BOARD

MINUTES OF THE 185th DISTRICT LEVEL CONSENT CLEARANCE COMMITTEE MEETING HELD ON 09.04.2021 BY THE OFFICE OF THE DISTRICT ENVIRONMENTAL ENGINEER, TNPC BOARD, COIMBATORE NORTH.

Sl. No.	Item No.	Name of the Industry and Address	Category and Classification	Order sought for	Decision of DLCCC
1	AE - (I) 185-1	Santhosh Spinning Mills, S.F.No. 448, Veerapandi Village, Coimbatore North Taluk, Coimbatore District.	Orange/ Large	Auto- Renewal	Approved
2	AE - (I) 185-2	M/s. Sun Metallics, S.F.No.544/1, Vellaikinar Village, Coimbatore North Taluk, Coimbatore District.	Orange/ Small	Auto- Renewal	Approved
3	AE - (I) 185-3	M/s. The Eye Foundation, T.S.No.1475/5, Puliyakulam Village, Coimbatore Taluk, Coimbatore District.	Orange/ Small	Auto- Renewal	Approved
4	AE - (I) 185-4	M/s. Hotel Land Mark, T.S.No.11/1295/2A Pt, Ganapathi East and West Village, Coimbatore North Taluk, Coimbatore District.	Orange/ Small	Auto- Renewal	Approved
5	AE - (I) 185-5	M/s. The Eye Foundation, S.F.No.9/1, Sikkadasampalayam Village, Mettupalayam Taluk, Coimbatore District.	Orange/ Small	Auto- Renewal	Approved
6	AE - (I) 185-6	M/s. Moksha Griha Gasifier Crematorium, S.f.No. 150, Saravanampatti Village, Coimbatore North Taluk, Coimbatore District.	Green/ Small	Auto- Renewal	Approved
7	AE - (I) 185-7	M/s. Sri Sakthi Lodge and Restaurant, S.F.No. 27/4, Anupperpalayam Village, Coimbatore North Taluk, Coimbatore District.	Orange/ Small	Auto- Renewal	Approved

8	AE – (II) 184 – 8	RRK Alloys, S.F.No 50 and 51, Kattampatty Village, Annur Taluk, Coimbatore District.	Red/ Small	Auto Renewal	Approved
9	AE – (II) 184 – 9	APM Auto Parts (P) Ltd., S.F.No.391/3, Idigarai Village Annur Taluk Coimbatore District.	Red/ Small	Auto Renewal	Approved
10	AE – (II) 184 – 10	Sakthi Gear Products S.F.No.99, Naranapuram Village, Annur Taluk, Coimbatore District.	Red/ Small	Auto Renewal	Approved
11	AE – (II) 184 – 11	Gem Edible Oils Private Limited, S.F.No.491/2A,3&492/1, Karaigoundenpalayam Village, Annur Taluk, Coimbatore District.	Orange/ Large	Auto Renewal	Approved
12	AE – (II) 184 – 12	Indrola Steel Rolling Mills India Private Limited(Unit -I), S.F.No. 356/3B,349, Idigarai Village, Annur Taluk, Coimbatore District.	Orange/ Medium	Auto Renewal	Approved
13	AE – (II) 184 – 13	Indrola Steel Rolling Mills India Private Limited, S.F.No.337/1,337/2, Idigarai Village, Annur Taluk, Coimbatore District.	Orange/ Medium	Auto Renewal	Approved
14	AE – (II) 184 – 14	Creative Aluminium Extrusions, S.F.No. 422/1Cpt,422/1C2pt,423/2A,B,C,F Masakavundanchettipalayam Village, Annur Taluk, Coimbatore District.	Orange/ Medium	Auto Renewal	Approved
15	AE – (II) 184 – 15	Sripathy Industries, S.F.No.130/2E, Idigarai Village, Annur Taluk, Coimbatore District.	Orange/ Small	Auto Renewal	Approved
16	AE – (II) 184 – 16	Indus Rite Metals, S.F.No.382P, Sarakar Samakulam Village, Annur Taluk, Coimbatore District.	Orange/ Small	Auto Renewal	Approved

17	AE - (II) 184 - 17	Jayachandran Industries P Ltd (Plastic Division) , SF No. 220/1D, Masakavundanchettipalayam Village, Annur Taluk, Coimbatore District.	Orange/ Small	Auto Renewal	Approved
18	AE - (II) 184 - 18	Gajendra Agencies Foundry Division, S.F.No.76, Kunnathur Village, Annur Taluk, Coimbatore District.	Orange/ Small	Auto Renewal	Approved
19	AE - (II) 184 - 19	Chinnu Industries, S.F.No. 71/2, 72/1 Pt, Chinnavedampatti Village, Coimbatore North Taluk, Coimbatore District.	Orange/ Small	Auto Renewal	Approved
20	AE - (II) 184 - 20	Suntech Automobile Products, S.F.No.3/310, Kunnathur Village, Annur Taluk, Coimbatore District.	Green/ Small	Auto Renewal	Approved


AE II / Member


AE I / Convener


District Environmental Engineer,
Tamilnadu Pollution Control Board,
Coimbatore North.




TAMILNADU POLLUTION CONTROL BOARD

**MINUTES OF THE 186th DISTRICT CONSENT CLEARANCE COMMITTEE MEETING
HELD ON 20.04.2021 BY THE OFFICE OF THE DISTRICT ENVIRONMENTAL
ENGINEER, TNPC BOARD, COIMBATORE NORTH.**


Sl. No.	Item No.	Name of the Industry and Address	Category and Classification	Order sought for	Decision of DLCCC
1	AE – (I) 186 – 1	M/s. Rain Dropps R.O. Water, S.F.No. 7/1B Pt & 7/3B1 Pt, Saravanampatti Village, Coimbatore North Taluk, Coimbatore District.	Green/ Small	CTO Direct	Approved

Sl. No.	Item No.	Name of the Industry and Address	Category and Classification	Order sought for	Decision of DLCCC
2	AE – (I) 186 – 2	M/s. Hotel K.P.Park Inn Private Limited, S.F.No.223, T.S.No.167, Sanganur Village, Coimbatore North Taluk, Coimbatore District.	Orange/ Medium	Auto Renewal	Approved
3	AE – (I) 186 – 3	M/s. Texmo Industries – Pump Division 3A, S.F.No.325/2C Pt, Vellakinar Village, Coimbatore North Taluk, Coimbatore District	Orange/ Small	Auto Renewal	Approved
4	AE – (I) 186 – 4	M/s. Srii Jayanthi Foundry, S.F.No. 177/2A, Ganapathi East and West Village, Coimbatore North Taluk, Coimbatore District	Orange/ Small	Auto Renewal	Approved
5	AE – (I) 186 – 5	M/s. Texmo Industries – Pump Division 3, S.F.No.323/1Pt, 324/1Pt, Vellakinar Village, Coimbatore North Taluk, Coimbatore District	Green/ Large	Auto Renewal	Approved

6	AE - (II) 186 - 6	M/s. Keerthi Engineering, S.F.No.276/1C2, Naranapuram Village, Annur Taluk, Coimbatore District	Red/ Small	Auto Renewal	Approved
7	AE - (II) 186 - 7	M/s. DMS Foundry, S.F.No.86/1F Pt, Kunnathur Village, Annur Taluk, Coimbatore District.	Orange/ Small	Auto Renewal	Approved


20/4/21
AE II / Member


20/4/21
AE I / Convener


20/4/21
District Environmental Engineer
Tamilnadu Pollution Control Board
Coimbatore North

To Consider the issue of Consent to Operate to the unit of **M/s. Rain Dropps R.O Water**, S.F No. 7/1B Part and 7/3B1 Part, Saravanampatti Village, Coimbatore North Taluk, Coimbatore District under the water (Prevention and Control of Pollution) Act, 1974 as amended and under the Air (Prevention and Control of Pollution) Act, 1981 as amended for its Activity.

The DLCCC decided to grant of Consent to Operate Expansion to the unit of **M/s. Rain Dropps R.O Water**, S.F No. 7/1B Part and 7/3B1 Part, Saravanampatti Village, Coimbatore North Taluk, Coimbatore District under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended and under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended for its Existing activity valid upto 31.03.2023 subject to the following conditions:-

Water Act:


1. The unit shall maintain the septic tank followed by dispersion trench arrangement for the treatment and the disposal of sewage.
2. The unit shall not allow the stagnation of treated effluent (RO reject) on industries own land or adjacent land.
3. The unit shall utilize the trade effluent (8.6 KLD) on land for irrigation purposes in their own land without any stagnation by adopting hydraulic loading rate of 35 KL/Hec./Day.
4. The unit shall maintain proper log book entered with EMFM readings in the product line and in the R. O Reject line for the effective operation.
5. The unit shall ensure that the storm water arising from the plant area during rainy season shall not be allowed to mix with any trade effluent and shall not contain any chemical contaminants and shall satisfy the inland surface water standards before disposal.
6. The unit shall ensure that the solid wastes are disposed for further beneficial usages without any accumulation.
7. The unit shall maintain the rain water harvesting facility.
8. The unit shall ensure that Liquid effluent discharge standards as issued in Environmental protection Act 1986, as amended.
9. The unit shall possess the valid ground water clearance from the concerned authorities at all times.
10. The unit shall comply with the provisions of G.O Ms No. 84 dated 25.06.2018 issued by the Government from time to time and shall not manufacture the water pouches.
11. The unit shall comply the orders of Hon'ble NGT regarding the packaged drinking water units.
12. In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be withdrawn without any notice and further action will be initiated against the unit as per law.

Air Act:

1. The unit shall operate and maintain the APC measures efficiently and continuously so as to meet the AAQ/Emission standards prescribed by the Board.
2. The unit shall comply with the Ambient Air quality/stack emission standards prescribed by the Board.
3. The unit shall ensure that Noise / Air emission discharge standards as issued in Environmental protection Act 1986, as amended.
4. The unit shall adhere to the Ambient Noise Level standards prescribed by the TNPC Board.
5. The unit shall comply the orders of Hon'ble NGT regarding the packaged drinking water units.
6. The unit shall comply with the provisions of G.O Ms No. 84 dated 25.06.2018 issued by the Government from time to time and shall not manufacture the water pouches.
7. The unit shall develop green belt of adequate width around the premises.
8. The unit shall not use "use and throwaway plastics" such as plastic sheets used for food wrapping, spreading on dining table etc., plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets, plastic straw, plastic carry bags and plastic flags irrespective of thickness, within the industry premises. Instead unit shall encourage use of eco friendly alternative such as banana leaf, arecanut palm plate, stainless steel, glass, porcelain plates/cups, cloth bag, jute bag etc.,
9. In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be withdrawn without any notice and further action will be initiated against the unit as per law.
10. The unit shall comply with the E-Waste Management Rules, 2016. E-waste as listed in Schedule-I generated by them shall be channelized through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler. The unit shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the TNPCB. The unit shall file annual returns in Form-3, to the TNPCB on or before 30th day of June following the financial year.


20/04/21
AE II / Member


20/04/21
AE I / Convener


20/4/21
DEE/Chairman
District Level Consent Clearance Committee
Coimbatore North



TAMILNADU POLLUTION CONTROL BOARD

**MINUTES OF THE 187th DISTRICT CONSENT CLEARANCE COMMITTEE MEETING
HELD ON 23.04.2021 BY THE OFFICE OF THE DISTRICT ENVIRONMENTAL
ENGINEER, TNPC BOARD, COIMBATORE NORTH.**

Sl. No.	Item No.	Name of the Industry and Address	Category and Classification	Order sought for	Decision of DLCCC
1	AE - (I) 187 - 1	M/s. Ponnammal Duraisamy Eye Hospital Retina Center of Coimbatore, T.S.No.175 and 178/5, Ward No.1(9), Block No.8, Anupperpalayam Village, Coimbatore North Taluk, Coimbatore District.	Orange / Small	CTO Direct	Approved


Sl. No.	Item No.	Name of the Industry and Address	Category and Classification	Order sought for	Decision of DLCCC
2	AE - (I) 187 - 2	M/s. Microsharp Needles Pvt. Ltd, S.F.No.741/5, Thekkampatty Village, Mettupalayam Taluk, Coimbatore District.	Red / Small	Auto Renewal	Approved
3	AE - (I) 187 - 3	M/s. Veeyes Alloys Private Limited, S.F.No. 518/1A, & 1B & 520/1, Vellaikinar Village, Coimbatore North Taluk, Coimbatore District.	Red / Small	Auto Renewal	Approved
4	AE - (I) 187 - 4	M/s. Herotek Steel and Alloys S.F.No.3/1,4/1,4/3, Sikkarampalayam Village, Mettupalayam Taluk, Coimbatore District.	Red/ Small	Auto Renewal	Approved
5	AE - (I) 187 - 5	M/s. Veeyes Steelcast Private Limited, S.F.No. 825/4, 825/1,2,3, Sikkarampalayam Village, Mettupalayam Taluk, Coimbatore District.	Red/ Small	Auto Renewal	Approved

6	AE – (I) 187 – 6	M/s.Best Engineers Pumps Pvt Ltd–Unit III, S.F.No. 363/3B, Somayampalayam Village, Coimbatore North Taluk, Coimbatore District.	Orange/ Medium	Auto Renewal	Approved
7	AE – (I) 187 – 7	M/s. Finecast Industries Unit II, S.F.No. 345/1A2, Kavundampalayam Village, Coimbatore North Taluk, Coimbatore District.	Orange/ Small	Auto Renewal	Approved
8	AE – (I) 187 – 8	M/s.Bluemount Castings Private Limited, S.F.No.480 & 481, Perianickenpalayam Village, Coimbatore North Taluk, Coimbatore District.	Orange/ Small	Auto Renewal	Approved
9	AE – (I) 187 – 9	M/s. G Plast Private Limited – Unit I, S.F.No. 10/1051 & 10/1054, Krishnarayapuram Village, Coimbatore North Taluk, Coimbatore District.	Green/ Large	Auto Renewal	Approved
10	AE – (I) 187 – 10	M/s. Coimbatore Roller Flour Mills (P) Ltd, S.F.No.173 Pt, Ganapathi East and West Village, Coimbatore North Taluk, Coimbatore District.	Green/ Large	Auto Renewal	Approved
11	AE – (I) 187 – 11	M/s. General Packaging, S.F.No.545, Telungupalayam Village, Coimbatore North Taluk, Coimbatore District.	Green/ Small	Auto Renewal	Approved
12	AE – (I) 187 – 12	M/s. Deccan Industries, S.F.No. 428Pt, Ganapathi East and West Village, Coimbatore North Taluk, Coimbatore District.	Green/ Small	Auto Renewal	Approved
13	AE – (II) 187 – 13	M/s. Sri Varahiamman Steel Private Limited, S.F.No. 19/1, Masaskavundanchettipalayam Village, Annur Taluk, Coimbatore District.	Orange/ Small	Auto Renewal	Approved

14	AE - (II) 187 - 14	M/s. Precision Heat Treaters & Engineers India Pvt. Limited, S.F.No. 427/1A Pt & 427/1B Pt, Kalapatti East and West Village, Coimbatore North Taluk, Coimbatore District.	Orange/ Small	Auto Renewal	Approved
15	AE - (II) 187 - 15	M/s. Jwala Industries, S.F.No. 82/1, Kunnathur Village, Annur Taluk, Coimbatore District.	Orange/ Small	Auto Renewal	Approved
16	AE - (II) 187 - 16	M/s. Kunsons Pipes Private Limited, S.F.No. 458/1, 458/2, 459/1A, 459/2, Vellamadai Village, Annur Taluk, Coimbatore District.	Green Small	Auto Renewal	Approved


23/4/21
AE II / Member


23/04/2021
AE I / Convener


23/4/21
District Environmental Engineer
Tamilnadu Pollution Control Board
Coimbatore North

To Consider the issue of Consent to Operate to the unit of **M/s. Ponnammal Duraisamy Eye Hospital Retina Centre of Coimbatore**, T.S.No No. 175 and 178/5, Ward No.1(9), Block No.8, Anupperpalayam Village, Coimbatore North Taluk, Coimbatore District under the water (Prevention and Control of Pollution) Act, 1974 as amended and under the Air (Prevention and Control of Pollution) Act, 1981 as amended for its Activity.

The DLCCC decided to grant of Consent to Operate to the unit of **M/s. Ponnammal Duraisamy Eye Hospital Retina Centre of Coimbatore**, T.S.No No. 175 and 178/5, Ward No.1(9), Block No.8, Anupperpalayam Village, Coimbatore North Taluk, Coimbatore District under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended and under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended for its Existing activity valid upto 31.03.2023 subject to the following conditions:-

Water Act:

1. The health care facility shall properly maintain the septic tank and dispersion trench for the treatment and disposal of sewage.
2. The bio medical liquid waste generated from the health care facility shall be disinfected with 1 to 2 % sodium hypo chlorite solution before disposal into public sewer.
3. The hospital should maintain records on the Bio-Medical waste generated and handed over to the common Bio-Medical waste facility.
4. The hospital shall maintain adequate storage facility for the storage of bio medical wastes generated.
5. The hospital shall take all precautionary measures so that the mercury waste does not get mixed with the biomedical waste or other wastes.
6. The health care facility shall dispose the Bio-Medical Wastes only to the common facility provided by M/s. Teknotherm Industries.
7. The health care facility shall ensure that no odour nuisance is created by its functioning.
8. The healthcare facility shall follow good housekeeping practices.
9. The healthcare facility shall comply with the Bio- Medical Waste Management Rules 2016, as amended at all times.
10. The health care facility shall operate only with the valid Bio Medical Waste Authorization and valid agreement made with the Common Bio Medical Waste treatment Facilitator.
11. The unit shall ensure to phase out use of chlorinated plastic bags, gloves and blood bags within two years from the date of notification of Bio-Medical Waste Management Rules, 2016.
12. The unit shall provide training to all its health care workers and others, involved in


13. In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be withdrawn without any notice and further action will be initiated against the unit as per law.

Air Act:

1. The health care facility shall adhere to the National Ambient Air Quality / Ambient Noise Level standards prescribed by the Board from time to time.
2. The health care facility shall dispose the Bio – Medical Wastes only to the common facility provided by M/s. Teknotherm Industries.
3. The health care facility shall comply with the Bio – Medical Waste Management Rules 2016, as amended at all times.
4. The healthcare facility shall not use 'use and throwaway plastics' such as plastic sheets used for food wrapping, spreading on dining table etc., plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets, plastic straw, plastic carry bag and plastic flags irrespective of thickness, within it's premises. Instead it shall encourage use of eco friendly alternative such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plates/cups, cloth bag, Jute bag etc.,
5. In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be withdrawn without any notice and further action will be initiated against the unit as per law.
6. The unit shall comply with the E-Waste Management Rules, 2016. E-waste as listed in Schedule-I generated by them shall be channelized through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler. The unit shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the TNPCB. The unit shall file annual returns in Form-3, to the TNPCB on or before 30th day of June following the financial year.


AE II / Member


AE I / Convenor


DEE/Chairman
District Level Consent Clearance Committee
Coimbatore North