

## TAMILNADU POLLUTION CONTROL BOARD

## O/0. DISTRICT ENVIRONMENTAL ENGINEER, TNPCB, KARUR

## 119th District Level Consent Clearance Committee (DLCCC) Meeting Held on 28 /12/2020 at O/o.DEE,

TNPCB, Karur

| ltem<br>No.      | Name of the Industry and Address   | Category and Classification | Order<br>sought for           | Decision of the Committee<br>(Approved/ Not Approved)  |
|------------------|--|-----------------------------|-------------------------------|--|
| <u>NO.</u><br>I. | M/s Sri Angalaparameshwari<br>Industries,<br>SF No.911/A2,<br>Pavitharam Village,<br>Pugalur Taluk,  | Orange/Small                | CTE-New                       | Approved   |
| 2.               | Karur District<br>M/s. Atlas Export Enterprises-<br>Weaving Division,<br>SF. No. 128,130,132 &135,<br>Plot No.A3, A4 & A5,<br>Textile Park, Thallapatti Village,<br>Manmangalam Taluk,<br>Karur District | Green/Medium                | CTO -<br>Expansion-<br>Direct | Approved<br>DLCCC decided to conside<br>one term fees for CTE and<br>the remaining fees valid u<br>to 31/3/2032                |
| 3.               | M/s VKA Polymers Private<br>Limited SF No.33/A8,<br>Ottapillaiyar Kovil South Street,<br>Vengamedu Post,<br>Andankovil East Village,<br>Manmangalam Taluk,<br>Karur District                             | Orange/Small                | CTO-<br>Direct                | Approved<br>DLCCC decided to conside<br>one term fees for CTE an<br>the remaining fees for th<br>CTO valid up to 31/3/2022     |
| 4.               | M/s Krishna Medical Centre<br>Hospital,<br>SF No.591/65A, No.3/335-1,<br>Vadivel Nagar,<br>Karur to Covai Main Road,<br>Andankovil East Village,<br>Manmangalam Taluk,<br>Karur District.                | Orange/Small                | CTO-<br>Direct                | Approved<br>DLCCC decided to consid-<br>one term fees for CTE ar<br>the remaining fees for th<br>CTO valid up to 31/3/2024.    |
|                  | M/s Sri Krishna Aqua,<br>SF No.11/1,<br>Main Road, Nachalur,<br>Kulithalai Taluk,<br>Karur District – 639 110.   | Green/Small                 | CTO-<br>Direct                | Approved<br>DLCCC decided to consider<br>one term fees for CTE and<br>the remaining fees for the<br>CTO valid up to 31/3/2022. |
| 6.               | M/s. K. Ramesh Rough Stone &<br>Gravel Quarry,<br>SF. No. 106/2,<br>Kodanthur North Village,<br>Aravakurichi Taluk,<br>Karur District.   | Red/Small                   | CTO-<br>Direct                | Approved<br>DLCCC decided to consider<br>one term fees for CTE and<br>the remaining fees for the<br>CTO valid up to 31/3/2025. |
| 7.               | M/s. M. M. Hospital,<br>SF. No. 43/18 & 43/19,<br>Door, No. 5/1 & 5/2,<br>Vaigai Nallur North Village,<br>Elementary School Street,<br>Kulithalai Taluk, Karur District.                                 | Orange/Small                | CTO-<br>Direct                | Approved<br>DLCCC decided to consider<br>one term fees for CTE and<br>the remaining fees for the<br>CTO valid up to 31/3/2022. |

District Environmental Engineer Tamil Nadu Pollution Control Board, Karur.