



TAMIL NADU POLLUTION CONTROL BOARD

MINUTES OF THE 190th DISTRICT CONSENT CLEARANCE COMMITTEE

MEETING HELD AT O/o. DEE, TNPC BOARD, MADURAI ON 02.12.2019

I. The matter of issue of First Consent to the following units is placed before the committee for approval.

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
190-01	M/s. Usha Clinic S.F. No. 2C/2, Chokkikulam Village Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
190-02	M/s. Priyan Hospital S.F.No.82/1 Part, Sathamangalam Village Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
190-03	M/s. Ariyalakshmi Rubber Industries S.F.No. 142 Uchappatti Village, Thirumangalam Taluk, Madurai District.	CTO Direct	Orange Small 2076-Synthetic rubber excluding molding	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

Gen. Secy
02/12/19
AE

ofal
02/12/2019
AEE-II

6-22019 2/12/19
District Environmental Engineer,
TNPCB/MDU

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
190-04	M/s. Guardian Hospital S.F.No. 108-A, 109-A, Tallakulam Village, Madurai North Taluk, Madurai District.	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
190-05	M/s. Anbu Hospital S.F.No.29/1A, Bi Bi Kulam Village, Madurai North Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
190-06	M/s. Sugam Hospital S.F.No, 147/5B2, A.Kokkulam Village, Thirumangalam Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
190-07	M/s. Ramana Hospital S.F.No, 126/7, 127/3, Vilankudi Bit 1 Village, Madurai North Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

AE
21/12/19

AEE-II
21/12/2019

21/12/19

District Environmental Engineer,
TNPCB/MDU

	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
190-08	M/s. Mercy Hospital S.F.No.78/4 Ponmeni Village, Madurai West Taluk , Madurai District.	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
190-09	M/s. Government Hospital, Thirupparankundram S.F.No. 196/14B, 196/15A Thirupparankundram Village, Thirupparankundram Taluk, Madurai District.	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
190-10	M/s.. Meenakshi College of Nursing S.F.No.245 Part, Kottakudi Village, Melur Taluk, Madurai District.	CTO Direct	Orange Small 2091-Infrastructure development projects including educational institutions, community hall, kalyanamadam, IT Park, Theme Park, (having waste water generation <100 KLD)	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2020 subject to the conditions as mentioned in the Agenda.
190-11	M/s. The Christian Mission Hospital S.F.No.2213/1, Anupanadi Village, Madurai South Taluk, Madurai District	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

San. S. S. S.
02/12/19
AE

AE
10/12/2019
AEE- II

Co-ordinator
2/12/19
District Environmental Engineer,
TNPCC/MDU

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
190-12	M/s. VN Brain Neuro Care Centre and Hospital S.F.No.1177/1 Melmadurai Village, Madurai West Taluk, Madurai District	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
190-13	M/s. Vijay Hospital S.F.No.150/1 Part, Thirupparankundram Village, Thirupparankundram Taluk, Madurai District	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

II. The matter of issue of Renewal Consent to the following units who have already applied for renewal by remitting consent fee, is placed before the committee for approval as per Chairman's Proc. No. TNPCB/P&D/031595/2014 dated 09/10/2014, Circular Memo No. P&D/16032/2010/ dated.29.10.2015 and vide B.P.No:6 dated:02.08.2016.

Sl. No.	Item No.	Subject	Category/ Type
190-14	1003MDU	HARLEY RRAM NURSING HOME	ORANGE -Small
190-15	0281MDU	ALANGUDI CLINIC	ORANGE -Small
190-16	1359MDU	JAS OVERSEAS EXPORTS PVT.LTD	GREEN -Small
190-17	0537MDU	LAKSHMI NURSING HOME	ORANGE -Small
190-18	0612MDU	RUDRADEV TOWNSHIP PVT LTD (READY MIX CONCRETE PLANT)	GREEN -Small
190-19	0901MDU	MALAR PLASTIC	ORANGE -Small
190-20	0616MDU	MARI THAI PLASTIC	ORANGE -Small
190-21	0564MDU	NAVAMANI NURSING HOME	ORANGE -Small
190-22	0666MDU	METRO PRODUCTS	GREEN -Small

San. S. S. S. S.
AE 2/12/19

AE- II

60-2020/19 2/12/19

District Environmental Engineer,
TNPCB/MDU

Sl. No.	Item No.	Subject	Category/ Type
190-23	0003MDU	BAALU HOLLOW BRICKS	GREEN-Small
190-24	0512MDU	BELL HOTEL FOOD COURT	GREEN-Medium
190-25	0664MDU	SRI VENKATESWARA PLASTIC	ORANGE-Small
190-26	0862MDU	SELVI ICE COMPANY	GREEN-Small

The above units have remitted the consent fees and are eligible for Auto renewal as per the Board's Circular Memo dated:29.10.2015.

Hence, it is Placed in the DLCCC Meeting and issue of Renewal of consent may be considered subject to the following additional conditions.

1. This Renewal is issued based on the previous records furnished by the unit.
2. The consent is issued based on the list of products with quantity and effluent/emission generation sources with details furnished earlier. For any variation in the above, the unit has to file application seeking fresh consent of the Board.
3. The unit shall not use "use and throwaway plastics such as plastic sheets used for food wrapping, spreading on dining table , plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets ,plastic straw, plastic carry bag and plastic flags irrespective of thickness within the industry premises. Instead the unit shall encourage use of eco friendly alternatives such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plate/cups, cloth bag, jute bag etc.

600, 2/12/19
AE 22/12/19

600, 2/12/2019
AEE- II

600, 2/12/19
District Environmental Engineer,
TNPCB/MDU

TAMIL NADU POLLUTION CONTROL BOARD
MINUTES OF THE 191th DISTRICT CONSENT CLEARANCE COMMITTEE
MEETING HELD AT O/o. DEE, TNPC BOARD, MADURAI ON 23.12.2019

I. The matter of issue of First Consent to the following units is placed before the committee for approval.

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
191-01	M/s. Ajith Nursing Home T.S.No.682/2, 681 (P), Anuppanadi Village Madurai South Taluk, Madurai District.	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
191-02	M/s. Dwarakan Clinic S.F.No.154/GGG, Melur Village Melur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
191-03	M/s. Ayusshman Ayurvedhiks S.F.No. 410/3,6 Thirupparangundram Village, Thiruparankundram Taluk, Madurai District.	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2020 subject to the conditions as mentioned in the Agenda.

AE
23/12/19
AE

AE-II

AE-I

6-22567
District Environmental Engineer,
TNPCB/MDU

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
191-04	M/s. Women Health Care S.F.No. 66/1 & 66/2 Chinthamani Village, Madurai South Taluk, Madurai District.	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
191-05	M/s. Meenakshi Mission Hospital And Research Centre College Educational Institutions, S.F.No.245/2, 247/1A, Kottakudi Village, Melur Taluk, Madurai District.	CTE (New)	Orange Small 2091-Infrastructure development projects including educational institutions, community hall, kalyanamandam, IT Park, Theme park (having waste water generation <100 KLD)	The Committee decided to recommend for the issue of Consent to Establish (New) for the period up to 31.03.2024 subject to the conditions as mentioned in the Agenda.
191-06	M/s. Rakshana Hospital R.S.No. 20/5P, Arapalayam Village, Madurai West Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
191-07	M/s. Kurians Maternity Hospital T.S.No.128, Melmadurai Village, Madurai West Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

En. S. S. S. S.
AE 23/10/19

[Signature]
AEE-II

[Signature]
AEE-I

[Signature]
District Environmental Engineer,
TNPCB/MDU

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
191-08	M/s. Sri Devi Meenakshi Hospital S.F.No. 178/1D, Anupanadi Village, Madurai South Taluk , Madurai District.	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
191-09	M/s. Avathar Chilling Centre, S.F.No.80/5E(P), 6 (P), Thummakundu Village, Usilampatti Taluk, Madurai District.	CTE (New)	Green Small 3013-Chilling plant, cold storage and ice making	The Committee decided to recommend for the issue of Consent to Establish (New) for the period up to 31.03.2024 subject to the conditions as mentioned in the Agenda.
191-10	M/s. Athees Blue Metals S.F.No. 17/1A, 1B, 2A, 2B, 2C1, 2C2, Manickampatti Village, Vadipatti Taluk, Madurai District.	CTO Direct	Orange Small 2064-Stone crushers	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
191-11	M/s. Baskarapandian Blue Metals Unit II S.F.No. 98/7, 98/8, 98/10, 99/2, 99/3, 99/5 Karumathur Village, Usilampatti Taluk, Madurai District	CTO Direct	Orange Small 2064-Stone crushers	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2020 subject to the conditions as mentioned in the Agenda.
191-12	M/S. Dr.Chidambaram Memorial Hospital S.F.No. 42/1 Madakulam Village, Thiruparangundram Taluk, Madurai District	CTO Expansion	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Expansion) for the period up to 31.03.2020 subject to the conditions as mentioned in the Agenda.

AE
25/12/19

AE-II

AE-I

District Environmental Engineer,
TNP/MDU

ii The matter of issue of Renewal Consent to the following units who have already applied for renewal by remitting consent fee, is placed before the committee for approval as per Chairman's Proc. No. TNPCB/P&D/031595/2014 dated 09/10/2014, Circular Memo No. P&D/16032/2010/ dated.29.10.2015 and vide B.P.No:6 dated:02.08.2016.

Sl. No.	Item No	Subject	Category/ Type
191-13	0923MDU	I.V.L.R. READY MIX CONCRETE	GREEN-Small
191-14	1373MDU	KANSAR RO TREATED PACKAGED DRINKING WATER	GREEN-Small
191-15	0502MDU	SENTHIL MURUGAN STORE	GREEN-Small
191-16	0948MDU	GAYATHRI DISPENSARY	ORANGE-Small
191-17	0571MDU	VASAN HEALTH CARE PVT LTD	ORANGE-Small
191-18	1240MDU	SUSEE CARS AND TRUCKS P LTD	ORANGE-Small
191-19	0145MDU	RAJALAKSHMI ENT NURSING HOME	ORANGE-Small

The above units have remitted the consent fees and are eligible for Auto renewal as per the Board's Circular Memo dated:29.10.2015.

Hence, it is Placed in the DLCCC Meeting and issue of Renewal of consent may be considered subject to the following additional conditions.

1. This Renewal is issued based on the previous records furnished by the unit.
2. The consent is issued based on the list of products with quantity and effluent/emission generation sources with details furnished earlier. For any variation in the above, the unit has to file application seeking fresh consent of the Board.
3. The unit shall not use use and throwaway plastics such as plastic sheets used for food wrapping, spreading on dining table, plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets, plastic straw, plastic carry bag and plastic flags irrespective of thickness within the industry premises. Instead the unit shall encourage use of eco friendly alternatives such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plate/cups, cloth bag, jute bag etc.

Gen. Manager
AE

AE-II

AE-I

District Environmental Engineer,
TNPCB/MDU