



### Tamil Nadu Pollution Control Board


Agenda for the 122<sup>nd</sup> District Level Consent Clearance Committee Meeting held on 15.05.2019 at the O/o District Environmental Engineer, Tamil Nadu Pollution Control Board, Thanjavur.

#### RCO:

S.No	Subject	Agenda
122-01	<b>M/s. M M ORTHO SPECIALITY HOSPITAL,</b> S. F. No. 2412/2D , 2143/1, Kumbakonam Village, Kumbakonam Taluk, Thanjavur District – 612 001.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.
122-02	<b>M/s. NATIONAL MEDICAL CENTRE,</b> S. F. No. 10-G/2098, Thanjavur Town, Palliyakrakaram Village. Thanjavur Taluk Thanjavur District – 613 001.	Renewal of Consent Under Auto Renewal procedure under Water Act only.
122-03	<b>M/s. ST MARTIN CHILDREN HOSPITAL,</b> S. F. No. 652, Kumbakonam Village, Kumbakonam Taluk, Thanjavur District – 612 001.	Renewal of Consent Under Auto Renewal procedure under Water Act only.
122-04	<b>M/s. MUTHIYAH EYE HOSPITAL AND POLY CLINIC,</b> S. F. No. 2970/2, 2971 To 2974, Thanjavur Town, Neelagiri Therkku Thottam Village, Thanjavur Taluk, Thanjavur District – 613 001.	Renewal of Consent Under Auto Renewal procedure under Water Act only.
122-05	<b>M/s. DEIVA HOSPITAL,</b> S. F. No. 3042 To 3045 & 3047 To 3049, Thanjavur Town, Neelagiri Therkku Thottam Village, Thanjavur Taluk, Thanjavur District – 613 007.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.
122-06	<b>M/s. KARTHI SUPRAJ CLINIC,</b> S. F. No. 225/1, Nadiyammalpuram Village,	Renewal of Consent Under Auto Renewal procedure under Water

	Pattukottai Taluk, Thanjavur District – 614 602	and Air Acts.
122-07	<b>M/s. VANCHILINGAM HOSPITAL (TANJORE) (P) LTD,</b> S. F. No.252 Part , Neelagiri Therkku Thottam Village, Thanjavur Taluk, Thanjavur District – 613 005.	Renewal of Consent Under Auto renewal procedure under Water and Air Acts.
122-08	<b>M/s. KARTHI SCANS AND DIAGNOSTIC CENTRE,</b> S. F. No. 252 Part, Neelagiri Therkku Thottam Village, Thanjavur Taluk, Thanjavur District – 613 005.	Renewal of Consent Under Auto Renewal procedure under Water Act only.
122-09	<b>M/s. GANESH AARTHI MEDICAL RESEARCH INSTITUTE,</b> S. F. No. 528/B, Palliyakrakaram Village, Thanjavur Taluk, Thanjavur District – 613 001.	Renewal of Consent Under Auto Renewal Procedure under Water Act only.
122-10	<b>M/s. VASAN HEALTH CARE PVT LTD,</b> S. F. No. 420,421,422 , Kumbakonam Village, Kumbakonam Taluk, Thanjavur District – 612 001.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.
122-11	<b>M/s. CHINDUJA CLINIC,</b> S. F. No. 34/7, Pattukkottai Village, Pattukkottai Taluk, Thanjavur District – 614 601.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.
122-12	<b>M/s. SRIE KUMARAN HOSPITAL,</b> S. F. No. 83/IB, Nadiyammalpuram Village, Pattukkottai Taluk, Thanjavur District – 614 602.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.
122-13	<b>M/s. DR. JOSEPH'S ORTHO CLINIC,</b> S. F. No. 3644, Nanchikkottai Village, Thanjavur Taluk, Thanjavur District.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.

122-14	<b>M/s. NATIONAL PHARMA HOSPITAL AND RESEARCH I,</b> S. F. No. 111/1, Neelagiri Therkku Thottam Village, Thanjavur Taluk, Thanjavur District – 613004.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.
122-15	<b>M/s. G.M. HOSPITAL,</b> S. F. No. 36, Thanjavur Town, Neelagiri Therkku Thottam Village, Thanjavur Taluk, Thanjavur District – 613 007.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.
122-16	<b>M/s. THANGA SARADHA NURSING HOME,</b> S. F. No. 2896, Palliyakrakaram Village, Thanjavur Taluk, Thanjavur District – 613 009.	Renewal of Consent Under Auto Renewal procedure under Water Act only.
122-17	<b>M/s. SIVA PREETHI HOSPITAL,</b> S. F. No. 115/1, Nanchikkottai Village, Thanjavur Taluk, Thanjavur District – 613005.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.
122-18	<b>M/s. M A N POLY CLINIC,</b> S. F. No. 465,466, Kumbakonam Village, Kumbakonam Taluk, Thanjavur District – 612 001.	Renewal of Consent Under Auto Renewal procedure under Water Act only.
122-19	<b>M/s. NOVA HOSPITAL,</b> S. F. No. 1611, Pudupattinam Village, Thanjavur Taluk, Thanjavur District – 613 001.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.

  
Convenor / DLCCC / AEE  
TNPCCB / Thanjavur

  
Chairman / DLCCC / DEE  
TNPCCB / Thanjavur



## Tamil Nadu Pollution Control Board

Agenda for the 123<sup>rd</sup> District Level Consent Clearance Committee Meeting held on 17.05.2019 at the O/o District Environmental Engineer, Tamil Nadu Pollution Control Board, Thanjavur.

### RCO:

S.No	Subject	Agenda
123-01	M/s. ELANGO VAN HOSPITAL, S. F. No.860/1&860/2, Pattukottai Village, pattukottai Taluk, Thanjavur District – 614 601.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.
123-02	M/s. S R MATERNITY HOME, S. F. No. 41/29, Neelagiri therkku thottam Village, Thanjavur Taluk, Thanjavur District – 613 001.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.
123-03	M/s. ALAGAPPA HOSPITALS PVT LTD@BHARANI HOSPITAL, S. F. No.3300/1A1, Nanchikkottai Village, Thanjavur Taluk, Thanjavur District – 613 006.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.
123-04	M/s. KRISHNA CHILD CARE CENTRE, S. F. No.3274/1A1A, Nanjikottai Village, Thanjavur Taluk, Thanjavur District – 613 007.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.
123-05	M/s. SACRED HEART COLLEGE OF NURSING, S. F. No. 180, Palavatankattalai Village, Kumbakonam Taluk, Thanjavur District – 612 401.	Renewal of Consent Under Auto Renewal procedure under Water and Air Acts.

*Y.P. 17/5/19*  
AE/TNPCB/  
Thanjavur

*bte 17/5/19*  
Convenor /DLCCC /AEE  
TNPCB / Thanjavur

*[Signature] 17/5/19*  
Chairman / DLCCC /DEE  
TNPCB / Thanjavur



## TAMIL NADU POLLUTION CONTROL BOARD

Agenda for 124<sup>th</sup> District Level Consent Clearance Committee Meeting held on 20.05.2019 at the O/o District Environmental Engineer, Tamil Nadu Pollution Control Board, Thanjavur.

### CTO – DIRECT:

Item No.	Name of the unit	GFA and P&M in Lakhs	Type	Category Size	Order sought
124-01	M/S. Government Primary Health Centre Adhanur, S. F. No. 157/7, Adhanur South Village, Papanasam Taluk, Thanjavur District – 612 301.	75.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-02	M/s. Government Primary Health Centre Adambai, S. F. No. 556/5,6, Adambai south Village, Pattukottai Taluk, Thanjavur District – 614 602.	66.5	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-03	M/s. Government Primary Health Centre Alagianayagipuram S. F. No. 45/9,10,11,,13,14 & 46/2,3,4,5, Alagianayagipuram, Eralivayal Village, Pattukkottai Taluk, Thanjavur District – 614	112.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.

	723				
124-04	M/s. Government Primary Health Centre Ammapettai, S. F. No. 343/2B, Neduvasal Village, Ammapettai, Papanasam Taluk,  Thanjavur District -614 404.	220.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-05	M/s. Government Primary Health Centre Chakkrappalli, S. F. No. 651,  Chakkrappalli Village,  Papanasam Taluk,  Thanjavur District-614 211	70.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-06	M/s. Government Primary Health Centre Cholapuram S. F. No. 192/7,  Cholapuram Village,  Kumbakonam Taluk,  Thanjavur District-612 503.	80.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-07	M/s. Government Primary Health Centre Kasavalanadu Puthur , S. F. No. 118C/8S, Kasavalanadu Puthur Village,  Thanjavur Taluk & District – 614 904.	55.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.



124-08	M/s. Government Primary Health Centre Keelakattur S. F. No. 92/6,92/7 & 90/3, Keelakattur, Athipakkam Village, Thiruvaidaimarudur Taluk, Thanjavur District – 609 807.	35.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-09	M/s. Government Primary Health Centre, Kothankudi S. F. No. 24/1B, Kothankudi Village, Kumbakonam Taluk, Thanjavur District – 614 101.	75.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-10	M/s. Government Primary Health Centre , Madukkur S. F. No. 494/6, 12 Madukkur Village, Pattukottai Taluk, Thanjavur District – 614 903.	112.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-11	M/s. Government Primary Health Centre, Maharanoombuchavadi S. F. No. 1177/1,2,3, Maharanoombuchavadi, Pudupattinam Village, Thanjavur Taluk, Thanjavur District – 613 001.	60.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-12	M/s. Government Primary Health Centre Mareneri , S. F. No. 103/8,103/9, Maraneri Village, Budalur Taluk, Thanjavur District – 613	28.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions

	102.		having total waste water generation less than 100 KLD		mentioned in the Note attached.
124-13	M/s. Government Primary Health Centre Marungulam S. F. No. 45/1, Marungulam Village, Thanjavur Taluk, Thanjavur District – 613 006.	16.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-14	M/s. Government Primary Health Centre Naducauvery, S. F. No. 485/1A, Naducauvery Village, Thiruvaiyaru Taluk, Thanjavur District – 613 101.	67.6	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-15	M/s. Government Primary Health Centre Nagathi S. F. No. 240/1, Nagathi Village, Thiruvaiyaru Taluk, Thanjavur District – 613 205.	17.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-16	M/s. Government Primary Health Centre Narasinganpettai S. F. No. 155/22, Narasinganpettai Village, Thiruvaidaimaruthur Taluk, Thanjavur District – 609 802.	70.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.



124-17	M/s. Government Primary Health Centre Okkanadu Kelaiyur , S. F. No. 208 B/15,16 & 9A1, Okkanadu Kelaiyur Village, Orathanadu Taluk, Thanjavur District – 614 625.	95.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-18	M/s. Government Primary Health Centre Palayapatti , S. F. No. 121/1,2,3,4, Palayapatti North Village, Budhalur Taluk, Thanjavur District – 613 402.	156.5	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-19	M/s. Government Primary Health Centre Pandaravadai S. F. No. 321, Pandaravadai Village, Papanasam Taluk, Thanjavur District – 614 204.	48.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-20	M/s. Government Primary Health Centre Periyakottai S. F. No. 269/3B3, Periyakottai Village, Pattukottai Taluk, Thanjavur District – 614 903.	63.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.

124-21	M/s. Government Primary Health Centre Perumagalur S. F. No. 75/5,6,8A,12A, Perumagalur Village, Peravurani Taluk, Thanjavur District – 614 612.	100.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-22	M/s. Government Primary Health Centre Poondi S. F. No. 373B/1A, Poondi Village, Papanasam Taluk, Thanjavur District – 613 105.	15.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-23	M/s. Government Primary Health Centre Rajamadam S. F. No. 96/21,26,27,55,56,57,59,7 0,71, Rajamadam Village, Pattukottai Taluk, Thanjavur District – 614 701.	20.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-24	M/s. Government Primary Health Centre Saliyamangalam S. F. No. 416/4, Saliyamangalam Village, Papanasam Taluk, Thanjavur District – 613 504.	45.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-25	M/s. Government Primary Health Centre Senthalai S. F. No. 203/9, Senthalai Village, Thiruvaiyaru Taluk, Thanjavur District – 613	25.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions

	101.		having total waste water generation less than 100 KLD		mentioned in the Note attached.
124-26	M/s. Government Primary Health Centre Sillathur S. F. No. 411/2, Sillathur Village, Orathanadu Taluk, Thanjavur District – 614 902.	89.65	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-27	M/s. Government Primary Health Centre Sundaraperumal Koil S. F. No. 90, Sundaraperumal Koil Village, Kumbakonam Taluk, Thanjavur District – 614 208	60.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-28	M/s. Government Primary Health Centre Norhevankudikadu, S. F. No. 164/2B1, Ragavambalpuram Village, Orathanadu Taluk, Thanjavur District -614 019.	75.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-29	M/s. Government Primary Health Centre Swamimalai S. F. No. 158/2, Swamimalai Village, Kumbakonam Taluk, Thanjavur District – 612 302.	65.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.

124-30	M/s. Government Primary Health Centre Thamarankottai S. F. No. 137/1 Thamarankottai Village, Pattukottai Taluk, Thanjavur District – 614 613.	50.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-31	M/s. Government Primary Health Centre Thirunageswaram S. F. No. 146/2, Thirunageswaram, Sannapuram Village, Kumbakonam Taluk, Thanjavur District – 612 204.	100.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-32	M/s. Government Primary Health Centre Thiruvalemposhii S. F. No. 102/5A1 & 5A2, Thiruvalemposhil Village, Thiruvaiyaru Taluk, Thanjavur District – 613 101.	43.5	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-33	M/s. Government Primary Health Centre Thondarampattu S. F. No. 160B/2C, Thondarampattu Village, Orathanadu Taluk, Thanjavur District – 614 905.	140.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-34	M/s. Government Primary Health Centre Vadakkur S. F. No. 235/9-17, Vadakkur north Village, Orathanadu Taluk, Thanjavur District – 614	90.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions

	902.		having total waste water generation less than 100 KLD		mentioned in the Note attached.
124-35	M/s. Government Primary Health Centre Vandaiyariruppu S. F. No. 53/2, Vandaiyariruppu Village, Orathanadu Taluk, Thanjavur District – 614 014.	90.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-36	M/s. Government Primary Health Centre Veeramangudi , S. F. No. 375/1, Veeramangudi Village, Papanasam Taluk, Thanjavur District – 613 204.	50.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-37	M/s. Government Primary Health Centre Veppathur S. F. No. 460/14, Veppathur Village, Thiruvaidaimarudur Taluk, Thanjavur District – 612 105.	60.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-38	M/s. Government Primary Health Centre Patteeswaram, S.F.NO. 314/8,10, Patteeswaram Village, Kumbakonam Taluk, Thanjavur District-	100.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.



	612703.				
124-39	M/s. Government Primary Health Centre Nambivayal S.F.No. 157/1,3,6,7, Nambivayal Village, Pattukottai Taluk, Thanjavur District – 614 615.	30.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-40	M/s. Government Primary Health Centre Naatusaalai S.F.No. 172/1,175/5, Naatusaalai Village, Pattukottai Taluk, Thanjavur District - 614 906.	30.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-41	M/s. Government Primary Health Centre Neively Vadapathi S. F. No. 70/1, Neively Vadapathi Village, Orathanadu Taluk, Thanjavur District – 614 628.	59.56	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-42	M/s. Government Primary Health Centre Umathanadu S.F.No.263/1A,1B,263/3, 264/1, Umathanadu village, Peravurani Taluk, Thanjavur District – 614 802.	70.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.



124-43	M/s. Government Primary Health Centre Enathy S.F.No.309/1,310/1,310/5, Enathy village, Pattukottai Taluk, Thanjavur District – 614 615.	30.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-44	M/s. Government Primary Health Centre EVR Maniammai Kamarajar Salai T.S. No. 732/2,738, EVR Maniammai Kamarajar Salai Village Kumbakonam Taluk, Thanjavur District-612 001.	25.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-45	M/s. Government Primary Health Centre Thuguli S. F. No. 311/1, Thuguli Village, Thiruvaidaimarudhur Taluk, Thanjavur District – 609 804.	50.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-46	M/s. Government Primary Health Centre Srinivasapuram T.S. No. 3024/1, Srinivasapuram Village, Thanjavur Taluk, Thanjavur District-613 009.	15.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-47	M/s. Government Primary Health Centre Konulampallam S. F. No.330/48,331/9, Konulampallam,	95.0	2085 - Health-care Establishment (as defined in BMW Rules) without	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the

	Thittachery Village, Thiruvudaimarudur Taluk, Thanjavur District-609 807.		Incinerator and having total waste water generation less than 100 KLD		conditions mentioned in the Note attached.
124-48	M/s. Government Primary Health Centre Vengarai S. F. No. 349/2B2, Vengarai Village, Orathanadu Taluk, Thanjavur District-614 628.	67.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-49	M/s. Government Hospital, Ayanavaram S. F. No. 556/3, Ayanavaram Village, Budhalur Taluk, Thanjavur District - 613602	200.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-50	M/s. Government Primary Health Centre Mela Ulur S. F. No. 249/1, Mela Ulur Village, Orathanadu Taluk, Thanjavur District - 614 904.	82.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-51	M/s. Government Primary Health Centre Vadaseri S.F .NO. 286/2A1,2B, Vadaseri Village, Orathanadu Taluk, Thanjavur District - 614 905.	170.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.

124-52	M/s. Government Primary Health Centre Thelunkankudikadu,  S.F.NO.47B/2B & 48/1A2,6,8,9,10,13B,14  Thelunkankudikadu Village,  Orathanadu Taluk, Thanjavur District – 614 625	50.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-53	M/s. Government Primary Health Centre Alakudi T.S. No. 347/1, Alakudi Village, Thanjavur Taluk, Thanjavur District-613 601.	18.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-54	M/s. Government Primary Health Centre Kallukulam S. F. No. 2824/9, Kallukulam Village, Thanjavur Taluk, Thanjavur District-613 001.	112.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-55	M/s. Government Primary Health Centre Karambayam S. F. No. 116/10, Karambayam Village, Pattukottai Taluk, Thanjavur District-614 626.	30.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.

124-56	M/s. Government Primary Health Centre Kuruvikkarambai S. F. No. 284/4,5,7, Kuruvikkarambai Village, Peruvurani Taluk, Thanjavur District-614 802.	135.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-57	M/s. Government Primary Health Centre Thiruneelakudi, S. F. No. 116/3, Thiruneelakudi Village, Thiruvaidaimarudur Taluk, Thanjavur District- 612 101.	70.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-58	M/s. Government Primary Health Centre, Koviladi, S. F. No. 450/2B4 & 452/1D, Koviladi Village, Budalur Taluk, Thanjavur District – 613 105.	46.6	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
124-59	M/s. Government Primary Health Centre Kabisthalam, S.F.No. 333/1B, Kabisthalam Village, Papanasam Taluk, Thanjavur District – 614 203.	250.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.

124-60	M/s. Government Primary Health Centre Pappanadu S.F.No. 118/1 Abidanalla Vijayapuram Village, Orathanadu Taluk, Thanjavur District – 614 626.	65.0	2085 - Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	Orange/ Small	To consider the issue of Consent To Operate - Direct to the unit subject to the conditions mentioned in the Note attached.
--------	---	------	--	------------------	--

**RCO:**

S.No	Subject	Agenda
124-61	M/s. DHARSHANA HOSPITAL, S. F. No. 24/4B, 24/5A1, 24/5A2, Nattanikkottai Village, Peravurani Taluk, Thanjavur District – 614 804.	Renewal of Consent Under Auto Renewal procedure under both Water and Air Acts.
124-62	M/s. KEERTHI HOSPITAL, S. F. No. 45/4, Muthambalpuram Village. Orathanadu Taluk Thanjavur District – 614 605.	Renewal of Consent Under Auto Renewal procedure under both Water and Air Acts.

*M. S. S. 21/5/19*  
AE/TNPCB/  
Thanjavur

*lola 21/5/19*  
Convenor /DLCCC /AEE  
TNPCB / Thanjavur

*[Signature] 21/5/19*  
Chairman / DLCCC /DEE  
TNPCB / Thanjavur

4/27/77

Mr. Tolson  
Washington, D.C.

Re: [Illegible] [Illegible] [Illegible]

[Illegible body text]

[Illegible body text]