



**TAMIL NADU POLLUTION CONTROL BOARD, VIRUDHUNAGAR**  
**MINUTES OF THE 155th DISTRICT LEVEL CONSENT CLEARANCE MEETING**

O/o DISTRICT ENVIRONMENTAL ENGINEER.


TAMIL NADU POLLUTION CONTROL BOARD, VIRUDHUNAGAR ON 17.06.2019

<b>Item No.</b>	<b>Name &amp; Address of the Industry Messers</b>	<b>Applied For &amp; Category, Classification &amp; Type</b>	<b>GFA (Rs. lakhs)</b>	<b>Decision of the Meeting</b>
155-1	M/s. Sri Karpagavinayagar Clinic, Survey No.113,115 & 116, Aruppukottai Town, Aruppukottai Taluk, Virudhunagar District	CTO – Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	4.9	<b>Approved.</b>
155-2	M/s. Meera Hospital, Survey No. 43,44,45/1, Aruppukottai Town, Aruppukottai Taluk, Virudhunagar District	CTO – Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	62.0	<b>Approved.</b>
155-3	M/s. Karthik Nursing Home, Survey No : 702(P) & 704(P), Virudhunagar Town, Virudhunagar Taluk, Virudhunagar District	CTO – Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	36.14	<b>Approved.</b>
155-4	M/s. Mariraj ENT Hospital , Survey No: 327/IXIB, Chettiyarpatti Village, Rajapalayam Taluk, Virudhunagar District.	CTO – Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	18.86	<b>Approved.</b>
155-5	M/s. Senthil Nursing Home, Survey No: 1646/1 PART -EAST SIDE Srivilliputhur Town, Srivilliputhur Taluk, Virudhunagar District.	CTO – Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	74.0	<b>Approved.</b>

Item No.	Name & Address of the Industry Messers	Applied For & Category, Classification & Type	GFA (Rs, lakhs)	Decision of the Meeting
155-6	M/s. Shiva Hospital, Survey No: 8, Rajapalayam Town, Rajapalayam Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	41.58	Approved.
155-7	M/s. NSN Hospital, Survey No: 477/2 Virudhunagar Town, Virudhunagar Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	15.4	Approved.
155-8	M/s. Bakiam Nursing Home, Survey No: 433, Srivilliputhur Town, Srivilliputhur Taluk, Virudhunagar District.	CTO - Direct (Air Act Fresh) ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	24.0	Approved.
155-9	M/s. Ranjith Blue Metals, Survey No: 899/1B2,901/2A, 901/1A2A, Nathikudi Village, Vembakottai Taluk, Virudhunagar District.	CTO - after CTE  ORANGE - Small  2064-Stone crushers	123.08	Approved.

  
AE/VNR

  
AE/VNR  
17/6/19

  
DEE / VNR



**TAMIL NADU POLLUTION CONTROL BOARD**

**MINUTES FOR THE 156<sup>th</sup> DISTRICT LEVEL CONSENT CLEARANCE COMMITTEE**  
**MEETING OF VIRUDHUNAGAR OFFICE HELD ON 29.06.2019 IN THE OFFICE OF THE**  
**DISTRICT ENVIRONMENTAL ENGINEER, VIRUDHUNAGAR.**

Sl. No.	Item No.	Subject	Decision of the Committee
1	156-1	M/s. Andal Hospital, Survey No.1961,1962,1963 & 1964, Vadaku Srivilliputhur Village, Srivilliputhur Taluk, Virudhunagar District	The Committee decided to issue <b>CONSENT TO OPERATE - Direct</b> to the unit subject to the conditions mentioned in the agenda.
2	156-2	M/s. Harvey Clinic, Survey No. 188/4, Rajapalayam Town, Rajapalayam Taluk, Virudhunagar District	The Committee decided to issue <b>CONSENT TO OPERATE - Direct</b> to the unit subject to the conditions mentioned in the agenda.
3	156-3	M/s. Vijey Clinic, Survey No : 260 Aampalathavanatham Village, Virudhunagar Taluk, Virudhunagar District	The Committee decided to issue <b>CONSENT TO OPERATE - Direct</b> to the unit subject to the conditions mentioned in the agenda.
4	156-4	M/s. Care AKPS, Survey No : 133/1B3C Virudhunagar Town, Virudhunagar Taluk, Virudhunagar District	The Committee decided to issue <b>CONSENT TO OPERATE - Direct</b> to the unit subject to the conditions mentioned in the agenda.
5	156-5	M/s. Jothi Clinic, Survey No : 77,78 Virudhunagar Town, Virudhunagar Taluk, Virudhunagar District	The Committee decided to issue <b>CONSENT TO OPERATE - Direct</b> to the unit subject to the conditions mentioned in the agenda.
6	156-6	M/s. Jeevarajan Hospital, Survey No: T.S.No.76, Virudhunagar Town, Virudhunagar Taluk, Virudhunagar District.	The Committee decided to issue <b>CONSENT TO OPERATE - Direct</b> to the unit subject to the conditions mentioned in the agenda.
7	156-7	M/s. Raja Hospital, Survey No: 2900,2901/1P Srivilliputhur Town, Srivilliputhur Taluk, Virudhunagar District.	The Committee decided to issue <b>CONSENT TO OPERATE - Direct</b> to the unit subject to the conditions mentioned in the agenda.
8	156-8	M/s. Lakshmi Hospital (Medical and Dental Care), Survey No: 371(Part) Rajapalayam Town, Rajapalayam Taluk, Virudhunagar District.	The Committee decided to issue <b>CONSENT TO OPERATE - Direct</b> to the unit subject to the conditions mentioned in the agenda.
9	156-9	M/s. Nidhi Children's Hospital, Survey No: 409 Srivilliputhur Town, Srivilliputhur Taluk, Virudhunagar District.	The Committee decided to issue <b>CONSENT TO OPERATE - Direct</b> to the unit subject to the conditions mentioned in the agenda.

*Thamy*  
29/6/19  
AE/VNR

*[Signature]*  
29/6/19  
AEE/VNR

*[Signature]*  
29.6.19  
DEE / VNR