

**DRAFT EIA & EMP FOR  
PROPOSED ROUGH STONE QUARRY  
CATEGORY – B1 (CLUSTER)**

(Submitted for Public Hearing as per the provisions of EIA Notification 2006 & its amendments thereof)

**ToR Lr.No. SEIAA-TN/F.No.8656/SEAC/ToR-1365/2023, dated 09.02.2023**

PROPOSED QUARRY LEASE DETAILS	
SURVEY NOS	168 (Part-1)
VILLAGE	VADA ALAPIRANDAN
TALUK	CHEYYAR
DISTRICT	TIRUVANNAMALAI
EXTENT	4.50.0 HA
PROPOSED PRODUCTION QUANTITY FOR FIVE YEARS	12,54,020 m <sup>3</sup> OF ROUGH STONE
LAND	GOVERNMENT PORAMBOKE LAND

(Sector No. 1(a) (Sector no.1 as per NABET)  
Category of the Project: B1 Cluster Mining, Total Cluster Area – 9.00 Ha  
Baseline Monitoring Period – March to May 2023

**APPLICANT**

**Thiru.N.Venkatesh  
S/o. Thiru. Natrajan,  
158, Kurinji Nagar, Vellisemmandalam,  
Cuddalore District.**

**ORGANIZATION**

**M/S. GLOBAL MINING SOLUTIONS  
(NABET ACCREDITED & ISO 9001 CERTIFIED CONSULTANT)  
PLOT NO.6, SF NO. 13/2, A2, VS CITY, RC CHETTYPATTY,  
KOTTAMETTUPATTY, OMALUR, SALEM, TAMIL NADU – 636 455  
NABET ACCREDITATION NO – NABET/EIA/2326/IA 0110**

June -2023



DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.

## AMENDMENT PAGE

SL	Page No.	Section / Clause / Para / Line (as Applicable)	Date of Amendment	Amendment Made	Reasons of amendment	Signature of Person Authorizing Amendment
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						

## **ACKNOWLEDGEMENT**

*M/s. Global Mining Solutions, Salem is very much thankful to Thiru.N. Venkatesh, Lessee for the confidence and trust placed on the organization for carrying out Environmental Impact Assessment (EIA) study for the proposed Rough Stone Quarry over a lease extent of 4.50.0 Ha., & cluster extent of 9.00.0 Ha., located at Vada Alapirandan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu and formulating the Environmental Management Plan (EMP). We also gratefully acknowledge the cooperation and assistance provided by concerned government authorities for collection of secondary information for the preparation of EIA/EMP report. Our sincere thanks to the local people of Vada Alapirandan and the nearby villages for their whole hearted cooperation and constant involvement during the entire field study without which the study would not have been possible.*

*For: M/s. Global Mining Solutions*

(M. Prabu)

Managing Director

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

## **UNDERTAKING**

*In Line with MoEF OM No.J – 11013/41/2006-IA.II (I) dated 5<sup>th</sup> October 2011, we hereby give our undertaking for owning the content and information in the EIA/EMP report submitted for EC of the proposed Rough Stone Quarry over a lease extent of 4.50.0 Ha., & cluster extent of 9.00.0 Ha., at Vada Alapirandan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.*

*For Global Mining Solutions*

*Name: Manikandan*

*EIA Coordinator – Mining Of Minerals*

*Global Mining Solutions*

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

## **UNDERTAKING**

*In Line with MOEF OM no. J-11013/41/2006-IA.II (1) dated 4<sup>th</sup> Aug 2009 and its Amendments, we hereby confirm that all Terms of Reference issued by Ministry of Environment, Forest and Climate Change vide Letter No.SEIAA-TN/F.No. 8656/SEAC/ToR-1365/2023, dated: 09.02.2023 for preparation of EIA/EMP report for the proposed Stone Quarry over a lease extent of 4.50.0Ha., and cluster extent of 9.00.0 Ha., at Vada Alapirandan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu, for the production of 12,54,020 m<sup>3</sup> of Rough Stone from the proposed lease area and the details has been complied in the EIA/EMP report is factually correct.*

*The EIA/EMP report has been prepared by M/s. Global Mining Solutions (GMS), Salem. GMS is a NABET accredited consultant for preparation of EIA/EMP report of Mining of Minerals (Opencast only) vide certificate No. NABET/EIA/2326/IA 0110, valid till 04.01.2026.*


*For Global Mining Solutions*



*Name: Manikandan*

*EIA Coordinator – Mining Of Minerals*

*Global Mining Solutions*

DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.

 **QUALITY COUNCIL OF INDIA**  
Growing an Ecosystem for Quality

 **National Accreditation Board for Education and Training** 

**Certificate of Accreditation**


**Global Mining Solutions**  
Plot No - 6 SF No 13/2 A2, VS City, RC Chettyppatty,  
Kottamettupatty, Omalur, Salem, Tamil Nadu-636455


*The organization is accredited as Category-B under the QCI-NABET Scheme for Accreditation of EIA Consultant Organizations, Version 3: for preparing EIA-EMP reports in the following Sectors –*

S. No	Sector Description	Sector (as per)		Cat.
		NABET	MoEFCC	
1	Mining of minerals-opencast mining only	1	1 (a) (I)	A

*Note: Names of approved EIA Coordinators and Functional Area Experts are mentioned in IAAC minutes dated February 10, 2023, posted on the QCI-NABET website.*

*The Accreditation shall remain in force subject to continued compliance with the terms and conditions mentioned in QCI-NABET's letter of accreditation bearing no. QCI/NABET/ENV/ACO/23/2724 dated March 31, 2023. The accreditation needs to be renewed before the expiry date by Global Mining Solutions, Salem following the due process of assessment.*



  
Sr. Director, NABET  
Date: March 31, 2023

Certificate No.  
NABET/EIA/2326/IA 0110

Valid up to  
January 4, 2026

*For the updated List of Accredited EIA Consultant Organizations with approved Sectors please refer to the QCI-NABET website.*

DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.

## ANNEXURE - VII

*Declaration by Experts contributing to the proposed Stone Quarry over a lease extent of 4.50.0 Ha., & a cluster extent of 9.00.0 Ha at Vada Alapirandan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.*

*I, hereby, certify that I was a part of the EIA team that developed the above EIA.*

*EIA Coordinator Name: M. Manikandan*

*Signature & Date*

*Period of involvement: March 2023 to May 2023.*


**Contact information:**

**M/s Global Mining Solutions**






**Plot No.6, SF No. 13/2, A2, VS City, RC Chettypatty,**

**Kottamettupatty, Omalur,**

**Salem, Tamil Nadu – 636 455**

S. No.	Functional areas	Name of the expert/s	Involvement (period and task**)	Signature and Date
1	AP	Dhanalakshmi Ramanathan	Assessment of existing air quality, Impact of the project on ambient air and suggested mitigation measures for air pollution.  <u>Period: March 2023 to May 2023.</u>	

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**


2	WP	Abirami Kaliaperumal	Assessment of existing water quality, impact of the project on surface and ground water quality, suggested mitigation measures for minimizing the impact.  <u>Period: March 2023 to May 2023.</u>	
3	SHW	Ramadoss N	Assessment of waste generated from the project, suggested waste management practices.  <u>Period: March 2023 to May 2023.</u>	
4	SE	Sarasvathy K	Baseline SE study. Data compilation and assessment. Impact of the project on SE status of the area. Formulation of CER plan.  <u>Period: March 2023 to May 2023.</u>	
5	EB	Saravanan S	Baseline data collection of related to ecology of the area.  <u>Period: March 2023 to May 2023.</u>	
6	HG	Ravinthiran N	Hydrogeological feature of the area. Ground water depth and impact of project on ground water of the area.  <u>Period: March 2023 to May 2023.</u>	



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

7	AQ	Srilatha Thiruveedhula	Air quality modeling utilizing the area source model. Predication of the ground level concentration of the dust. Suggesting suitable mitigation measures.  <u>Period: March 2023 to May 2023.</u>	T Srilatha
8	NV	Dhanalakshmi Ramanathan	Ambient noise study of the area. Incremental noise generation due to quarry operation and impact of the noise due to the project.  <u>Period: March 2023 to May 2023.</u>	R. Dhanu
9	LU	Dhanalakshmi Ramanathan	Preparation of land use map based on satellite imagery. Land use classification and analysis. Impact prediction of the project on the surrounding land environment.  <u>Period: March 2023 to May 2023.</u>	R. Dhanu
10	RH	S.V. Prashant	Identification of the Risk related to the mining activities. Preparation of emergency disaster management plan. Plan for supply of safety equipment for the worker.  <u>Period: March 2023 to May 2023.</u>	Prashant
11	SC	Shisupal Sing	Soil monitoring, secondary data collection on soil type, soil management practices, utilization of topsoil.	Shisupal Sing

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

			<u>Period: March 2023 to May 2023.</u>	
12	GEO	Valliappan Meyyappan	Geological map, stability of quarry and dump, management plan for mine stability, after use of mining quarry and geological feature of the area.  <u>Period: March 2023 to May 2023.</u>	

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**EIA CONTENT**

<b>CHAPTER NO</b>	<b>TITLE</b>	<b>PAGE NO</b>
<b>1</b>	<b>INTRODUCTION</b>	<b>70</b>
1.1	PURPOSE OF THE REPORT	70
1.2	IDENTIFICATION OF PROJECT AND PROJECT PROPONENT	71
1.3	BRIEF DESCRIPTION OF NATURE OF THE PROJECT	72
1.4	SIZE AND LOCATION OF THE PROJECT	72
1.5	IMPORTANCE OF THE PROJECT TO THE COUNTRY AND REGION	73
1.6	SCOPE OF THE STUDY WITH DETAILS OF REGULATORY SCOPING	73
1.7	PRESENT STUDY	73
1.8	STATUS OF LITIGATIONS	74
<b>2</b>	<b>PROJECT DESCRIPTION</b>	<b>76</b>
2.1	TYPE OF PROJECT	76
2.2	SALIENT FEATURES OF THE PROJECT	76
2.3	GEOLOGY AND TOPOGRAPHY	77
2.4	AVAILABLE MINEABLE RESERVES	85
2.5	NEED FOR THE PROJECT	85
2.6	LOCATION	86
2.7	PROJECT BOUNDARY AND PROJECT SITE LAYOUT	87
2.8	SIZE OR MAGNITUDE OF OPERATION	89
2.9	LAND USE OF THE PROJECT AREA	89
2.10	LAND USE AT MINE CLOSURE STAGE	89
2.11	LAND USE OF THE STUDY AREA	89
2.12	METHOD OF MINING	91
2.13	TIMING	91
2.14	BENCH GEOMETRY	91
2.15	DEVELOPMENT OF MINING FACES	91
2.16	DRILLING & BLASTING	91
2.17	LOADING & TRANSPORTATION OF ROUGH STONE	92
2.18	PROCESS FLOW CHART FOR MINING OF DECORATIVE STONE	93
2.19	LAYOUT	93
2.20	MACHINERY DETAILS	93

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

2.21	PROPOSED SCHEDULE FOR IMPLEMENTATION	94
2.22	CONCEPTUAL PERIOD	95
2.23	TECHNOLOGY AND PROCESS DESCRIPTION	97
2.24	PROJECT REQUIREMENTS	97
2.25	PROJECT COST	97
<b>3</b>	<b>DESCRIPTION OF THE ENVIRONMENT</b>	<b>99</b>
3.1	DESCRIPTION OF THE STUDY AREA	99
3.2	DESCRIPTION OF ENVIRONMENT IN THE STUDY AREA	100
3.3	METEOROLOGICAL ENVIRONMENT	102
3.4	AMBIENT AIR MONITORING DATA	106
3.5	WATER ENVIRONMENT	111
3.6	NOISE MONITORING	113
3.7	SOIL SAMPLING ANALYSIS	116
3.8	BIOLOGICAL ENVIRONMENT	117
3.9	LAND USE	120
3.10	SOCIOECONOMIC ENVIRONMENT	121
3.11	HYDROGEOLOGY OF THE STUDY AREA	127
<b>4</b>	<b>ANTICIPATED ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES</b>	<b>134</b>
4.1	INTRODUCTION	134
4.2	LAND ENVIRONMENT	135
4.3	ANTICIPATED IMPACTS AND MITIGATION MEASURES	136
4.4	SOLID WASTE GENERATION AND MANAGEMENT	139
4.5	WATER ENVIRONMENT	139
4.6	VEGETATION	142
4.7	AIR ENVIRONMENT	142
4.8	NOISE ENVIRONMENT	151
4.9	IMPACTS DUE TO VIBRATION	153
4.10	SOCIO ECONOMIC IMPACT	154
4.11	OCCUPATIONAL HEALTH	154
<b>5</b>	<b>ANALYSIS OF ALTERNATIVES (TECHNOLOGY &amp; SITES)</b>	<b>156</b>
5.1	ALTERNATE TECHNOLOGY	156
5.2	ALTERNATE SITE	156

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

<b>6</b>	<b>ENVIRONMENTAL MONITORING PROGRAMME</b>	<b>157</b>
6.1	ENVIRONMENTAL MONITORING	157
6.2	OBJECTIVES OF ENVIRONMENTAL MONITORING	157
6.3	ENVIRONMENTAL MONITORING SCHEDULE	158
6.4	LOCATION	158
6.5	MEASUREMENT METHODOLOGY	158
6.6	TECHNICAL ASPECTS OF MONITORING THE EFFECTIVENESS OF MITIGATION MEASURES	159
6.7	EMERGENCY PROCEDURES	160
6.8	REPORTS TO BE GENERATED	160
6.9	DETAILED BUDGET AND PROCUREMENT SCHEDULES	160
<b>7</b>	<b>ADDITIONAL STUDIES</b>	<b>162</b>
7.1	PUBLIC CONSULTATION	162
7.2	RISK ASSESSMENT & MANAGEMENT	162
7.3	REHABILITATION AND RESETTLEMENT (R & R) PLAN	164
7.4	COMBINED ENVIRONMENTAL IMPACT ASSESSMENT STUDY	164
7.5	AIR QUALITY IMPACT PREDICTION FOR THE CLUSTER	165
7.6	HYDROGEOLOGICAL STUDY	171
7.7	SLOPE STABILITY STUDY	171
7.8	DISASTER MANAGEMENT	171
7.9	MINE CLOSURE PLAN	172
<b>8</b>	<b>PROJECT BENEFITS</b>	<b>173</b>
<b>9</b>	<b>ENVIRONMENTAL COST BENEFIT ANALYSIS</b>	<b>174</b>
<b>10</b>	<b>ENVIRONMENTAL MANAGEMENT PLAN</b>	<b>175</b>
10.1	OBJECTIVES	175
10.2	BASIS OF EMP	175
10.3	ADMINISTRATION AND TECHNICAL SETUP	178
10.4	ENVIRONMENTAL POLICY	179
10.5	OCCUPATIONAL SAFETY & HEALTH MANAGEMENT	180
10.6	COST OF ENVIRONMENTAL CONTROL MEASURES	180
10.7	CONCLUSION	181
<b>11</b>	<b>SUMMARY AND CONCLUSIONS</b>	<b>182</b>
11.1	INTRODUCTION	182

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

11.2	LOCATION	183
11.3	GEOLOGY	183
11.4	PROJECT DESCRIPTION	183
11.5	PROJECT REQUIREMENTS	184
11.6	DESCRIPTION OF LEASE AREA	185
11.7	AIR ENVIRONMENT	187
11.8	WATER ENVIRONMENT	188
11.9	NOISE ENVIRONMENT	189
11.10	SOIL ENVIRONMENT	190
11.11	BIOLOGICAL ENVIRONMENT	191
11.12	LAND USE	191
11.13	SOCIO ECONOMIC ENVIRONMENT	192
11.14	HYDROGEOLOGY OF THE LEASE AREA	192
11.15	GROUND WATER STUDY	193
11.16	LAND ENVIRONMENT: IMPACT AND MITIGATION MEASURES	193
11.17	WATER ENVIRONMENT: IMPACT AND MITIGATION MEASURES	194
11.18	BIOLOGICAL ENVIRONMENT: IMPACT AND MITIGATION MEASURES	195
11.19	AIR ENVIRONMENT: IMPACT AND MITIGATION MEASURES	196
11.20	NOISE ENVIRONMENT: IMPACT AND MITIGATION MEASURES	196
11.21	VIBRATION: IMPACTS AND MITIGATION MEASURES	197
11.22	SOCIO ECONOMIC ENVIRONMENT	197
11.23	OCCUPATIONAL HEALTH	198
11.24	ENVIRONMENTAL MONITORING PROGRAMME	199
11.25	PROJECT BENEFITS	199
<b>12</b>	<b>DISCLOSURE OF CONSULTANTS ENGAGED</b>	<b>201</b>

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIGURE LIST**

Figure No	Title	Page No
2.1	Topomap of the Project 10 Km Radius	78
2.2	Satellite Map of the Project Area (1 Km Radius)	79
2.3	Drainage Map Showing 10 Km Radius of the Project	80
2.4	Regional Geology Map of the 10 Km Radius from Project	81
2.5	Geology Map of Project Area	83
2.6	Geology Cross Section	84
2.7	Key Map of the Project Area	86
2.8	Map of the Project Area	87
2.9	Surface Plan of the Project Area	88
2.10	Land Use of the Study Area	90
2.11	Blasting Pattern	92
2.12	Flow Chart of the Quarry Operation	93
2.13	Project Layout Plan and Sections	94
2.14	Conceptual Plan	96
3.1	Features of Environment for 10 Radius from the Lease Area	102
3.2	Seismic Map of India	104
3.3	Wind Rose Plot during March To May 2023	105
3.4	Ambient Air Monitoring Locations	107
3.5	Ambient Air Data From A1 - Mine Lease Area	108
3.6	Ambient Air Data From A2 - Athi Village	109
3.7	Ambient Air Data From A3 - Kilnethapakkam Village	109
3.8	Ambient Air Data From A4 - Vada Alapirandan Village	110
3.9	Ambient Air Data From A5 - Anappathur Village	110
3.10	Water Sampling Locations	111
3.11	Values of Few Common Parameters of the Water Analysis	113
3.12	Noise Monitoring Locations	114
3.13	Day Equivalent Values in 5 Locations	115
3.14	Soil Sampling Locations	116
3.15	Land Use/Land Cover Map of the Study Area	120
3.16	Village Map of the Study Area	122
3.17	Gender-Wise Population Distribution	124
3.18	Gender Wise Literacy Distribution	124
3.19	Occupational Structure Within Buffer Zone	125
3.20	10 Km Radius of the Drainage Map	128
3.21	10 Km Radius of the Geology Map	129

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

3.22	10 Km Radius of the Study Area Geomorphology Map	129
3.23	10 Km Radius of the Study Area Soil Type Map	130
3.24	Non-Monsoon Water Level Map of the 10 Km Radius of the ML	131
3.25	Monsoon Water Level Map of The 10 Km Radius of the ML	132
4.1	Proposed Mine Lease Area	135
4.2	Water Balance Diagram	140
4.3	Isopleth of GLC Prediction for PM2.5	149
4.4	Isopleth of GLC Prediction for PM10	150
7.1	Isopleth of GLC Prediction for PM10	168
7.2	Isopleth of GLC Prediction for PM2.5	169
10.1	Organization Chart	179



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**TABLE LIST**

Table No	Title	Page No
1.1	Cluster Mines Details	70
1.2	Proposed project details	72
2.1	Salient features of the project	76
2.2	Geological Resources in the Lease Area	82
2.3	Mineable Resources in the Lease Area	85
2.4	Co-Ordinates of the Project Site	88
2.5	Current Land Use Pattern	89
2.6	Land Use At Mine Closure Stage	89
2.7	Land Use at Study Area	90
2.8	Machineries Involved in the Project	93
2.9	Summary of Production for 5 Years	94
2.10	Ultimate Pit Dimension	95
2.11	Land Use at Mine Closure Stage	95
2.12	Project Requirements	97
2.13	Budget of the Project	97
3.1	Description of the lease area	100
3.2	Rainfall data	103
3.3	Ambient Air Monitoring Results for Various Pollutants	106
3.4	Results of Water sampling Analysis in 5 locations	112
3.5	Noise monitoring results	115
3.6	Results of Soil Sample Analysis	117
3.7	Type of Quadrants	118
3.8	Flora in Core Zone	118
3.9	Flora in Buffer zone	118
3.10	Fauna in buffer zone	119
3.11	Land use data	121
3.12	Village details in study area	122
3.13	Population profile of the study area	123
3.14	Educational infrastructure	125

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

3.15	Medical Infrastructure	126
3.16	Other Infrastructure	126
4.1	Ground Water Level Status in the Cheyyar	141
4.2	Impacts and mitigation measures for Fauna	142
4.3	Noise Levels In Monitoring Locations	151
4.4	Impacts on humans due to various mining activities	154
6.1	Environmental Monitoring Schedule	158
6.2	Important Records to be maintained by PP	160
6.3	Environmental Management Plan Budget	160
7.1	Hazards and Precautionary measures	163
7.2	Details of quarries within 500m radius (as per 500m certificate)	164
7.3	Concentrations of PM 2.5 after Project Implementation	170
7.4	Concentrations of PM 10 after Project Implementation	170
10.1	Environmental Management Plan	176
10.2	Environmental Management Plan Budget	180

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

---

**LIST OF ANNEXURE**

Annexure No	Contents	Page No
1	Precise Area Communication Letter	208
2	Approved Mining Plan with Plates	212
3	500-meter radius letter	276
4	VAO Certificate	278
5	Blasting Agreement with Certificate	281
6	District Survey Report	290
7	Monitoring Report	360
8	Lab NABL Certificate	490

DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.

---

# COMPLIANCE TO TERMS OF REFERENCE

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**



**THIRU.DEEPAK S. BILGI, I.F.S.  
MEMBER SECRETARY**

**STATE LEVEL ENVIRONMENT IMPACT  
ASSESSMENT AUTHORITY-TAMILNADU**  
3<sup>rd</sup> Floor, Panagal Maaligai,  
No.1, Jeenis Road, Saidapet,  
Chennai - 600 015.  
Phone No. 044-24359973  
Fax No. 044-24359975

**TERMS OF REFERENCE (ToR)**

**Lr No.SEIAA-TN/F.No.8656/ToR- 1365/2023 Dated: 09.02.2023.**

**To**

Thiru.N.Venkatesh  
S/o.Natarajan  
No.158, Kurinji Nagar  
Vellisemmandalam  
Cuddalore District- 607001.

**Sir / Madam,**

**Sub:** SEIAA, Tamil Nadu – Terms of Reference with public Hearing (ToR) for the proposed Rough Stone quarry lease over an extent of 4.50.0 Ha in S.F. No. 168 (Part-1) at Vada Aalampirandhan Village, Cheyyar Taluk, Tiruvannamalai District Tamil Nadu by Thiru.N.Venkatesh - under project category – “B1” and Schedule S.No.1 (a) – ToR issued along with Public Hearing - preparation of EIA report – Regarding.

**Ref:** 1. Online proposal No.SIA/TN/MIN/62718/2021, dated: 17.04.2021.  
2. Your application submitted for Terms of Reference dated: 22.07.2021.  
3. Minutes of the 237<sup>th</sup> SEAC meeting held on 08.10.2021.  
4. Minutes of the 297<sup>th</sup> SEAC meeting held on 21.07.2022.  
3. Minutes of the 345<sup>th</sup> SEAC meeting held on 10.01.2023.  
4. Minutes of the 590<sup>th</sup> Authority meeting held on 09.02.2023.

Kindly refer to your proposal submitted to the State Level Impact Assessment Authority for Terms of Reference.

  
**MEMBER SECRETARY  
SEIAA-TN**

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No. SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

The proponent, Thiru.N.Venkatesh has submitted application for Terms of Reference (ToR), for the proposed Rough Stone quarry lease over an extent of 4.50.0 Ha in S.F. No. 168 (Part-1) at Vada Aalampirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.

**SEAC Remarks:-**

The proposal was placed in this 345<sup>th</sup> SEAC meeting held on 10.01.2023. The project proponent has given a detailed presentation. The details of the project furnished by the proponent are given in the website (parivesh.nic.in). The project proponent gave detailed presentation.

**SEAC noted the following:**

1. The Project Proponent, Thiru.N.Venkatesh has applied for Terms of Reference for the proposed Rough Stone quarry lease over an extent of 4.50.0ha in S.F. No. 168 (Part-1) at Vada Aalampirandhan Village, Cheyyar Taluk, Tiruvannamalai District Tamil Nadu.
2. The project/activity is covered under Category "B1" of Item 1(a) "Mining Projects" of the Schedule to the EIA Notification, 2006.
3. The Production for the five years states that total quantity should not exceed of rough stone 19,19,520m<sup>3</sup> for ultimate depth of mining is 60m (40m above ground level + 20m below ground level).
4. Earlier the proposal was placed in 237<sup>th</sup> SEAC meeting held on 08.10.2021. Neither the project proponent nor the consultant had attended the meeting. Hence the SEAC had not taken up the project for appraisal.
5. Again, the proposal was placed in 297<sup>th</sup> SEAC meeting held on 21.07.2022. During the meeting SEAC noted that neither PP nor EIA coordinator was present and hence SEAC decided to defer the proposal. Further, the PP shall furnish explanation in writing for not attending the meeting.

Now, the proposal is again placed in the 345<sup>th</sup> SEAC Meeting held on 10.01.2023. Based on the presentation made by the proponent SEAC recommended grant of Terms of Reference (TOR) with Public Hearing, subject to the following TORs, in addition to the standard terms of reference for EIA study for non-coal mining projects and details issued by the MOEF & CC to be included in EIA/EMP Report:

1. The proponent is requested to carry out a survey and enumerate on the structures located within 100m, 200m, 300m from the boundary of the mine lease area.
2. The proponent shall submit report regarding the implications of mining activity on Water

  
MEMBER-SECRETARY  
SEIAA-TN

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

Tank and its mitigation measures.

3. The proponent shall submit a detailed study regarding the implications of traffic movement in the area and its mitigation measures.
4. The PP shall carry out the scientific studies to assess the slope stability of the proposed working benches/ quarry wall when the depth of the quarry exceeds 40m above ground level during the environmental appraisal. The report shall also cover the slope stability action plan incorporating haul road along with benches, for the proposed workings in the hilly terrain of the quarry.
5. The PP shall carry out a comprehensive biodiversity study (flora & fauna) including soil health to evaluate the impact of mining on the surrounding environmental settings, and it shall be submitted during appraisal.
6. The PP shall also carry out a comprehensive study on 'Socio – Economic aspects of the proposed site', indicating the developmental activities to be undertaken to enhance the quality of life in the surrounding villages, and it shall be submitted during the appraisal.
7. The PP shall carry out a study on "Impact of Climate Change on quarrying operation and flood control measures and Environmental Management" in the proposed site, indicating the mitigating measures during the development of the project, and it shall be submitted during the appraisal.
8. The PP shall also provide the detailed mitigating measures to be carried out for the issues raised by the people who had participated in the Public Hearing, against the proposed quarrying project.
9. The proponent shall furnish photographs of adequate fencing, green belt along the periphery including replantation of existing trees & safety distance between the adjacent quarries & water bodies nearby provided as per the approved mining plan.
10. The Project Proponent shall conduct the hydro-geological study considering the contour map of the water table detailing the number of ground water pumping & open wells, and surface water bodies such as rivers, tanks, canals, ponds etc. within 1 km (radius) along with the collected water level data for both monsoon and non-monsoon seasons from the PWD / TWAD so as to assess the impacts on the wells due to mining activity. Necessary data and documentation in this regard may be provided.
11. The proponent shall submit the details regarding the nature of blasting activity which will be carried out.

  
MEMBER SECRETARY  
SEIAA-TN

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr.No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

12. The PP shall furnish DFO letter stating that the proximity distance of Reserve Forests, Protected Areas, Sanctuaries, Tiger reserve etc., upto a radius of 25 km from the proposed site.
13. The PP shall provide individual notice regarding the Public Hearing to the nearby house owners located in the vicinity of the project site.
14. In the case of proposed lease in an existing (or old) quarry where the benches are non-existent (or) partially formed critical of the bench geometry approved in the Mining Plan, the Project Proponent (PP) shall prepare and submit an 'Action Plan' for carrying out the realignment of the 'highwall' benches to ensure slope stability in the proposed quarry lease which shall be vetted by the concerned Asst. Director of Geology and Mining, during the time of appraisal for obtaining the EC.
15. The PP shall furnish the affidavit stating that the blasting operation in the proposed quarry is carried out by the statutory competent person as per the MMR 1961 such as blaster, mining mate, mine foreman, III/1 Class mines manager appointed by the proponent.
16. As the habitations are situated at a distance of 300 to 680 m m, the PP shall present a conceptual design for carrying out the NONEL initiation based controlled blasting operation involving line drilling and muffle blasting in the proposed quarry such that the blast-induced ground vibrations are controlled within the permissible limits as stipulated by the DGMS as well as no fly rock travel beyond 20 m from the blast site.
17. Since the quarry lies in a cluster situation, the PP shall furnish a Standard Operating Procedure for carrying out the safe blasting operation while considering the adjacent quarries lies in a radial distance of 500 m from their quarry.
18. Details of Green belt & fencing shall be included in the EIA Report.
19. The EIA Coordinators shall obtain and furnish the details of quarry/quarries operated by the proponent in the past, either in the same location or elsewhere in the State with video and photographic evidences.
20. If the proponent has already carried out the mining activity in the proposed mining lease area after 15.01.2016, then the proponent shall furnish the following details from AD/DD, mines,
21. What was the period of the operation and stoppage of the earlier mines with last work permit issued by the AD/DD mines?

  
MEMBER SECRETARY  
SEIAA-TN



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

- Quantity of minerals mined out.
  - Highest production achieved in any one year
  - Detail of approved depth of mining.
  - Actual depth of the mining achieved earlier.
  - Name of the person already mined in that leases area.
  - If EC and CTO already obtained, the copy of the same shall be submitted.
  - Whether the mining was carried out as per the approved mine plan (or EC if issued) with stipulated benches.
22. All corner coordinates of the mine lease area, superimposed on a High Resolution Imagery/Topo sheet, topographic sheet, geomorphology, lithology and geology of the mining lease area should be provided. Such an Imagery of the proposed area should clearly show the land use and other ecological features of the study area (core and buffer zone).
23. The PP shall carry out Drone video survey covering the cluster, Green belt, fencing etc.,
24. The Project Proponent shall provide the details of mineral reserves and mineable reserves, planned production capacity, proposed working methodology with justifications, the anticipated impacts of the mining operations on the surrounding environment and the remedial measures for the same.
25. The Project Proponent shall provide the Organization chart indicating the appointment of various statutory officials and other competent persons to be appointed as per the provisions of Mines Act'1952 and the MMR, 1961 for carrying out the quarrying operations scientifically and systematically in order to ensure safety and to protect the environment.
26. The proponent shall furnish the baseline data for the environmental and ecological parameters with regard to surface water/ground water quality, air quality, soil quality & flora/fauna including traffic/vehicular movement study.
27. The Proponent shall carry out the Cumulative impact study due to mining operations carried out in the quarry specifically with reference to the specific environment in terms of soil health, biodiversity, air pollution, water pollution, climate change and flood control & health impacts. Accordingly, the Environment Management plan should be prepared keeping the concerned quarry and the surrounding habitations in the mind.


  
MEMBER SECRETARY  
SEIAA-TN

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

28. Rain water harvesting management with recharging details along with water balance (both monsoon & non-monsoon) be submitted.
29. Land use of the study area delineating forest area, agricultural land, grazing land, wildlife sanctuary, national park, migratory routes of fauna, water bodies, human settlements and other ecological features should be indicated. Land use plan of the mine lease area should be prepared to encompass preoperational, operational and post operational phases and submitted. Impact, if any, of change of land use should be given.
30. Details of the land for storage of Overburden/Waste Dumps (or) Rejects outside the mine lease, such as extent of land area, distance from mine lease, its land use, R&R issues, if any, should be provided.
31. Proximity to Areas declared as 'Critically Polluted' (or) the Project areas which attracts the court restrictions for mining operations, should also be indicated and where so required, clearance certifications from the prescribed Authorities, such as the TNPCC (or) Dept. of Geology and Mining should be secured and furnished to the effect that the proposed mining activities could be considered.
32. Description of water conservation measures proposed to be adopted in the Project should be given. Details of rainwater harvesting proposed in the Project, if any, should be provided.
33. Impact on local transport infrastructure due to the Project should be indicated.
34. A tree survey study shall be carried out (nos., name of the species, age, diameter etc.,) both within the mining lease applied area & 300m buffer zone and its management during mining activity.
35. A detailed mine closure plan for the proposed project shall be included in EIA/EMP report which should be site-specific.
36. Public Hearing points raised and commitments of the Project Proponent on the same along with time bound Action Plan with budgetary provisions to implement the same should be provided and also incorporated in the final EIA/EMP Report of the Project and to be submitted to SEIAA/SEAC with regard to the Office Memorandum of MoEF& CC accordingly.
37. The Public hearing advertisement shall be published in one major National daily and one most circulated vernacular daily.

  
MEMBER SECRETARY  
SEIAA-TN

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

38. The PP shall produce/display the EIA report, Executive summary and other related information with respect to public hearing in Tamil Language also.
39. As a part of the study of flora and fauna around the vicinity of the proposed site, the EIA coordinator shall strive to educate the local students on the importance of preserving local flora and fauna by involving them in the study, wherever possible.
40. The purpose of Green belt around the project is to capture the fugitive emissions, carbon sequestration and to attenuate the noise generated, in addition to improving the aesthetics. A wide range of indigenous plant species should be planted as given in the appendix-I in consultation with the DFO, State Agriculture University. The plant species with dense/moderate canopy of native origin should be chosen. Species of small/medium/tall trees alternating with shrubs should be planted in a mixed manner.
41. Taller/one year old Saplings raised in appropriate size of bags, preferably eco-friendly bags should be planted as per the advice of local forest authorities/botanist/Horticulturist with regard to site specific choices. The proponent shall earmark the greenbelt area with GPS coordinates all along the boundary of the project site with at least 3 meters wide and in between blocks in an organized manner
42. A Disaster management Plan shall be prepared and included in the EIA/EMP Report for the complete life of the proposed quarry (or) till the end of the lease period.
43. A Risk Assessment and management Plan shall be prepared and included in the EIA/EMP Report for the complete life of the proposed quarry (or) till the end of the lease period.
44. Occupational Health impacts of the Project should be anticipated and the proposed preventive measures spelt out in detail. Details of pre-placement medical examination and periodical medical examination schedules should be incorporated in the EMP. The project specific occupational health mitigation measures with required facilities proposed in the mining area may be detailed.
45. Public health implications of the Project and related activities for the population in the impact zone should be systematically evaluated and the proposed remedial measures should be detailed along with budgetary allocations.
46. The Socio-economic studies should be carried out within a 5 km buffer zone from the mining activity. Measures of socio-economic significance and influence to the local community proposed to be provided by the Project Proponent should be indicated. As

  
MEMBER SECRETARY  
SEIAA-TN

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

far as possible, quantitative dimensions may be given with time frames for implementation.


47. Details of litigation pending against the project, if any, with direction /order passed by any Court of Law against the Project should be given.
48. Benefits of the Project if the Project is implemented should be spelt out. The benefits of the Project shall clearly indicate environmental, social, economic, employment potential, etc.
49. If any quarrying operations were carried out in the proposed quarrying site for which now the EC is sought, the Project Proponent shall furnish the detailed compliance to EC conditions given in the previous EC with the site photographs which shall duly be certified by MoEF&CC, Regional Office, Chennai (or) the concerned DEE/TNPCB.
50. The PP shall prepare the EMP for the entire life of mine/lease and also furnish the sworn affidavit stating to abide the EMP for the entire life of mine.
51. Concealing any factual information or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this Terms of Conditions besides attracting penal provisions in the Environment (Protection) Act, 1986.

**SEIAA Remarks:-**

The proposal was placed in the 590<sup>th</sup> Authority meeting held on 09.02.2023. The proposal is placed in this 345<sup>th</sup> SEAC Meeting held on 10.01.2023.

Based on the presentation made by the proponent SEAC decided to recommend for grant of Terms of Reference (TOR) with Public Hearing. After detailed deliberations, the Authority accepted the recommendations of SEAC and decided to grant Terms of Reference subject to the conditions as recommended by SEAC in addition to the following conditions and conditions stated therein vide Annexure 'B':

1. The depth is restricted to 40m AGL only in order to ensure Sustainable Mining practices and considering the environmental setting of the site. Hence the quantity of rough stone shall not exceed 12,54,020 m<sup>3</sup> as approved in the mine plan for 40m AGL.

  
MEMBER SECRETARY  
SEIAA-TN

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

**Annexure 'B'**

**Cluster Management Committee**

1. Cluster Management Committee shall be framed which must include all the proponents in the cluster as members including the existing as well as proposed quarry.
2. The members must coordinate among themselves for the effective implementation of EMP as committed including Green Belt Development, Water sprinkling, tree plantation, blasting etc.,
3. The List of members of the committee formed shall be submitted to AD/Mines before the execution of mining lease and the same shall be updated every year to the AD/Mines.
4. Detailed Operational Plan must be submitted which must include the blasting frequency with respect to the nearby quarry situated in the cluster, the usage of haul roads by the individual quarry in the form of route map and network.
5. The committee shall deliberate on risk management plan pertaining to the cluster in a holistic manner especially during natural calamities like intense rain and the mitigation measures considering the inundation of the cluster and evacuation plan.
6. The Cluster Management Committee shall form Environmental Policy to practice sustainable mining in a scientific and systematic manner in accordance with the law. The role played by the committee in implementing the environmental policy devised shall be given in detail.
7. The committee shall furnish action plan regarding the restoration strategy with respect to the individual quarry falling under the cluster in a holistic manner.
8. The committee shall furnish the Emergency Management plan within the cluster.
9. The committee shall deliberate on the health of the workers/staff involved in the mining as well as the health of the public.
10. The committee shall furnish an action plan to achieve sustainable development goals with reference to water, sanitation & safety.
11. The committee shall furnish the fire safety and evacuation plan in the case of fire accidents.

**Impact study of mining**

12. Detailed study shall be carried out in regard to impact of mining around the proposed mine lease area covering the entire mine lease period as per precise area communication order issued from reputed research institutions on the following
  - a) Soil health & soil biological, physical land chemical features .
  - b) Climate change leading to Droughts, Floods etc.

  
MEMBER SECRETARY  
SEIAA-TN

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

- c) Pollution leading to release of Greenhouse gases (GHG), rise in Temperature, & Livelihood of the local people.
- d) Possibilities of water contamination and impact on aquatic ecosystem health.
- e) Agriculture, Forestry & Traditional practices.
- f) Hydrothermal/Geothermal effect due to destruction in the Environment.
- g) Bio-geochemical processes and its foot prints including environmental stress.
- h) Sediment geochemistry in the surface streams.

**Agriculture & Agro-Biodiversity**

- 13. Impact on surrounding agricultural fields around the proposed mining Area.
- 14. Impact on soil flora & vegetation around the project site.
- 15. Details of type of vegetations including no. of trees & shrubs within the proposed mining area and. If so, transplantation of such vegetations all along the boundary of the proposed mining area shall committed mentioned in EMP.
- 16. The Environmental Impact Assessment should study the biodiversity, the natural ecosystem, the soil micro flora, fauna and soil seed banks and suggest measures to maintain the natural Ecosystem.
- 17. Action should specifically suggest for sustainable management of the area and restoration of ecosystem for flow of goods and services.
- 18. The project proponent shall study and furnish the impact of project on plantations in adjoining patta lands, Horticulture, Agriculture and livestock.

**Forests**

- 19. The project proponent shall detailed study on impact of mining on Reserve forests free ranging wildlife.
- 20. The Environmental Impact Assessment should study impact on forest, vegetation, endemic, vulnerable and endangered indigenous flora and fauna.
- 21. The Environmental Impact Assessment should study impact on standing trees and the existing trees should be numbered and action suggested for protection.
- 22. The Environmental Impact Assessment should study impact on protected areas, Reserve Forests, National Parks, Corridors and Wildlife pathways, near project site.

  
MEMBER SECRETARY  
SEIAA-TN

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

**Water Environment**

23. Hydro-geological study considering the contour map of the water table detailing the number of ground water pumping & open wells, and surface water bodies such as rivers, tanks, canals, ponds etc. within 1 km (radius) so as to assess the impacts on the nearby waterbodies due to mining activity. Based on actual monitored data, it may clearly be shown whether working will intersect groundwater. Necessary data and documentation in this regard may be provided, covering the entire mine lease period.
24. Erosion Control measures.
25. Detailed study shall be carried out in regard to impact of mining around the proposed mine lease area on the nearby Villages, Water-bodies/ Rivers, & any ecological fragile areas.
26. The project proponent shall study impact on fish habitats and the food WEB/ food chain in the water body and Reservoir.
27. The project proponent shall study and furnish the details on potential fragmentation impact on natural environment, by the activities.
28. The project proponent shall study and furnish the impact on aquatic plants and animals in water bodies and possible scars on the landscape, damages to nearby caves, heritage site, and archaeological sites possible land form changes visual and aesthetic impacts.
29. The Terms of Reference should specifically study impact on soil health, soil erosion, the soil physical, chemical components and microbial components.
30. The Environmental Impact Assessment should study on wetlands, water bodies, rivers streams, lakes and farmer sites.

**Energy**

31. The measures taken to control Noise, Air, Water, Dust Control and steps adopted to efficiently utilise the Energy shall be furnished.

**Climate Change**

32. The Environmental Impact Assessment shall study in detail the carbon emission and also suggest the measures to mitigate carbon emission including development of carbon sinks and temperature reduction including control of other emission and climate mitigation activities.
33. The Environmental Impact Assessment should study impact on climate change, temperature rise, pollution and above soil & below soil carbon stock.

  
MEMBER SECRETARY  
SEIAA-TN

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

**Mine Closure Plan**

34. Detailed Mine Closure Plan covering the entire mine lease period as per precise area communication order issued.

**EMP**

35. Detailed Environment Management Plan along with adaptation, mitigation & remedial strategies covering the entire mine lease period as per precise area communication order issued.

36. The Environmental Impact Assessment should hold detailed study on EMP with budget for Green belt development and mine closure plan including disaster management plan.

**Risk Assessment**

37. To furnish risk assessment and management plan including anticipated vulnerabilities during operational and post operational phases of Mining.

**Disaster Management Plan**

38. To furnish disaster management plan and disaster mitigation measures in regard to all aspects to avoid/reduce vulnerability to hazards & to cope with disaster/untoward accidents in & around the proposed mine lease area due to the proposed method of mining activity & its related activities covering the entire mine lease period as per precise area communication order issued.

**Others**

39. The project proponent shall furnish VAO certificate with reference to 300m radius regard to approved habitations, schools, Archaeological sites, Structures, railway lines, roads, water bodies such as streams, odai, vaari, canal, channel, river, lake pond, tank etc.

40. As per the MoEF& CC office memorandum F.No.22-65/2017-IA.III dated: 30.09.2020 and 20.10.2020 the proponent shall address the concerns raised during the public consultation and all the activities proposed shall be part of the Environment Management Plan.

41. The project proponent shall study and furnish the possible pollution due to plastic and microplastic on the environment. The ecological risks and impacts of plastic & microplastics on aquatic environment and fresh water systems due to activities, contemplated during mining may be investigated and reported.

  
MEMBER SECRETARY  
SEIAA-TN



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No. SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

**A. STANDARD TERMS OF REFERENCE**

- 1) Year-wise production details since 1994 should be given, clearly stating the highest production achieved in any one year prior to 1994. It may also be categorically informed whether there had been any increase in production after the EIA Notification 1994 came into force, w.r.t. the highest production achieved prior to 1994.
- 2) A copy of the document in support of the fact that the Proponent is the rightful lessee of the mine should be given.
- 3) All documents including approved mine plan, EIA and Public Hearing should be compatible with one another in terms of the mine lease area, production levels, waste generation and its management, mining technology etc. and should be in the name of the lessee.
- 4) All corner coordinates of the mine lease area, superimposed on a High Resolution Imagery/topo sheet, topographic sheet, geomorphology and geology of the area should be provided. Such an Imagery of the proposed area should clearly show the land use and other ecological features of the study area (core and buffer zone).
- 5) Information should be provided in Survey of India Topo sheet in 1:50,000 scale indicating geological map of the area, geomorphology of land forms of the area, existing minerals and mining history of the area, important water bodies, streams and rivers and soil characteristics.
- 6) Details about the land proposed for mining activities should be given with information as to whether mining conforms to the land use policy of the State; land diversion for mining should have approval from State land use board or the concerned authority.
- 7) It should be clearly stated whether the proponent Company has a well laid down Environment Policy approved by its Board of Directors? If so, it may be spelt out in the EIA Report with description of the prescribed operating process/procedures to bring into focus any infringement/deviation/violation of the environmental or forest norms/ conditions? The hierarchical system or administrative order of the Company to deal with the environmental issues and for ensuring compliance with the EC conditions may also be given. The system of reporting of non-compliances / violations of environmental norms to the Board of Directors of the Company and/or shareholders or stakeholders at large, may also be detailed in the EIA Report.
- 8) Issues relating to Mine Safety, including subsidence study in case of underground mining and slope study in case of open cast mining, blasting study etc. should be detailed. The proposed safeguard measures in each case should also be provided.

  
MEMBER SECRETARY  
SEIAA-TN

Page 13 of 22

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

- 9) The study area will comprise of 10 km zone around the mine lease from lease periphery and the data contained in the EIA such as waste generation etc. should be for the life of the mine / lease period.
- 10) Land use of the study area delineating forest area, agricultural land, grazing land, wildlife sanctuary, national park, migratory routes of fauna, water bodies, human settlements and other ecological features should be indicated. Land use plan of the mine lease area should be prepared to encompass preoperational, operational and post operational phases and submitted. Impact, if any, of change of land use should be given.
- 11) Details of the land for any Over Burden Dumps outside the mine lease, such as extent of land area, distance from mine lease, its land use, R&R issues, if any, should be given.
- 12) Certificate from the Competent Authority in the State Forest Department should be provided, confirming the involvement of forest land, if any, in the project area. In the event of any contrary claim by the Project Proponent regarding the status of forests, the site may be inspected by the State Forest Department along with the Regional Office of the Ministry to ascertain the status of forests, based on which, the Certificate in this regard as mentioned above be issued. In all such cases, it would be desirable for representative of the State Forest Department to assist the Expert Appraisal Committees.
- 13) Status of forestry clearance for the broken up area and virgin forestland involved in the Project including deposition of Net Present Value (NPV) and Compensatory Afforestation (CA) should be indicated. A copy of the forestry clearance should also be furnished.
- 14) Implementation status of recognition of forest rights under the Scheduled Tribes and other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 should be indicated.
- 15) The vegetation in the RF / PF areas in the study area, with necessary details, should be given.
- 16) A study shall be got done to ascertain the impact of the Mining Project on wildlife of the study area and details furnished. Impact of the project on the wildlife in the surrounding and any other protected area and accordingly, detailed mitigative measures required, should be worked out with cost implications and submitted.
- 17) Location of National Parks, Sanctuaries, Biosphere Reserves, Wildlife Corridors, Ramsar site Tiger/ Elephant Reserves/(existing as well as proposed), if any, within 10 km of the mine lease should be clearly indicated, supported by a location map duly authenticated by Chief Wildlife Warden. Necessary clearance, as may be applicable to such projects due to proximity of the ecologically sensitive areas as mentioned above, should be obtained from the Standing

  
MEMBER SECRETARY  
SEIAA-TN

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

Committee of National Board of Wildlife and copy furnished.

- 18) A detailed biological study of the study area [core zone and buffer zone (10 km radius of the periphery of the mine lease)] shall be carried out. Details of flora and fauna, endangered, endemic and RET Species duly authenticated, separately for core and buffer zone should be furnished based on such primary field survey, clearly indicating the Schedule of the fauna present. In case of any scheduled-I fauna found in the study area, the necessary plan along with budgetary provisions for their conservation should be prepared in consultation with State Forest and Wildlife Department and details furnished. Necessary allocation of funds for implementing the same should be made as part of the project cost.
- 19) Proximity to Areas declared as 'Critically Polluted' or the Project areas likely to come under the 'Aravali Range', (attracting court restrictions for mining operations), should also be indicated and where so required, clearance certifications from the prescribed Authorities, such as the SPCB or State Mining Department should be secured and furnished to the effect that the proposed mining activities could be considered.
- 20) Similarly, for Coastal Projects, a CRZ map duly authenticated by one of the authorized agencies demarcating LTL, HTL, CRZ area, location of the mine lease with respect to CRZ, coastal features such as mangroves, if any, should be furnished. (Note: The Mining Projects falling under CRZ would also need to obtain approval of the concerned Coastal Zone Management Authority).
- 21) R&R Plan/compensation details for the Project Affected People (PAP) should be furnished. While preparing the R&R Plan, the relevant State/National Rehabilitation & Resettlement Policy should be kept in view. In respect of SCs /STs and other weaker sections of the society in the study area, a need based sample survey, family-wise, should be undertaken to assess their requirements, and action programmes prepared and submitted accordingly, integrating the sectoral programmes of line departments of the State Government. It may be clearly brought out whether the village(s) located in the mine lease area will be shifted or not. The issues relating to shifting of village(s) including their R&R and socio-economic aspects should be discussed in the Report.
- 22) One season (non-monsoon) [i.e. March-May (Summer Season); October-December (post monsoon season) ; December-February (winter season)] primary baseline data on ambient air quality as per CPCB Notification of 2009, water quality, noise level, soil and flora and fauna shall be collected and the AAQ and other data so compiled presented date-wise in the EIA and

  
MEMBER SECRETARY  
SEIAA-TN

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

EMP Report. Site-specific meteorological data should also be collected. The location of the monitoring stations should be such as to represent whole of the study area and justified keeping in view the pre-dominant downwind direction and location of sensitive receptors. There should be at least one monitoring station within 500 m of the mine lease in the pre-dominant downwind direction. The mineralogical composition of PM10, particularly for free silica, should be given.

- 23) Air quality modeling should be carried out for prediction of impact of the project on the air quality of the area. It should also take into account the impact of movement of Vehicles for transportation of mineral. The details of the model used and input parameters used for modeling should be provided. The air quality contours may be shown on a location map clearly indicating the location of the site, location of sensitive receptors, if any, and the habitation. The wind roses showing pre-dominant wind direction may also be indicated on the map.
- 24) The water requirement for the Project, its availability and source should be furnished. A detailed water balance should also be provided. Fresh water requirement for the Project should be indicated.
- 25) Necessary clearance from the Competent Authority for drawl of requisite quantity of water for the Project should be provided.
- 26) Description of water conservation measures proposed to be adopted in the Project should be given. Details of rainwater harvesting proposed in the Project, if any, should be provided.
- 27) Impact of the Project on the water quality, both surface and groundwater, should be assessed and necessary safeguard measures, if any required, should be provided.
- 28) Based on actual monitored data, it may clearly be shown whether working will intersect groundwater. Necessary data and documentation in this regard may be provided. In case the working will intersect groundwater table, a detailed Hydro Geological Study should be undertaken and Report furnished. The Report inter-alia, shall include details of the aquifers present and impact of mining activities on these aquifers. Necessary permission from Central Ground Water Authority for working below ground water and for pumping of ground water should also be obtained and copy furnished.
- 29) Details of any stream, seasonal or otherwise, passing through the lease area and modification / diversion proposed, if any, and the impact of the same on the hydrology should be brought out.
- 30) Information on site elevation, working depth, groundwater table etc. Should be provided both

  
MEMBER SECRETARY  
SEIAA-TN

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

in AMSL and bgl. A schematic diagram may also be provided for the same.

- 31) A time bound Progressive Greenbelt Development Plan shall be prepared in a tabular form (indicating the linear and quantitative coverage, plant species and time frame) and submitted, keeping in mind, the same will have to be executed up front on commencement of the Project. Phase-wise plan of plantation and compensatory afforestation should be charted clearly indicating the area to be covered under plantation and the species to be planted. The details of plantation already done should be given. The plant species selected for green belt should have greater ecological value and should be of good utility value to the local population with emphasis on local and native species and the species which are tolerant to pollution.
- 32) Impact on local transport infrastructure due to the Project should be indicated. Projected increase in truck traffic as a result of the Project in the present road network (including those outside the Project area) should be worked out, indicating whether it is capable of handling the incremental load. Arrangement for improving the infrastructure, if contemplated (including action to be taken by other agencies such as State Government) should be covered. Project Proponent shall conduct Impact of Transportation study as per Indian Road Congress Guidelines.
- 33) Details of the onsite shelter and facilities to be provided to the mine workers should be included in the EIA Report.
- 34) Conceptual post mining land use and Reclamation and Restoration of mined out areas (with plans and with adequate number of sections) should be given in the EIA report.
- 35) Occupational Health impacts of the Project should be anticipated and the proposed preventive measures spelt out in detail. Details of pre-placement medical examination and periodical medical examination schedules should be incorporated in the EMP. The project specific occupational health mitigation measures with required facilities proposed in the mining area may be detailed.
- 36) Public health implications of the Project and related activities for the population in the impact zone should be systematically evaluated and the proposed remedial measures should be detailed along with budgetary allocations.
- 37) Measures of socio economic significance and influence to the local community proposed to be provided by the Project Proponent should be indicated. As far as possible, quantitative dimensions may be given with time frames for implementation.
- 38) Detailed Environmental Management Plan (EMP) to mitigate the environmental impacts

  
MEMBER SECRETARY  
SEIAA-TN

Page 17 of 22


**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No. SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

which, should inter-alia include the impacts of change of land use, loss of agricultural and grazing land, if any, occupational health impacts besides other impacts specific to the proposed Project.

- 39) Public Hearing points raised and commitment of the Project Proponent on the same along with time bound Action Plan with budgetary provisions to implement the same should be provided and also incorporated in the final EIA/EMP Report of the Project.
- 40) Details of litigation pending against the project, if any, with direction /order passed by any Court of Law against the Project should be given.
- 41) The cost of the Project (capital cost and recurring cost) as well as the cost towards implementation of EMP should be clearly spelt out.
- 42) A Disaster management Plan shall be prepared and included in the EIA/EMP Report.
- 43) Benefits of the Project if the Project is implemented should be spelt out. The benefits of the Project shall clearly indicate environmental, social, economic, employment potential, etc.
- 44) Besides the above, the below mentioned general points are also to be followed:-
  - a) Executive Summary of the EIA/EMP Report
  - b) All documents to be properly referenced with index and continuous page numbering.
  - c) Where data are presented in the Report especially in Tables, the period in which the data were collected and the sources should be indicated.
  - d) Project Proponent shall enclose all the analysis/testing reports of water, air, soil, noise etc. using the MoEF&CC/NABL accredited laboratories. All the original analysis/testing reports should be available during appraisal of the Project.
  - e) Where the documents provided are in a language other than English, an English translation should be provided.
  - f) The Questionnaire for environmental appraisal of mining projects as devised earlier by the Ministry shall also be filled and submitted.
  - g) While preparing the EIA report, the instructions for the Proponents and instructions for the Consultants issued by MoEF&CC vide O.M. No. J-11013/41/2006-IA. II(I) dated 4th August, 2009, which are available on the website of this Ministry, should be followed.
  - h) Changes, if any made in the basic scope and project parameters (as submitted in Form-I and the PFR for securing the TOR) should be brought to the attention of MoEF&CC with reasons for such changes and permission should be sought, as the ToR may also have to be altered. Post Public Hearing changes in structure and content of the draft

  
MEMBER SECRETARY  
SEIAA-TN

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN


EIA/EMP (other than modifications arising out of the P.H. process) will entail conducting the PH again with the revised documentation.

- i) As per the circular no. J-11011/618/2010-IA. II(I) dated 30.5.2012, certified report of the status of compliance of the conditions stipulated in the Environment Clearance for the existing operations of the project, should be obtained from the Regional Office of Ministry of Environment, Forest and Climate Change, as may be applicable.
- j) The EIA report should also include (i) surface plan of the area indicating contours of main topographic features, drainage and mining area, (ii) geological maps and sections and (iii) sections of the mine pit and external dumps, if any, clearly showing the land features of the adjoining area.

**In addition to the above, the following shall be furnished:-**

**The Executive summary of the EIA/EMP report in about 8-10 pages should be prepared incorporating the information on following points:**

1. Project name and location (Village, District, State, Industrial Estate (if applicable).
2. Process description in brief, specifically indicating the gaseous emission, liquid effluent and solid and hazardous wastes.
3. Measures for mitigating the impact on the environment and mode of discharge or disposal.
4. Capital cost of the project, estimated time of completion.
5. The proponent shall furnish the contour map of the water table detailing the number of wells located around the site and impacts on the wells due to mining activity.
6. A detailed study of the lithology of the mining lease area shall be furnished.
7. Details of village map, "A" register and FMB sketch shall be furnished.
8. Detailed mining closure plan for the proposed project approved by the Geology of Mining department shall be submitted along with EIA report.
9. Obtain a letter /certificate from the Assistant Director of Geology and Mining standing that there is no other Minerals/resources like sand in the quarrying area within the approved depth of mining and below depth of mining and the same shall be furnished in the EIA report.
10. EIA report should strictly follow the Environmental Impact Assessment Guidance Manual for Mining of Minerals published February 2010.
11. Detail plan on rehabilitation and reclamation carried out for the stabilization and restoration of the mined areas.

  
MEMBER SECRETARY  
SEIAA-TN

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

12. The EIA study report shall include the surrounding mining activity, if any.
13. Modeling study for Air, Water and noise shall be carried out in this field and incremental increase in the above study shall be substantiated with mitigation measures.
14. A study on the geological resources available shall be carried out and reported.
15. A specific study on agriculture & livelihood shall be carried out and reported.
16. Impact of soil erosion, soil physical chemical and biological property changes may be assumed.
17. Site selected for the project - Nature of land - Agricultural (single/double crop), barren, Govt./ private land, status of its acquisition, nearby (in 2-3 km.) water body, population, within 10km other industries, forest, eco-sensitive zones, accessibility, (note - in case of industrial estate this information may not be necessary)
18. Baseline environmental data - air quality, surface and ground water quality, soil characteristic, flora and fauna, socio-economic condition of the nearby population
19. Identification of hazards in handling, processing and storage of hazardous material and safety system provided to mitigate the risk.
20. Likely impact of the project on air, water, land, flora-fauna and nearby population
21. Emergency preparedness plan in case of natural or in plant emergencies
22. Issues raised during public hearing (if applicable) and response given
23. CER plan with proposed expenditure.
24. Occupational Health Measures
25. Post project monitoring plan
26. The project proponent shall carry out detailed hydro geological study through intuitions/NABET Accredited agencies.
27. A detailed report on the green belt development already undertaken is to be furnished and also submit the proposal for green belt activities.
28. The proponent shall propose the suitable control measure to control the fugitive emissions during the operations of the mines.
29. A specific study should include impact on flora & fauna, disturbance to migratory pattern of animals.
30. Reserve funds should be earmarked for proper closure plan.
31. A detailed plan on plastic waste management shall be furnished. Further, the proponent should strictly comply with, Tamil Nadu Government Order (Ms) No.84 Environment and forests

  
MEMBER SECRETARY  
SEIAA-TN



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

(EC.2) Department dated 25.06.2018 regarding ban on one time use and throw away plastics irrespective of thickness with effect from 01.01.2019 under Environment (Protection) Act, 1986. In this connection, the project proponent has to furnish the action plan.

**Besides the above, the below mentioned general points should also be followed:-**

- a. A note confirming compliance of the TOR, with cross referencing of the relevant sections / pages of the EIA report should be provided.
- b. All documents may be properly referenced with index, page numbers and continuous page numbering.
- c. Where data are presented in the report especially in tables, the period in which the data were collected and the sources should be indicated.
- d. While preparing the EIA report, the instructions for the proponents and instructions for the consultants issued by MoEF& CC vide O.M. No. J-11013/41/2006-IA.II (I) dated 4th August, 2009, which are available on the website of this Ministry should also be followed.
- e. The consultants involved in the preparation of EIA/EMP report after accreditation with Quality Council of India (QCI)/National Accreditation Board of Education and Training (NABET) would need to include a certificate in this regard in the EIA/EMP reports prepared by them and data provided by other organization/Laboratories including their status of approvals etc. In this regard circular no F. No.J -11013/77/2004-IA-II(I) dated 2<sup>nd</sup> December, 2009, 18<sup>th</sup> March 2010, 28<sup>th</sup> May 2010, 28<sup>th</sup> June 2010, 31<sup>st</sup> December 2010 & 30<sup>th</sup> September 2011 posted on the Ministry's website <http://www.moef.nic.in/> may be referred.
  - After preparing the EIA (as per the generic structure prescribed in Appendix-III of the EIA Notification, 2006) covering the above mentioned points, the proponent will take further necessary action for obtaining environmental clearance in accordance with the procedure prescribed under the EIA Notification, 2006.
  - The final EIA report shall be submitted to the SEIAA, Tamil Nadu for obtaining Environmental Clearance.
  - The TORs with public hearing prescribed shall be **valid for a period of three years** from the date of issue, for submission of the EIA/EMP report as per OMNo.J-11013/41/2006-IA-II(I)(part) dated 29<sup>th</sup> August, 2017.

  
MEMBER SECRETARY  
SEIAA-TN

Page 21 of 22

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Lr No.SEIAA-TN/F.No.8656/SEAC/ToR- 1365/2023 Dated: 09.02.2023

SEIAA-TN

**Copy to:**

1. The Additional Chief Secretary to Government, Environment & Forests Department, Govt. of Tamil Nadu, Fort St. George, Chennai - 9
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD Cum-Office Complex, East Arjun Nagar, New Delhi 110032.
3. The Member Secretary, Tamil Nadu Pollution Control Board, 76, Mount Salaj, Guindy, Chennai-600 032.
4. The APCCF (C), Regional Office, MoEF& CC (SZ), 34, HEPC Building, 1<sup>st</sup> & 2<sup>nd</sup> Floor, Cathedral Garden Road, Nungambakkam, Chennai -34.
5. Monitoring Cell, IA Division, Ministry of Environment, Forests & CC, Paryavaran Bhavan, CGO Complex, New Delhi 110003
6. The District Collector, Tiruvannamalai District.
7. Stock File.

Page 22 of 22

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

<b>S.No</b>	<b>ToR Points</b>	<b>Reply</b>	<b>Pg. No</b>
<b>A. ToR in Addition to Standard ToR</b>			
1	The proponent is requested to carry out a survey and enumerate on the structures located within 100m, 200m, 300m, from the boundary of the mine lease area	Complied. There is no approved habitation within 300m radius and the copy of VAO certificate is given as Annexure 5.	
2	The proponent shall submit the report regarding the implications of mining activity on water tank and its mitigation measures	Complied. Anticipated Environmental Impacts and Mitigation measures has been discussed in Chapter 4. However, wastewater discharge from this proposed quarry is nil and proper mitigation has been proposed to control air borne dust.	134
3	The proponent shall submit a detailed study regarding the implications of traffic movement in the area and its mitigation measures	This is a small quarry and the production is very less. 10 Nos. of 5T/10T tippers will be used for transport. The trips will be minimum. Hence no major impact on transport is expected.	-
4	The PP shall carry out the scientific studies to assess the slope stability of the proposed working benches/ quarry wall when the depth of the quarry exceeds 40m above ground level during the environmental appraisal. The report shall also cover the slope stability action plan incorporating haul road along with benches, for the proposed workings in the hilly terrain of the quarry	Not applicable at this stage and It will be complied later once the quarry ultimate pit reaches 30m BGL.	-
5	The PP shall carry out a comprehensive biodiversity study (flora & fauna) including soil health to evaluate the impact of mining on the surrounding environmental settings, and it shall be submitted during appraisal.	Complied. Impact on flora & fauna has been discussed in Chapter 3.	117
6	The PP shall also carry out a comprehensive study on 'Socio - Economic aspects of the proposed site', indicating the developmental activities to be undertaken to enhance the quality of life in the surrounding villages, and it shall be submitted during the appraisal	Complied. Socio-economic study has been conducted and the details are incorporated in Chapter 3.	121

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

7	The PP shall carry out a study on "Impact of Climate Change on quarrying operation and flood control measures and Environmental Management" in the proposed site, indicating the mitigating measures during the development of the project, and it shall be submitted during the appraisal	Complied. The details are described in Chapter 4.	134
8	The PP shall also provide the detailed mitigating measures to be carried out for the issues raised by the people who had participated in the Public Hearing, against the proposed quarrying project.	Draft EIA & EMP is being prepared to conduct Public Hearing. These conditions will be complied after PH.	-
9	The proponent shall furnish photographs of adequate fencing, green belt along the periphery including replantation of existing trees & safety distance between the adjacent quarries & water bodies nearby provided as per the approved mining plan	There is no trees within ML area. The distance between adjacent quarries and from water bodies are given in the <b>chapter 7 and 2</b> . Fencing and plantations are under process.	76 & 162
10	The Project Proponent shall conduct the hydro-geological study considering the contour map of the water table detailing the number of ground water pumping & open wells, and surface water bodies such as rivers, tanks, canals, ponds etc. within 1 km (radius) along with the collected water level data for both monsoon and non-monsoon seasons from the PWD / TWAD so as to assess the impacts on the wells due to mining activity. Necessary data and documentation in this regard may be provided	This compliance is under progress and the same will be incorporated in the final EIA & EMP.  However, Water table is found at a depth of 58m BGL.  As far as the mining lease concern, the area is rocky and no major seepage is envisaged. The production quantity is very less and the depth proposed is only 40m AGL. Hence, there will not be any major impact due to mining on water levels or ground water levels in the area.	-
11	The proponent shall submit the details regarding the nature of blasting activity which will be carried out.	Complied. Blasting details are incorporated in Chapter 2.	91
12	The PP shall furnish DFO letter stating that the proximity distance of Reserve Forests, Protected Areas, Sanctuaries. Tiger reserve etc.. upto a radius of 25 km from the proposed site.	Complied. DFO letter attached as Annexure 4.	-

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

13	The PP shall provide individual notice regarding the Public Hearing to the nearby house owners located in the vicinity of the project site	It will be complied.	-
14	In the case of proposed lease in an existing (or old) quarry where the benches are non-existent (or) partially formed critical of the bench geometry approved in the Mining Plan, the Project Proponent (PP) shall prepare and submit an 'Action Plan' for carrying out the realignment of the 'highwall' benches to ensure slope stability in the proposed quarry lease which shall be vetted by the concerned Asst. Director of Geology and Mining, during the time of appraisal for obtaining the EC	Not applicable. This is a fresh quarry.	-
15	The PP shall furnish the affidavit stating that the blasting operation in the proposed quarry is carried out by the statutory competent person as per the MMR 1961 such as blaster, mining mate, mine foreman, II/I Class mines manager appointed by the proponent	Complied. The affidavit is enclosed as <b>Annexure - 6.</b>	-
16	As the habitations are situated at a distance of 300 to 680 m, the PP shall present a conceptual design for carrying out the NONEL initiation based controlled blasting operation involving line drilling and muffle blasting in the proposed quarry such that the blast induced ground vibrations are controlled within the permissible limits as stipulated by the DGMS as well as no fly rock travel beyond 20 m from the blast site.	Under process. It will be complied.	-
17	Since the quarry lies in a cluster situation, the PP shall furnish a Standard Operating Procedure for carrying out the safe blasting operation while considering the adjacent quarries lies in a radial distance of 500 m from their quarry	It will be Complied after Environmental Clearance.	-
18	Details of Green belt & Fencing shall be included in the EIA report	There is no trees within ML area. Fencing and plantations are under process.	-

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

19	The EIA Coordinators shall obtain and furnish the details of quarry/quarries operated by the proponent in the past, either in the same location or elsewhere in the State with video and photographic evidences.	The PP has not carried out any quarrying operation before this project.	-
20	If the proponent has already carried out the mining activity in the proposed mining lease area after 15.01.2016, then the proponent shall furnish the following details from AD/DD, mines	Not applicable. This is a fresh quarry project.	-
21	What was the period of the operation and stoppage of the earlier mines with last work permit issued by the AD/DD mines?  <ul style="list-style-type: none"> <li>• Quantity of minerals mined out.</li> <li>• Highest production achieved in any one year.</li> <li>• Detail of approved depth of mining.</li> <li>• Actual depth of the mining achieved earlier.</li> <li>• Name of the person already mined in that leases area.</li> <li>• If EC and CTO already obtained, the copy of the same shall be submitted.</li> <li>• Whether the mining was carried out as per the approved mine plan (or EC if issued) with stipulated benches</li> </ul>	Not applicable. This is a fresh quarry project.	-
22	All corner coordinates of the mine lease area, superimposed on a High Resolution Imagery/Topo sheet, topographic sheet, geomorphology, lithology and geology of the mining lease area should be provided. Such an Imagery of the proposed area should clearly show the land use and other ecological features of the study area (core and buffer zone).	Complied. Details are incorporated in Chapter 2 and 3	76 & 99
23	The PP shall carry out Drone video survey covering the cluster, Green belt, fencing etc.,	This compliance is under process.	
24	The Project Proponent shall provide the details of mineral reserves and mineable reserves, planned production capacity, proposed working methodology with justifications, the anticipated impacts of the mining	The geological reserves is estimated to be 40,50,000m <sup>3</sup> of rough stone.  The mineable reserves is 24,97,020m <sup>3</sup> of Rough stone.	76

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

	operations on the surrounding, environment and the remedial measures for the same	The proposed total production quantity is 12,54,020 upto a depth of 40m above ground level for the period of five years.  Details are given in <b>Chapter II</b>	
25	The Project Proponent shall provide the Organization chart indicating the appointment of various statutory officials and other competent persons to be appointed as per the provisions of Mines Act'1952 and the MMR" 1961 for carrying out the quarrying operations scientifically and systematically in order to ensure safety and to protect the environment.	Complied. Please refer Fig. 10.1	179
26	The proponent shall furnish the baseline data for the environmental and ecological parameters with regard to surface water/ground water quality, air quality, soil quality & flora/fauna including traffic/vehicular movement study.	The baseline data for all environments is collected for the Pre-monsoon season (March to May 2023) and the details are given in <b>Chapter III</b>	99
27	The Proponent shall carry out the cumulative impact study due to mining operations carried out in the quarry specifically with reference to the specific environment in terms of air pollution, water pollution, & health impacts. Accordingly, the Environment Management plan should be prepared keeping the concerned quarry and the surrounding habitations in the mind.	Detailed cumulative impact study has been carried and the same is incorporated in the <b>Chapter 7</b> .  Accordingly, a detailed Environment Management Plan is prepared considering air, water, noise and soil environment and the details are given in <b>Chapter 10</b> .	162 & 175
28	Rain water harvesting management with recharging details along with water balance (both monsoon & non-monsoon) be submitted.	Rain water harvesting Plan is given in <b>chapter 10</b> .	175
29	Land use of the study area delineating forest area, agricultural land, grazing land. Wildlife sanctuary, national park, migratory routes of fauna, water bodies, human settlements and other ecological features should be indicated. Land use plan of the mine lease area should be prepared to encompass preoperational, operational and post operational phases and submitted. Impact, if any, of change of land use should be given.	Satellite imagery has been used to study the lease area and the details of land use is given in <b>Chapter 3</b>	99

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

<b>30</b>	Details of the land for storage of Overburden/Waste Dumps (or) Rejects outside the mine lease, such as extent of land area distance from mine lease, its land use, R&R issues, if any, should be provided.	<b>Not applicable.</b> There is generation of the OB & waste.	-
<b>31</b>	Proximity to Areas declared as 'Critically Polluted'(or) the Project areas which attracts the court restrictions for mining operations, should also be indicated and where so required, clearance certifications from the prescribed Authorities, such as the TNPCB (or) Dept. of Geology and Mining should be secured and furnished to the effect that the proposed mining activities could be considered.	No proximity to Critically polluted areas.	-
<b>32</b>	Description of water conservation measures proposed to be adopted in the Project should be given. Details of rainwater harvesting proposed in the Project, if any, should be provided.	The impact of the mining operations due to this quarry on water environment is studied and mitigation measures are proposed. Rain water harvesting plan is given Chapter 4.	134
33	Impact on local transport infrastructure due to the Project should be indicated	Since the production is very less, only few trucks of 5/10T will be used for transport. The effect of transport on local transport will be negligible.	-
34	A tree survey shall be carried out (Nos. name of species, age, diameter, etc) both within the mining lease applied area & 300m buffer zone and its management during mining activity	There are no trees within 300m buffer zone of the project area.	-
35	A detailed mine closure plan for the proposed project shall be included in EIA/EMP report which should be site-specific	Detailed mine closure plan is given in Chapter 7.	162
36	Public Hearing points raised and commitment of the Project Proponent on the same along with time bound Action Plan with budgetary provisions to implement the same should be provided and also incorporated in the final EIA/EMP Report of the Project and to be submitted to SEIAA/SEAC with regard to the Office Memorandum of MoEF & CC accordingly.	Draft EIA & EMP is being prepared to conduct Public Hearing. This conditions will be complied after PH.	-



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

37	The Public hearing advertisement shall be published in one major National daily and one most circulated vernacular daily.	Agreed.	-
38	The PP shall produce/display the EIA report, Executive summary and other related information with respect to public hearing in Tamil Language also.	Agreed.	-
39	As part of the study of flora and fauna around the vicinity of the proposed site, the EIA Coordinator shall strive to educate the local students on the importance of preserving local flora and fauna by involving them in the study, where ever possible	Accepted. It will be done.	-
40	The purpose of green belt around the project is to capture the fugitive emissions, carbon sequestration and to attenuate the noise generated, in addition to improving the aesthetics. A wide range of indigenous plant species should be planted as given in the appendix – I in consultation with the DFO, State Agriculture University and local school/college authorities. The plant species with dense/moderate canopy of native origin should be chosen. Species of small/medium/tall trees alternating with shrubs should be planted in a mixed manner	Green belt is proposed in an area of 0.25.0 Ha. Green belt development plan showing the plant species selected is given in Chapter IV.	134
41	Taller/one year old saplings raised in appropriate size of bags, preferably eco-friendly bags should be planted as per the advice of local forest authorities/botanist/horticulturist with regard to site-specific choices. The proponent shall earmark the green belt area with GPS coordinates all along the boundary of the project site with at least 3 m wide and in between blocks in an organized manner	Accepted. The photographs showing green belt will be provided once it is completed.	-
42	A Disaster management Plan shall be prepared and included in the EIA/EMP Report for the complete life of the proposed quarry (or) till the end of the lease period.	A disaster management plan is prepared and the details are given in Chapter 7	162

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

43	A risk assessment and Management plan shall be prepared and included in the EIA/EMP report for the complete life of the proposed quarry or till the end of the lease period	Risk assessment and its management is given in Chapter 7	162
44	Occupational Health impacts of the Project should be anticipated and the proposed preventive measures spelt out in detail. Details of pre-placement medical examination and periodical medical examination schedules should be incorporated in the EMP. The project specific occupational health mitigation measures with required facilities proposed in the mining area may be detailed.	The impacts of the mining operations on the health of employees is studied and mitigation measures are provided. Details are in Chapter 4.	134
45	Public health implications of the Project and related activities for the population in the impact zone should be systematically evaluated and the proposed remedial measures should be detailed along with budgetary allocations.	No major impact on public health will be there since the villages are located more than 1km from the lease area.	-
46	The Socio-economic studies should be carried out within a 5km buffer zone from the mining activity. Measures of socio-economic significance and influence to the local community proposed to be provided by the Project Proponent should be indicated. As far as possible, quantitative dimensions may be given with time frames for implementation.	Socio economic study is conducted both by visits and secondary data collection.  Details are given in Chapter 3	99
47	Details of litigation pending against the project, if any, with direction /order passed by any Court of law against the Project should be given.	No litigation is pending	-
48	Benefits of the Project if the Project is implemented should be spelt out. The benefits of the Project shall clearly indicate environmental, social, economic, employment potential, etc.	Benefits of the project is given in Chapter 8	173

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

49	If any quarrying operations were carried out in the proposed quarrying site for which now EC is sought, the project proponent shall furnish the detailed compliance to EC conditions given in the previous EC with the site photographs which shall duly be certified by MoEF & CC, Regional Office, Chennai or the concerned DEE/TNPCB.	After obtaining EC, compliance reports will be submitted to Regional office, MoEF & CC, Chennai	-
50	The PP shall prepare the EMP for the entire life/lease of mine and also furnish the sworn affidavit stating to abide the EMP for the entire life of mine.	The EMP is planned for the entire life of the mine. The affidavit is enclose as <b>Annexure 6.</b>	-
51	Concealing any factual information or submission of false/fabricated data and failure to comply with any of the condition mentioned above may result in withdrawal of this Terms of Conditions besides attracting penal provisions in the Environment (Protection) Act, 1986	Agreed	-

**Additional Conditions stipulated by SEIAA – TN**

i)	The depth is restricted to 40m AGL only in order to ensure Sustainable Mining practices and considering the environmental setting of the site. Hence the quantity of rough stone shall not exceed 12,54,020 m <sup>3</sup> as approved in the mine plan for 40m AGL.	Agreed.	-
----	--	---------	---

**Annexure 'B'**

**Cluster Management Committee**

1	Cluster management committee shall be framed which must include all the proponents in the cluster as members including the existing as well as proposed quarry	There are two quarries within a 500-metre radius. The proponent will take the initiative to form a cluster management committee once environmental clearance is obtained for this quarry as well as the other proposed quarry.	-
2	The members must coordinate among themselves for the effective implementation of EMP as committed including Green Belt Development, Water sprinkling, tree plantation, blasting etc.,	Agreed. Will be complied.	-

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

3	The List of members of the committee formed shall be submitted to AD/Mines before the execution of mining lease and the same shall be updated every year to the AD/Mines.	Agreed. The list of members of the committee formed will be submitted to AD/mines after obtaining Environmental Clearance.	-
4	Detailed Operational Plan must be submitted which must include the blasting frequency with respect to the nearby quarry situated in the cluster, the usage of haul roads by the individual quarry in the form of route map and network.	Agreed. Details of the Operation plan for cluster mining operations will be submitted once we get environmental clearance for all quarries proposed in the cluster area.	-
5	The committee shall deliberate on risk management plan pertaining to the cluster in a holistic manner especially during natural calamities like intense rain and the mitigation measures considering the inundation of the cluster and evacuation plan.	Risk management plan for the individual quarry is given in this report. As far as cluster working condition is concerned, once the committee is formed, risk management as a cluster including inundation of clusters and the evacuation plan will be elaborated and the same will be submitted to the EIAA.	-
6	The Cluster Management Committee shall form Environmental Policy to practice sustainable mining in a scientific and systematic manner in accordance with the law. The role played by the committee in implementing the environmental policy devised shall be given in detail.	Environmental policy for the cluster will be framed by the cluster management committee and the policy will be in accordance with EPA Act, 1986 and its amendments, guidelines by MoEF&CC/SEIAA and other regulatory bodies. This policy will be displayed in the quarry.	-
7	The committee shall furnish action plan regarding the restoration strategy with respect to the individual quarry falling under the cluster in a holistic manner.	Agreed. It will be complied as mentioned in the Point No.4	-
8	The committee shall furnish the Emergency Management plan within the cluster.	Agreed. It will be complied as mentioned in the Point No.4	-
9	The committee shall deliberate on the health of the workers/staff involved in the mining as well as the health of the public.	Agreed. It will be complied as mentioned in the Point No.4	-
10	The committee shall furnish an action plan to achieve sustainable development goals with reference to water, sanitation & safety.	Agreed. It will be complied as mentioned in the Point No.4	-
11	The committee shall furnish the fire safety and evacuation plan in the case of fire accidents.	Agreed. It will be complied as mentioned in the Point No.4	-

**Impact study of mining**

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

12	Detailed study shall be carried out in regard to impact of mining around the proposed mine lease area covering the entire mine lease period as per precise area communication order issued from reputed research institutions on the following,		-
a	Soil health & soil biological, physical land chemical features	Complied. The details are given in Chapter 3 of the Draft EIA report.	99
b	Climate change leading to Droughts, Floods etc.	The proposed quarry is a very small scale Opencast Semi-Mechanized mining method and the anticipated impacts to the climate change, droughts, floods, etc. will be very marginal.	-
c	Pollution leading to release of Greenhouse gases (GHG), rise in Temperature, & Livelihood of the local people	The proposed quarry is a very small scale Opencast Semi-Mechanized mining method and the anticipated impacts of Greenhouse gases (GHG), rise in Temperature and effect of livelihood of the local people will be negligible. It will be controlled in the source level as per mitigation measures proposed in the Chapter 4 & 10.	134 & 175
d	Possibilities of water contamination and impact on aquatic ecosystem health	The total water requirement is 5.0 KLD. It will be outsourced from the nearby villages. So no impact in the project area due to water usage. The wastewater generation in the form of runoff water during rainy season will be collected in the bottom quarry through proper drainage pattern and the collected water will be used for plantation and dust separation during dry season. However, there is no wastewater discharge from this quarry is being anticipated. So, possibilities of water contamination and impact on aquatic ecosystem health is not envisaged.	-
e	Agriculture, Forestry & Traditional practices	There are no forest area and traditional practices within the project area. However there are some agricultural land around the project site. It may be affect due to the quarry operation as such dust particles sedimentation in the agricultural land. It will be controlled at the source level by proper dust separation as such wet drilling, controlled blasting and water sprinkling on the project roads and project surrounding roads. As per Air Quality Modelling the impact of the air quality limited to 400m radius. So,	-

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

		there is no impact for the Agriculture, Forestry & Traditional practices located within 10km radius.	
f	Hydrothermal/Geothermal effect due to destruction in the Environment	The proposed quarry operation is Opencast Semi-Mechanized operation with drilling, blasting, excavation, loading and transportation. So the effect of Hydrothermal/Geothermal is not envisaged.	-
g	Bio-geochemical processes and its foot prints including environmental stress	This is a simple mining operation, so bio-geochemical processes is not envisaged.	-
h	Sediment geochemistry in the surface streams	Cheyyar river is located at a distance of 1.34km and Tandarai canal is located at distance of 1.22km, due to mining operation there may be minimum impact to the said water bodies due to dust sedimentation. It will be controlled by wet drilling, water sprinkling and plantation.	-

**Agriculture & Agro-Biodiversity**

13	Impact on surrounding agricultural fields around the proposed mining Area.	Agreed. It is described in the point no. 12 (e) of this ToR Complince Annexure-B	-
14	Impact on soil flora & vegetation around the project site.	Complied. The details are given in Chapter 3.	99
15	Details of type of vegetations including no. of trees & shrubs within the proposed mining area and. If so, transplantation of such vegetations all along the boundary of the proposed mining area shall committed mentioned in EMP.	Complied. The details are given in Chapter 3.	99
16	The Environmental Impact Assessment should study the biodiversity, the natural ecosystem, the soil micro flora, fauna and soil seed banks and suggest measures to maintain the natural Ecosystem.	Complied. The details are given in Chapter 3.	99
17	Action should specifically suggest for sustainable management of the area and restoration of ecosystem for flow of goods and services.	The detailed action plan has been described in the EMP (Chapter 10) for the sustainable management for the project area and its surroundings.	175
18	The project proponent shall study and furnish the impact of project on plantations in adjoining patta lands, Horticulture, Agriculture and livestock.	Complied. The details are given in Chapter 4.	134

**Forests**

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

19	The project proponent shall detailed study on impact of mining on Reserve Forests free ranging wildlife.	There is no reserved forest located in the buffer zone. The fauna commonly found in the core and buffer zone is given in Chapter 3.	99
20	The Environmental Impact Assessment should study impact on forest, vegetation, endemic, vulnerable and endangered indigenous flora and fauna.	Complied. The details are given in Chapter 3.	99
21	The Environmental Impact Assessment should study impact on standing trees and the existing trees should be numbered and action suggested for protection.	Not Applicable. This is a dry barren land.	-
22	The Environmental Impact Assessment should study impact on protected areas, Reserve Forests, National Parks, Corridors and Wildlife pathways, near project site.	There is no protected areas, Reserve Forests, National Parks, Corridors and Wildlife pathways located in the buffer zone.	-
<b>Water Environment</b>			
23	Hydro-geological study considering the contour map of the water table detailing the number of ground water pumping & open wells, and surface water bodies such as rivers, tanks, canals, ponds etc. within 1 km (radius) so as to assess the impacts on the nearby waterbodies due to mining activity. Based on actual monitored data, it may clearly be shown whether working will intersect groundwater. Necessary data and documentation in this regard may be provided, covering the entire mine lease period.	Complied. The details are given in Chapter 7.	162
24	Erosion Control measures.	There is no waste generation (OB) in this quarry has been envisaged. However, there may be erosion due the rainy season and that is limited within quarry area. The control measures are explained in Chapter 8.	173
25	Detailed study shall be carried out in regard to impact of mining around the proposed mine lease area on the nearby Villages, Water-bodies/ Rivers, & any ecological fragile areas.	Complied. The details are incorporated in Chapter 3.	99
26	The project proponent shall study impact on fish habitats and the food WEB/ food chain in the water body and Reservoir.	Not applicable.	-

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

27	The project proponent shall study and furnish the details on potential fragmentation impact on natural environment, by the activities.	Fragmentation impact on environment may be due to drilling and blasting. The anticipated impacts and mitigation measures are discussed in Chapter 4.	134
28	The project proponent shall study and furnish the impact on aquatic plants and animals in water bodies and possible scars on the landscape, damages to nearby caves, heritage site, and archaeological sites possible land form changes visual and aesthetic impacts.	An ecological and biodiversity study has been conducted and the same is incorporated in the Chapter 3 of the Draft EIA/EMP report. However, there is no any features mentioned in this condition within the M.L area. However, the impacts anticipated with respect to the environment of the project area is very negligible and it will be minimized within the project area. The details are described in Chapter 10.	99 & 175
29	The Terms of Reference should specifically study impact on soil health, soil erosion, the soil physical, chemical components and microbial components.	Agreed.	-
30	The Environmental Impact Assessment should study on wetlands, water bodies, rivers streams, lakes and farmer sites.	Complied. The details are described in Chapter 3.	99
<b>Energy</b>			
31	The measures taken to control Noise, Air, Water, Dust Control and steps adopted to efficiently utilize the Energy shall be furnished.	Complied. The details are described in Chapter 4.	134
<b>Climate Change</b>			
32	The Environmental Impact Assessment shall study in detail the carbon emission and also suggest the measures to mitigate carbon emission including development of carbon sinks and temperature reduction including control of other emission and climate mitigation activities.	Complied. The details are described in Chapter 4.	134
33	The Environmental Impact Assessment should study impact on climate change, temperature rise, pollution and above soil & below soil carbon stock.	Complied. The details are described in Chapter 4.	134
<b>Mine Closure Plan</b>			
34	Detailed Mine Closure Plan covering the entire mine lease period as per precise area communication order issued.	Complied. Mine Closure Plan has been incorporated in the approved Mining Plan and the same is incorporated in the Chapter 4 & 10.	134 & 175
<b>EMP</b>			



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

35	Detailed Environment Management Plan along with adaptation, mitigation & remedial strategies covering the entire mine lease period as per precise area communication order issued.	Complied. The details are described in Chapter 10.	175
36	The Environmental Impact Assessment should hold detailed study on EMP with budget for Green belt development and mine closure plan including disaster management plan.	Complied. The details are described in Chapter 10.	175
<b>Risk Assessment</b>			
37	To furnish risk assessment and management plan including anticipated vulnerabilities during operational and post operational phases of Mining.	Complied. The details are described in Chapter 7.	162
<b>Disaster Management Plan</b>			
38	To furnish disaster management plan and disaster mitigation measures in regard to all aspects to avoid/reduce vulnerability to hazards & to cope with disaster/untoward accidents in & around the proposed mine lease area due to the proposed method of mining activity & its related activities covering the entire mine lease period as per precise area communication order issued.	Complied. The details are described in Chapter 7.	162
<b>Others</b>			
39	The project proponent shall furnish VAO certificate with reference to 300m radius regard to approved habitations, schools, Archaeological sites, Structures, railway lines, roads, water bodies such as streams, odai, vaari, canal, channel, river, lake pond, tank etc.	Complied. Enclosed as Annexure 4	134
40	As per the MoEF& CC office memorandum F.NO.22-65/2017-1A.11I dated: 30.09.2020 and 20.10.2020 the proponent shall address the concerns raised during the public consultation and all the activities proposed shall be part of the Environment Management Plan.	Noted. It will be complied in the Final EIA/EMP report.	-
41	The project proponent shall study and furnish the possible pollution due to plastic and microplastic on the environment. The ecological risks and	Complied. The PP has framed detail solid waste management system for the project are and the same will be executed by proper awareness and sign	-

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

	impacts of plastic & microplastics on aquatic environment and fresh water systems due to activities, contemplated during mining may be investigated and reported.	boards. The sign boards will be in two language i.e., Vernacular language (Tamil) and common language (English). The plastic waste generation is very negligible and it will be collected from the source level in specific dustbin and disposed through the municipal bins.	
<b>C. Standard ToR</b>			
<b>1</b>	Year-wise production details since 1994 should be given, clearly stating the highest production achieved in any one year prior to 1994. It may also be categorically informed whether there had been any increase in production after the EIA Notification 1994 came into force, w.r.t. the highest production achieved prior to 1994.	This is a new project. No mining has been carried out in this lease area so far by the proponent.	-
<b>2</b>	A copy of the document in support of the fact that the Proponent is the rightful lessee of the mine should be given	Precise Area Communication letter received from the District Collector, Tiruvannamalai. (Annexure-1)	-
<b>3</b>	All documents including approved mine plan, EIA and Public Hearing should be compatible with one another in terms of the mine lease area, production levels, waste generation and its management, mining technology etc. and should be in the name of the lessee.	Complied. All the documents in the name of the lessee.	-
<b>4</b>	All corner coordinates of the mine lease area, superimposed on a High Resolution Imagery/ topo-sheet, topographic sheet, geomorphology and geology of the area should be provided. Such an Imagery of the proposed area should clearly show the land use and other ecological features of the study area(core and buffer zone).	Complied.  Project coordinates superimposed in satellite imagery and given as Figure in Chapter II.  The geology and geomorphology map is provided as Figure in Chapter-III.  The Lithology map and Soil map are provided as Figure in Chapter-III.  The 10km Radius Index plan showing buffer zone is given as in Chapter-III.	-

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

5	Information should be provided in Survey of India Topo sheet in 1:50,000 scale indicating geological map of the area, geomorphology of land forms of the area, existing minerals and mining history of the area, important water bodies, streams and rivers and soil characteristics.	Complied. The details are given in Chapter 2.	76
6	Details about the land proposed for mining activities should be given with information as to whether mining conforms to the land use policy of the State; land diversion for mining should have approval from State land use board or the concerned authority.	Not Applicable. The proposed land is Government Poramboke Land and the applicant has obtained Tender from the Government.	-
7	It should be clearly stated whether the proponent Company has a well laid down Environment Policy approved by its Board of Directors? If so, it may be spelt out in the EIA Report with description of the prescribed operating process/procedures to bring into focus any infringement/deviation/ violation of the environmental or forest norms/ conditions? The hierarchical system or administrative order of the Company to deal with the environmental issues and for ensuring compliance with the EC conditions may also be given. The system of reporting of non-compliances / violations of environmental norms to the Board of Directors of the Company and/or shareholders or stakeholders at large, may also be detailed in the EIA Report.	The proposed quarry is small scale magnitude operation and controlled by lessee individually by engaging optimum statutory personals.  Based on magnitude of the operation the PP has framed Environmental Policy and the same is incorporated in Chapter 10.	175
8	Issues relating to Mine Safety, including subsidence study in case of underground mining and slope study in case of open cast mining, blasting study etc. should be detailed.The proposed safeguard measures in each case should also be provided.	Risks are identified and the management is given in Chapter 7.	162
9	The study area will comprise of 10 km zone around the mine lease from lease periphery and the data contained in the EIA such as waste generation etc. should be for the life of the mine / lease period.	The study area of 10km comprising core zone and buffer zone is used for the study. All details given in Chapter – 3.	99

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

10	Land use of the study area delineating forest area, agricultural land, grazing land, wildlife sanctuary, national park, migratory routes of fauna, water bodies, human settlements and other ecological features should be indicated. Land use plan of the mine lease area should be prepared to encompass preoperational, operational and post operational phases and submitted. Impact, if any, of change of land use should be given.	Satellite imagery has been used to study land use and the details of land use in the core and buffer zone is given in Chapter 3.	99
11	Details of the land for any Over Burden Dumps outside the mine lease, such as extent of land area, distance from mine lease, its land use, R&R issues, if any, should be given.	The entire material quarried out will be sold. No waste generation from this quarrying operation.	-
12	Certificate from the Competent Authority in the State Forest Department should be provided, confirming the involvement of forest land, if any, in the project area. In the event of any contrary claim by the Project Proponent regarding the status of forests, the site may be inspected by the State Forest Department along with the Regional Office of the Ministry to ascertain the status of forests, based on which, the Certificate in this regard as mentioned above be issued. In all such cases, it would be desirable for representative of the State Forest Department to assist the Expert Appraisal Committees.	Not Applicable. There is no forest land in the lease area.	-
13	Status of forestry clearance for the broken up area and virgin forestland involved in the Project including deposition of Net Present Value (NPV) and Compensatory Afforestation (CA) should be indicated. A copy of the forestry clearance should also be furnished.	Not Applicable. There is no forest land in the lease area.	-
14	Implementation status of recognition of forest rights under the Scheduled Tribes and other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 should be indicated.	Not Applicable. There is no forest land in the lease area.	-

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

15	The vegetation in the RF / PF areas in the study area, with necessary details, should be given.	There is no forest land in the lease area. However, study are forest details are given in Chapter – 2.	76
16	A study shall be got done to ascertain the impact of the Mining Project on wildlife of the study area and details furnished. Impact of the project on the wildlife in the surrounding and any other protected area and accordingly, detailed mitigative measures required, should be worked out with cost implications and submitted.	No wildlife sanctuary or national parks or any areas of ecological importance is found in the 10km area.	-
17	Location of National Parks, Sanctuaries, Biosphere Reserves, Wildlife Corridors, Ramsar site Tiger/ Elephant Reserves/(existing as well as proposed), if any, within 10 km of the mine lease should be clearly indicated, supported by a location map duly authenticated by Chief Wildlife Warden. Necessary clearance, as may be applicable to such projects due to proximity of the ecologically sensitive areas as mentioned above, should be obtained from the Standing Committee of National Board of Wildlife and copy furnished.	Not Applicable. Nil within 10 km radius.	-
18	A detailed biological study of the study area [core zone and buffer zone (10 km radius of the periphery of the mine lease)] shall be carried out. Details of flora and fauna, endangered, endemic and RET Species duly authenticated, separately for core and bufferzone should be furnished based on such primary field survey, clearly indicating the Schedule of the fauna present. In case of any scheduled-I fauna found in the study area, the necessary plan along with budgetary provisions for their conservation should be prepared in consultation with State Forest and Wildlife Department and details furnished. Necessary allocation of funds for implementing the same should be made as part of the project cost.	Flora and fauna composition in the core and buffer zone of the project has been studied through primary field surveys. The details are furnished in Chapter 3.	99

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

19	Proximity to Areas declared as 'Critically Polluted' or the Project areas likely to come under the 'Aravali Range', (attracting court restrictions for mining operations), should also be indicated and where so required, clearance certifications from the prescribed Authorities, such as the SPCB or State Mining Department should be secured and furnished to the effect that the proposed mining activities could be considered.	Not Applicable	-
20	Similarly, for coastal Projects, A CRZ map duly authenticated by one of the authorized agencies demarcating LTL. HTL, CRZ area, location of the mine lease w.r.t CRZ, coastal features such as mangroves, if any, should be furnished. (Note: The Mining Projects falling under CRZ would also need to obtain approval of the concerned Coastal Zone Management Authority).	Not Applicable	-
21	R&R Plan/compensation details for the Project Affected People (PAP) should be furnished. While preparing the R&R Plan, the relevant State/National Rehabilitation & Resettlement Policy should be kept in view. In respect of SCs /STs and other weaker sections of the society in the study area, a need based sample survey, family-wise, should be undertaken to assess their requirements, and action programmes prepared and submitted accordingly, integrating the sectoral programme of linedepartments of the State Government. It may be clearly brought out whether the village(s) located in the mine lease area will be shifted or not. The issues relating to shilling of village(s) including their R&R and socio- economic aspects should be discussed in the Report.	Not applicable. No habitation within 300 meter of the radius.	-
22	One season (non-monsoon) (i.e. March-May (Summer Season); October-December (post monsoon season) ; December-February (winter season) primary baseline data on ambient air quality as per CPCB Notification of 2009, water quality,:	Baseline data for meteorology, ambient air quality, Water quality, noise level, soil and flora & fauna are collected during Pre Monsoon season (March 2023 to May 2023) and detailed in Chapter-3.	99

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

	noise level, soil and flora and fauna shall be collected and the AAQ and other data so compiled presented date-wise in the EIA and EMP Report. Site- specific meteorological data should also be collected. The location of the monitoring stations should be such as to represent whole of the study area and justified keeping in view the pre-dominant downwind direction and location of sensitive receptors. There should be at least one monitoring station within 500 m of the mine lease in the pre-dominant downwind direction. The mineralogical composition of PM10, particularly for free silica, should be given.		
23	Air quality modeling should be carried out for prediction of impact of the project on the air quality of the area. It should also take into account the impact of movement of Vehicles for transportation of mineral. The details of the model used and input parameters used for modeling should be provided. The air quality contours may be shown on a location map clearly indicating the location of the site, location of sensitive receptors, if any, and the habitation. The wind roses showing pre- dominant wind direction may also be indicated on the map.	Modelling is done using AERMOD and the projected values are found to be within the norms. Hence, there is no major impact due to this mining project. Cumulative impact of mining is also studied and the same is found to be within norms. The detail are given in Chapter 3.	99
24	The water requirement for the Project, its availability and source should be furnished. A detailed water balance should also be provided. Fresh water requirement for the Project should be indicated.	The entire water requirement for the project is 5.0KLD which will be sourced from outside agencies. Negligible sewage of 0.8 KLD will be generated, for which a septic tank with soak pit will be set up. The water balance diagram is shown in Chapter 4	134
25	Necessary clearance from the Competent Authority for drawl of requisite quantity of water for the Project should be provided.	Not Applicable.  The required water will be outsourced from the nearby village.	-
26	Description of water conservation measures proposed to be adopted in the Project should be given. Details of rainwater harvesting proposed in the Project, if any, should be provided.	Details of water conservation plan is given chapter 10.	175

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

27	Impact of the Project on the water quality, both surface and groundwater should be assessed and necessary safeguard measures, if any required, should be provided.	The surface water condition and ground water condition in the study area is given in Chapter 3.	99
28	Based on actual monitored data, it may clearly be shown whether working will intersect groundwater. Necessary data and documentation in this regard may be provided. In case the working will intersect groundwater table, a detailed Hydro Geological Study should be undertaken and Report furnished. The Report inter-alia, shall Include details of the aquifers present and impact of mining activities on these aquifers. Necessary permission from Central Ground Water Authority for working below ground water and for pumping of ground water should also be obtained and copy furnished.	Ground water table of the project surrounding area is 58m BGL and proposed ultimate pit level is 40m AGL. So, the proposed mine working will not intersect the ground water table.	-
29	Details of any stream, seasonal or otherwise, passing through the lease area and modification / diversion proposed, if any, and the impact of the same on the hydrology should be brought out.	Not applicable.  There is no stream, seasonal or otherwise, passing through the lease area.	-
30	Information on site elevation, working depth, groundwater table etc. Should be provided both in AMSL and bgl. A schematic diagram may also be provided for the same.	Details of site elevation and depth are given in Chapter 3.	99
31	A time bound Progressive Greenbelt Development Plan shall be prepared in a tabular form (indicating the linear and quantitative coverage, plant species and time frame) and submitted, keeping in mind, the same will have to be executed up front on commencement of the. Project. Phase-wise plan of plantation and compensatory afforestation should be charted clearly indicating the area to be covered under plantation and the species to be planted. The details of plantation already done should be given. The plant species selected for green belt should have	In the lease area, safety barrier 7.5 m left as safety zone. Greenbelt/Plantation will be carried out in and around the lease area to enhance the vegetative growth and aesthetic in the area.	-



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

	greater ecological value and should be of good utility value to the local population with emphasis on local and native species and the species which are tolerant to pollution.		
32	Impact on local transport infrastructure due to the Project should be indicated. Projected increase in truck traffic as a result of the Project in the present road network (including those outside the Project area) should be worked out, indicating whether it is capable of handling the incremental load. Arrangement for improving the infrastructure, if contemplated (including action to be taken by other agencies such as State Government) should be covered. Project Proponent shall conduct Impact of Transportation study as per Indian Road Congress Guidelines.	This is a small quarry and the production is very less. 10 Nos. of 5T/10T tippers will be used for transport. The trips will be minimum. Hence no major impact on transport is expected.	-
33	Details of the onsite shelter and facilities to be provided to the mine workers should be included in the EIA Report.	Onsite shelter and facilities will be provided to mine workers	-
34	Conceptual post mining land use and Reclamation and Restoration of mined out areas (with plans and with adequate number of sections) should be given in the EIA report.	The post mining land use/conceptual land use of the study area is given in Chapter 4.	134
35	Occupational Health impacts of the Project should be anticipated and the proposed preventive measures spelt out in detail. Details of pre-placement medical examination and periodical medical examination schedules should be incorporated in the EMP. The project specific occupational health mitigation measures with required facilities proposed in the mining area may be detailed	Occupational health and safety study is given in Para 4.11 of Chapter-4.	154
36	Public health implications of the Project and related activities for the population in the impact zone should be systematically evaluated and the proposed remedial measures should be detailed along with budgetary allocations	No major impact on public health will be there since the villages are located more than 1km from the lease area.	-

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

37	Measures of socio economic significance and influence to the local community proposed to be provided by the Project Proponent should be indicated. As far as possible, quantitative dimensions may be given with time frames for implementation.	This project provides employment to 50 people directly. Local people will be hired for unskilled labour. Through CSR, nearby schools, hospitals will be benefitted. For CSR, INR 5.0 Lakh is allocated. Based on the demand of the people during public hearing, further funds will be allocated, if necessary.	-
38	Detailed environmental management plan (EMP) to mitigate the environmental impacts which, should inter-alia include the impacts of change of land use, loss of agricultural and grazing land, if any, occupational health impacts besides other impacts specific to the proposed Project.	Environmental Management plan details are given in Chapter 10.	175
39	Public Hearing points raised and commitment of the Project Proponent on the same along with time bound Action Plan with budgetary provisions to implement the same should be provided and also incorporated in the final EIA/EMP Report of the Project.	During public hearing process, the opinions and demands of the people will be noted. The replies and commitment made by the proponent along with time bound action plan wherever applicable will be provided in Final EIA/EMP report.	-
40	Details of litigation pending against the project, if any, with direction /order paced by any Court of Law against the Project should be given.	There is no litigation pending against the project.	-
41	The cost of the Project (capital cost and recurring cost) as well as the cost towards implementation of EMP should be clearly spelt out.	The cost details including break-up of various costs are given in Chapter 2.	76
42	A Disaster management Plan shall be prepared and included in the EIA/EMP Report.	The disaster and its management plan is given in Chapter-7.	162
43	Benefits of the Project if the Project is implemented should be spelt out. The benefits of the Project shall clearly indicate environmental, social, economic, employment potential, etc.	This project will contribute financially through payment of taxes like royalty, GST, etc. The project will also contribute via CSR. The demands of people during public hearing will also be considered by the project proponent. This project provides employment to 50 people directly. Local people will be hired for unskilled labour. Through CSR, nearby schools, hospitals will be benefitted. For CSR, INR 5 Lakhs has been allocated.	-
44	Besides the above, the below mentioned general points are also to be followed.		-

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

	a) Executive Summary of the EIA/EMP Report	Yes, Complied.	-
	b) All documents to be properly referenced with index and continuous page numbering.	Yes, Complied.	-
	c) Where data are presented in the Report especially in Tables, the period in which the data were collected and the sources should be indicated.	Yes, Complied.	-
	d) Project Proponent shall enclose all the analysis/testing reports of water, air, soil, noise, etc. using the MoEF & CC/NABL accredited laboratories. All the original analysis/testing reports should be available during appraisal of the Project.	Yes, Complied.	-
	e) Where the documents provided are in a language other than English, an English translation should be provided.	Yes, Complied.	-
	f) The Questionnaire for environmental appraisal of mining projects as devised earlier by the Ministry shall also be filled and submitted.	Yes, Complied.	-
	g) While preparing the EIA report, the instructions for the Proponents and instructions for the Consultants issued by MoEF&CC vide O.M.No.J-11013/41/2006-IA.II(I) dated 4 <sup>th</sup> August 2009 which are available on the website of this Ministry, should be followed.	Yes, Complied.	-
	h) Changes, if any made in the basic scope and project parameters (as submitted in Form-I and the PFR for securing the ToR) should be brought to the attention of MoEF&CC with reasons for such changes and permission should be sought, as	Yes, Complied.	-

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

	the ToR may also have to be altered. Post Public Hearing changes in structure and content of the draft EIA/EMP (other than modifications arising out of the P.H. process) will entail conducting the PH again with the revised documentation.		
	i) As per the circular no.J-11011/618/2010-IA.II (I) dated 30.5.2012, certified report of the status of compliance of the conditions stipulated in the Environmental Clearance for the existing operations of the project, should be obtained from the Regional Office of Ministry of Environment, Forest and Climate Change, as may be applicable.	Yes, Complied.	-
	j) The EIA report should also include (i) surface plan of the area indicating contours of main topographic features, drainage and mining area, (ii) geological maps and sections and (iii) sections of the mine pit and external dumps, if any, clearly showing the land features of the adjoining area.	Yes, Complied.	-

## **CHAPTER 1**

### **INTRODUCTION**

#### **1.1 PURPOSE OF THE REPORT**

Environmental Impact Assessment (EIA) as a tool used to identify the environmental, social and economic impacts of a project prior to decision-making. It aims to predict environmental impacts at an early stage in project planning and design, find ways and means to reduce adverse impacts, shape projects to suit the local environment and present the predictions and options to decision-makers.

Thiru.N.Venkatesh has obtained Precise Area communication letter from the District Collector, Tiruvannamalai District, to quarry out 12,54,020 m<sup>3</sup> of Rough Stone over an extent of 4.50.0 Ha., located at the Survey No. 168 (part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu. Hence, this proposed quarry falls under the cluster situation due to the following proposed and abandoned quarries located within 500m radius. The details are given below.

<b>Table 1.1 Cluster Mines Details</b>			
<b>Sl. No.</b>	<b>Extent</b>	<b>Proponent</b>	<b>Status of lease</b>
1	4.50.0 Ha	Thiru. N. Venkatesh	Proposed
2	4.50.0 Ha	Thiru.S. Thennarasu	
Total Cluster extent is 9.00.0 Ha			

As per EIA notification, 2006 and its subsequent amendments the proposed "Vada Aalapirandhan Rough Stone Quarry of Thiru. N. Venkatesh" cluster is falls under Schedule 1(a) Mining of Minerals. It is further classified under Category B1 due to the overall extent of cluster area is 9.00.0 Ha which is >5 Ha. The ToR for preparation of EIA/EMP was approved vide letter No.SEIAA-TN/F.No.8656/SEAC/ToR-1365/2023, dated 09.02.2023. This report has been prepared in line with the approved TOR for production of maximum excavation of 12,54,020 Cu.m of Rough Stone for a period of five years.

## **1.2 IDENTIFICATION OF PROJECT AND PROJECT PROPONENT**

The proposed project is for mining of Rough Stone (under cluster) from the S.F. No. 168 (Part-1) located in Vada Alapirandan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu. As per EIA notification, 2006 and its subsequent amendments the project comes under Schedule 1 (a) under Category B1 (Lease area >5 to 250 Ha). The proposed project details are given below.

### **(a) Proposed project details**

<b>Sl. No.</b>	<b>Description</b>	<b>Status/Remarks</b>
1.	Sector	Non-coal mining
2.	Category of the project	B1 (Cluster)
3.	Proposed mineral	Rough Stone
4.	Type of Lease	Fresh Lease
5.	Extent of the lease	4.50.0 Ha
6.	Proposed depth of mining	40 m AGL
7.	Method of mining	Opencast Semi-mechanized
8.	Proposed lease period	10 Years
9.	Proposed Environmental Clearance	5 Years
10.	Proposed production quantity for five years	Rough Stone – 12,54,020 m <sup>3</sup>

### **(b) Profile of the project proponent**

The proposed lessee Thiru. N. Venkatesh is an individual with sound experience in the identification of quarry, operation and marketing in the field of Rough Stone. The proposed land is government waste land, the applicant owned this land through government tender.

### **(c) Project proponent details**

Name of the proponent : Thiru. N Venkatesh  
 Status of the Proponent : Individual  
 Address : Thiru. N Venkatesh

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

S/o. Thiru. Natrajan,  
158, Kurinji Nagar,  
Vellisemmandalam,  
Cuddalore District

### **1.3 BRIEF DESCRIPTION OF NATURE OF THE PROJECT**

The proposed quarrying operation Opencast Semi-Mechanized method with 5m bench height, 5m bench width and overall bench slope is less than 80°. The quarry operation involves shallow jackhammer drilling, slurry blasting, excavation, loading and transportation.

### **1.4 SIZE AND LOCATION OF THE PROJECT**

#### **(a) Size of the project**

<b>Table1.2 Proposed project details</b>		
<b>Sl. No.</b>	<b>Feature</b>	<b>Description</b>
1	Type of land	Govt. Land
2	Extent of lease area	4.50.00 Ha
3	Type of lease	Fresh lease
4	Geological Resource	40,50,000 Cu.m
5	Mineable Resource	24,97,520 Cu.m
6	Proposed production quantity for five years	12,54,020 Cu.m
6	Proposed depth of mining	40 m AGL

#### **(b) Location of the project**

The proposed project site is located in Vala Alapirandan Village, Cheyyar Taluk, Tiruvannamalai District and its Latitude 12°38'06"N to 12°38' 16"N & Longitude 79°36' 28"E to 79°36' 35"E with Survey of India Topo Sheet No. 57-P/10.

### **1.5 IMPORTANCE OF THE PROJECT TO THE COUNTRY AND REGION**

There is an increasing demand for rough stone in India and other countries. Since the construction industry is rapidly growing now, there is an increasing demand for rough stone. Thus, this project will contribute not only to the demand of Rough Stone, but also provide employment opportunities to the nearby villages.

### **1.6 SCOPE OF THE STUDY WITH DETAILS OF REGULATORY SCOPING**

Any mining project may cause environmental impacts near the project site during its operation. The type and intensity of impacts on various components of the environment may vary depending on the nature of the project, as well as its geographical location. The net impacts of the project can be quantified through Environment Impact Assessment (EIA) studies on Physical, Biological and Socio-economic environment. The EIA studies gives a basis for preparing an Environmental Management Plan (EMP) to conserve the environment of the area.

For the purpose of preparing EIA/EMP the SEIAA, Tamilnadu has issued a Terms of Reference vide Letter No. SEIAA-TN/F.No.9619/SEAC/ToR-1354 dated 10.02.2023 in accordance with the provisions of EIA Notification 2006 and its subsequent amendments. This EIA study includes both Core and Buffer zone i.e., the lease area and 10km radius of the project area respectively. This EIA report prepared based on the data generated from the summer season 2023 (March 2023 to May 2023) and all individual components of environment are described in detail. An in-depth analysis of available information has been made for working out an effective Environmental Management Plan.

### **1.7 PRESENT STUDY**

The Project Proponent has assigned M/s Global Mining Solutions, Salem for conducting Environment Impact Assessment / Environmental Management Plan (EIA/EMP) for this project. The Environmental Impact Assessment and Environmental Management Plan of this cluster quarry addressing all the environmental related



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

impacts and mitigation measures. The EMP report is based on the data generated from March 2023 to May 2023 by Swasti Enviro Solutions Pvt. Ltd, Chennai and the data generated by the FAE of the Global Mining Solutions, Salem. The study evaluates the prevailing baseline environmental conditions. The objectives of the present study is given below.

- ✦ To prepare the present baseline scenario through primary field monitoring and secondary data for different environmental descriptors such as air, water, noise, traffic, biodiversity, socio-economic etc.
- ✦ To identify the activities of mining that have bearing on the environment
- ✦ To Assess the impact of proposed project activity
- ✦ To suggest preventive mitigation measures
- ✦ To prepare an Environmental Management Plan (EMP) including environmental monitoring.
- ✦ To Prepare Disaster Management Plan.

### **1.8 STATUS OF LITIGATIONS**

This is a fresh Rough Stone Quarry project. There is no litigation/court cases pending against this project.

#### **a. Precise Area Communication:**

The Project Proponent has obtained Precise Area Communication from the Deputy Director, Department of Geology and Mining, Tiruvannamalai, vide e Rc No.16/Kanimam/2019 dated 28.05.2019. The letter copy enclosed as **Annexure – 1.**

#### **b. Mining Plan Approval Letter:**

The project proponent has prepared mining plan under rule L9(I),41 &42 of Tamil Nadu Minor Mineral Concession Rules, 1959 and the same has been approved by the Deputy Director, Dept. of Geology & Mining, Tiruvannamalai vide

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

eRc.No.16/kanimam/2019, dated 07.06.2019. The approval letter along with approved plan is enclosed as **Annexure – 2.**

**c. 500m radius quarry features:**

The project proponent has obtained an official letter from Deputy Director, Dept. of Geology & Mining, Tiruvannamalai vide Rc.No.16/Kanimam/2022 dated 07.06.2022.

The letter copy enclosed as **Annexure – 3.**

**d. Project Proponent undertaking affidavit:**

The project proponent has issued an affidavit under MoEF & CC O.M. No. 3-50/2017-IA.III (Pt.) dated 30.05.2018 to comply with the direction of the Hon'ble SC made on 2.08.2017 in W.P. (C) 114 of 2014 in matter of Common Cause vs Union of India & Others. The Affidavit copy is enclosed as **Annexure – 4.**

**e. Blasting Agreement:**

The Project Proponent have agreement with T.M.K. Explosives to carry out the blasting operation for the proposed quarry. The Blasting Agreement is enclosed as **Annexure – 5.**

**f. Land document of the proposed lease area:**

It is a Govt. Poramboke land and the applicant has obtained this land through Govt. tender. The District collector office proceeding enclosed as **Annexure -6.**

## CHAPTER 2

### PROJECT DESCRIPTION

#### 2.1 TYPE OF PROJECT

The type of the project is opencast semi-mechanized mining method to excavate Rough Stone within the proposed Mine Lease area with drilling, blasting, loading and transportation. This project is located at S.F.No. 168 (Part-1), over an extend of 4.50.0 Ha, in Vada Alapirandan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.

As per EIA notification, 2006 and its subsequent amendments the project comes under Schedule 1 (a) under Category B1 (Lease area >5 to 250 Ha), considering cluster situation and the total cluster area is 9.0.0 Ha. The details of mines located in the cluster area is certified by Deputy Director of Department of Geology and Mining, Tiruvannamalai District through 500m radius letter vide Rc.No.16/Kanimam/209 dated 0706.2009.

The cluster includes 2mining leases i.e., **this proposed quarry (4.50.0 Ha)** and other 1 proposed Quarry (4.50.0 Ha). The lessee Name is Thiru.S. Thennarasu and location is S.F.No.168 (Part-2).

The proposed production is 12,54,020 m<sup>3</sup> of Rough Stone for the period of five years by open cast semi mechanized mining method.

#### 2.2 SALIENT FEATURES OF THE PROJECT

The salient features of the proposed Rough Stone quarry of Thiru.N.Venkatesh is given below.

**Table 2.1 Salient features of the project**

S.No.	Type of Detail	Description
-------	----------------	-------------

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

1	Sector	1(a) Non coal mining
2	Fresh/Existing project	Fresh project
3	Category	B1 Cluster
4	Nature of mineral	Minor mineral
5	Life of the mine	5 years
6	Production Quantity for five years	12,54,020
7	Waste generation and management	Nil
8	Bench height and width	5 m & 5m
9	Ultimate pit depth	40m AGL
10	End use	Rough Stone, will be sold to nearby crushers and construction industries.


### **2.3 GEOLOGY AND TOPOGRAPHY**

#### **a. Topography**

The mine lease area of 4.50.0 Ha is covered in the Survey of India Toposheet 57-P /10 and is bounded by Latitude: 12°38'06"N to 12°38' 16"N latitude and 79°36' 28"E to 79°36'35"E. The Cheyyar River is located at a distance of 1.34 km on the WNW from the lease applied area. Tandarai canal was located at a distance of 6.39 KM from the project site. Water table is found at a depth of 58m. Temperature of the area is reported to be 18°C to a maximum of 42°C during summer. Rainfall of this area is about 800mm to 900 mm during the both NE & SW monsoons. The topomap showing the lease area of the proposed quarry is given in Figure 2.1 and Satellite map showing proposed lease area is given in Figure 2.2.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**


**FIGURE - 2.1 TOPOMAP OF THE PROJECT 10 KM RADIUS**



The elevation of the proposed quarry is 125 m RL (maximum). There is no forest land in the mine lease area. The project site is dry land which is not fit for any cropping.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIGURE - 2.2 SATELLITE MAP OF THE PROJECT AREA (10 KM RADIUS)**




Cheyyar River which originates from Jawadhu Hills, flows in a southern direction at first, and turns south-east near Chengam after flowing through Polur, Vandavasi and Cheyyar taluks. Palar raising near Nandidurg in Mysore enters Vellore district passing through Gudiyatham, Walajah and Arakonam taluks before entering into Cheyyar taluk of Tiruvannamalai district and there after enters into Kancheepuram district. Pennaiyar and South Pennaiyar originate from Nandidurg of Karnataka. They pass through Dharmapuri district and enter southern part of Chengam taluk before entering in to Viluppuram district. Finally, the river enters into the Bay of Bengal at Cuddalore. The river is dry for the most part of the year. Water flows during the monsoon season when it is fed by the southwest monsoon in catchment area and the northeast monsoon in Tamil Nadu. A dam has been constructed across this river at

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Sathanur which is a picnic spot in this district. Sathanur Reservoir provides drinking water to Tiruvannamalai town and the water is used for irrigation when the reservoir is filled with surplus water. Drainage map showing 10 km radius of the project area is given as Figure 2.3.

**FIGURE 2.3 DRAINAGE MAP SHOWING 10 KM RADIUS OF THE PROJECT**



**b. Regional Geology**


Geologically Tiruvannamalai District mainly comprises of rocks of Archaean age. The type of rocks found in the district are Charnockite, Granitic gneiss, Amphibolite, Pyroxenite, Dunite, Migmatite, Banded Magnetite Quartzite, Shale and Clay. Dolerite Dykes (Black Granite) are also noticed cutting across the country rocks.

More than 95% of the area of this district is underlain by hard rock formations. These hard rock formations are predominantly occupied by gneissic rock. Charnockites are

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

prevalent in the western part in and around Javadu Hills around central part of Tiruvannamalai block and as narrow limbs in parts of Cheyyar and Vandavasi Taluk. Regional Geology map for the 10 Km radius from the proposed project site is given as Figure 2.4.

**FIGURE 2.4 REGIONAL GEOLOGY MAP OF THE 10 Km RADIUS FROM PROJECT AREA**



**c. Local Geology**

The area is underlain by the wide range of metamorphic rocks of peninsular gneissic complex. These rocks are extensively weathered and overlain by the recent valley fills and alluvium at places. The geological formations found in the district are Archaean rocks like Gneisses, Granites, Charnockites, basic granulites and calc-



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

gneisses. The younger formations are Quartz veins and pegmatite. The rock type noticed in the area for lease is Charnockite which contains mostly Quartz and Feldspar with some ferromagnesian minerals. The Charnockite is part of peninsular Gneisses, a high grade metamorphic rock. The strike of the Charnockite formation is N50°E – S50°W with dipping towards SE70°. The general geological succession of the area is given as under.



**d. Geological Resources**


The geological cross sections are prepared across the strike of the ore body. The area of individual litho units in each cross section is calculated separately. Section wise sectional area is measured and multiplied by the influence to obtain the volume in m<sup>3</sup>. The volume is multiplied by 2.5MT/m<sup>3</sup> (bulk density) to calculate the resource of rough stone in MT. The total Geological resources are calculated after depletion of existing quarry pits.

Table 2.2 Geological resources in the lease area						
Section	Topography	Length (m)	Width (m)	Dept (m)	Volume (m <sup>3</sup> )	Geological Resources of Rough stone (m <sup>3</sup> )
XY-AB	Above Ground level	225	200	40	1800000	1800000
	Below Ground level	225	200	50	2250000	2250000
Total						4050000

Available Geological Resources of Rough stone : 40, 50,000 m<sup>3</sup>


**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIGURE - 2.5 GEOLOGY MAP OF PROJECT AREA**



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIGURE - 2.6 GEOLOGY CROSS SECTION**



## 2.4 AVAILABLE MINEABLE RESERVES

Mineable reserve is getting restricted due to the formation of benches, leaving the statutory safety distance in the inner boundary, mineral lock up in the benches itself, ultimate depth of mining, bench slope adopted etc. So, the mineable reserve is estimated after reducing the rough stone blocked in the safety distance, benches and existing pit. The Rough stone reserves are given below.

Table 2.3 Mineable Resources in the Lease Area							
Sectionn	Topography	Bench	Length (m)	Width (m)	Depth (m)	Volume m <sup>3</sup>	Mineable Reserve of Rough stone in m <sup>3</sup>
XY-AB	Above Ground Level	I	52	65	5	16900	16900
		II	122	136	5	82960	82960
		III	201	182	5	182910	182910
		IV	210	185	5	194250	194250
		V	210	185	5	194250	194250
		VI	210	185	5	194250	194250
		VII	210	185	5	194250	194250
		VIII	210	185	5	194250	194250
	Below Ground level	IX	210	185	5	194250	194250
		X	200	175	5	175000	175000
		XI	190	165	5	156750	156750
		XII	180	155	5	139500	139500
		XIII	170	145	5	123250	123250
		XIV	160	135	5	108000	108000
		XV	150	125	5	93750	93750
		XVI	140	115	5	80500	80500
		XVII	130	105	5	68250	68250
		XVIII	120	95	5	57000	57000
		XIX	110	85	5	46750	46750
<b>Total</b>							<b>2497020</b>

## 2.5 NEED FOR THE PROJECT

The construction industry is growing at a very faster rate so there is an increasing demand for Rough Stone. Also in the international market there is a good demand


**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

for Indian cut and raw stones. Thus this project will contribute to the demand of rough stone and provide employment opportunities to the nearby villages.

**2.6 LOCATION**


This project site is located in Vada Alapirandan village, Cheyyar Taluk, Tiruvannamalai District. The nearest highway is Kanchipuram – Vandavasi road (SH 116) at a distance of 3.33km, SW. The nearest railway station is Kanchipuram Railway Station which is located at a distance of 25.8km, NE from the project site. The nearest airport is Chennai (Meenambakkam) Airport which is located at a distance of 71.39km, NE. The general location is given in Figure 2.7. The specific location is given in Figure 2.8.

**FIGURE 2.7 KEY MAP OF THE PROJECT AREA**



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIGURE 2.8 MAP OF THE PROJECT AREA**



As shown in the map above, the project is approachable from Anappathur road which is located in the SouthEast side about 330m. The Anappathur road is connected to Kanchipuram - Vandavasi road (SH - 116) at a distance of 3.4km in the South western side of the project site.

**2.7 PROJECT BOUNDARY AND PROJECT SITE LAYOUT:**


The lease area has 4 corners and the latitude and longitude values are given below.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

<b>Table 2.4 Co-Ordinates of the Project Site</b>			
<b>Corners</b>	<b>Co-Ordinates</b>		<b>Distance between the corners</b>
	<b>Latitude</b>	<b>Longitude</b>	
1	12° 38' 09"N	79° 36' 28"E	1-2 = 225.m
2	12° 38' 16"N	79° 36' 29"E	2-3 = 200m
3	12° 38' 13"N	79° 36' 35"E	3-4 = 225m
4	12° 38' 06"N	79° 36' 35"E	4-5 = 200m

The site layout is shown below as Figure 2.9.

**FIGURE 2.9 SURFACE PLAN OF THE PROJECT AREA**



## 2.8 SIZE OR MAGNITUDE OF OPERATION

The proposed production is 12,54,020 m<sup>3</sup> of Rough Stone for the period of five years by Opencast Semi Mechanized mining method.

## 2.9 LAND USE OF THE PROJECT AREA

The proposed Mine Lease area is dry barren Patta land and the Land use pattern of the project site is given below Table 2.5.

<b>Table 2.5 Current Land Use Pattern</b>			
<b>S. No.</b>	<b>Land Use</b>	<b>Present Area (Hect)</b>	<b>Area in use during the quarrying period (Hect)</b>
1	Quarrying Pit	Nil	3.85.0
2	Infrastructure	Nil	0.01
3	Roads	Nil	0.02
4	Green Belt	Nil	0.25
5	Unutilized	<b>4.50.0</b>	0.37
	<b>Total</b>	<b>4.50.0</b>	<b>4.50.0</b>

## 2.10 LAND USE AT MINE CLOSURE STAGE

<b>Table 2.6 Land Use at Mine Closure Stage</b>		
<b>S. No.</b>	<b>Land Use</b>	<b>Area in use during the quarrying period (Hect)</b>
1	Area left for water body	3.85.0
2	Green Belt	0.25.0
3	Remaining area	0.40.0
	<b>Total</b>	<b>4.50.0</b>

## 2.11 LAND USE OF THE STUDY AREA


The land-use & land cover map of the 10 km radial study area from the periphery of project. the proposed project site as well as the 10 km radius from the periphery of the project site i.e. 12°38'06"N to 12°38' 16"N latitude and 79°36' 28"E to 79°36' 35"E longitude and elevation 125 to 143 meter are observed. The project is in Survey of India topo sheet no 57-P/10 while 10 km radius study area covers four topo sheets 57-P/10 as Figure 1: 10 Km radius topo map of study area.



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

<b>Table 2.7 Land Use at Study Area</b>		
<b>S. No</b>	<b>Land Use</b>	<b>Area in Sq.Km</b>
1	Buildup area	16.24
2	Canal	0.12
3	Crop land	197.05
4	Fallow Land	8.38
5	Hill and Forest	0.1
6	Land with scrub	7.67
7	Land without scrub	2.93
7	Mining land	0.92
8	Plantations	39.08
9	River	7.82
10	Tanks	42.18
<b>Total</b>		<b>322.49</b>

**FIGURE 2.10 LAND USE OF THE STUDY AREA**



### **2.12 METHOD OF MINING**

Opencast Semi-mechanized mining with a bench height of 5m and bench width of 5m and 80° Slope is proposed. The quarry operation involves shallow jackhammer drilling, slurry blasting, excavation, loading and transportation of Rough Stone to the needy customers. Occasionally hydraulic excavators are attached with rock breakers for fragmentation to avoid secondary blasting.

### **2.13 TIMING**

Mining will be done on single shift basis. Timing will be 8 hours from 8 AM to 1 Noon and 2 PM to 5 PM. Lunch time will be provided between 1 Noon and 2 PM. Timing may be variable from season to season depending upon the sunrise and sunset. Weekly one day will be declared as holiday.

### **2.14 BENCH GEOMETRY**

Height (max) and Width (max) of the benches will be maintained as 5m each and overall slope angle will be at around 80° with the horizontal.

### **2.15 DEVELOPMENT OF MINING FACES**

The proposed mining method is Opencast Semi Mechanized mining. Site preparation as such bush cleaning, approach road, office and sanitary facilities will be done after obtaining all the statutory clearances as such Environmental Clearance, Consent to Operate, Lease Deed, etc., Once site is ready will start the quarrying operation and it is anticipated in the month of January 2024.


### **2.16 DRILLING & BLASTING**

Drilling will be done upto maximum depth of 2.9m at 3.0m interval and drilling diameter will be 32-36 mm. Jackhammer will be used for drilling with water spray. Powder factor of explosives for breaking such hard rock shall be in the order of 6 to 7 Tonnes per Kg of explosives. Small dia 25mm slurry explosive are proposed to be

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

used for shattering and heaving effect for removal of Rough Stone. The proposed blasting pattern is given as Figure 2.11

**FIGURE 2.11 BLASTING PATTERN**




**2.17 LOADING& TRANSPORTATION OF ROUGH STONE**

Hydraulic excavator will be used for lifting and loading of the rough stone. This excavator in combination with Tippers (5/10Ts) capacity of 10 nos will be used.

## 2.18 PROCESS FLOW CHART FOR MINING OF DECORATIVE STONE

**FIGURE 2.12 FLOW CHART OF THE QUARRY OPERATION**




## 2.19 LAYOUT

Layout of the proposed quarry working has been shown in development Plan/Sections (Figure 2.13) Colouring has been done distinctly for easy identification of year wise excavation programme.

## 2.20 MACHINERY DETAILS

Table 2.8 Machineries involved in the project				
S.No.	Particulars	Size capacity	Motive Power	Nos
1.	Jack hammer (30-35mm dia hole)	1.2m - 2.0m	Compressed air	5
2.	Compressor	400 psi	Diesel drive	2
3.	Excavator with Bucket and Rock Breaker	0.9 m <sup>3</sup>	Diesel drive	1
4.	Tippers	5/10 Ts	Diesel drive	10

**FIGURE 2.13 PROJECT LAYOUT PLAN AND SECTIONS**



**2.21 PROPOSED SCHEDULE FOR IMPLEMENTATION**

Year wise Production of Rough stone from the area will be upto maximum capacity. The recovery factor is up to 100% hence no waste expected to be generated. All excavated quantity is saleable. The summary of proposed development and production during the mine plan period is given in Table 2.10.

**Table 2.9 Summary of production For 5 Years**

Year	Section	Topography	Bench	Length (m)	Width (m)	Depth (m)	Volume m <sup>3</sup>	Reserve of Rough stone in m <sup>3</sup>
I	XY-AB	AGL	I	52	65	5	16900	16900
			II	122	136	5	82960	82960
			III	201	182	5	182910	182910
			IV	110	185	5	101750	101750
Total								384520
II	XY-AB	AGL	IV	100	185	5	92500	92500
			V	210	185	5	194250	194250

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

			VI	105	185	5	97125	97125
Total								383875
III	XY-AB	AGL	VI	105	185	5	97125	97125
			VII	210	185	5	194250	194250
			VIII	100	185	5	92500	92500
Total								383875
IV	XY-AB	AGL	VIII	110	185	5	101750	101750
Total								101750
Grand Total								1254020

## 2.22 CONCEPTUAL PERIOD

During conceptual stage the mined-out area will be converted into water reservoir and safety zone as well as upper benches will be used for plantation at the conceptual period. It will also serve the purpose as socio economic and corporate social responsibility of the lessee by way of supplying water for irrigation purpose or at will of the local people. This will help in ground water recharging as well. The conceptual plan and section of mine lease area is given in Figure 2.14. Ultimate extent and size of the quarry at the conceptual stage is given below as Table 2.11 and Land Use pattern is given as Table 2.12. The conceptual plan is given as Figure 2.14

**TABLE 2.10 Ultimate Pit Dimension**


Pit No.	Length (max) (m)	Width (Avg) (m)	Depth (max) (m)
I	210	158	40m AGL

**TABLE 2.11 Land Use at Mine Closure Stage**

S. No.	Land Use	Area in use during the quarrying period (Ha)
1	Area left for water body	3.85.0
2	Green Belt	0.25.0
3	Remaining area	0.40.0
<b>Total</b>		<b>4.50.0</b>

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIGURE 2.14 CONCEPTUAL PLAN**



Green belt development plan is proposed for the 5 year period.

S.No.	Year	Species	No. of trees	Spacing	Survival
1	I	Pongamia pinnata,	300	3m x 3m	80%
2	II	Syzigium cumini, Albizia lebbeck,	300		
3	III	Thespesia populnea,	300		
4	IV	Bauhinia racemose, Cassia siamea,	300		
5	V	Azadirachta indica	300		
<b>Total</b>			<b>1000</b>		

## 2.23 TECHNOLOGY AND PROCESS DESCRIPTION

- It is proposed to quarry out rough stone with 5m bench height, 5m width with 80° slope using conventional opencast semi-Mechanized method.
- The quarry operation involves splitting of rock mass of considerable volume from the parent rock by jackhammer drilling and blasting, hydraulic excavators are used for loading the Rough Stone from pithead to the needy customers.
- Occasionally hydraulic excavator is attached with rock breakers for fragmentation to avoid secondary blasting.

## 2.24 PROJECT REQUIREMENTS

TABLE 2.12 Project Requirements		
S.No.	Nature of requirement	Description
1	Water requirement	Total water requirement of 5KLD which will be procured from the outside agencies. Out of 5.0KLD, drinking water requirement is 0.8 KLD, Green belt development is 1.0 KLD and for dust suppression is 3.2 KLD.
2	Power requirement	No electricity is needed for mining operations. For office demand it will be met from the state grid.
3	Manpower requirement	Total Manpower 50 Nos. Permanent employee – 20, Temporary employee – 30
4	Financial requirement	The total Project Cost as per AMP will be INR 5,95,70,000/ including Operational cost, Fixed Asset cost and EMP cost
5	Funds for Socio economic development	INR 5,00,000 is allocated. In additionany demand raised by people during public hearing will also be met.

## 2.25 Project Cost

The budget of the project is given below.

TABLE 2.13 Budget of the Project		
S.No.	Details	Cost (in INR)
<b>FIXED ASSET COST</b>		
1	Tender Amount	5,04,00,000
2	First aid room and accessories	1,00,000
3	Labour Shed	1,00,000



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

4	Sanitary Facility	1,00,000
<b>TOTAL</b>		<b>5,07,00,000</b>
<b>OPERATIONAL COST</b>		
1	Machineries	80,00,000
2	Fencing cost	1,00,000
<b>TOTAL</b>		<b>81,00,000</b>
<b>EMP COST</b>		
1	Air Quality Sampling	40,000
2	Water Quality Sampling	40,000
3	Noise Monitoring	20,000
4	Ground vibration test	20,000
5	Drinking water facility	1,50,000
6	Sanitary Arrangements	50,000
7	Safety kids	50,000
8	Water sprinkling	2,00,000
9	Afforestation	2,00,000
10	Cost towards charity	50,000
<b>TOTAL</b>		<b>7,70,000/-</b>

## **CHAPTER 3**

### **DESCRIPTION OF THE ENVIRONMENT**

#### **3.1. DESCRIPTION OF THE STUDY AREA**

The project area is located in Vada Alapirandan village, Cheyyar Taluk, Tiruvannamalai District over an extent of 4.50.0 Ha. The project area is considered as Core zone and the area in the surrounding 10km radius is considered as Buffer Zone. The baseline environmental monitoring was conducted by Swasti Enviro Solutions Pvt. Ltd, Chennai it is an NABL and MOEF recognized laboratory for various components of environment, viz. Air, Noise, Water, Land was carried out during Summer Season i.e. March 2023 to May 2023 in the study area covering 10 km radial distance from the rough stone mine. Other environmental data on flora and fauna, land-use pattern, forest etc. were also generated through field surveys and secondary information collected from different State Govt. departments. Sampling methods and analysis. Socio-economic survey was conducted, through interaction with the people, sarpanch and medical officers by floating questionnaires and collection of information are supported by census data for demographic structures, amenities, and infrastructure availability within the study area. Baseline values for various environmental components are discussed in this Chapter.

The components included are:

- ✚ Meteorological environment
- ✚ Air environment
- ✚ Water environment
- ✚ Noise environment
- ✚ Soil environment
- ✚ Biological environment

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

- ✚ Land use
- ✚ Socio economic environment
- ✚ Hydrogeology

**3.2. Description of environment in the study area**


<b>Table 3.1 Description of the lease area</b>				
<b>S.No.</b>	<b>Areas</b>	<b>Distance from project site</b>		
1	Areas protected under international conventions, national or local legislation for their ecological, landscape, cultural or other related value	Nil within 15km radius		
2	Areas which are important or sensitive for ecological reasons			
A	Wetlands, water courses or other water bodies,	<b>Water bodies</b>	<b>Distance (Km)</b>	<b>Direction</b>
		Pond near Pudur	0.21	W
		Canal near Vada Alapparandan	1.22	W
		Cheyar River	1.34	WNW
		Lake	2.43	E
		Lake near Kaliyur	4.35	NW
		Tandarai Canal	6.39	NW
		Purisai Eri	6.47	SSW
		Lake near Vadanangur	6.61	S
		Anakkavur Eri	7.56	W
		Elanagar Lake	8.14	E
		Canal near Anumantandalam	8.71	ENE
Lake near Mariyanallur	9.69	NNW		
B	Coastal zone, biospheres,	Nil within 10km radius		
C	Mountains, forests	Nil within 10km radius		

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

3	Areas used by protected, important or sensitive species of flora or fauna for breeding, nesting, foraging, resting, overwintering, migration	Nil within 15km radius
4	Inland, coastal, marine or underground waters	Nil within 15km radius
5	State, National boundaries	Nil within 15km radius
6	Routes or facilities used by the public for access to recreation or other tourist, pilgrim areas	Nil within 15km radius
7	Defence installations	Nil within 15km radius
8	Densely populated or built-up area	Cheyyar – 5.5km in W
9	Areas occupied by sensitive man-made land uses (hospitals, schools, places of worship, community facilities)	All facilities are available in Cheyyar – 7.5km in W
10	Areas containing important, high quality or scarce resources (ground water resources, surface resources, forestry, agriculture, fisheries, tourism, minerals)	Nil
11	Areas already subjected to pollution or environmental damage.(those where existing legal environmental standards are exceeded)	Nil
12	Areas susceptible to natural hazard which could cause the project to present environmental problems (earth quakes, subsidence, landslides, erosion, flooding or extreme or adverse climatic conditions) similar effects	No. The area is not prone to earthquakes, floods, etc.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIG 3.1 FEATURES OF ENVIRONMENT FOR 10km RADIUS FROM THE LEASE AREA**



**3.3. METEOROLOGICAL ENVIRONMENT**

**3.3.1 Meteorological conditions prevailing in the buffer zone is given below**

**Climate**

The climate of Tiruvannamalai District is tropical. The period from April to June is generally hot. The average maximum and minimum temperature for district varies from 22°C to 42°C and 16°C to 31°C respectively.

## **Rainfall**

Tiruvannamalai district generally experiences hot and humid climate conditions. The district receives rain under the influence of both southwest and northeast monsoons. Most of the precipitation occurs in the form of cyclonic storm caused due to depressions in Bay of Bengal chiefly during NE monsoon period. The SW monsoon is highly erratic and summer rains are negligible. During the period from March to May 2020, the actual rainfall was 243.2mm, the normal rainfall was 83.4mm. The excess rainfall is 192% (Source: Mausam.imd.gov.in)

Rainfall received from 2013 to 2017 is given below.

<b>Table 3.2 Rainfall data</b>					
<b>Actual Rainfall in mm</b>					<b>Normal rainfall in mm</b>
<b>2013</b>	<b>2014</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	
812.80	799.10	1247.4	684.7	1251.3	1039.66


## **Relative Humidity**

High relative humidities between 58% and 84% prevail throughout the year. Relative humidity is maximum in the morning and minimum in the evening.

## **Seismic information**


The study area falls in Zone II, which comes under the least active zone. The seismic map of India is given as Fig 3.2.

**FIG 3.2 SEISMIC MAP OF INDIA**



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIG 3.3 WIND ROSE PLOT DURING MARCH TO MAY 2023**



**3.3.2 Meteorological data of the project area**

The meteorological data collected in the study area from March to May 2023 which includes Temperature, Wind speed, Wind direction and Relative humidity. The predominant wind blow from West. Temperature range was from 20°C (minimum in night) to 45°C (maximum in day).



### **3.4. AMBIENT AIR MONITORING DATA**

Ambient air quality monitoring has been carried out in 5 locations. One in the core zone and remaining four locations in the buffer zone areas. Monitoring locations have been chosen such that the measurement represents the overall air condition prevailing in the area. The study area represents mostly rural environment with stone mining quarries & crushers.


The regional climatologically data, was used as a guideline to know the predominant wind direction during study period. The locations were identified keeping in view predominant wind directions prevailing during study period, sensitive receptors, human settlements, and mining activities around.

The levels of Respirable Particulate Matter (PM10), Fine Particulates (PM2.5), Sulphur Dioxide (SO<sub>2</sub>) and Oxides of Nitrogen (NO<sub>x</sub>) were monitored for establishing the baseline status. PM10 were sampled with the help of Respirable Dust Samplers on filter papers and SO<sub>2</sub> & NO<sub>x</sub> were absorbed in the respective absorption media in the impingers attached to RD samplers and analyzed Spectro-photometrically. PM2.5 was monitored with the help of Fine Particulate Samplers. The monitoring locations for ambient air study is given in Table – 3.3 and Figure 3.5 below.

<b>TABLE 3.3: DETAILS OF AMBIENT AIR QUALITY MONITORING LOCATIONS</b>				
<b>S. No.</b>	<b>Station Code</b>	<b>Locations</b>	<b>Distance &amp; Direction</b>	<b>Coordinates</b>
1	AAQ1	Project site	Core Zone	12°38'8.94"N 79°36'34.18"E
2	AAQ 2	Athi Village	0.67 Km, SE	12°38'1.54"N 79°36'51.13"E
3	AAQ 3	Kilnethapakkam Village	3.32 Km, NE	12°39'15.88"N 79°37'57.65"E
4	AAQ 4	Vada Alapiranthan Pudur Village	0.74 Km, S	12°37'46.19"N 79°36'29.48"E
5	AAQ 5	Anappathur Village	2.89 Km, SW	12°37'14.80"N 79°35'12.01"E

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIG 3.4 AMBIENT AIR MONITORING LOCATIONS**




The concentrations of various air pollutants at the 5 locations are given below. For all the components in the table, the unit are in  $\mu\text{g}/\text{m}^3$

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**


Station ID	Min	Max	Avg.
<b>Particulate matter PM-2.5 (<math>\mu\text{g}/\text{m}^3</math>)</b>			
AAQ-1	19.3	29.3	23.0
AAQ-2	20.4	29.3	23.8
AAQ-3	18.7	29.1	24.2
AAQ-4	20.6	30.2	25.1
AAQ-5	22.2	34.3	25.3
<b>Particulate matter PM-10 (<math>\mu\text{g}/\text{m}^3</math>)</b>			
AAQ-1	42.4	54.5	49.7
AAQ-2	45.1	56.4	49.4
AAQ-3	43.1	57.2	48.3
AAQ-4	45.4	60.2	52.2
AAQ-5	47.2	61.3	52.3
<b>Sulphur Di-oxide as SO<sub>2</sub> (<math>\mu\text{g}/\text{m}^3</math>)</b>			
AAQ-1	3.4	5.8	4.3
AAQ-2	5.4	7.9	4.6
AAQ-3	4.0	6.4	4.8
AAQ-4	3.8	8.4	8.4
AAQ-5	4.2	7.6	8.2
<b>Oxide of Nitrogen as NO<sub>2</sub> (<math>\mu\text{g}/\text{m}^3</math>)</b>			
AAQ-1	5.4	7.9	6.3
AAQ-2	5.8	7.6	6.7
AAQ-3	6.2	9.2	7.4
AAQ-4	6.7	11.4	8.4
AAQ-5	6.8	10.4	8.2

The results are summarized in graph and given as below Fig. 3.5


**FIG 3.5 AMBIENT AIR DATA FROM A1 - MINE LEASE AREA**




**FIG 3.6 AMBIENT AIR DATA FROM A2 - ATHI VILLAGE**




**FIG 3.7 AMBIENT AIR DATA FROM A3 - KILNETHAPAKKAM VILLAGE**



**FIG 3.8 AMBIENT AIR DATA FROM A4 - VADA ALAPIRANDAN VILLAGE**



**FIG 3.9 AMBIENT AIR DATA FROM A5 - ANAPPATHUR VILLAGE**




From the above results, it is observed that the ambient air quality with respect to PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, and NO<sub>2</sub> at all the monitoring locations was within the permissible limits specified by CPCB.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**3.5. WATER ENVIRONMENT**

Water samples (bore wells) were collected from 5 different locations and they are shown in the picture below:

**FIG 3.10 WATER SAMPLING LOCATIONS**



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**


The samples were analyzed by Swasti Enviro Solutions Pvt. Ltd and the results are summarized below.

<b>Table 3.4 Results of Water sampling Analysis in 5 locations</b>									
<b>S. No.</b>	<b>Test Parameter</b>	<b>Unit</b>	<b>GW1</b>	<b>GW2</b>	<b>GW3</b>	<b>GW4</b>	<b>GW5</b>	<b>Specification/Limit (As per IS:10500: 2012 )</b>	
								<b>Desirable</b>	<b>Permissible</b>
1	Odour	...	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
2	Taste	...	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	pH	...	7.28	7.81	6.89	7.34	7.29	6.5 - 8.5	No Relaxation
4	Turbidity	NTU	<1	<1	<1	<1.0	<1	1	5
5	TDS	mg/L	612	236	430	995	596	500	2000
6	Fluoride,(F)	mg/L	0.36	0.13	0.21	0.39	0.24	1	1.5
7	Total Alkalinity, (CaCO <sub>3</sub> )	mg/L	319	147	160	326	254	200	600
8	Total Hardness, (CaCO <sub>3</sub> )	mg/L	431	171	235	349	408	200	600
9	Calcium,(Ca)	mg/L	83.1	43.1	56.8	64.3	74.5	75	200
10	Calcium as CaCO <sub>3</sub>		208	108	142	161.0	186		
11	Free Residual chlorine as Cl-		BDL(D.L-0.2)	BDL(D.L-0.2)	BDL (D.L - 0.2)	BDL(D.L-0.2)	BDL(D.L-0.2)		
12	Chloride,(Cl)	mg/L	319	147	160	326	254	250	1000
13	Magnesium,(Mg)	mg/L	223	62.7	93.0	188	221	30	100
14	Nitrate, (NO <sub>3</sub> )	mg/L	3.26	BDL(D.L-1.0)	3.5	2.08	2.93	45	No Relaxation
15	Sulphate, (SO <sub>4</sub> )	mg/L	124	13.6	72.6	208	114	200	400
16	Chromium, (Cr)	mg/L	82.2	34.2	134	342	117	Not Specified	Not Specified
17	Iron,(Fe)	mg/L	0.09	0.08	0.05	0.15	0.12	1	No Relaxation
18	Manganese, (Mn)	mg/L	BDL(D.L-0.05)	BDL(D.L-0.05)	BDL (D.L - 0.05)	BDL(D.L-0.05)	BDL(D.L-0.05)	0.1	0.3
19	Conductivity	µs/cm	1018	389.4	710.5	1656	985.7	Not Specified	Not Specified

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Some of the common parameters including EC, TDS, Total Hardness, Total Alkalinity, Chlorides and Sulphates in the 5 locations were plotted and the graph is provided below.

**FIG 3.11 VALUES OF FEW COMMON PARAMETERS IN WATER ANALYSIS**



All the values were found to be within the permissible limits.

**3.6. NOISE MONITORING**


Noise level monitoring was calculated using a noise level meter by M/s.EAU Labs and the results are summarized below.

The noise monitoring locations are given in Fig 3.12



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIG 3.12 NOISE MONITORING LOCATIONS**




**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

The results are given in Table below.

<b>Table 3.5 Noise monitoring results</b>					
<b>S. No</b>	<b>Location</b>	<b>Day equivalent</b>	<b>Night equivalent</b>	<b>Day equivalent limits by CPCB</b>	<b>Night equivalent limits by CPCB</b>
1	Near Mine Lease Area	45	37.7	55	45
2	Athi Village	47.3	38.1		
3	Kilnethapakkam Village	46.2	39.0		
4	Vada Alapiranthan Pudur Village	45.2	37.5		
5	Anappathur Village	48.7	38.7		

The results are plotted as below.

**FIG 3.13 DAY EQUIVALENT VALUES IN 5 LOCATIONS**




All the values are found to be within CPCB norms.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**3.7. SOIL SAMPLING ANALYSIS**

Soil samples have been collected from the mine lease area and 2 other locations from Athi village and Kilnethapakkam village. The locations are shown in figure below.

**FIG 3.14 SOIL SAMPLING LOCATIONS**



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

The results are summarized in the table below.

<b>S.No.</b>	<b>Parameter</b>	<b>SS1 Mine lease area</b>	<b>SS2 Athi</b>	<b>SS3 Kil Nethapakkam</b>
1	pH	7.95	7.25	7.67
2	Electrical Conductivity	184.9	156.7	110.2
3	Dry Content	97.6	96.5	98.3
4	Water Content	2.4	3.5	1.7
5	Organic Mater	0.15	0.22	0.32
6	Sulphur	BDL(D.L.0.02)	BDL(D.L.0.02)	BDL(D.L.0.02)
7	Phosphorus	4.5	3.2	2.7
8	Texture	sandy loam	clay	silt loam
9	Sand	55.64	32.57	36.58
10	Clay	28.95	26.44	52.47
11	Loam	15.41	40.99	10.95
12	Total Nitrogen	53	68	102
13	Sodium	476	540	386
14	Potassium	720	910	562
15	Water Holding Capacity	3.3	3.7	3.5
16	Porosity	16.4	18.6	16.9

### **3.8. BIOLOGICAL ENVIRONMENT**

The biological study of the area has been conducted in order to understand the ecological status of the existing flora and fauna to generate baseline information and evaluate the probable impacts on the biological environment. The details are given below.

#### **3.8.1 Flora in the study area**

Field survey is done. For measuring the extent of flora present in the study area, the area is divided in to 4 quadrants. The flora population in each quadrant is summed up for the total population in the study area. Also, data from the State forest department is used. The quadrants used for each type are given below:

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

<b>S.No.</b>	<b>Size of Quadrant</b>	<b>Type of flora</b>
1	10x10 m	Trees
2	5x5 m	Shrubs
3	1x1 m	Herbs

**Core Zone**

During the field visit, it is observed that there are no national parks / Sanctuaries / forests in the 10km buffer area. The study area is devoid of any major plantations. Here and there small bushes are found, which will be removed during mining. Common species found in the core zone are given below.

<b>S.No.</b>	<b>Scientific name</b>	<b>Vernacular/English name</b>	<b>Type of flora</b>
1	Calotropis gigantea	Erukku	Shrubs
2	Cassia auriculata	Aavarai	
3	Achyranthes aspera	Nayuruvi	

**Buffer zone**

Only common trees, shrubs, bushes, etc. are found. The list is given below.

<b>S.No.</b>	<b>Scientific name</b>	<b>Vernacular/English name</b>	<b>Type of flora</b>
1	Azadirachta indica	Neem	Trees
2	Carica papaya	Papaya	
3	Mangifera indica	Mango	
4	Acacia leucophloea	Velamaram	
5	Acacia nilotica	Karu- velamaram	
6	Moringa oleifera	Murungai	
7	Tamarindus indica	Puli	
8	Tectona grandis	Theku	
9	Manilkara zapota	Sappota	
10	Musa paradisiaca	Valzhlai	
11	Borassus flabelliformis	Panna-maram	
12	Ficus benghalensis	Alamaram	
13	Ficus religiosa	Arasamaram	
14	Phyllanthus emblica	Nelli	

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

15	Calotropis gigantea	Yerukku	Shrubs
16	Cassia auriculata	Aavarai	
17	Ricinus communis	Aamanakku	
18	Tecoma stans	Arali	
19	Aloe vera	Kathalai	
20	Catharanthus roseus	Nithyakalyani	Herbs
21	Acalypha indica	Kuppaimeni	Climbers
22	Coccinia grandis	Kovai	
23	Cissus quadrangularis	Pirandai	
24	Jasminum angustifolium	malli	
25	Ziziphus oenoplia	Ilandai	
26	Cymbopogon	Kanam	Grasses
27	Cyperus rotundus	Kora grass	
28	Cynodon dactylon	Arugu	

### 3.8.2 Fauna in the study area

There is no specific Fauna found within ML area. The buffer zone Fauna in the area is studied by direct observation method. Secondary data collected from Forest department and the same is used in this report. People in the nearby locality were also consulted. The commonly found fauna in the area are given below.

S.No.	Scientific name	Common name	Type of fauna	Schedule to which the species belong
1	Canis familiaris	Common dog	Mammals	IV
2	Felis catus domesticus	Domestic cat		IV
3	Golunda ellioti	Indian bush rat		IV
4	Funambus palmarum	Squirrel		IV
5	Lepus nigricollis	Indian hare		IV
6	Bos indicus	Domestic cow		IV
7	Common Crow	Corvus splendens	Birds	V
8	House Sparrow	Passer domesticus		IV


**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

9	Common Myna	Acridotheres tristis	Amphibia	IV
10	Streptopelia chinensis	Pigeon		IV
11	Calotes versicolor	Lizard		IV
12	Ptyas mucosa	Snake		IV
13	Rana hexadactyla	Frog		IV

**3.9. LAND USE**

The land use land cover data is found using the LANDSAT – 9 satellite imagery. The number of bands used are 11. The satellite image is given below.

**FIG 3.15 LAND USE/LAND COVER MAP OF THE STUDY AREA**



The 1km, 3km, 5km and 10km radius is shown above. The details are given below.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

<b>Table 2.7 Land Use at Study Area</b>		
<b>S. No</b>	<b>Land Use</b>	<b>Area in Sq.Km</b>
1	Buildup area	16.24
2	Canal	0.12
3	Crop land	197.05
4	Fallow Land	8.38
5	Hill and Forest	0.1
6	Land with scrub	7.67
7	Land without scrub	2.93
7	Mining land	0.92
8	Plantations	39.08
9	River	7.82
10	Tanks	42.18
<b>Total</b>		<b>322.49</b>

### **3.10. SOCIOECONOMIC ENVIRONMENT**

The socio economic environment of the study area is studied by conducting primary sites through site visits and conducting sample surveys. The secondary data obtained from Census 2011 is also used. The following data area collected from secondary data:

- Demographic pattern.
- Health pattern
- Occupational structure.
- Amenities available.


#### **3.10.1 DETAILS OF VILLAGES**

The profile of the villages located in the study area is given in Fig 3.16 below.



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIG 3.16 VILLAGE MAP OF THE STUDY AREA**



**DETAILS OF VILLAGES**

The project is located in Cheyyar Taluk, Tiruvannamalai District. The total population is 24,64,875 which comprise of 12,35,889 males and 12,28,986 females. There are 20 rural villages and one urban area in the study area. List of villages are given below.

<b>Table 3.12 Village details in study area</b>				
<b>S.No.</b>	<b>Village/Town Name</b>	<b>Radius</b>	<b>Taluk Name</b>	<b>District Name</b>
1	Athi	0-5km	Cheyyar	Tiruvannamalai
2	Kazhiyur			
3	Madipakkam			
4	Erumaivetti			
5	Palli	5-10km		
6	Nedumpirai			
7	Vinnavadi			

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

8	Akkur			
9	Anakkavoor			
10	Thethurai			
11	Melma			
12	Veerampakkam			
13	Purisai			
14	Thirumpoondi			
15	Echur			
16	Tiruvethipuram (M)			
17	Thennangur		Vandavasi	Tiruvannamalai
18	Perunagar		Uthiramerur	Kancheepuram
19	Manampathy			
20	Thiruvadur		Cheyyur	Kancheepuram


<b>Table 3.13 Population profile of the study area</b>		
<b>Particulars</b>	<b>No of Population</b>	<b>Percentage (%)</b>
<b>A. Population break-up by Gender</b>		
Male Population	41559	49.95
Female Population	41650	50.05
Total	83209	100
<b>B. Population break-up by Caste</b>		
Scheduled Caste	16931	20.35
Scheduled Tribes	1337	1.60
Others	64941	78.05
Total	83209	100
<b>C. Literacy Level</b>		
Total Literate Population	59509	71.52
Others	23700	28.48
Total	83209	100
<b>D. Occupational structure</b>		
Main workers	30625	36.80
Marginal workers	7999	9.61
Total Workers	38624	46.41
Total Non-workers	44585	53.59
<b>Total</b>	<b>83209</b>	<b>100</b>

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**


---

The above table shows that the male and female population ratio are almost equal. Among the total population 1.60% belong to Scheduled Tribes, 20.35 % are Scheduled Caste and the balance 78.05 % people belong to other castes. Among the total population, 71.52% of the people are literate. Among the total population, 54.56% are literate males and 45.44% are literate females. This shows that the male literates are higher than the female literates. The results are plotted in figures below.


**FIG 3.17 GENDER-WISE POPULATION DISTRIBUTION**



**FIG 3.18 GENDER WISE LITERACY DISTRIBUTION**



**FIG 3.19 OCCUPATIONAL STRUCTURE WITHIN BUFFER ZONE**



### Infrastructure facilities in the study area

#### Education

Table 3.14 Educational infrastructure		
S. No.	Particulars	Available in village(Nos)
1	Govt. Primary School	38
2	Govt. Middle School	16
3	Govt. Secondary School	10
4	Govt. Senior Secondary School	6
5	Govt. Arts and Science Degree College	37
6	Govt. Engineering College	0
7	Govt. Medicine College	0
8	Govt. Management Institute	0
9	Govt. Polytechnic	0
10	Govt. Vocational Training School/ITI	0

In the study area, there are totally 38 Primary Schools functioning in these 19 rural villages. Among them 9 villages have 1 primary school, 5 villages have 2 primary schools & 2 villages have more than 2 primary school.

#### Healthcare

In the study area, the following facilities are available.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

<b>Table 3.15 Medical Infrastructure</b>		
<b>S.No.</b>	<b>Particulars</b>	<b>Available in village (Nos)</b>
1	Community Health Centre	2
2	Primary Health Centre	4
3	Primary Health Sub Centre	15
4	Maternity And Child Welfare Centre	11
5	TB Clinic	4
6	Hospital Allopathic	0

### **Other Infrastructure**

The other infrastructure facilities available are given below.

<b>Table 3.16 Other Infrastructure</b>		
<b>S.No.</b>	<b>Particulars</b>	<b>Available in village</b>
1	Tap Water-Treated	19
2	Covered Well	7
3	Hand Pump	5
4	Tube Wells/Borehole	11
5	Post office	4
6	Public bus services	18
7	Commercial Bank	2
8	Cooperative bank	7

### **Sample Survey**

The expert visited 3 villages in the study area namely Athi, Vada Alapirandan Pudur and Kilnethapakkam villages. Discussions were held with the people from nearby locality to study the social and economic conditions prevailing in the area. The expert also visited nearby hospitals, primary health centres and Balwadis/Anganwadis. The following observations were made.

Primary schools are available in many villages. For hospital facilities, people in the locality have to go to hospital in Cheyyar which is about 5.5km from the lease area. Major schools with higher secondary and senior secondary schools are located in

Cheyyar. The major Panchayat Union located in the area is Cheyyar. Facilities like petrol pump stations, ATM facility are available in Cheyyar.

### **3.11. HYDROGEOLOGY OF THE STUDY AREA**

Since there is a canal located at about 1.22km in the W, and Cheyyar river is located at 1.34m in the WNW, the hydrological and hydrogeological pattern of the study area is studied in detail using satellite imagery.

#### **3.11.1 HYDROGEOLOGICAL STUDY**

To assess the hydrogeological condition of the surrounding proposed mine lease area. The study area is located in Vada Aalampirandhan Village, Cheyyar Taluk, Tiruvannamalai District, and Tamil Nadu State is considered to understand the nature of the general hydrogeological conditions of the surrounding proposed mine lease area.

#### **3.11.2 PHYSIOGRAPHY AND DRAINAGE**

**Physiography:** The area applied for quarry lease is exhibits hilly terrain topography covered by rough stone formation. The massive Charnockite formation is clearly visible right from the surface and gentle towards Southwestern side of the area, the altitude of the area is above 125m (maximum) from MSL.

**Drainage:** The drainage pattern study reveals that from the proposed mine lease area with around 1 Km radius and 10 Km study observed in Figure 3.20. There is canal passing on 1.22km western side away from the area and Cheyyar river located at a distance of 1.34km in the WNW side.

#### **3.11.3 GEOLOGY, GEOMORPHOLOGY AND SOIL**


**Geology:** The Core and 10 Km buffered zone Geology map (Figure 3.21) shows that the Charnockite, Migmatite gneiss and sandstone. Major portion was covered in Charnockite rock fallowed by Migmatite gneiss. A small portion were occurred in Sandstone rock; it is located in North-Western corner of the study area.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**Geomorphology:**The 10 Km radius of the area geomorphological features (Figure 3.22) shows that the followed by shallow burier pediplain covered an area is 175.58 sq.km. This feature mainly supports intensive agriculture activities in the study area. Moderate burier pediplain covered an area is 110.26 sq.km and Shallow flood plain covered an area is 23.97 sq.km and Pediment covered an area is 11.36 sq.km.


**Soil:** The soil types in the study area are mostly Calcareous black soil, Red loamy soil, clayey soil and Calcareous clayey soil (Figure 3.23.). Calcareous black soil (177.25 sq.km) was distributed over the study area. Red loamy soil is found in north, east, west and central part of the study area (108.43 sq.km). Clayey soil is found in north-western part of the study area (34.93 sq.km).

**FIGURE 3. 20 10 KILOMETER RADIUS OF THE DRAINAGE MAP**




DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.

**FIGURE 3. 21 10 KILOMETER RADIUS OF THE GEOLOGY MAP**




**FIGURE 3. 22 10 KM RADIUS OF THE STUDY AREA GEOMORPHOLOGY MAP**





**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIGURE 3.23 10 KM RADIUS OF THE STUDY AREA SOIL TYPE MAP**




**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**3.11.4 BELOW GROUND LEVEL (BGL)**


Figure 3.24 & 3.25 shows the Non-Monsoon and Monsoon water level map of the study area.

**FIGURE 3.24 NON-MONSOON WATER LEVEL MAP OF THE STUDY AREA**



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIGURE 3.25 MONSOON WATER LEVEL MAP OF THE STUDY AREA**



**3.11.5 FIELD INVESTIGATION**

The temporary seasonal streams water flow from center to outer most area. There is canal passing on western side of the area and is 1.22km away from the area, there is Cheyyar river passing northwestern side of the area and is 1.34km away from the area. The water is temporarily found only during the rainy season.

In this representation in the two seasons, the water level substantially gets fall-down in the Non-monsoon season, because of the rainfall impact and it extended up to the Monsoon season. Some of the wells water level is shallow depth in both seasons. These dug wells is located nearby water bodies. So, clearly shows that surface water is impact in these wells.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

The shallow depth of groundwater level in the monsoon season. It is interesting to note that the water level is increased because of heavy rainfall during the southwest and northeast monsoon. The groundwater table level is substantially increased in the monsoon season.

In the study area, the shallow aquifer is developed through dug wells and deeper aquifer through tube wells. The study has revealed that potential fractures are encountered at deeper levels. The water in the wells are available mainly monsoon and it reduces during non-monsoon demanding the groundwater. Bore wells are deep and it reflects that the yield is only better at deeper water levels.

Rain water collected in the tanks in the region acts as a good source of water during monsoon season. In order to increase the recharge, tanks, and percolation ponds may be provided with the recharge wells/recharge shafts penetrating this impervious layer to make it more effective in recharging the aquifer.

## CHAPTER 4

### **ANTICIPATED ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES**

#### **4.1. INTRODUCTION**

This chapter deals with the various anticipated environmental impacts and mitigation measures of the proposed mining activity. The proposed method of mining is Opencast Semi Mechanized and the quarry operation involves Shallow Jack Hammer Drilling, Blasting, Excavation, Formation of benches, Loading and Transportation of minerals. The above activities may affect the surrounding environment like removal of rock mass, Loss of flora and fauna of the area, surface water discharge, change in air and water quality, etc., If adequate measures are not taken for the proposed operations it will cause the environmental degradation of the area and it will lead to affect to the ecosystem of the surrounding environment.

In order to maintain the existing environmental scenario of the proposed mine lease area it is mandatorily required to assess the present ecology and environment of the proposed mine lease area and buffer area of the project before starting mining operations. The various environmental impacts which are identified by the proposed quarrying activities have been discussed below and its subsequent paragraphs.


- ❖ Land Environment
- ❖ Soil Environment
- ❖ Water Environment
- ❖ Air Environment
- ❖ Noise Environment
- ❖ Biological Environment
- ❖ Socio Economic Environment

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**4.2. LAND ENVIRONMENT**

This is a proposed Rough Stone Quarry of Thiru.N.Venkatesh at S.F. No. 168 (Part-1) over an extent of 4.50.0 Ha in Vada Alapirandan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu. The method of mining is Opencast Semi mechanized with a bench width and height of 5m. It is proposed to excavate to 12,54,020 m<sup>3</sup> of Rough Stone upto a depth of 40m Above Ground level for the period of five years. There is no stream/odai within the mine lease area. The present proposed mine lease area is given below Figure 4.1.

**FIG 4.1 PROPOSED MINE LEASE AREA**



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**4.3 ANTICIPATED IMPACTS AND MITIGATION MEASURES**

Aspect	Impact	Mitigation measures																																															
<p><b>Topography</b></p>	<p>The area exhibits hilly terrain covered by rough stone formation. Quarrying activity will lead to change in geological setting of the area i.e., Due to the quarrying activity in the mine lease area will lead to affect the aesthetic view on the environment. Further, due to the movement of heavy vehicles in and around the mine lease area will lead to affect the surrounding agricultural lands, ecology and biodiversity, human habitations due to the emissions from vehicles like SO<sub>2</sub>, NO<sub>x</sub>, PM<sub>10</sub>, PM<sub>2.5</sub>, etc., The existing land use pattern is given as under.</p> <table border="1" data-bbox="449 922 1081 1305"> <thead> <tr> <th>Land Use</th> <th>Present Area (Hect)</th> <th>Area in use during the quarrying period (Hect)</th> </tr> </thead> <tbody> <tr> <td>Quarrying Pit</td> <td>Nil</td> <td>3.85.0</td> </tr> <tr> <td>Infrastructure</td> <td>Nil</td> <td>0.01.0</td> </tr> <tr> <td>Roads</td> <td>Nil</td> <td>0.02.0</td> </tr> <tr> <td>Green Belt</td> <td>Nil</td> <td>0.25.0</td> </tr> <tr> <td>Unutilized</td> <td>4.50.0</td> <td>0.37.0</td> </tr> <tr> <td><b>Total</b></td> <td><b>4.50.0</b></td> <td><b>4.50.0</b></td> </tr> </tbody> </table> <p>The ultimate pit dimension of the mine lease area is given below.</p>	Land Use	Present Area (Hect)	Area in use during the quarrying period (Hect)	Quarrying Pit	Nil	3.85.0	Infrastructure	Nil	0.01.0	Roads	Nil	0.02.0	Green Belt	Nil	0.25.0	Unutilized	4.50.0	0.37.0	<b>Total</b>	<b>4.50.0</b>	<b>4.50.0</b>	<p>The major impact due to this project on land environment is the change in land use. Mining activity will be carried out upto a depth of 40m Above ground level. At the end of mining period, the quarried pit will act as a water reservoir to store the rain water.</p> <p>Land Use at the end of mine will be as follows.</p> <table border="1" data-bbox="1150 699 1936 930"> <thead> <tr> <th>Land Use</th> <th>Area in use during the quarrying period (Hect)</th> </tr> </thead> <tbody> <tr> <td>Area left for water body</td> <td>3.85</td> </tr> <tr> <td>Green Belt</td> <td>0.25</td> </tr> <tr> <td>Remaining area</td> <td>0.37</td> </tr> <tr> <td><b>Total</b></td> <td><b>4.50</b></td> </tr> </tbody> </table> <p>At the mine closure stage, 3.85 Ha of lease area will be left as rain water harvesting pond. 0.25 Ha will be developed with green belt.</p> <p>Greenbelt shall be developed around the mine lease area and the details has been given below.</p> <table border="1" data-bbox="1178 1154 1908 1401"> <thead> <tr> <th>Year</th> <th>Species</th> <th>No. of trees</th> <th>Spacing</th> <th>Survival</th> </tr> </thead> <tbody> <tr> <td>I</td> <td>Azadirachta</td> <td>200</td> <td rowspan="3">3m x 3m</td> <td rowspan="3">80%</td> </tr> <tr> <td>II</td> <td>indiacca</td> <td>200</td> </tr> <tr> <td>III</td> <td></td> <td>200</td> </tr> </tbody> </table>	Land Use	Area in use during the quarrying period (Hect)	Area left for water body	3.85	Green Belt	0.25	Remaining area	0.37	<b>Total</b>	<b>4.50</b>	Year	Species	No. of trees	Spacing	Survival	I	Azadirachta	200	3m x 3m	80%	II	indiacca	200	III		200
Land Use	Present Area (Hect)	Area in use during the quarrying period (Hect)																																															
Quarrying Pit	Nil	3.85.0																																															
Infrastructure	Nil	0.01.0																																															
Roads	Nil	0.02.0																																															
Green Belt	Nil	0.25.0																																															
Unutilized	4.50.0	0.37.0																																															
<b>Total</b>	<b>4.50.0</b>	<b>4.50.0</b>																																															
Land Use	Area in use during the quarrying period (Hect)																																																
Area left for water body	3.85																																																
Green Belt	0.25																																																
Remaining area	0.37																																																
<b>Total</b>	<b>4.50</b>																																																
Year	Species	No. of trees	Spacing	Survival																																													
I	Azadirachta	200	3m x 3m	80%																																													
II	indiacca	200																																															
III		200																																															

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

	<b>Ultimate Pit dimension at the end of Mining plan Period</b>				<table border="1"> <tr> <td>IV</td> <td></td> <td>200</td> <td></td> <td></td> </tr> <tr> <td>V</td> <td></td> <td>200</td> <td></td> <td></td> </tr> <tr> <td colspan="2"><b>Total</b></td> <td><b>1000</b></td> <td></td> <td></td> </tr> </table>				IV		200			V		200			<b>Total</b>		<b>1000</b>		
	IV		200																				
	V		200																				
<b>Total</b>		<b>1000</b>																					
<b>Pit No.</b>	<b>Length (max) (m)</b>	<b>Width (Avg) (m)</b>	<b>Depth (max) (m)</b>																				
I	210	158	40m Above ground level																				
	<p>If mining is not done systematically it will leads to the dumping failure in the mining area.</p>				<p>Due to the thick vegetation around the mine lease area and sprinkling of water around the haul roads the dust emissions arises from the vehicles will be controlled. At the end of mining period, fencing will be provided around the mine lease area to arrest the entry of public/cattle to the mining area. The rough stone is proposed to quarry 5m bench height and 5m width with 80° slope and with conventional opencast semi-Mechanized method. As per the approved mining plan a safety distance of 7.5m shall be provided. There is no overburden anticipated during the entire Rough Stone quarrying operation. The excavated rough stone will be directly loaded into tipper to the needy crusher/other buyers.</p>																		
<b>Drainage</b>	<p>Mine drainage is surface water or groundwater that drains from an active or abandoned mine. One of the adverse impact of mine drainage is it will contaminate the ground water.</p>			<p>As per the approved mining plan the ultimate pit limit is 40m 40m Above ground level. The ground water table is reported as 58m BGL. In the proposed mining plan only 40m Above ground level has been envisaged as workable depth for safe &amp; economic quarrying for the entire lease period. Hence the quarrying operation may not affect the ground water.</p>																			
<b>Soil Quality and Agriculture</b>	<p>In monsoon seasons due to the excavation of minerals soil erosion and sediment deposition will occur in the nearby water bodies.</p>			<p>It is proposed to quarry upto a depth of 40m Above ground level and the nearby water table is 58m BGL. So, the mining activity will not affect the ground water. To prevent the soil erosion during monsoon season, garland drain will be constructed with silt traps.</p>																			



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

<b>Visual impact on surrounding environment</b>	Quarrying activities and rock extraction generally cause several environmental effects on the surrounding areas. The alteration of landscape due to activities like excavation, drilling or blasting, in particular, often generates a visual impact on the receptors set in the surroundings. Among these effects, the shape, extent, or chromatic contrast of the mining surface with the original land form may represent a huge loss of appeal for the growth of new urban settlements.	The reclamation of the post mined quarry surface is aimed at restoring the ecological balance taking into account geological parameters but also local flora and climate. Further the ultimate depth of mining is 40m AGL. In the post mining stage the quarried out pit will be used for rainwater harvesting.
---	---	---

#### **4.4 SOLID WASTE GENERATION AND MANAGEMENT**

The waste generation in the form of Solid waste (Municipal Waste) is very negligible. A detailed solid waste management system for the project area is given below and the same will be executed by proper awareness and sign boards. The sign boards will be in two language i.e., Vernacular language (Tamil) and common language (English). The plastic waste generation is very negligible and it will be collected from the source level in specific dustbin and disposed through the municipal bins.

- Identification of solid waste generations
- Providing dustbins to collect with different color coding
- Creating awareness among the employees
- Developing common storage yards
- Disposal to the nearby municipal yards
- Record keeping
- Review once in quarter

#### **4.5 WATER ENVIRONMENT**

##### **4.5.1 Impact on Surface Water Resources**

There is no seasonal or perennial Odai within the M.L area. The drainage pattern of the region is plane to sub-dendritic. Surface run-off water of the M.L. area is drained through proposed drainage and collected in the bottom of the quarry and collected water will be used for same quarry operation as such for plantation & dust suppression.

There is a canal located at a distance of 1.22km western side and Cheyyar River is located at a distance of 1.34 km northwestern side from the proposed ML area. Water table is found at a depth of 58m in summer and 55m in rainy seasons.


Since these water bodies are located outside the lease area and there is no discharge of effluent or any untreated water from the mines will be made into these water bodies, there is no major impact. The project proponent will restrict the mining

operation only within the lease and no other work will be carried out near the canal or any area outside the mining lease.

#### **4.5.2 Impact due to Water use in Mines**

In the proposed mines water will be mainly used for domestic purpose, dust suppression & plantation. Total water requirement for the project is 5.0 KLD which will be sourced from outside agencies. Negligible sewage of 0.64 KLD will be generated, for which a septic tank with soak pit will be set up. The water balance diagram is given below.

**FIG 4.2 WATER BALANCE DIAGRAM**



### 4.5.3 Impact on Ground Water

The mining activity is not likely to intersect ground water as the ground water table occurs at 58 m BGL in summer season and in Rainy season at 55 m BGL. The mining will go up to the maximum depth of 40 m AGL. So there will be no chance of intersecting the ground water table by the mining activity. So the impact of mining on the ground water is not envisaged.

### 4.5.4 Mitigation measures

- Entire lease area will be provided with proper garland drains.
- Check wears will be provided to prevent solids from wash off.
- Construction of garland drains around freshly excavated so that flow of water with loose material is prevented.
- The mine water will be passed through the natural slopes and valleys and gets accumulated in the settling tank (Bottom pit)

### 4.5.5 Ground water environment in buffer zone

The scenario of ground water in Tiruvannamalai District, Cheyyar Taluk is given below.

<b>TABLE 4.1 Ground Water Level Status in Cheyyar Firka</b>							
<b>S. No.</b>	<b>Firka</b>	<b>Net Annual Ground water availability</b>	<b>Existing gross ground water consumption for irrigation</b>	<b>Existing gross ground water consumption for domestic and industrial water supply</b>	<b>Existing gross ground water consumption for all uses</b>	<b>Stage of ground water development</b>	<b>Category</b>
1	Cheyyar	1522.95	1526.85	120.80	1647.65	108	Over Exploited

Source:nwm.gov.in

It is planned to carryout appropriate rainwater harvesting schemes and artificial recharge schemes in the area.

## **4.6 VEGETATION**

### **4.6.1 VEGETATION IN THE CORE ZONE**

The mine lease area is devoid of major plantation. Shrubs and bushes are majorly found within the lease area. The proponent has planned to develop green belt in an area of 0.25.0 Ha. Trees like Pongamia pinnata, Syzigium cumini, Albizia lebbeck, Thespesia populnea, Bauhinia racemose, Cassia siamea, Azadirachta indica will be planted around the mine lease area. A total of 1000 trees are planned to be planted. Spacing will be 3m x 3m.

### **4.6.2 FAUNA**

There are no sanctuaries/national parks in the buffer zone of 10km study area. The commonly found fauna in the buffer zone are given in Chapter III. During mining activity the impacts and mitigation measures for Fauna are given in below table.

<b>Table 4.2 Impacts and mitigation measures for Fauna</b>		
<b>S.No.</b>	<b>Impact</b>	<b>Mitigation measure</b>
1	Fauna is affected due to noise and vibration.	Sirens will be blown before blasting in the mines. To reduce noise levels, plantation will be done. Blasting will be carried out only in the allotted time.
2	Dust generation due to mining activities	To reduce dust generation, mist sprayers will be used. During transportation, the material will be covered with tarpaulin. Water sprinkling will be done to reduce generation of pollutants.
3	Change in land use of the lease area	After the mine closure stage, the mine pit will be left as rain water collecting tank, which can attract bird population in the nearby areas.
4	Accidental falling of animals	To prevent entry of animals, the mine lease surrounding area will be properly fenced with barbed wire.

## **4.7 AIR ENVIRONMENT**

### **4.7.1 IMPACT DUE TO MINING OPERATION**

Impact prediction is a very important phenomenon in evaluating the environmentally potential adverse impacts for any proposed mine project. The impact prediction is always carried out under worst possible conditions so as to mitigate or to eliminate the environmental hazards. These predictions thus calculated are superimposed over the baseline data to calculate the net impact on the environment after the proposed mine Project comes into production.

### **4.7.2 IMPACT ON AIR ENVIRONMENT**

The impacts on air environment from a mining activity depend on various factors like production capacity, machinery involved, operations and maintenance of various equipments and vehicle. Apart from these, there will be other activities associated viz transportation of mineral and waste, stocking facilities and dump management within the mine lease area that may contribute to pollution.

### **4.7.3 Air Emissions**

The impacts on air environment from a mining activity depend on various factors like production capacity, machinery involved, operations and maintenance of various equipments and vehicle. Apart from these, there will be other activities associated viz transportation of mineral and waste, stocking facilities and dump management within the mine lease area that may contribute to pollution.

### **4.7.4 Quantitative Estimation of Impacts on Air Environment**

An attempt has been made to predict the incremental rise of various ground level concentrations above the baseline status in respect of air pollution due to proposed is 12,54,020 m<sup>3</sup> of rough stone for a period of five years by the open-cast semi-mechanised mining method.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

The pollutants released into the atmosphere will disperse in the down wind direction and finally reach the ground at farther distance from the source. The concentration of ground level concentrations mainly depends upon the strength of the emission source and micrometeorology of the study area.

In order to estimate the ground level concentrations due to the emission from the proposed project, EPA approved Industrial Source Complex ISC AERMOD View Model has been employed.

The mathematical model used for predictions on air quality impact in the present study is ISC-AERMOD View-6.8.6. It is the next generation air dispersion model, which incorporates planetary boundary layer concepts.

The AERMOD is actually a modeling system with three separate components:

AERMOD (AERMIC Dispersion Model), AERMAP (AERMOD Terrain Preprocessor) and AERMET (AERMOD Meteorological Preprocessor).

Special features of AERMOD include its ability to treat the vertical in homogeneity of the planetary boundary layer special treatment of surface releases, irregularly shaped area sources, a plume model for the convective boundary layer, limitation of vertical mixing in the stable boundary layer, and fixing the reflecting surface at the stack base.

The AERMET is the meteorological preprocessor for the AERMOD. Input data can come from hourly cloud cover observations, surface meteorological observations and twice-a-day upper air soundings. Output includes surface meteorological observations and parameters and vertical profiles of several atmospheric parameters.

The AERMAP is a terrain preprocessor designed to simplify and standardize the input of terrain data for the AERMOD. Input data include receptor terrain elevation data. Output includes, for each receptor, location and height scale, which are elevations used for the computation of airflow around hills.

**Salient features of the AERMOD model are given hereunder.**

- ❖ Excavation operations are considered as area sources.
- ❖ Transportation of material on haulage roads has been considered as line source

The predicted ground level concentrations for study period computed using AERMOD model are plotted as isopleths.

**4.7.5 Sources of Dust Emission**

The proposed mining is carried out by semi mechanized opencast method. The air borne particulate matter generated by ore handling operations, transportation and screening of ore is the main air pollutant. The emissions of sulphur dioxide (SO<sub>2</sub>), Oxides of Nitrogen (NO<sub>x</sub>) contributed by diesel operated excavation/loading equipment and vehicles plying on haul roads are marginal. Prediction of impacts on air environment has been carried out taking into consideration proposed production and net increase in emissions. Based on the various operations involved in the production of minerals, the various emission sources has been identified as given below.

- a. Area sources.
- b. Line sources.

Extraction of mineral from mine, are considered as area sources. Transportation of material from mining benches to various end points are considered as line sources. The impact of above sources on air environment is discussed below:

The other sources of air pollution are the dust generated during the movement of tippers on the haul road. Water tankers with spraying arrangement will be used for regular water sprinkling on the haul roads to ensure effective dust suppression. The tippers are well maintained so that exhaust smoke does not contribute abnormal values of noxious gases and un-burnt hydrocarbons.



#### **4.7.6 Emission Details**

All the emissions discussed above are quantified for proposed maximum production of 12,54,020 m<sup>3</sup> of rough stone for a period of five years by the open-cast semi-mechanised mining method. The existing air quality levels are covered in the baseline scenario.

Excavation, loading and transportation through tippers are the major sources, which are of significance. Therefore, the emissions considered for modeling are from drilling blasting, excavation & transportation rough stone and gravel.

The emissions are computed based on AP-42 emission factors. Operational hours, activity rate, wind speed and moisture content have been considered for estimation of emissions from point and area sources. For line source, apart from operational hours, activity rate, moisture, silt content and vehicle weight have been considered.

Predictions are carried out for the worst-case scenario of simultaneous operation of excavators (area sources) and tippers for transportation from mine pit to loading pit (line sources) over a distance of 500 m.

The number of working days has been taken at 300 days per year with 8 hours of operation/day, hence the concentrations predicted are considered to be the worst case. With control measures, the emissions have been taken at 30% of uncontrolled emissions for handling and 10% of uncontrolled emissions for transportation.

#### **4.7.7 Meteorological Data**

The meteorological data recorded continuously during the month of March 2023 - May 2023 on hourly basis on wind speed, wind direction and temperature has been processed to extract the 24- hourly mean meteorological data as per the guidelines of IMD and MoEF for application of AERMOD model. Stability classes computed for

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

the mean hours is based on guidelines issued by CPCB on modeling. Mixing heights representative of the region have been taken from the available published literature.

**4.7.8 Summary of Predicted Ground Level Concentrations**

Ground level concentrations due to the mining activities have been estimated to know the incremental raise and extent of impact in the study area.

The maximum ground level concentration is estimated to be about 3 µg/m<sup>3</sup> of PM 2.5 & 4 µg/m<sup>3</sup> of PM<sub>10</sub> within the mine area, where mining operations are being carried out. The impact of mining operations would be negligible beyond 0.4 km.

**Figure – 4.1** represents the spatial distribution of the predicted ground level concentrations of PM<sub>10</sub> due to emissions from mine.

**4.7.9 Emission sources & Quantification**

Various point and non-point sources of emissions from Proposed Rough Stone Quarry of Thiru.N.Venkatesh is quantified and presented below:

**VENKATESH MINES – EMISSION DETAILS**

(I) POINT SOURCE EMISSION  
Drill dust emission = 0.022 gm/sec

(II) Area Emissions – Total Material handling (Rough Stone)

Quantity, TPA	961300
Operational Hours Per Year	2400
Activity Rate, t/hr.	400.5416667
Emission of dust, g/t.	0.14
Emission of dust, g /hr.	56.07583333
Area of influence, m <sup>2</sup>	625
Uncontrolled emission rate g/s/m <sup>2</sup>	0.0000249226
Controlled emission rate, PM10 g/s/m <sup>2</sup>	0.0000024923
Controlled emission rate, PM2.5 g/s/m <sup>2</sup>	0.000001047

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---


(III) Line Source – Transport of Rough Stone from Pit to Boundary

Quantity, TPA	961300
Operational Hours Per Year	2400
Capacity of each Dumper (T)	10
Total No. of Tippers/ year	96130
Lead length/trip, Km	0.8
Total VKT/Year	76904
Emission Kg/VKT	0.26
Total emission Kg/Year	19995.04
Uncontrolled emission rate g/s/m	5.785601852
Controlled emission rate, PM10 g/s/m	0.578560185
Controlled emission rate, PM2.5 g/s/m	0.242995278

Note: \*Emission factor computed based on wind speed of 2 m/s, and moisture content of 10 %.  
+ Emission factor computed based on silt content of 10 % and moisture content of 10 %


**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIG 4.3 Isopleth of GLC Prediction for PM<sub>2.5</sub>**



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIG 4.4 Isopleth of GLC Prediction for PM<sub>10</sub>**



#### **4.8 NOISE ENVIRONMENT**

The main noise generating source during mining operation and related activities are drilling, excavation, loading and transportation. Intermittent noise is generated due to operation of diesel generator.

##### **4.8.1 Likely Noise Levels in Lease Area due to mining activity**

<b>S.No.</b>	<b>Source Name</b>	<b>Noise Level in dB (A)</b>
1	Diesel generator	102
2	Excavator Operation	95
3	Trucks movement	95
4	Drilling	105
5	Blasting	120

It is expected that the generated noise will be limited within the mine lease area and there will be no profound effect of noise on the buffer zone. The noise level will be maintained below the threshold limit by vigorous maintenance of the machineries. Wet drilling with dust extractor is being used to reduce the noise level during the mining operation.

Noise levels were measured in the lease area and in the nearby villages Athi, Kilnethapakkam, Vada Alapirandan and Anappathur. The values are given below.

<b>S. No.</b>	<b>Location</b>	<b>Distance and direction from Mine lease area</b>	<b>Day Equivalent (in dBA)</b>	<b>Night Equivalent (dBA)</b>
1	Mine lease area	Core Zone	45	37.7
2	Athi	0.67 Km, SE	47.3	38.1
3	Kilnethapakkam	3.32 Km, NE	46.2	39.0
4	Vada Alapirandan	0.74 Km, S	45.2	37.5

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

5	Anappathur	2.89 Km, SW	48.7	38.7
---	------------	-------------	------	------

The noise levels are within the MoEF & CC limits of 55 dB(A) in the working area and in the buffer areas, the values are below the limit of 55 dB(A). Since, the residential area norm has been considered for all five locations mentioned above, during mining operation mine lease area will be considered as industrial area/quarry area for which DGMS norms 85 dB(A)/CPCB guidelines 75 dB(A)

#### **4.8.2 Impact of Noise due to mining**

- ✦ Noise generation in mining is due to operation like drilling, blasting and transportation of minerals within and outside the lease area.
- ✦ As per DGMS (Directorate General of Mines Safety) limits, the acceptable noise level is 85 dB(A) for an exposure period of 8 hours.
- ✦ Exposure to loud noise can also cause high blood pressure, heart disease, sleep disturbances, and stress. Noise pollution also impacts the health and well-being of wildlife.
- ✦ Noise exceeding prescribed limits may cause impairment like abnormal loudness perception, tinnitus which causes a persistent high-pitched ringing in the ears, paracusis or distorted hearing.

#### **4.8.3 Mitigation measures for Noise level control**

- ✦ As the distance between the source and receptor increases, the noise level decreases. Hence, there will be a natural attenuation.
- ✦ The proponent has planned to develop green belt in the periphery of the lease area which diminishes sound volume by dampening them.
- ✦ All the equipment/machinery/tippers involved will be properly maintained to control noise generation.
- ✦ Conducting regular health checkups for employees involved.
- ✦ Employees will be made to work on shifts to reduce their exposure time.

- ✚ Providing earplugs to all employees.
- ✚ Providing green walls/nets wherever possible.

By adopting these measures, the noise levels will be maintained well within MoEF & CC limits since the baseline value is low.

#### **4.9 IMPACTS DUE TO VIBRATION**

There will be negligible vibration of ground due to the following activities.

- ✚ Due to Blasting
- ✚ Due to Drilling
- ✚ Due to movement of machinery

##### **Impacts**

- ✚ Though vibration will be only felt by the people working inside the lease area it is usually undesired.
- ✚ Vibration may also cause flyrocks.
- ✚ It may frighten the birds and small insects in the lease area. However, it will be felt only for a short period.

##### **Mitigation measures**

- ✚ The DG set will be kept within the acoustic enclosure made by the stone blocks.
- ✚ Drills will be equipped with sharp bits and wet drilling will be adopted.
- ✚ A well planned green belt is proposed for the mining to reduce noise level.
- ✚ Proper warning system before blasting will be adopted and clearance of the area before blasting will be ensured.
- ✚ Regular maintenance of the machineries and vehicles to reduce the noise level.
- ✚ Use of ear muffs by the workers with occupational exposure to noise.
- ✚ Carrying out blasting on limited scale, only from 12:00 PM to 2:00 PM
- ✚ Control of fly rock and vibration by maintaining peak particle velocity



within the standard as prescribed by the DGMS and MOEF & CC.

- ✚ Shallow depth jackhammer drilling and blasting is proposed to be carried out with minimum use of explosive.
- ✚ Supervising blasting by competent and statutory Foreman/ Mines Manager.

#### **4.10 SOCIO ECONOMIC IMPACT**

The lease area is Government Poramboke land and the proponent has obtained tender from the government. The copy of the tender document is attached as Annexure 2. No rehabilitation is needed. Hence, there is no negative impact. The proponent has planned to spend INR 5,00,000 for CER activities.

#### **4.11 OCCUPATIONAL HEALTH**

##### **4.11.1 Impacts on humans due to various mining activities**

The occupational risk due to proposed mining may be due to drilling, blasting, excavation and transportation. A total of 50 workers will be engaged in the mining activity. Mining activity may cause various health problems to the mines workers as follows:

- Dust generated during excavation, drilling, stone cutting, sizing and transportation may cause health problems like Silicosis, Asthma, Tuberculosis and other respiratory lungs disorders.
- Heavy weight lifting by the workers may cause injuries to arms, legs and back.
- Noise generated during the mining activity may cause Noise Induced Hearing Loss (NIHL).

<b>Table 4.4 Impacts on humans due to various mining activities</b>		
<b>S.No.</b>	<b>Type of activity</b>	<b>Impact</b>
1	Dust generation due to drilling and blasting	Continuous exposure to dust causes Pneumonia, Tuberculosis, Rhematic arthritis and Segmental Vibration

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

2	Noise generation due to drilling and blasting	Short term impact will be lack of sleep, high blood pressure and heart ailments. Long term exposure may lead to partial or permanent deafness
3	Unexpected accidents	Risks include fly rocks, cracks or fissures due to improper mining methods

**4.11.2 Mitigation measures**

- The mines worker will be provided with dust mask to minimize the inhalation of the dust.
- Water sprinkling twice in a day is in practice on the haul roads, near excavation and roads to reduce the fugitive dust emission.
- Wet drilling and drilling with dust extractor will be practiced.
- Ear muffs will be supplied to the workers working in the noise prone area
- The mining site will be supplied with first aid facilities and the entire mines worker will have access to that.
- The mines workers will be well trained about the safety practices in the mining activities.
- As per Mines Rules, 1955, medical examination of employees at the initial stage and periodically, shall be done by a team of qualified medical officers provided by the project proponent.
- Regular medical checkup camps shall also be arranged for detection of occupational diseases and minor disease in the nearby rural population.
- Free checkup and medicine for treatment for their acute and chronic illness shall be provided by the lessee. Conducting periodical Medical Examination as per DGMS.
- Making all first aid kits available in mines office
- Keeping fire extinguisher in place
- Educating the employees about how to handle unexpected happenings
- Posting information containing emergency contact numbers in mines office
- By adopting all these measures, the safety of the employees working in the quarry will be ensured.

## CHAPTER 5

### ANALYSIS OF ALTERNATIVES

#### 5.1 ALTERNATE TECHNOLOGY

The mining technology is semi mechanized Opencast in single-shift operation without any change in technology. The operation will be carried out as per DGMS norms. No alternate technology will be used. Details of the technology used are given in Chapter II.

#### 5.2 ALTERNATE SITE

The proposed project is a mining project and will be operated within the lease grant area. So, no alternate sites have been assessed. Since the resource (Rough Stone) is site-specific, the chosen location is the only site to carry out Rough Stone quarry.

## CHAPTER 6

### ENVIRONMENTAL MONITORING PROGRAMME

#### **6.1 ENVIRONMENTAL MONITORING**

Monitoring is done to measure the efficiency of control measures implemented. Regular monitoring of various environmental parameters like air, water, noise and soil environments is needed to assess the status of environment during the project operation.

A schedule is framed with timeline to monitor various parameters during the operation of the project. The schedule is framed based on MoEF& CC and Tamil Nadu State Pollution Control Board. In case the SEIAA/TNPCB/MoEF&CC or other statutory bodies demand monitoring of any additional parameter/factor, the same will also be done.

The proposed quarry is a small quarry. Hence the Mines-in-charge will be responsible for environmental related activities. After obtaining EC, the conditions mentioned in EC will be strictly followed. The Mines-in-charge will be responsible for implementing the conditions. EC compliance report will also be submitted periodically.

#### **6.2 OBJECTIVES OF ENVIRONMENTAL MONITORING**

The objectives of Environmental Monitoring is as follows.

- ✦ Monitoring and analysis of air and water samples
- ✦ Implementing the control and protective measures.
- ✦ Coordinating the environment related activities within the project as well as with outside agencies. Collecting statistics of health of workers and population of the surrounding villages. Green belt development etc.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

- ✦ Monitoring the progress of implementation of Environmental Management Programme.
- ✦ Monitoring the noise generation in and around the project areas.
- ✦ Monitoring of wastewater treatment and disposal of solid waste.
- ✦ The laboratory will be suitably equipped for sampling/testing for various environmental pollutants.

### **6.3 ENVIRONMENTAL MONITORING SCHEDULE**

To evaluate the effectiveness of Environmental Management Programme, regular monitoring of the important environmental parameters will be taken up. The frequency of monitoring different parameters is given in table 6.1.

<b>Table 6.1 Environmental Monitoring Schedule</b>			
<b>Sl.No.</b>	<b>Description of Parameters</b>	<b>Parameters</b>	<b>Frequency</b>
1	Air	Air Quality for SPM, PM-10, PM-2.5, SO <sub>2</sub> and NO <sub>x</sub>	24 hour average samples Once in a 3 month
2	Water	General, Physical, and chemical parameters	Once per season
3	Noise	Leq, L <sub>max</sub> , L <sub>min</sub> , Leq Day & Leq Night dB(A)	8 hour average samples Once in a 3 month
4	Soil	Physical and Chemical characteristics	Once per season

### **6.4 LOCATION**

Monitoring of the above mentioned environmental parameters would be done at appropriate and sensitive areas. The exact location of monitoring is given as Figure – 3.4, 3.10, 3.12 & 3.14.

### **6.5 MEASUREMENT METHODOLOGY**

#### **(a) Ambient Air Quality**

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

Ambient air quality will be monitored for SO<sub>2</sub>, NO<sub>x</sub>, PM<sub>10</sub> and PM<sub>2.5</sub>. The instruments like high volume air samplers and Respirable dust samplers would be used for this purpose. These parameters will be monitored as mentioned in the monitoring schedule previously.

**(b) Water Quality**

Water quality analysis will be done quarterly and the monitored parameters include pH, Temperature, TDS, etc. as specified by SPCB from time to time.

**(c) Noise Monitoring**

Noise level will be monitored in working environment mainly noise producing sources over the boundary and around the mining area.

**(d) Green Belt and Afforested Areas**

Continuous vigilance and monitoring of green belt will be done for performance and survival rate of the saplings. Watch and ward personnel will properly guard the plantation. Provision will be made for fertilizers application and watering on schedule.

**(e) Socio-Economics**

Gravity modeling (traffic density) studies will be done with the objective to know about the interaction of nearby situated towns. Central Place Hierarchization studies (studies related to change in amenities/services etc.) would be conducted to know about the socio-economic status of the villages along with the above-mentioned studies at every five-year interval.

**6.6 TECHNICAL ASPECTS OF MONITORING THE EFFECTIVENESS OF MITIGATION MEASURES**

The above monitoring schedule will be followed periodically. After collection of the data, the mines-in-charge will analyze the data obtained. The data thus obtained will be incorporated in the EC Compliance report submitted to the Regional office, MoEF&CC. The measurement methodologies will be as per

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

CPCB/BIS/MoEF&CC/DGMS norms.

**6.7 EMERGENCY PROCEDURES**

In case of any emergency due to environmental conditions, the mines in-charge will immediately report to the top level management and the emergency response protocol will be implemented as per MoEF&CC/ SPCB / DGMS norms.

**6.8 REPORTS TO BE GENERATED**

The Project Proponent will maintain records of each test and its interpretation so as to formulate an adequate Environmental Management Plan. The set of records planned to be maintained by Project Proponent are given in below table 6.2.

<b>Table 6.2 Important Records to be maintained by PP</b>	
<b>S.No.</b>	<b>Particulars</b>
1	Monitoring results for Air, Water & Soil.
2	Records of slope failure, land erosion & drainage.
3	Plantation Records
4	Environmental and related standards/ norms
5	Records pertaining to statutory consents, approvals.
6	Periodic Medical examination (PME) records.
7	Complain register (Environmental pollution)
8	Records on water and electricity consumption
9	Periodic progress records.
10	Environmental Expenses Records

**6.9 DETAILED BUDGET AND PROCUREMENT SCHEDULES**

The budget planned for environmental monitoring is given below.

<b>Table 6.3 Environmental Management Plan Budget</b>		
<b>S.No.</b>	<b>Budget planned for</b>	<b>Amount (INR)</b>

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

1	Air sampling	40,000
2	Water sampling	40,000
3	Noise monitoring	20,000
4	Ground vibration test	20,000
5	Drinking water facility	1,50,000
6	Sanitary arrangement	50,000
7	Safety kits	1,00,000
8	Water sprinkling	2,00,000
9	Afforestation	1,00,000
10	Cost towards charity	50,000
<b>Total</b>		<b>7,70,000</b>

A total amount of INR 7,70,000 is allotted in the budget for EMP.



## CHAPTER 7

### ADDITIONAL STUDIES

The additional studies covered for this EIA / EMP report are,

1. Public consultation
2. Risk Assessment
3. Social Impact Assessment, R&R Action Plans
4. Combined Environmental Impact Assessment Study
5. A detailed Hydrogeological Study
6. Slope Stability plan

#### **7.1 PUBLIC CONSULTATION**

After the preparation of the draft EIA/EMP report, it must be submitted to the State Pollution Control Board. A public consultation will be conducted on behalf of the Pollution Control Board through the District Collector and the officials from the PCB. A prior notice must be issued about the event, along with the time and date, in two leading newspapers. The opinions, suggestions, demands, and objections of people, NGO environmentalists, etc. are sought, and the proceedings are recorded. The replies of the proponent and corresponding officials will be recorded in the final EIA/EMP report.

#### **7.2 RISK ASSESSMENT & MANAGEMENT**

##### **(a) Objectives**

Risk assessment is a method in which possible threats/hazards which may arise during mining operations are identified so that adequate machinery/equipment are made available in precaution. The objectives of environmental risk assessment are governed by the following, which excludes natural calamities:

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

- ✦ To identify the potential hazardous areas so that necessary design safety measures can be adopted to minimize the probability of accidental events.
- ✦ To identify the potential areas of environmental disaster which can be prevented by proper design of the installations and its controlled operation.
- ✦ To manage the emergency situation or a disastrous event, if any, from the mining operation.

The major hazards related to the mining activities are as follows

- ✦ Open cast bench slope failure
- ✦ Accident due to fall of quarry sides
- ✦ Accident due to machineries
- ✦ Accident due to explosives
- ✦ Accident due to large block cutting, separation and loading

Some of the common hazards are identified and the corresponding precautionary measures are drafted.

<b>Table 7.1 Hazards and Precautionary measures</b>		
<b>S.No.</b>	<b>Hazard</b>	<b>Precautionary measures</b>
1	Fire	Fire suppressants will be made available at mines office and explosive storage room.
2	Explosion	Controlled blasting will be done. DGMS norms will be strictly followed during blasting. Blasting will be done only by trained professionals.
3	Combustion of chemicals or hazardous substances	Combustible Substances are stored with all precautionary measures. Fire suppressant is made available at storage site

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

4	Landslide	Width, height and slope will be maintained as suggested by DGMS
5	Accidents during handlings	All vehicles will be properly maintained. Overloading will not be done. Only trained/certified people will be employed.
6	Accidental fall of people or animals	The lease area will be fenced properly. Only people working in the mines will be permitted to enter.

### **7.3 REHABILITATION AND RESETTLEMENT (R & R) PLAN**

No land is acquired from people dwelling in the area. The lease area is an uninhabited land. No R & R plan is proposed.

### **7.4 COMBINED ENVIRONMENTAL IMPACT ASSESSMENT STUDY**

The details of other quarries located within the 500m radius of this project is provided below:

<b>Table 7.2 Details of quarries within 500m radius (as per 500m certificate)</b>					
<b>S.No.</b>	<b>Name and address of the Lessee</b>	<b>Village and S.F No</b>	<b>Extent in Hectare</b>	<b>Lease period</b>	<b>Remarks</b>
<b>i) Existing Quarries</b>					
Nil					
<b>ii) Abandoned quarries</b>					
Nil					
<b>iii) Present proposed quarries</b>					
1	N.Venkatesh, S/o. Natarajan, No.158, Kurinji Nagar, Vellisemmandalam, Cuddalore.	Alapirandhan Village, Cheyyar Taluk, Tiruvannamalai District. S.F.Nos.168 (Part-1)	4.50.0	Proposed Quarry	
2	S/o.Selvaraju, No.2/352, Vavipalayam, Paramathi Velur Taluk, Namakkal District.	Alapirandhan Village, S.F.No.168 (Part-2)	4.50.0	Proposed Quarry	

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

A cumulative impact of these quarries has been studied and the details are given in Chapter IV.

**7.5 AIR QUALITY IMPACT PREDICTION FOR THE CLUSTER**

The AERMOD atmospheric dispersion modeling (AERMOD Cloud remote version) is used for assessment of incremental Ground level concentration (GLC) for the cluster area. Area source model taken into consideration taking into consideration of wet drilling and loading of the cluster mines. Further line source model was taken into consideration for transportation through haul road. Baseline meteorological studies were conducted for the period of March to May 2023. The following sources are considered.

**Emission sources & Quantification of the cluster area.**

**VENKATESH MINES**

(I) POINT SOURCE EMISSION  
Drill dust emission = 0.022 gm/sec

(II) Area Emissions – Total Material handling (Rough Stone)

Quantity, TPA	961300
Operational Hours Per Year	2400
Activity Rate, t/hr.	400.5416667
Emission of dust, g/t.	0.14
Emission of dust, g /hr.	56.07583333
Area of influence, m <sup>2</sup>	625
Uncontrolled emission rate g/s/m <sup>2</sup>	0.0000249226
Controlled emission rate, PM10 g/s/m <sup>2</sup>	0.0000024923
Controlled emission rate, PM2.5 g/s/m <sup>2</sup>	0.000001047

(III) Line Source – Transport of Rough Stone from Pit to Boundary

Quantity, TPA	961300
Operational Hours Per Year	2400

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Capacity of each Dumper (T)	10
Total No. of Tippers/ year	96130
Lead length/trip, Km	0.8
Total VKT/Year	76904
Emission Kg/VKT	0.26
Total emission Kg/Year	19995.04
Uncontrolled emission rate g/s/m	5.785601852
Controlled emission rate, PM10 g/s/m	0.578560185
Controlled emission rate, PM2.5 g/s/m	0.242995278

*Note: \*Emission factor computed based on wind speed of 2 m/s, and moisture content of 10 %. + Emission factor computed based on silt content of 10 % and moisture content of 10 %*

**THENNARASU MINES**

(I) POINT SOURCE EMISSION  
Drill dust emission = 0.022 gm/sec

(II) Area Emissions – Total Material handling (Rough Stone)

Quantity, TPA	408125
Operational Hours Per Year	2400
Activity Rate, t/hr.	170.0520833
Emission of dust, g/t.	0.14
Emission of dust, g /hr.	23.80729167
Area of influence, m <sup>2</sup>	625
Uncontrolled emission rate g/s/m <sup>2</sup>	0.000010581 0
Controlled emission rate g/s/m <sup>2</sup>	0.000001058 1
Controlled emission rate, PM2.5 g/s/m <sup>2</sup>	0.000000444

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

(III) Line Source – Transport of Rough Stone from Pit to Boundary

Quantity, TPA	408125
Operational Hours Per Year	2400
Capacity of each Dumper (T)	10
Total No. of Tippers/ year	40812.5
Lead length/trip, Km	0.4
Total VKT/Year	16325
Emission Kg/VKT	0.26
Total emission Kg/Year	4244.5
Uncontrolled emission rate g/s/m	2.45630787
Controlled emission rate, PM10 g/s/m	0.245630787
Controlled emission rate, PM2.5 g/s/m	0.103164931


*Note: \*Emission factor computed based on wind speed of 2 m/s, and moisture content of 10 %. + Emission factor computed based on silt content of 10 % and moisture content of 10 %*

**Predicted emissions of the cluster:**

Predicted maximum ground level concentrations considering micro meteorological data of March 2023 to May 2023 are superimposed on the maximum baseline concentrations obtained during the study period to estimate the post project scenario, which would prevail at the post operational phase. The overall scenario with predicted concentrations over the maximum baseline concentrations is shown in the following table along with isopleths Figures 7.1 & 7.2. Various predicted emission levels in the villages surrounding site are presented in Table 7.3 below.


**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIG 7.1 Isopleth of GLC Prediction for PM<sub>10</sub>**



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**FIG 7.2 Isopleth of GLC Prediction for PM<sub>2.5</sub>**





**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

<b>Table 7.3 Concentrations of PM<sub>2.5</sub> after Project Implementation</b>					
<b>SL. No</b>	<b>Location</b>	<b>Background Concentration</b>	<b>Predicted incremental Concentration</b>	<b>Post Project Concentration</b>	<b>Statutory Limits in µg/m<sup>3</sup></b>
1	Near Mine lease area	29.3	3.87	33.7	60
2	Athi village	29.3	<3.0	32.3	
2	Kil nethapakkam village	29.1	<3.0	32.1	
3	Vada Alapirandan Pudur village	30.2	<3.0	33.2	
4	Anappathur village	34.3	<3.0	37.3	

<b>Table 7.4 Concentrations of PM<sub>10</sub> after Project Implementation</b>					
<b>SL. No</b>	<b>Location</b>	<b>Background Concentration</b>	<b>Predicted incremental Concentration</b>	<b>Post Project Concentration</b>	<b>Statutory Limits in µg/m<sup>3</sup></b>
1	Near Mine lease area	54.5	8.23	62.73	100
2	Athi village	56.4	<4.0	60.4	
2	Kil nethapakkam village	57.2	<4.0	61.2	
3	Vada Alapirandan Pudur village	60.2	<4.0	64.2	
4	Anappathur village	61.3	<4.0	65.3	

The above report seems that, even in the worst-case scenario, the resultant added concentrations with baseline figures show that the values of ambient air quality for PM<sub>10</sub> are in the range of 60.4 µg/m<sup>3</sup> to 65.3 µg/m<sup>3</sup> and for PM<sub>2.5</sub> are in the range of 32.1 µg/m<sup>3</sup> to 37.3 µg/m<sup>3</sup> which are within the statutory limits in each case. The mitigation measures undertaken in the mine for control of air pollution are given below.

- Wet drilling will be practiced in drilling operation.
- Water sprinkling will be done in haul roads & loading etc.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

- The mines workers are provided with the dust masks.
- Three layer plantation in the safety zone.
- DG sets shall be periodically maintained as per manufacturer's specifications.

### **7.6 HYDROGEOLOGICAL STUDY**

There is a canal located at 1.22km in the Western side of the lease area. Cheyyar River is located at 1.34km in the Northwestern part of the lease area. Due to the presence of these water bodies nearby, a detailed hydrogeological study has been done. As suggested in the Precise Area Communication letter, safety distances of 7.5m to adjacent Patta land and 10m to Government Poramboke land.

### **7.7 SLOPE STABILITY STUDY**

The proposed quarry is a very small quarry and the production is also less. Opencast Semi-mechanized mining with a bench height of 5m and bench width of 5m and 80° Slope is proposed. The depth of mining is proposed as 40m AGL, which is the ultimate pit limit. Also, there is no overburden since the entire mined out material will be utilized.

As far as technical factors are concerned, the following precautionary measures will be adopted:

- Strict adherence to DGMS norms
- Frequent inspection by Mines-in-charge/Mines Manager
- Bench height, width, slope will be as per DGMS norms

### **7.8 DISASTER MANAGEMENT PLAN**

Proper preventive mechanism exists already in the mines.

- Precautionary measures are well explained to all staff by the mines in-charge.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

- PPE necessary for all staff are available in the quarry. No person is allowed to enter inside without PPE. Avoiding quarrying during unfavorable environmental conditions.
- Carrying out safe blasting by following DGMS norms
- Safety equipment like fire extinguisher, first aid kit, etc are present in the mine.
- Proper maintenance of machinery used for mining
- In case of any emergency, the contact numbers of mines in-charge, mines manager, Management contact are available in the mines office.

#### **7.9 MINE CLOSURE PLAN**

The quarrying operation is proposed up to a depth of 40m AGL only, which will be achieved in 5 years. The ultimate pit dimension will be 210 x 158 x 40m AGL. After completion of quarrying operation, the mined out pit will be left as rain water harvesting pond. The quarry will be properly fenced with barbed wire.

## **CHAPTER 8**

### **PROJECT BENEFITS**

The project area is located on Government Poramboke land, thereby causing no impact on the loss of agriculture or forest land. The project will create employment opportunities in the area. There will be no adverse effect of mining on the socioeconomic status of the people; rather, mining activities will improve their standard of living. The mining activity creates employment opportunities for the local people, and this definitely raises their economic status. Apart from the overall beneficial impact of the project on the local people of the region, it is felt necessary to augment facilities in the fields of education, health, and social awareness, including concern for the environment and ecosystem.

The mining activity at proposed Rough Stone of Thiru. N. Venkatesh cluster will create direct employment opportunity for 50 local people. The PP has proposed CER amount of Rs.5,00,000 for project surrounding schools development.

## CHAPTER 9

### ENVIRONMENTAL COST BENEFIT ANALYSIS

Environmental Cost Benefit Analysis is recommended during the scoping stage, if needed. In the TOR granted by SEIAA, Tamil Nadu it is not recommended. Hence not applicable.

## CHAPTER 10

### ENVIRONMENTAL MANAGEMENT PLAN

#### **10.1 OBJECTIVES**

The Environmental Management Plan is developed to ensure that a project is implemented in an environmentally sustainable manner, where all contractors and subcontractors, including consultants, understand the potential environmental risks arising from the project and take appropriate actions to minimize those risks. EMP also ensures that the project implementation is carried out in accordance with the planned design and by taking appropriate mitigation measures to reduce adverse environmental impacts during the project's life cycle. The impacts due to this mining project are detailed in Chapter 4 and Mitigation measures at the source level and an overall Management Plan at the site level are elaborated on in this chapter.

#### **10.2 BASIS OF EMP**

The Environmental Management Plan for the proposed project activities is formulated taking into considerations the following key environmental issues.

- ✦ Project activities
- ✦ Studies on Environmental Impact Assessment
- ✦ Air & water pollution control
- ✦ Working zone environment improvement
- ✦ Occupational hazards & safety
- ✦ Environmental monitoring facilities
- ✦ Environmental management costs

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

EMP covers all phases of the project considering the impacts with mitigation measures and monitoring programme. The plan outlines the measures that will be undertaken to ensure compliance with environmental legislations and to minimize adverse impact. Details of EMP measures for implementation in the mine are given below.

<b>Table 10.1 Environmental Management Plan</b>	
<b>Environmental Parameter</b>	<b>Mitigation Measures</b>
Air	Wet drilling to suppress the dust emission from drill machine
	Regular water sprinkling on haulage road through fixed water sprinkler.
	3.2KLD of water will be used for dust suppression.
	Avoiding blasting during high wind period, night times and temperature inversion periods.
	Regular grading of haul road to clear accumulation of loose material.
	It will be ensured that vehicles are properly maintained to comply with exhaust emission requirements
	Maintenance as per operator manual of the equipment and machinery in the mines to minimizing air pollution
	Ambient Air Quality Monitoring carried out in the project area and in surrounding villages to assess the impact due to the mining activities and the efficacy of the adopted air pollution control measures.
	Afforestation for control of dust.
Surface water	A canal is located at a distance of 1.22km in Western side of lease area. Cheyyar river is located at a distance of 1.34km in the NW of lease area. Adequate safety distance is left. No dumping of material or discharge will be done in or near the canal or water body.
	Surface runoff management structures like garland drain of required length which is connected to a settling pond will be constructed around the quarry to collect the rain water.
	Monthly or after rainfall, inspection will be done to ensure performance of water management structures and systems. There is no discharge of any effluent into nearby water bodies.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Ground Water	The quarrying operation is proposed upto a depth of 40 m above ground level, Water table is found at a depth of 58m in summer and 55m in rainy seasons, hence the project will not intersect the Ground water table during entire quarry period.
Water Consumption and Wastewater generation	Water required for this project will be sourced from vendors.
	Domestic wastewater generation of 0.64 KLD will be treated in septic tank with soak pit.
	Conduct ground water and surface water monitoring for parameters specified by CPCB
Noise	The workers employed are provided with protection equipment, earmuffs and ear- plugs for the protection from high noise level generated at the mine site wherever required.
	Noise levels are controlled by using optimum explosive charge, proper delay detonators and proper stemming to prevent blow out of holes.
	Development of thick greenbelt all along the safety Zone (7.5 m and 10m) of the project area to attenuate the noise and the same will be maintained.
	Preventive maintenance of mining machinery and replacement of worn-out accessories to control noise generation.
	Annual ambient noise level monitoring are carried out in the project area and in surrounding villages to assess the impact due to the mining activities and the efficacy of the adopted noise control measures. Additional noise control measures will be adopted if required as per the observations during monitoring.
Ground Vibration and Fly Rock Control	Controlled blasting using delay detonators will be carried out to maintain the PPV value well within the prescribed standards of DGMS.
	Drilling and blasting will be carried under the supervision of qualified persons.
	Will be Ensured that blast holes are adequately stemmed for the depth of the hole and stemmed with suitable angular material.
	To be Undertake noise or vibration monitoring.
Land Environment	At conceptual stage, the mining pits will be converted into Rain Water Harvesting pit. Remaining area will be converted into greenbelt area.



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

	No external dumping i.e., outside the project area. The entire material will be sold.
	Garland drains with catch pits / settlement traps to be provided all around the project area to prevent run off affecting the surrounding lands.
	The periphery of Project area will be planted with thick plantation to arrest the fugitive dust, which will also act as acoustic barrier.
	Frequent Soil and ground water testing as per Environmental Monitoring Plan.
Top Soil / Overburden	There is no overburden anticipated during the quarrying operation.
Biological Environment	During mining, thick plantation will be carried out on the mentioned safety zone areas.
	The main attributes that retard the survival of sapling is fugitive dust, this fugitive dust can be controlled by water sprinkling on the haul roads and installing a sprinkler unit near the newly planted area.
	Regular review on Green belt development programme.
	Year wise greenbelt development plan mentioned in Chapter II will be monitored.

### **10.3 ADMINISTRATION AND TECHNICAL SETUP**

Since this is a very small quarry, the mines in-charge will take care of all environment related aspects. He will ensure effective implementation of environment management plan and to ensure compliance of environmental statutory guidelines through Mine Management Level. The action plan for monitoring consists of monitoring of following environmental components.


- ✚ Monitoring of the water/ waste water quality, air quality and solid waste generated.
- ✚ Analysis of the water and air samples collected through external laboratory.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

- ✦ Implementation and monitoring of the pollution control and protective measures/ devices which shall include financial estimation, ordering, installation of air pollution control equipment, waste water treatment plant, etc.
- ✦ Co-ordination of the environment related activities within the project as well as with outside agencies.
- ✦ Collection of health statistics of the workers and population of the surrounding villages.
- ✦ Green belt development.
- ✦ Monitoring the progress of implementation of the environmental monitoring programme.
- ✦ Compliance to statutory provisions, norms of State Pollution Control Board, Ministry of Environment and Forests and the conditions of the environmental clearance as well as the consents to establish and consents to operate.

**Fig. 10.1 Organization Chart**



**10.4 ENVIRONMENTAL POLICY**

- The Project Proponent has stipulated a well-defined Environmental policy by which the lessee is committed to conducting business with a strong environmental conscience towards the community, customers, and employees. The Environment policy is given as below.

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

- The Environment policy of "Rough Stone Quarry of Thiru. N. Venkatesh" is that the rules and commitment are driven towards conservation of the environment.
- The lessee is committed to efficient use of natural resources based on the reduce, recycle and reuse method.
- The project is committed to the identification of possible impacts and will take the necessary management steps to mitigate the impacts.
- Environment performance will be regularly monitored and reported for continual improvement of our environment and health performance.

**10.5 OCCUPATIONAL SAFETY & HEALTH MANAGEMENT**

Occupational safety and health are very closely related to productivity and a good employer-employee relationship. The main factors affecting occupational health in quarries are fugitive dust and noise. Safety of employees during quarrying operations and maintenance of mining equipment will be taken care of as per the Mines Act 1952 and Rule 29 of the Mines Rules 1955. To avoid any adverse effect on the health of workers due to dust, noise, and vibration, sufficient measures have been provided. The health status of workers in the mine will be regularly monitored under an occupational surveillance programme. Under this programme, all employees are subjected to a detailed medical examination at the time of employment. Before the induction of employees, a pre-medical checkup is done. In addition, a periodical medical checkup will be done annually for all employees.

### **10.6 COST OF ENVIRONMENTAL CONTROL MEASURES**

The effective implementation of EMP is not only reduce pollution load and comply the regulatory requirement but also increase productivity and improve marketability of product. The capital and recurring cost of EMP for the cluster of mines has been given in below table.

<b>Table 10.2 Environmental Management Plan Budget</b>		
S.No.	Budget planned for	Amount (INR)
1	Air sampling	40,000
2	Water sampling	40,000
3	Noise monitoring	20,000
4	Ground vibration test	20,000
5	Drinking water facility	1,50,000
6	Sanitary arrangement	50,000
7	Safety kits	1,00,000
8	Water sprinkling	2,00,000
9	Afforestation	1,00,000
10	Cost towards charity	50,000
<b>Total</b>		<b>7,70,000</b>

### **10.7 CONCLUSION**

Various aspects of mining activities were considered, and related impacts were evaluated. Considering all the possible ways to mitigate the Environmental concerns, an Environmental Management Plan was prepared, and INR 7,70,000 has been allocated for the same. The EMP is dynamic, flexible, and subjected to periodic review. For projects where major environmental impacts are associated, EMP will be under

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

regular review. Thus, the proper steps will be taken to accomplish all the goals mentioned in the EMP, and the project will have a positive impact on the study area.

## **CHAPTER 11**

### **SUMMARY& CONCLUSION**

#### **11.1 INTRODUCTION**

Thiru.N.Venkatesh has obtained Precise Area Communication Letter from District Collector, Tiruvannamalai District to quarry out 12,54,020m<sup>3</sup> of Rough Stone from an extent of 4.50.0Ha located in S.F. No. 168(Part-1) at Vada Alapirandan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu State.

As per EIA notification, 2006 and its subsequent amendments the proposed "Rough Stone Quarry of Thiru.N.Venkatesh" mines cluster falls under Schedule 1(a) of EIA Notification and its subsequent amendments the project comes under Category B1. The ToR for preparation of EIA/EMP report of the project was approved vide letter No.SEIAA-TN/F.No.8656/ToR-1365/2023 Dated 09.02.2023. This report has been prepared in line with the approved TOR for production of maximum excavation of 12,54,020 m<sup>3</sup> of Rough Stone.

<b>S.No.</b>	<b>Description</b>	<b>Status/Remarks</b>
1.	Sector	Non-coal mining
2.	Category of the project	B1 (Cluster)
3.	Proposed mineral	Rough Stone
4.	Type of Lease	Fresh Lease
5.	Extent of the lease	4.50.00 Ha
6.	Proposed depth of Mining	40 m AGL
7.	Method of mining	Opencast Semi-mechanized
8.	Proposed lease period	10 Years
9.	Proposed Environmental Clearance	5 Years
10.	Proposed production quantity for five years	Rough Stone - 12,54,020 m <sup>3</sup>

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

The Lessee Thiru.N.Venkatesh is an individual with sound experience in the identification, quarrying and marketing of Rough Stone. The proposed land is a Government Poramboke land and the proponent has obtained tender from the government and attached as Annexure 2.

### **11.2 LOCATION**

This project site is located in Vala Alapirandan Village, Cheyyar Taluk, Tiruvannamalai District with Latitude 12°38'06"N to 12°38'16"N & Longitude 79°36'28"E to 79°36'35"E with Survey of India Topo Sheet No. 57-P/10. To conduct the study, the proposed mine lease area (core zone) and an impact zone of 10 km radius (called buffer zone) around the proposed mine site were considered. The EIA report is based on three months baseline data (Summer season i.e. March 2023 to May 2023)

### **11.3 GEOLOGY**

The rock type noticed in the lease area is Charnockite which contains mostly Quartz and Feldspar with some ferromagnesian minerals. The Charnockite is part of peninsular Gneisses, a high grade metamorphic rock. The strike of the Charnockite formation is N40°E – S40°W with dipping towards SE70°.

### **11.4 PROJECT DESCRIPTION**

This is a proposed Rough Stone quarry by Opencast Semi-mechanized mining method with drilling and blasting. The quarrying is restricted up to a depth of 40m above ground level. The geological reserves is estimated to be 40,50,000m<sup>3</sup> of Rough Stone. The mineable reserve calculated by deducting 7.5m and 10m safety distance and bench loss. The mineable reserves is 12,54,020m<sup>3</sup> of Rough Stone which will be recovered at the rate of 100% recovery upto a depth of 40m above ground level for the period of five years.

- It is proposed to quarry out rough stone with 5m bench height, 5m width with 80° slope using conventional Open cast Semi-Mechanized method. The quarry

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

operation involves shallow jack hammer drilling, slurry blasting, excavation, Loading and transportation of Rough Stone.

- There is no overburden anticipated during entire rough stone quarrying operation.

S.No.	Type of Detail	Description
1	Sector	1(a) Non coal mining
2	Fresh/Existing project	Fresh project
3	Category	B1, because of cluster condition
4	Nature of mineral	Minor mineral, Rough Stone
5	Production	12,54,020m <sup>3</sup> of Rough Stone
6	Life	5 years
7	Waste generation and management	There is no overburden anticipated during the quarrying operation. Hence, no waste generation.
8	Bench height and width	Height and Width – 5m
9	Ultimate pit depth	40m AGL
10	End use	Rough Stone will be loaded into tippers to needy buyers for producing aggregates, M-sand.

### **11.5 PROJECT REQUIREMENTS**

The requirements of the project is given below.

S.No.	Nature of requirement	Description
1	Water requirement	Total water requirement of 5KLD which will be procured from the outside agencies. Out of 5.0KLD, drinking water requirement is 0.8 KLD, Green belt development is 1.0 KLD and for dust suppression is 3.2 KLD.
2	Power requirement	No electricity is needed for mining operations, for office demands, it will be met from the state grid.
3	Manpower requirement	Permanent employees – 30, temporary employees – 20



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

4	Financial requirement	The total project cost as per AMP will be INR 5,95,70,000, including Operational cost, Fixed Asset cost and EMP cost
5	Funds for Socio economic development	INR 5,00,000 is allocated. In addition, any demand raised by people during public hearing will also be met.

**11.6 DESCRIPTION OF LEASE AREA**

The features in the study area is given below.

<b>S. No.</b>	<b>Areas</b>	<b>Distance from proposed project</b>		
1	Areas protected under international conventions, national or local legislation for their ecological, landscape, cultural or other related value	Nil within 15km radius		
2	Areas which are important or sensitive for ecological reasons			
A	Wetlands, water courses or other water bodies,	<b>Water bodies</b>	<b>Distance (Km)</b>	<b>Direction</b>
		Pond near Pudur	0.21	W
		Canal near Vada Alappirandan	1.22	W
		Cheyyar River	1.34	WNW
		Lake	2.43	E
		Lake near Kaliyur	4.35	NW
		Tandarai Canal	6.39	NW
		Purisai Eri	6.47	SSW
		Lake near Vadanangur	6.61	S
		Anakkavur Eri	7.56	W

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

		Elanagar Lake	8.14	E
		Canal near Anumantandalam	8.71	ENE
		Lake near Mariyanallur	9.69	NNW
B	Coastal zone, biospheres	None in 10km radius		
C	Mountains, forests	None in 10km radius		
3	Areas used by protected, important or sensitive species of flora or fauna for breeding, nesting, foraging, resting, overwintering, migration	Nil within 15km radius		
4	Inland, coastal, marine or underground waters	Nil within 15km radius		
5	State, National boundaries	Nil within 15km radius		
6	Routes or facilities used by the public for access to recreation or other tourist, pilgrim areas	Nil within 15km radius		
7	Defence installations	Nil within 15km radius		
8	Densely populated or built-up area	Cheyyar – 5.5km in W		
9	Areas occupied by sensitive man-made land uses (hospitals, schools, places of worship, community facilities)	All facilities are available in Cheyyar – 7.5km in W		
10	Areas containing important, high quality or scarce resources (ground water resources, surface resources, forestry, agriculture, fisheries, tourism, minerals)	The area contains rock in many places in the surrounding area.		
11	Areas already subjected to pollution or environmental damage (those where existing legal environmental standards are exceeded)	Nil		
12	Areas susceptible to natural hazard which could cause the project to present environmental problems (earth quakes, subsidence, landslides, erosion, flooding or extreme or adverse climatic conditions) similar effects	No. The area is not prone to earthquakes, floods, etc.		

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

The baseline data collection for meteorology, air, water, noise and soil environments have been carried out during March to May 2023.

Air, water, noise and soil samples are collected and analyzed by M/S.EAU Chemical Mfg. Pvt. Ltd.

**11.7 AIR ENVIRONMENT**

The air monitoring have been carried out in 5 locations and the results are given below.

<b>DETAILS OF AMBIENT AIR QUALITY MONITORING LOCATIONS</b>				
<b>S. No.</b>	<b>Station Code</b>	<b>Locations</b>	<b>Distance &amp; Direction</b>	<b>Coordinates</b>
1	AAQ1	Project site	Core Zone	12°38'8.94"N 79°36'34.18"E
2	AAQ 2	Athi Village	0.67 Km, SE	12°38'1.54"N 79°36'51.13"E
3	AAQ 3	Kilnethapakkam Village	3.32 Km, NE	12°39'15.88"N 79°37'57.65"E
4	AAQ 4	Vada Alapiranthan Pudur Village	0.74 Km, S	12°37'46.19"N 79°36'29.48"E
5	AAQ 5	Anappathur Village	2.89 Km, SW	12°37'14.80"N 79°35'12.01"E

<b>Station ID</b>	<b>Min</b>	<b>Max</b>	<b>Avg.</b>
<b>Particulate matter PM-2.5 (µg/m<sup>3</sup>)</b>			
AAQ-1	19.3	29.3	23.0
AAQ-2	20.4	29.3	23.8
AAQ-3	18.7	29.1	24.2
AAQ-4	20.6	30.2	25.1
AAQ-5	22.2	34.3	25.3
<b>Particulate matter PM-10 (µg/m<sup>3</sup>)</b>			
AAQ-1	42.4	54.5	49.7
AAQ-2	45.1	56.4	49.4
AAQ-3	43.1	57.2	48.3
AAQ-4	45.4	60.2	52.2
AAQ-5	47.2	61.3	52.3
<b>Sulphur Di-oxide as SO<sub>2</sub> (µg/m<sup>3</sup>)</b>			
AAQ-1	3.4	5.8	4.3
AAQ-2	5.4	7.9	4.6
AAQ-3	4.0	6.4	4.8
AAQ-4	3.8	8.4	8.4
AAQ-5	4.2	7.6	8.2
<b>Oxide of Nitrogen as NO<sub>2</sub> (µg/m<sup>3</sup>)</b>			

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

Station ID	Min	Max	Avg.
AAQ-1	5.4	7.9	6.3
AAQ-2	5.8	7.6	6.7
AAQ-3	6.2	9.2	7.4
AAQ-4	6.7	11.4	8.4
AAQ-5	6.8	10.4	8.2

All the values of pollutant concentrations were found to be within the NAAQs Standards.

### 11.8 WATER ENVIRONMENT

Results of Water sampling Analysis in 5 locations									
S. No.	Test Parameter	Unit	GW1	GW2	GW3	GW4	GW5	Specification/Limit (As per IS:10500: 2012 )	
								Desirable	Permissible
1	Odour	...	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
2	Taste	...	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	pH	...	7.28	7.81	6.89	7.34	7.29	6.5 - 8.5	No Relaxation
4	Turbidity	NTU	<1	<1	<1	<1.0	<1	1	5
5	TDS	mg/L	612	236	430	995	596	500	2000
6	Fluoride,(F)	mg/L	0.36	0.13	0.21	0.39	0.24	1	1.5
7	Total Alkalinity, (CaCO <sub>3</sub> )	mg/L	319	147	160	326	254	200	600
8	Total Hardness, (CaCO <sub>3</sub> )	mg/L	431	171	235	349	408	200	600
9	Calcium,(Ca)	mg/L	83.1	43.1	56.8	64.3	74.5	75	200
10	Calcium as CaCO <sub>3</sub>		208	108	142	161.0	186		
11	Free Residual chlorine as Cl <sup>-</sup>		BDL(D.L -0.2)	BDL(D.L -0.2)	BDL (D.L - 0.2)	BDL(D. L-0.2)	BDL(D.L- 0.2)		
12	Chloride,(Cl)	mg/L	319	147	160	326	254	250	1000

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

13	Magnesium,(Mg)	mg /L	223	62.7	93.0	188	221	30	100
14	Nitrate, (NO <sub>3</sub> )	mg /L	3.26	BDL(D.L -1.0)	3.5	2.08	2.93	45	No Relaxation
15	Sulphate, (SO <sub>4</sub> )	mg /L	124	13.6	72.6	208	114	200	400
16	Chromium, (Cr)	mg /L	82.2	34.2	134	342	117	Not Specified	Not Specified
17	Iron,(Fe)	mg /L	0.09	0.08	0.05	0.15	0.12	1	No Relaxation
18	Manganese, (Mn)	mg /L	BDL(D.L -0.05)	BDL(D.L -0.05)	BDL (D.L - 0.05)	BDL(D. L-0.05)	BDL(D.L- 0.05)	0.1	0.3
19	Conductivity	µs/cm	1018	389.4	710.5	1656	985.7	Not Specified	Not Specified

All the values were found to be within permissible limits

### **11.9 NOISE ENVIRONMENT**

Noise levels were measured in 5 locations and the results are given below.

<b>S. No.</b>	<b>Station Code</b>	<b>Locations</b>	<b>Distance &amp; Direction</b>	<b>Coordinates</b>
1	N 1	Project site	Core Zone	12°38'8.94"N 79°36'34.18"E
2	N 2	Athi Village	0.67 Km, SE	12°38'1.54"N 79°36'51.13"E
3	N 3	Kilnethapakkam Village	3.32 Km, NE	12°39'15.88"N 79°37'57.65"E
4	N 4	Vada Alapiranthan Pudur Village	0.74 Km, S	12°37'46.19"N 79°36'29.48"E
5	N 5	Anappathur Village	2.89 Km, SW	12°37'14.80"N 79°35'12.01"E

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

<b>Noise monitoring results</b>					
<b>S. No</b>	<b>Location</b>	<b>Day equivalent</b>	<b>Night equivalent</b>	<b>Day equivalent limits by CPCB</b>	<b>Night equivalent limits by CPCB</b>
1	Near Mine Lease Area	45	37.7	55	45
2	Athi Village	47.3	38.1		
3	Kilnethapakkam Village	46.2	39.0		
4	Vada Alapiranthan Pudur Village	45.2	37.5		
5	Anappathur Village	48.7	38.7		

### **11.10 SOIL ENVIRONMENT**

Soil samples are collected from 3 locations and the results are given below.

<b>Table 3.6 Results of Soil Sample Analysis</b>				
<b>S.No.</b>	<b>Parameter</b>	<b>SS1 Mine lease area</b>	<b>SS2 Athi</b>	<b>SS3 Kil Nethapakkam</b>
1	pH	7.95	7.25	7.67
2	Electrical Conductivity	184.9	156.7	110.2
3	Dry Content	97.6	96.5	98.3
4	Water Content	2.4	3.5	1.7
5	Organic Mater	0.15	0.22	0.32
6	Sulphur	BDL(D.L.0.02)	BDL(D.L.0.02)	BDL(D.L.0.02)
7	Phosphorus	4.5	3.2	2.7
8	Texture	sandy loam	clay	silt loam
9	Sand	55.64	32.57	36.58
10	Clay	28.95	26.44	52.47
11	Loam	15.41	40.99	10.95
12	Total Nitrogen	53	68	102
13	Sodium	476	540	386
14	Potassium	720	910	562
15	Water Holding Capacity	3.3	3.7	3.5
16	Porosity	16.4	18.6	16.9

### **11.11 BIOLOGICAL ENVIRONMENT**

#### **FLORA**

For measuring the extent of flora present in the study area, the area is divided in to 4 quadrants. The flora population in each quadrant is summed up for the total population in the study area. Field survey is done. Erukku, Aavarai and Nayuruvi are found in lease area. In the buffer zone, common trees like Neem, papaya, mango, teak, etc and shrubs like Avarai, Aloe vera, etc, climbers like Kovai,jasmine etc are found.

#### **FAUNA**

In the study area, commonly found animals like dogs, cats, bush rat, cows, birds like crow, Myna, Sparrow, etc were found.

### **11.12 LAND USE**

The land use land cover data is found using the LANDSAT – 9 satellite imagery. The number of bands used are 11. The land use pattern is given below:

<b>S.No.</b>	<b>Type of land</b>	<b>Area in sq.km</b>
1	Built-up land	13.13
2	Canal	0.12
3	Crop land	201.15
4	Fallow land	8.34
5	Hill and forest	0.01
6	Land with scrub	7.55
7	Land without scrub	2.93
8	Mining land	2.93
9	Plantations	37.53
10	River	7.96
11	Tanks	41.54
	<b>Total</b>	<b>323.19</b>

### **11.13 SOCIO ECONOMIC ENVIRONMENT**

The socio economic environment of the study area is studied by conducting primary sites through site visits and conducting sample surveys. The secondary data obtained from Census 2011 is also used.

The following data area collected from secondary data.

- Demographic pattern.
- Health pattern
- Occupational structure.
- Amenities available.
- The expert visited 3 villages in the study area namely Athi, Vada Alapirandan Pudur and Kilnethapakkam villages.
- Discussions were held with the people from nearby locality to study the social and economic conditions prevailing in the area. The expert also visited nearby hospitals, primary health centres and Balwadis/Anganwadis.
- The following observations were made:
  - Primary schools are available in many villages.
  - For hospital facilities, people in the locality have to go to hospital in Cheyyar which is about 5.5km from the lease area.
  - Major schools with higher secondary and senior secondary schools are located in Cheyyar.
  - The major Panchayat Union located in the area is Cheyyar.
  - Facilities like petrol pump stations, ATM facility are available in Cheyyar.

### **11.14 HYDROGEOLOGY OF THE LEASE AREA**

Since there is a canal located at about 1.22km in the W, and Cheyyar River is located at 1.34km in the NW, the hydrological and hydrogeological pattern of the study area is studied in detail using satellite imagery.



**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

Cheyyar River is the major river in the lease area. But there is no running water currently in the river. Only during monsoons, water gets stagnated at a few places.

There are many tanks located in the study area, which are mostly dry throughout the year. These tanks get water only during monsoons. The factors may be monsoon failure, insufficient rainfall, poor rain water management and water consuming patterns.

### **11.15 GROUND WATER STUDY**

For Ground water study, satellite imagery is used. Water levels from monitoring levels are collected through imaging. The pre-monsoon and post-monsoon data are collected and the results are analyzed.

During field visit, it is observed that water is available in wells only after monsoon. The yield is obtained at deep levels only.

As far as the mining lease area is considered, the area is rocky and no major seepage is envisaged. The production quantity is very less and the depth proposed is 40m AGL. Hence, there will not be any major impact due to mining on water levels or ground water levels in the area.

Environmental impacts on the following environments are identified.

- Land environment
- Water environment
- Vegetation
- Fauna
- Air environment
- Noise environment
- Socio-economic impacts

### **11.16 LAND ENVIRONMENT: IMPACT AND MITIGATION MEASURES**

The major impact due to this project on land environment is the change in land use. Since this quarry is a small one and the production is less, mining activity will be

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

carried out upto 40m AGL. Other than quarrying of minerals, no other change will be done since there is no dumping. To prevent soil erosion during monsoon season, garland drain will be constructed with silt traps. At the mine closure stage, 3.85.0 Ha of lease area will be left as rain water harvesting pond. 0.25.0 Ha will be developed with green belt. For this, plants like Pongamia pinnata, Syzigium cumini, Albizia lebbeck, Thespesia populnea, Bauhinia racemose, Cassia siamea, Azadirachta indica are selected. A total of 1000 trees are planned to be planted. Spacing will be 3m x 3m.

**11.17 WATER ENVIRONMENT: IMPACT AND MITIGATION MEASURES**

There is no water body present inside the lease area. The entire water requirement for the project is 5.0KLD which will be sourced from outside agencies. Negligible sewage of 0.64 KLD will be generated, for which a septic tank with soak pit will be set up.

During monsoon season, the excess rain water, if any, will be led through garland drain of 0.6m width and 0.3 m depth to the collection pond with silt traps.

Since the mining operation will be limited upto depth of 40m AGL, there will not be any seepage. However, the rain water percolation and collection of water from seepage shall be less than 300lpm and it shall be pumped out periodically by a stand by diesel powered Centrifugal pump motivated with 7.5H.P.Motor. The quality of water is expected to be potable. Hence, water stored in the quarry pit will be pumped into the adjacent agricultural fields. Further the water can also be used for plantation purposes

The major water bodies found in the buffer zone are.

- Canal – 1.22 km – W
- Cheyyar River – 1.34 km – WNW

Since these water bodies are located outside the lease area and there is no discharge of effluent or any untreated water from the mines will be made in to these water bodies, there is no major impact. For the canal, adequate safety distance is left. The

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

proponent will restrict the mining operation only within the lease and no other work will be carried out near the canal or any area outside the lease.

It is planned to carryout appropriate rainwater harvesting schemes and artificial recharge schemes in the area.

- Rain water falling in the quarry will be collected efficiently through garland drains.
- Water thus collected will be passed through collection tank with silt traps. This water can be used by the proponent for water sprinkling and for green belt purposes.
- Excess water after desiltation will be provided to downstream users, if any

#### **11.18 BIOLOGICAL ENVIRONMENT: IMPACT AND MITIGATION MEASURES**

##### **Impacts**

- Fauna is affected due to noise and vibration.
- Dust generation due to mining activities
- Change in land use of the lease area
- Accidental falling of animals

##### **Mitigation measures**

- Sirens will be blown before blasting in the mines. To reduce noise levels, plantation will be done. Blasting will be carried out only in the allotted time.
- To reduce dust generation, mist sprayers will be used. During transportation, the material will be covered with tarpaulin. Water sprinkling will be done to reduce generation of pollutants
- After the mine closure stage, the mine pit will be left as rain water collecting tank, which can attract bird population in the nearby areas.
- To prevent entry of animals, the mining area will be properly fenced.

### **11.19 AIR ENVIRONMENT: IMPACT AND MITIGATION MEASURES**

The major air pollutants due to mining operations are fugitive emissions like PM<sub>10</sub>, PM<sub>2.5</sub>. Other than these pollutants, gaseous emissions of sulfur dioxide (SO<sub>2</sub>) and oxides of nitrogen (NO<sub>x</sub>) due to excavation/loading equipment and vehicles plying on haul roads are the cause of air pollution in the project area.

The major impacts are Dust emission due to drilling, blasting and transportation. The major mitigation measures include Using Wet drilling methods, Allowing drilling only with PPE, Carrying out blasting only during specified times, Avoiding blasting during unfavourable weather conditions, Using explosives of good quality, Using mist sprayers Regular wetting of transport, Covering the materials carried in tippers with tarpaulin, Proper maintenance of vehicles used for transportation, Conducting regular emission tests for vehicles used for transport Development of greenbelt is proposed in the safety zone of 10m and 7.5m barriers in the lease area.

The anticipated data is calculated using AERMOD software and the projected values are found to be within limits.

### **11.20 NOISE ENVIRONMENT: IMPACT AND MITIGATION MEASURES**

#### **Impacts**

- ✦ Noise generation in mining is due to operation like drilling, blasting and transportation of minerals within and outside the lease area.
- ✦ As per DGMS (Directorate General of Mines Safety) and OSHA (Occupational Safety and Health Administration) limits, the acceptable noise level is 90 dB(A) for an exposure period of 8 hours.
- ✦ Exposure to loud noise can also cause high blood pressure, heart disease, sleep disturbances, and stress. Noise pollution also impacts the health and well-being of wildlife.
- ✦ Noise exceeding prescribed limits may cause impairment like abnormal loudness perception, tinnitus, which causes a persistent high-pitched ringing in the ears, paracusis or distorted hearing

### **Mitigation measures**

- ✦ As the distance between the source and receptor increases, the noise level also decreases. Hence, there will be a natural attenuation
- ✦ The proposed has planned to develop green belt in the periphery of the lease area, which diminishes sound volume by dampening them.
- ✦ All the equipment/machinery/trucks involved will be properly maintained to control noise generation
- ✦ Conducting regular health checkups for employees involved
- ✦ Employees will be made to work on shifts to reduce their exposure time
- ✦ Providing earplugs to all employees

By adopting these measures, the noise levels will be maintained well within MoEF & CC limits since the baseline value is low.

### **11.21 VIBRATION: IMPACT AND MITIGATION MEASURES**

#### **Impacts**

- ✦ Though vibration will be only felt by the people working inside the lease area, it is usually undesired.
- ✦ Vibration may also cause flyrocks
- ✦ It may frighten the birds and small insects in the lease area. However, it will be felt only for a short period

#### **Mitigation measures**

- ✦ Carrying out blasting on limited scale, only from 12:00 PM to 2:00 PM
- ✦ Control of fly rock and vibration by maintaining peak particle velocity with in standard as prescribed by the DGMS and MOEF & CC.
- ✦ Shallow depths jackhammer drilling and blasting is proposed to be carried out with minimum use of explosive
- ✦ Supervising blasting by competent and statutory foreman/ mines manager

### **11.22 SOCIO ECONOMIC ENVIRONMENT**

#### **Impact and Mitigation measures**

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

No land is acquired from anyone. No rehabilitation is needed. Hence, there is no negative impact. The proponent has planned to spend INR 5,00,000 for CER activities. This amount will be subjected to change after public hearing.

### **11.23 OCCUPATIONAL HEALTH**

#### **Impacts**

Dust generation due to drilling and blasting, Noise generation due to drilling and blasting, unexpected accidents. Continuous exposure to dust causes Pneumonia, Tuberculosis, Rheumatic arthritis and Segmental Vibration, Short term impact will be lack of sleep, high blood pressure and heart ailments. Long term exposure may lead to partial or permanent deafness, Risks include fly rocks, cracks or fissures due to improper mining methods

#### **Mitigation measures**

- Using dust suppression measures like water spraying on roads to reduce rise of air pollutants
- Providing green belt for air pollutant and noise attenuation
- Ensuring slope stability
- Employing only trained professionals for blasting
- Conducting Pre-Medical Examination for employees before inducting
- Conducting periodical Medical Examination once in 6 months.
- Making all first aid kits available in mines office
- Keeping fire extinguisher in place
- Educating the employees about how to handle unexpected happenings
- Posting information containing emergency contact numbers in mines office
- By adopting all these measures, the safety of the employees working in the quarry will be ensured.

### **11.24 ENVIRONMENTAL MONITORING PROGRAMME**

Monitoring is done to measure the efficiency of control measures implemented. Regular monitoring of various environmental parameters like air, water, noise and soil environments is needed to assess the status of environment during the project operation. A schedule is framed with timeline to monitor various parameters during the operation of the project. To evaluate the effectiveness of environmental management programme, regular monitoring of the important environmental parameters will be taken up. Air monitoring will be carried out once in 3 months, water sample will be collected once in a season, noise will be monitored once in 3 months, soil samples will be analyzed once per season. For EMP, a budget of INR 7,70,000 is allocated.

### **11.25 PROJECT BENEFITS**

#### **Financial benefits**

- This project will contribute financially through payment of taxes like royalty, GST, etc
- The project will also contribute via CSR.
- The demands of people during public hearing will also be considered by the project proponent

#### **Social benefits**

- This project provides employment to 50 people directly. Local people will be hired for unskilled labour.
- Through CSR, nearby schools, hospitals will be benefitted.
- For CSR, INR 5,00,000 is allocated.
- Based on the demand of the people during public hearing, further funds will be allocated, if necessary.
- Various aspects of mining activities were considered and related impacts were evaluated. Considering all the possible ways to mitigate the environmental

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

---

concerns Environmental Management Plan was prepared and INR 7,70,000 has been allocated for the same. The EMP is dynamic, flexible and subjected to periodic review. For project where the major environmental impacts are associated, EMP will be under regular review. Thus, the proper steps will be taken to accomplish all the goals mentioned in the EMP and the project will bring the positive impact in the study area.



## CHAPTER 12

### DISCLOSURE OF CONSULTANTS

*Global Mining Solutions is a NABET Accredited EIA consultant as per NABET certificate NABET/EIA/2326/IA 0110. The registered office of Global Mining Solutions is at Plot No.6, S.F.No.13/2 A2, VS City, RC Chettypatty, Kottamettupatty, Omalur, Salem, Tamilnadu-636455.*

*Declaration by Experts contributing to the proposed Rough Stone Quarry over an extent of 4.50.0 Ha, while total cluster area of 9.00 Ha at Vada Alapirandan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.*

*I, hereby, certify that I was a part of the EIA team that developed the above EIA.*

*EIA Coordinator Name: M. Manikandan*

*Signature & Date*

*Period of involvement: March 2023 to May 2023.*

**Contact information:**






**M/s Global Mining Solutions**

**Plot No.6, SF No. 13/2, A2, VS City, RC Chettypatty,**





**Kottamettupatty, Omalur,**

**Salem, Tamil Nadu – 636 455**

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

<b>S. No.</b>	<b>Functional areas</b>	<b>Name of the expert/s</b>	<b>Involvement (period and task**)</b>	<b>Signature and Date</b>
1	AP	Dhanalakshmi Ramanathan	Assessment of existing air quality, Impact of the project on ambient air and suggested mitigation measures for air pollution.  <u>Period: March 2023 to May 2023.</u>	
2	WP	Abirami Kaliaperumal	Assessment of existing water quality, impact of the project on surface and ground water quality, suggested mitigation measures for minimizing the impact.  <u>Period: March 2023 to May 2023.</u>	
3	SHW	Ramadoss N	Assessment of waste generated from the project, suggested waste management practices.  <u>Period: March 2023 to May 2023.</u>	
4	SE	Sarasvathy K	Baseline SE study. Data compilation and assessment. Impact of the project on SE status of the area. Formulation of CER plan.  <u>Period: March 2023 to May 2023.</u>	
5	EB	Saravanan S	Baseline data collection of related to ecology of the area.  <u>Period: March 2023 to May 2023.</u>	

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**



6	HG	Ravinthiran N	<p>Hydrogeological feature of the area. Ground water depth and impact of project on ground water of the area.</p> <p><u>Period: March 2023 to May 2023.</u></p>	
7	AQ	Srilatha Thiruveedhula	<p>Air quality modeling utilizing the area source model. Predication of the ground level concentration of the dust. Suggesting suitable mitigation measures.</p> <p><u>Period: March 2023 to May 2023.</u></p>	
8	NV	Dhanalakshmi Ramanathan	<p>Ambient noise study of the area. Incremental noise generation due to quarry operation and impact of the noise due to the project.</p> <p><u>Period: March 2023 to May 2023.</u></p>	
9	LU	Dhanalakshmi Ramanathan	<p>Preparation of land use map based on satellite imagery. Land use classification and analysis. Impact prediction of the project on the surrounding land environment.</p> <p><u>Period: March 2023 to May 2023.</u></p>	

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

10	RH	S.V. Prashant	<p><i>Identification of the Risk related to the mining activities. Preparation of emergency disaster management plan. Plan for supply of safety equipment for the worker.</i></p> <p><u>Period: March 2023 to May 2023.</u></p>	<i>S.V. Prashant</i>
11	SC	Shisupal Sing	<p><i>Soil monitoring, secondary data collection on soil type, soil management practices, utilization of topsoil.</i></p> <p><u>Period: March 2023 to May 2023.</u></p>	<i>Shisupal Sing</i>
12	GEO	Valliappan Meyyappan	<p><i>Geological map, stability of quarry and dump, management plan for mine stability, after use of mining quarry and geological feature of the area.</i></p> <p><u>Period: March 2023 to May 2023.</u></p>	<i>Valliappan Meyyappan</i>

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**TM-FAE:**

S.No	Name of TM (FAE)	Functional Area	Approved FAE (to work under)	Period of involvement	Type of work	Signature
1	M. Prabu	LU	T.Srilatha	March to May 2023	Associated with FAE in preparing Land use map based on satellite imagery, Land use classification and analysis, Impact prediction on surrounding land environment	
		HG	Ashok Kumar		Associated with FAE in studying hydrogeological pattern of study area, Studying ground water and the impact of the project on ground water	
2	M. Manikandan	EB	S.Saravanan	March to May 2023	Associated with the expert in baseline data collection related to ecology of the study area	
		SC	Shishupal Singh		Associated with the expert in Soil monitoring, secondary data collection on soil type, soil management practices, utilization of top soil	


**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

**TM-FAA:**

S.No	Name of TM (FAE)	Functional Area	Approved FAE (to work under)	Period of involvement	Type of work	Signature
1	Suresh	WP	<i>Abirami Kaliaperumal</i>	March to May 2023	Associated with the expert in assessing existing water quality, studying impact of the project on surface and ground water quality, suggesting mitigation measures for minimizing impact	<i>M. Suresh</i>
		AP	Dhanalakshmi		Associated with expert in assessing existing air quality, impact of the project on ambient air and suggesting mitigation measures for air pollution	
		HG	Ashok Kumar		Associated with FAE in studying hydrogeological pattern of study area, Studying ground water and the impact of the project on ground water	
2	S. Kamaraj	SC	Shishupal Singh	March to May 2023	Associated with the expert in Soil monitoring, secondary data collection on soil type, soil	

**DRAFT EIA/EMP FOR THE PROPOSED VADA AALAPIRANDHAN ROUGH STONE QUARRY OF THIRU.N. VENKATESH OVER AN EXTENT OF 4.50.0 HA., LOCATED AT SURVEY NO. 168 (PART-1) OF VADA AALAPIRANDHAN VILLAGE, CHEYYAR TALUK, TIRUVANNAMALAI DISTRICT, TAMIL NADU.**

					management practices, utilization of top soil	
		RH	S.V.Prashant		Associated with the expert in Identification of the Risk related to the mining activities. Preparation of emergency disaster management plan. Plan for supply of safety equipment for the workers	<i>S. Kanyal</i>



**ANNEXURE-1**





பொருள்: கனிமங்களும் குவாரிகளும் - திருவண்ணாமலை மாவட்டம் - செய்யார் வட்டம் - வட ஆளபிறந்தான் கிராமம் - அரசு புறம்போக்கு - புல எண் 168 (பகுதி-1)-ல் 450.0 ஹெக்டேர் 10 ஆண்டுகளுக்கு கல்குவாரி செய்ய குத்தகை உரிமம் வழங்கும் பொருட்டு திருவண்ணாமலை மாவட்ட அரசிதழ் சிறப்பு வெளியீடு - 1ன்படி அறிவிப்பு செய்யப்பட்டு 22.01.2019 அன்று ஏலம் நடத்தப்பட்டது - திரு.Nவெங்கடேஷ், த/பெ. நடராஜன், கடலூர் என்பவருக்கு - ஏலம் உறுதி செய்யப்பட்டது - ஏலத்தொகை முழுவதும் வசூலிக்கப்பட்டு அரசு கணக்கில் செலுத்தப்பட்டது - ஒப்புதல் பெறப்பட்ட சுரங்க திட்ட அறிக்கை மற்றும் சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணைய தடையின்மைச் சான்று பெற்று சமர்ப்பிக்க அறிவுறுத்துதல் - தொடர்பாக.

- பார்வை:
1. திருவண்ணாமலை மாவட்ட அரசிதழ் சிறப்பு வெளியீடு எண் 1, நாள்: 03.01.2019.
  2. திரு.Nவெங்கடேஷ் த/பெ. நடராஜன், எண் 158, குறிஞ்சி நகர், வெளிச்செம்மண்டலம், கடலூர் என்பவரின் ஏல விண்ணப்பம், நாள் 22.01.2019.
  3. இவ்வலுவலக குறிப்பாணை ந.க.எண்.390/கனிமம்/2017, நாள் 22.01.2019.
  4. திரு.Nவெங்கடேஷ் த/பெ. நடராஜன், கடலூர் என்பவரின் கடிதம் நாள் 22.01.2019.
  5. அரசாணை எண். 79, தொழில்(எம்.எம்.சி1)துறை, நாள் 06.04.2015.

\*\*\*\*\*

திருவண்ணாமலை மாவட்ட அரசிதழ் சிறப்பு வெளியீடு எண் 1, நாள் 03.01.2019-ல் திருவண்ணாமலை மாவட்டம், செய்யார் வட்டம், வட ஆளபிறந்தான் கிராம அரசு புறம்போக்கு புல எண் 168 (பகுதி-1)-ல் 450.0 ஹெக்டேர் பரப்பிலுள்ள புதிய கற்குவாரியினை பத்து ஆண்டுகளுக்கு டெண்டர் / ஏலம் முறையில் குத்தகை உரிமம் வழங்கும் பொருட்டு 21.01.2019 மாலை 5 மணி வரை டெண்டர் விண்ணப்பங்கள் பெறப்படும் என்றும் அதனை தொடர்ந்து 22.01.2019 அன்று பொது ஏலம் நடைபெறும் என அறிவிப்பு செய்யப்பட்டது.

2. மேற்கண்ட அறிவிப்பின் படி 21.01.2019 மாலை 5 மணி வரை 8 டெண்டர் விண்ணப்பங்கள் வரப்பெற்றது. அதனை தொடர்ந்து 22.01.2019 அன்று நடைபெற்ற பொது ஏலத்தில் மேற்படி டெண்டர் தாரர்கள் உட்பட 32 நபர்கள் பங்கு பெற்றனர். மேற்படி குவாரிக்கு உயர்ந்தபட்ச ஏலத்தொகையாக ரூ.5,04,00,000/- (ரூபாய் ஐந்து கோடியே நான்கு லட்சம் மட்டும்) திரு.Nவெங்கடேஷ் த/பெ. நடராஜன், கடலூர் என்பவரால் ஏலம் கோரப்பட்டது. அதனை தொடர்ந்து டெண்டர் விண்ணப்பங்கள் திறக்கப்பட்டு பரிசீலிக்கப்பட்டதில் மேற்படி குவாரிக்கு அதிக பட்ச



டெண்டர் தொகையாக ரூ.3,00,00,000/-ஐ திரு.M.மகுடேஸ்வரன் என்பவர் குறிப்பிட்டிருந்தார். பொது ஏலத்தில் கோரப்பட்ட உயர்ந்த பட்ட தொகையானது டெண்டரில் குறிப்பிட்டிருந்த அதிகபட்ச தொகையைக் காட்டிலும் கூடுதலாக இருந்ததாலும் மேற்படி ஏலத்தொகையானது மேற்படி குவாரிக்கு அரசால் நிர்ணயம் செய்யப்பட்ட குறுமத்தொகை ரூ.2,28,47,499/-ஐக் காட்டிலும் கூடுதலாக இருந்ததால் திரு.N.வெங்கடேசன் என்பவரை உயர்ந்தபட்ச ஏலதாரராக அறிவிக்கப்பட்டு மேற்படி ஏலத்தொகையில் 10% தொகைக்கு ரூ.50,50,000/-ஐ ஏலம் நடந்த அன்றே காசோலைகள் மூலம் வசூல் செய்யப்பட்டு ஏலம் உறுதி செய்யப்பட்டது.

3. பார்வை 3-ல் காணும் குறிப்பாணையில் அறிவுறுத்தியவாறு ஏலதாரர் ஏலத்தொகையில் ஏற்கனவே செலுத்தப்பட்ட ரூ.50,50,000/- மற்றும் பிணை வைப்புத்தொகையான ரூ.25000/- நீங்கலாக மீதமுள்ள தொகையான ரூ.4,53,25,000/-ஐ குறிப்பிட்ட கால கெடுவிற்குள் காசோலைகளாக பார்வை 4-ல் காணும் கடிதம் மூலம் செலுத்தப்பட்டது மேற்படி காசோலைகள் பாரத ஸ்டேட் வங்கி, திருவண்ணாமலை கிளை மூலம் காசாக்கம் செய்து உரிய அரசு கணக்கில் 14.03.2019 மற்றும் 15.03.2019 அன்று வரவு வைக்கப்பட்டுள்ளது.

4. மேலும், மேற்கண்ட ஏலத்தொகைக்கு 2% வீதம் வருமானவரி பிடித்தம் (TDS) கணக்கிட்டு ரூ.10,08,000/-ஐ திருவண்ணாமலை பாரத மாநில வங்கி மூலம் 11.02.2019 அன்று செலுத்தி அசல் ஆவணங்களை இவ்வலுவலகத்தில் சமர்ப்பித்துள்ளார்.

5. எனவே, ஏலதாரர் திரு.N.வெங்கடேஷ் த/பெ. நடராஜன், கடலூர் என்பவருக்கு திருவண்ணாமலை மாவட்டம், செய்யார் வட்டம், வட ஆளபிறந்தான் கிராம அரசு புறம்போக்கு, புல எண்.168 (பகுதி-1)-ல், 4,50.0 பரப்பினை 10 ஆண்டுகளுக்கு கற்குவாரி செய்ய உகந்த புலம் (Precise Area) என தீர்மானித்து கீழ்க்கண்ட நிபந்தனைகளுக்கு உட்பட்டு அறிவிப்பு செய்யப்படுகிறது.

#### நிபந்தனைகள்

1. அருகில் உள்ள பட்டா மற்றும் புறம்போக்கு நிலங்களுக்கு முறையே 7.5மீ மற்றும் 10மீ பாதுகாப்பு இடைவெளி விடவேண்டும்.
2. நிலையான அமைப்புகளுக்கு (நீர் நிலைகள், நெற்றுஞ்சாலைகள், மின் சாதனங்கள், இரயில் பாதைகள்) 50மீ பாதுகாப்பு இடைவெளி விடவேண்டும்.
3. அருகில் உள்ள நிலங்களுக்கும் மற்றும் பொதுமக்களுக்கும் எவ்வித பாதிப்புமின்றி குவாரிப்பணி மேற்கொள்ள வேண்டும்.



4. குவாரிப்பணி ஆரம்பிப்பதற்கு முன்பாக குத்தகை உரிமம் வழங்கப்பட்ட புலத்தினைச் சுற்றி முன்கம்பி வேலி அமைத்து குத்தகை காலம் முழுவதும் பராமரித்து வரவேண்டும்.
5. பாறைகளைத் தகர்க்க கைத்துளைப்பான்களை பாறைகளை துளையிட்டு குறைவான வெடிபொருட்கள் பயன்படுத்த வேண்டும்.
6. குவாரிப்பணியினை விஞ்ஞானப்பூர்வமாகவும், முறையாகவும் மேற்கொள்ள வேண்டும்.

6. அரசாணை எண்.79 தொழில் எம்.எம்.சி1 துறை நாள்.06.04.2015 மூலம் அமுல்படுத்தப்பட்ட தமிழ்நாடு சிறுகனிம சலுகை விதிகள் 1959 விதிகள் 41 மற்றும் 42-ன்படி கல் மற்றும் இதர சிறு கனிமங்களுக்கு குவாரி குத்தகை உரிமம் வழங்கும் முன்பு ஒப்புதல் பெறப்பட்ட சுரங்கத்திட்ட அறிக்கை மற்றும் சுற்றுத்தழல் தாக்க மதிப்பீட்டு ஆணைய தடையின்மை சான்று பெறப்பட வேண்டும் என வரையறுக்கப்பட்டுள்ளது.

7. ஆதலால், ஏலதாரர் திரு.N.வெங்கடேஷ் த/பெ. நடராஜன், கடலூர் என்பவர் தமிழ்நாடு சிறுகனிம சலுகை விதிகள் 1959 விதிகள் 41 மற்றும் 42-ன்படி ஒப்புதல் பெறப்பட்ட சுரங்கத்திட்ட அறிக்கை மற்றும் சுற்றுத்தழல் தாக்க மதிப்பீட்டு ஆணைய தடையின்மைச் சான்றினை பெற்று சமர்ப்பிக்கும் பட்சத்தில் செய்யார் வட்டம், வட ஆளபிறந்தான் கிராம அரசு புறம்போக்கு, புல எண்.168 (பகுதி-1)-ல் 4.50.0 ஹெக்டேர் பரப்பில் கற்குவாரி செய்ய 1959-ஆம் வருடத்திய தமிழ்நாடு சிறுகனிம சலுகை விதிகளின், விதி 8(6)(a)-ன்படி 10 ஆண்டுகளுக்கு குத்தகை உரிமம் வழங்க உரிய நடவடிக்கை மேற்கொள்ளப்படும் என்ற விவரம் தெரிவிக்கப்படுகிறது.

8. எனவே, ஏலதாரர் இவ்வறிவிப்பு கிடைக்கபெற்ற 90 நாட்களுக்குள் மேற்சொன்ன நிபந்தனைகளையும் குறிக்கும் வகையில் வரைவு சுரங்கத்திட்ட அறிக்கை தயார் செய்து உதவி இயக்குநர், புவியியல் மற்றும் சுரங்கத்துறை திருவண்ணாமலை மாவட்டம் அவர்களிடம் ஒப்புதல் பெற சமர்ப்பிக்குமாறு அறிவுறுத்தப்படுகிறார்.

.. (ஒம்)XXXXXXX,

மாவட்ட ஆட்சித்தலைவர்,

திருவண்ணாமலை.

|| உண்மை நகல் || உத்திரவுப்படி ||

*(Handwritten Signature)*  
மாவட்ட ஆட்சித்தலைவருக்காக  
திருவண்ணாமலை.

பெறுநர்:


திரு.N.வெங்கடேஷ்,

த/பெ. நடராஜன்,

எண்.158, குறிஞ்சி நகர், வெளிச்செம்மண்டலம், கடலூர்.

நகல்:-

ஏலதாரர் சுரங்கத்திட்ட அறிக்கை தயார் செய்யவும் குத்தகை வட்டாட்சியர் - ஒப்பந்தம் நிறைவேற்ற ஏதுவாக குத்தகை உரிமம் வழங்க பரிந்துரை செய்யப்பட்ட பகுதியினை புல வரைப்படத்திஷ் குறியிட்டு ஒப்பம் செய்து முப்பிரதிகளில் வழங்க வேண்டி.



**ANNEXURE-2**

From

Dr.G.Panneer Selvam M.Sc., M.Phil., Ph.D.,  
Assistant Director,  
Geology and Mining,  
Tiruvannamalai - 4.

To

Thiru.N.Venkatesh,  
S/o.Natarajan,  
No.158, Kurinji Nagar,  
Vellisemmandalam,  
Cuddalore District.

**Rc.No. 16/Kanimam/2019, dated: .06.2019.**

Sir,

Sub: Mines and Minerals - Minor Mineral - Rough stone -  
Tiruvannamalai District - Cheyyar Taluk - Vada Alapirandhan  
Village - Govt. Poramboke Land in S.F.No.168 (Part-1) over  
an extent of 4.50.0 Hectare - Tender cum Auction  
conducted for Rough Stone quarry lease - Tender/Auction  
application preferred by Thiru.N.Venkatesh, Cuddalore -  
Highest Bidder - Precise area communicated - Submission of  
Mining Plan for approval - Approved - Regarding.

- Ref: 1. Tender/Auction application preferred by  
Thiru.N.Venkatesh, Cuddalore dated 22.01.2019.
2. Precise Area Communication Notice  
Rc.No.16/Kanimam/2019, dated 28.05.2019.
3. Mining Plan submitted by Thiru.N.Venkatesh,  
Cuddalore dated 03.06.2019.

\*\*\*\*\*

In the reference (2)<sup>nd</sup> cited, the District Collector, Tiruvannamalai has communicated the S.F.No.168 (Part-1), over an extent of 4.50.0 Hect of Vada Aalapirandhan Village, Cheyyar Taluk as precise area to the applicant Thiru.N.Venkatesh, Cuddalore for grant of quarry lease for quarrying Rough Stone for a period of 10 years with a direction to produce an approved mining plan in respect of the precise area as per Rule 41 of Tamil Nadu Minor Mineral Concession Rules, 1959 by incorporating the conditions stipulated in the District Collector letter dated 28.05.2019.

2. In response to the precise area communication letter issued by the District Collector vide reference 2<sup>nd</sup> cited, the applicant has submitted three copies of mining plan duly prepared by Qualified Person for approval vide reference 3<sup>rd</sup> cited.

3. The draft mining plan submitted in respect of the precise area communication has been examined with reference to the provisions of Rule 41 of Tamil Nadu Minor Mineral Concession Rules, 1959 and the followings are observed.

i) Even though the proposed lease is for 10 years, the applicant has submitted the draft mining plan only for the period of first 5 years.

ii) All the conditions stipulated in the District Collector Letter No.16/Kanimam/2019 dated: 28.05.2019 have been incorporated in the mining plan.

iii) The boundary Co-ordinates (GPS readings) for the entire boundary pillars of the area have been incorporated and shown in the mining plan.

iv) The reserves estimated in the mining plan is

Details	Geological reserves in Cu.m	Mineable Reserves in Cu.m	Production for the 1 <sup>st</sup> 5 years in Cu.m
Depth persistence in Mts.	90 M (40 m above Ground Level 50 m below Ground Level)	90 M (40 m above Ground Level 50 m below Ground Level)	60 M (40 m above Ground Level 20 m below Ground Level)
ROM	Rough Stone: 40,50,000	Rough Stone : 24,97,020	Rough Stone: 19,19,520
Recovery 100%	Rough Stone: 40,50,000	Rough Stone : 24,97,020	Rough Stone: 19,19,520

4. In the light of the above, in exercise of the powers conferred under Rule 41 (7) of Tamil Nadu Minor Mineral Concession Rules, 1959 the mining plan in respect of Rough Stone quarry of Thiru.N.Venkatash, Cuddalore is approved subject to the following conditions.

i) The mining plan is approved without prejudice to any other Law applicable to the quarry lease from time to time whether such Laws are made by the Central Government, State Government or any other authority.


ii) The approval of the mining plan does not in any way imply the approval of the Government it terms of any other provisions of the Mines and Minerals (Development and Regulation) Act 1957, or any other connected laws including Forest (Conservation) Act, 1980, Forest Conservation Rules 1981, Environment Protection Act, 1980, Forest

Conservation Rules,1981, Environment Protection Act, 1980, Indian Explosives Act, 1884 (Central Act IV of 1884) and the rules made there under and the Tamil Nadu Minor Mineral Concession Rules, 1959.

iii) The mining Plan is approved without prejudice to any other order or direction from any court of competent jurisdiction.

iv) Quarrying operations and production shall be carried out as per the approved Mining Plan and the applicant shall be liable to pay the cost of mineral if there is any deviation in the quantum indicated in the approved year wise quantum of production and any such cases as on date are to be dealt with as per Court direction.

**Encl:** 2 Copies of Approved Mining Plan .

  
Assistant Director,  
Geology and Mining,  
Tiruvannamalai.

Copy submitted to:

1. The Chairman, SEIAA,  
Tamil Nadu, 3<sup>rd</sup> Floor, Panagal Maaligai,  
No.1, Jeenis Road, Saidapet, Chennai-15.
2. The Commissioner of Geology and Mining, Chennai-32.
3. The District Collector, Tiruvannamalai.

# MINING PLAN FOR VADA AALAPIRANDHAN ROUGH STONE QUARRY



(Prepared under rule 8, 41 and 42 of Tamil Nadu Minor Mineral Concession Rules, 1959)

## LOCATION OF THE QUARRY LEASE APPLIED AREA

STATE : TAMIL NADU  
DISTRICT : TIRUVANNAMALAI  
TALUK : CHEYYAR TALUK,  
VILLAGE : VADA AALAPIRANDHAN  
S.F.NO : 168(PART-1)  
EXTENT : 4.50.0Ha

For

## APPLICANT

**Thiru.N.Venkatesh,**  
S/o. Natarajan,  
No.158, Kurinji Nagar,  
Vellisemmandalam,  
Cuddalore District.

## PREPARED BY

**C.NATARAJAN, M.Sc.,M.Phil.,**

**RQP/MAS/004/87/A**

(Valid Upto-22.10.2021)


93/36-E2, Subramaniyar Kovil Street,  
Omalur Taluk, Salem District,  
Tamil Nadu, PIN-636 455.

Mobile : 97502 23535 - 94446 54520.

Email : [geoprabu@gmail.com](mailto:geoprabu@gmail.com),

[infoglobalmining@gmail.com](mailto:infoglobalmining@gmail.com).





N.Venkatesh,  
S/o. Natarajan,  
No.158, Kurinji Nagar,  
Vellisemmandalam,  
Cuddalore District.

**CONSENT LETTER FROM THE APPLICANT**

The Mining Plan in respect of **Rough stone** quarry over an extent of 4.50.0Ha of **(Government land)** in S.F.No.168(Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu State has been prepared by

**C.Natarajan, M.Sc., M.Phil.,**  
**RQP/MAS/004/87/A**

I request the Assistant Director, Department of Geology and Mining, Tiruvannamalai District to make further correspondence regarding modifications of the Mining Plan with the said Recognized Qualified Person on this following address.

**C.Natarajan, M.Sc., M.Phil.,**  
**RQP/MAS/004/87/A**

No.93/36E2, SubramaniyarKovil Street,  
Omalur Taluk, Salem District,  
Tamil Nadu, Pin-636 455.  
Mobile: 9750223535 & 94446 54520.

I hereby undertake that all modifications so made in the Mining Plan by the Recognized Qualified Person may be deemed to have been made with my knowledge and consent and shall be acceptable to me and building on me in all respects.

Signature of the Applicant

N.Venkatesh,

Place: Cuddalore

Date:

N.Venkatesh,  
S/o. Natarajan,  
No.158, Kurinji Nagar,  
Vellisemmandalam,  
Cuddalore District.

**DECLARATION**

The Mining Plan in respect of **Rough stone** quarry over an extent of 4.50.0Ha of (**Government lands**) in S.F.No.168(Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu State has been prepared with my consultation and I have understood the contents and agree to implement the same in accordance with the Mining Laws.

Signature of the Applicant



N.Venkatesh,

Place: Cuddalore

Date:

**C.Natarajan, M.Sc., M.Phil.,**


**RQP/MAS/004/87/A**

No.93/36E2, Subramaniyar Kovil Street,

Omalar Taluk, Salem District,

Tamil Nadu, Pin-636 455.

Mobile: 9750223535 & 94446 54520.




**CERTIFICATE**

This is to certify that, the provisions of Minor Minerals Conservation and Development Rules, 2010 (MMCDR) have been observed in the Mining Plan for the grant of **Rough stone** quarry lease over an extent of 4.50.0Ha of (**Government lands**) in S.F.No.168(Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu State applied by Thiru.N.Venkatesh, for fresh quarry lease.

Wherever specific permission / exemptions / relaxations or approvals are required, the applicant will approach the concerned authorities of State and Central Governments for granting such permissions etc.

Certified

Signature of Recognized Qualified Person.

  
**C.Natarajan, M.Sc., M.Phil.,**

**RQP/MAS/004/87/A**


**C. NATARAJAN, M.Sc., M.Phil.,**

**RECOGNISED QUALIFIED PERSON,**

**RQP / MAS / 004 / 87 / A**

Place: Salem

Date:



**C.Natarajan, M.Sc., M.Phil.,**

**RQP/MAS/004/87/A**

No.93/36E2, SubramaniyarKovil Street,

Omalur Taluk, Salem District,

Tamil Nadu, Pin-636 455.

Mobile: 9750223535 & 94446 54520.

**CERTIFICATE**

Certified that, in preparation of Mining Plan for **Rough stone** quarry over an extent of 4.50.0Ha of (**Government land**) in S.F.No.168(Part-1) of Vada Aalampirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu State for Thiru.N.Venkatesh, covers all the provisions of Mines Act, Rules, and Regulations etc made there under and whenever specific permission are required, the applicant will approach the Director General of Mines Safety, Chennai. The standards prescribed by DGMS in respect of Mines Health will be strictly implemented.

Certified

Signature of Recognized Qualified Person.

**C.Natarajan, M.Sc., M.Phil.,**

**RQP/MAS/004/87/A**

**C. NATARAJAN, M.Sc., M.Phil.,**  
**RECOGNISED QUALIFIED PERSON,**

**RQP / MAS / 004 / 87 / A**

Place: Salem

Date:

**CONTENTS**



S. No.	Description	Page No.
1.0	Introduction	1
2.0	General Information	4
3.0	Location	4
4.0	Geology and Mineral Reserves	5
5.0	Mining	8
6.0	Blasting	11
7.0	Mine Drainage	12
8.0	Other Permanent Structures	13
9.0	Employment Potentials & Welfare Measures	13
10.0	Environment Management Plan	15
11.0	Mine Closure Plan	18
12.0	Any Other Details Intend to furnish by the Applicant	19




**Annexure**

Sl. No.	Description	Annexure No.
1.0	Precise Area Communication letter issued by the District Collector	I
2.0	Copy of FMB	II
3.0	Copy of Village map	III
4.0	Copy of Adangal	IV
5.0	Copy of A Register	V
6.0	Copy of Identity Proof	VI
7.0	Copy of RQP Certificate	VII

**LIST OF PLATES**

S. No.	Description	Plate No.
1.0	Location Plan	I
2.0	Environmental Plan	I-A
3.0	Satellite image map	I-B
4.0	Topo sketch of Quarry lease area for 10Km Radius	I-C
5.0	Key Plan	I-D
6.0	Quarry lease & Surface plan	II
7.0	Topography, Geological, Year wise Development and Production Plan & Section	III
8.0	Conceptual Plan & Section	IV



## MINING PLAN FOR MINOR MINERALS


### ROUGH STONE

Over an extent of 4.50.0hectares of Government lands in S.F.No.168(Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu State.

(PREPARED UNDER RULE 8, 41 and 42 OF TNMMCR 1959)

#### 1.0 Introduction and Executive Summary;

1. The present mining plan is prepared for Thiru.N.Venkatesh, S/o. Natarajan, residing at No.158, Kurinji Nagar, Vellisemmandalam, Cuddalore District.
2. The application was processed by the District Collector, Tiruvannamalai and passed an order vide Rc.No.16/Mines/2019 dated 28.05.2019 directing the applicant to produce approved Mining Plan and Environmental Clearance certificate from the State Level Environmental Impact Assessment Authority(SEIAA)/District Level Environmental Impact Assessment Authority (DEIAA) for the grant of quarry lease to quarry **Rough Stone** over an extent 4.50.0Hectares of Government lands in S.F.No.168(Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District of Tamil Nadu State for a period of **Five** years.
3. Accordingly, Mining Plan is prepared under the provisions of rule 8, 41 and 42 as per the amendments under Tamil Nadu Minor Mineral Concession Rules, 1959 by incorporating the conditions imposed in the precise area communication letter.
4. Geological Resources is estimated at 40,50,000m<sup>3</sup> of Rough Stone and Mineable Reserves is estimated at 24,97,020m<sup>3</sup> of **Rough Stone** after leaving necessary safety distance from the lease boundary as indicated in the precise area letter and relevant mining laws in force.
5. Production Schedule is proposed an average production of 19,19,520m<sup>3</sup> of **Rough Stone** for the period of five years.



6. Environmental parameters,

- i) The area does not attract the Forest Conservation Act, 1980 as there is no forest around 10Kms radius.
- ii) There is no interstate boundary around 10Kms radius.
- iii) There is no wild life animal sanctuary within 10Kms radius form the project site area under the Wildlife (Protection) Act, 1972.

Therefore the project seeks clearance only from State Level Environmental Impact Assessment Authority (SEIAA)/District Level Environmental Impact Assessment Authority (DEIAA), under B2 Category.

7. Environmental measures to be adopted shall be,

- i) Dust Control at source while drilling and blasting,
- ii) Dust suppression at loading point and transport haul roads,
- iii) Noise Control in blasting, control of fly rock missiles and vibration by doing peak particle velocity with in standard as prescribed by the DGMS and MOEF.
- iv) Unnecessary land degradation should be avoided or damaged land should be reclaimed or rehabilitated.
- v) Avoid uneven rat hole mining and follow scientific and systematic mining by safe bench system of open cast mining.
- vi) Mining near major fracture zones if any should be avoided to control ground water fluctuation in the adjacent agricultural lands.
- vii) Emission test of vehicles should be in tack to maintain minimum emission level of flue gases.
- viii) Noise level should not exceed 80db and the vehicles should use only permitted Air Horn while on road near residential areas.
- ix) Safety zones as prescribed by the Department of Geology and Mining from adjacent infrastructures should be strictly adhere to.
- x) And any other conditions as stipulated by the concerned authorities should be followed to protect the environment.





**EXECUTIVE SUMMARY:**

a.	Name of the Village Panchayat	:	Vada Aalapirandhan
b.	Name of the Panchayat Union	:	Vada Aalapirandhan
c.	The proposed total Minable Reserves	:	24,97,020m <sup>3</sup> of Rough Stone
d.	The proposed quantity of reserves (level of production) for five years to be mined is (Rcoverable reserves)	:	19,19,520m <sup>3</sup> of Rough Stone
e.	Total extent of the area	:	4.50.0Ha
f.	Proposed Period of mining	:	<b>Five</b> years
g.	Existing depth	:	It is fresh quarry lease applied area
h.	Proposed Depth of mining	:	60m (40m Above ground level and 20m Below ground level)
i.	Method of mining / level of mechanization	:	Opencast, Semi-mechanized Mining with a bench height of 5m and bench width of 5m is proposed.
j.	Types of Machineries used in the quarry	:	Machineries like Tractor mounted compressor attached with Jack hammers, Excavators are proposed to deploy for quarrying operation.
k.	Cost of the Project A. Fixed Assets Cost B. Operational Cost C. EMP Cost		Rs. 5,07,00,000/- Rs. 81,00,000/- Rs. 7,70,000/- Total Project cost(A+B+C)= <b>5,95,70,000/-</b>

l. The area applied for lease is bounded by four corners and the coordinates are clearly marked in plate no II.

Corners	Co- ordinates		Distance between the corners
	Latitude	Longitude	
1	12°38'09"N	79°36'28"E	1-2 = 225.0m
2	12°38'16"N	79°36'29"E	2-3 = 200.0m
3	12°38'13"N	79°36'35"E	3-4 = 225.0m
4	12°38'06"N	79°36'34"E	4-1 = 200.0m



**2.0 General Information:**

2.1	a.	Name of the Applicant	:	Thiru.N.Venkatesh,
	b.	Address of the Applicant with phone No and e-mail id if any	:	S/o. Natarajan, No.158, Kurinji Nagar, Vellisemmandalam, Cuddalore District. Pin code- 607 001. Cell No.: 9944933762 & 9443252079.
	c.	Status of the Applicant	:	Individual
2.2	a.	Mineral Which the applicant intends to mine	:	Rough Stone only.
	b.	Precise area communication letter No.	:	Precise area communication letter received from District Collector, Tiruvannamalai letter vide Rc.No.16/Mines/2019 dated 28.05.2019.
	c.	Period of permission / lease granted	:	The applicant has applied permission for Ten years/ the District Collector consider for grant of lease period of <b>Ten years only</b> .
	d.	Name and Address of the RQP preparing Mining Plan	:	<b>C.Natarajan, M.Sc., M.Phil.,</b> <b>RQP/MAS/004/87/A</b> No.93/36E2,Subramaniyar Kovil Street, Omalur Taluk, Salem District, Tamil Nadu, Pin-636 455. Mobile: 9750223535 & 94446 54520.
	e.	RQP Registration. No.	:	RQP/MAS/004/87/A Valid Til. 22.10.2021.

**3.0 Location:**

Details of the Area:

State	District	Taluk	Village	S.F.No	Extent in hectares
Tamil Nadu	Tiruvannamalai	Cheyyar	Vada Aalapirandhan	168(Part-1)	4.50.0



b.	Classification of the Area (Ryotwari / poramboke / others)	:	Government poramboke land
c.	Ownership / Occupancy of the Applied area (Surface rights)	:	It is Government land the applicant has obtained tender from the Government Please refer annexure no - I.
d.	Toposheet No. with Latitude and Longitude	:	Topo Sheet No: 57-P/10 Latitude : 12°38'06"N to 12°38'16"N Longitude : 79°36'28"E to 79°36'35"E
e.	Existence of Public Road / Railway line if any nearby the area and approximate distance	:	There is an existing road from the area leads to Vada Aalapirandhan village road on Western side of the area. The Nearest Railway line is Arakkonam to Kanchipuram line which is about 25.5Km on Northeastern side of the area.

**PART - A**

**4.0 Geology and Mineral Reserves:**

4.1	a.	Topography	:	<ol style="list-style-type: none"> <li>1. The area applied for quarry lease is exhibits hilly terrain topography covered by massive Rough stone formation. The massive Charnockite formation is clearly visible right from the surface and gentle sloping towards Southwestern side of the area, the altitude of the area is above 125m (maximum) from MSL.</li> <li>2. No major river is found nearby the applied area.</li> <li>3. Water table is found at a depth of 58m in summer and 55m in rainy seasons.</li> <li>4. Temperature of the area is reported to be 18°C to a maximum of 42°C during summer.</li> <li>5. Rainfall of this area is about 800mm to 900mm during the both NE &amp; SW monsoons.</li> </ol>
-----	----	------------	---	---



	<p>b. General Geology of the Area</p>	<p>: The area is underlain by the wide range of metamorphic rocks of peninsular gneissic complex. These rocks are extensively weathered and overlain by the recent valley fills and alluvium at places. The geological formations found in the district are Archaean rocks like Gneisses, Granites, Charnockites basic granulites and calc-gneisses. The younger formations are Quartz veins and pegmatite.</p> <p>The rock type noticed in the area for lease is <b>Charnockite</b> which contains mostly Quartz and Feldspar with some ferromagnesian minerals. The Charnockite is part of peninsular Gneisses, a high grade metamorphic rock.</p> <p>The strike of the Charnockite formation is N40°E-S40°W with dipping towards SE70°.</p> <p>The general geological succession of the area is given as under.</p> <table border="1" data-bbox="736 1176 1230 1433"> <thead> <tr> <th></th> <th>Age</th> <th>Rock Formation</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Recent to Sub recent</td> <td>Alluvium,</td> </tr> <tr> <td>2.</td> <td>Archaean</td> <td>Charnockites</td> </tr> <tr> <td>3.</td> <td>Archaean</td> <td>Peninsular Gneiss, and Calc Gneiss</td> </tr> </tbody> </table>		Age	Rock Formation	1.	Recent to Sub recent	Alluvium,	2.	Archaean	Charnockites	3.	Archaean	Peninsular Gneiss, and Calc Gneiss
	Age	Rock Formation												
1.	Recent to Sub recent	Alluvium,												
2.	Archaean	Charnockites												
3.	Archaean	Peninsular Gneiss, and Calc Gneiss												
4.2	<p>Details of Exploration already carried out if any</p>	<p>: No exploration was carried out, the rough stone formation are clearly visible right from the surface.</p>												
4.3	<p>a. Estimation of Reserves</p>	<p>: The Geological and Recoverable reserves are estimated by cross sectional method.</p> <p>Two sections have been drawn, one section drawn length wise as (X-Y) and another one section drawn width wise as (A-B) to cover maximum area considered for lease.</p> <p>The Plans and Sections have been drawn with a scale of 1:1000 and 1:500 respectively. Please refer plate no.III.</p>												



**a. Geological Resources**

The quarrying is restricted up to a depth of 90m (40m Above ground level and 50m Below ground level) only. Availability of Resources is given below.

Table No-1

Section	Topography	length in (m)	Width in (m)	Depth in (m)	Volume in m <sup>3</sup>	Geological Resources of Rough stone in m <sup>3</sup>
XY-AB	Above Ground level	225	200	40	1800000	1800000
	Below Ground level	225	200	50	2250000	2250000
<b>Total</b>						<b>4050000</b>

The Geological Resources of Rough stone : 40,50,000m<sup>3</sup>

**b. Mineable Reserve**

The mineable reserve calculated by deducting 7.5m safety distance and bench loss.

Table No-2

Section	Topography	Bench	Length in (m)	Width in (m)	Depth in (m)	Volume in m <sup>3</sup>	Mineable Reserve of Rough stone in m <sup>3</sup>
XY-AB	Above Ground level	I	52	65	5	16900	16900
		II	122	136	5	82960	82960
		III	201	182	5	182910	182910
		IV	210	185	5	194250	194250
		V	210	185	5	194250	194250
		VI	210	185	5	194250	194250
		VII	210	185	5	194250	194250
		VIII	210	185	5	194250	194250
	Below Ground level	IX	210	185	5	194250	194250
		X	200	175	5	175000	175000
		XI	190	165	5	156750	156750
		XII	180	155	5	139500	139500
		XIII	170	145	5	123250	123250
		XIV	160	135	5	108000	108000
		XV	150	125	5	93750	93750
		XVI	140	115	5	80500	80500
		XVII	130	105	5	68250	68250
		XVIII	120	95	5	57000	57000
		XIX	110	85	5	46750	46750
<b>Total</b>							<b>2497020</b>

The mineable reserve is computed as 24,97,020m<sup>3</sup> of Rough stone at the rate of 100% recovery up to a depth of 90m (40m Above ground level and 50m Below ground level) only.



<b>5.0 Mining:</b>	
5.1	Method of Mining : 1. Opencast method of semi mechanized mining with 5.0m vertical bench width of the bench is not less than bench height. 2. However, as far as the quarrying of Rough stone is concerned, observance of the provisions of Regulation 106 (2) (b) as above is seldom [possible due to various inherent petrogenetic factors coupled with mining difficulties. Hence it is proposed to obtain relaxation to the provisions of the above regulation from the Director of mines safety for which necessary provision is available with the regulation 106 (2) (b) of MMR-1961, under Mine Act-1952.
5.2	Mode of Working : The rough stone is proposed to quarry 5m bench height and width with conventional opencast semi-Mechanized method. The quarry operation involves shallow jack hammer drilling, slurry blasting, excavation, Loading and transportation of Rough stone to the needy crusher/other buyers. The production of Rough stone in this quarry involves the following method which is typical for Rough Stone quarrying in contrast to other major mineral mining. Splitting of rock mass of considerable volume from the parent rock mass by jackhammer drilling and blasting, hydraulic excavators are used for loading the Rough Stone from pithead to the needy crushers/other buyers. Occasionally hydraulic excavators are attached with rock breakers for fragmentation to avoid secondary blasting. The primary boulders thus splitted are removed from the pits by excavators and further made to smaller sizes by rock breakers attached in excavators. It is a conventional opencast semi mechanized method of mining.
5.3	Proposed bench height & Width : Quarrying of Rough Stone is proposed bench height of 5m and bench width of 5m.



5.4	Details of Overburden / Mineral Production proposed for the first 5 years.	: There is no overburden anticipated during the quarrying operation. The excavated rough stone will be directly loaded into tipper to the needy crusher/other buyers for road project and construction works for filling leveling of low lying areas.
-----	--	---

**The Yearwise Production and Development Table**

Table No -3

Year	Section	Topography	Bench	Length in (m)	Width in (m)	Depth in (m)	Volume in m <sup>3</sup>	Mineable Reserve of Rough stone in m <sup>3</sup>
I	XY-AB	Above Ground level	I	52	65	5	16900	16900
			II	122	136	5	82960	82960
			III	201	182	5	182910	182910
			IV	110	185	5	101750	101750
<b>Total</b>								<b>384520</b>
II	XY-AB	Above Ground level	IV	100	185	5	92500	92500
			V	210	185	5	194250	194250
			VI	105	185	5	97125	97125
<b>Total</b>								<b>383875</b>
III	XY-AB	Above Ground level	VI	105	185	5	97125	97125
			VII	210	185	5	194250	194250
			VIII	100	185	5	92500	92500
<b>Total</b>								<b>383875</b>
IV	XY-AB	Above Ground level	VIII	110	185	5	101750	101750
		Below Ground level	IX	210	185	5	194250	194250
			X	100	175	5	87500	87500
<b>Total</b>								<b>383500</b>
V	XY-AB	Below Ground level	X	100	175	5	87500	87500
			XI	190	165	5	156750	156750
			XII	180	155	5	139500	139500
<b>Total</b>								<b>383750</b>
<b>Grand Total</b>								<b>1919520</b>

The mineable reserve is computed as 24,97,020m<sup>3</sup> of Rough stone but the applicant has proposed to carry out 19,19,520m<sup>3</sup> of Rough Stone at the rate of 100% recovery up to a depth of 60m (40m Above ground level and 20m Below ground level) for the period of five years.



5.5	Machineries to be used													
a.	Mining	: It is proposed to use following machineries for quarrying rough stone 1) Tractor mounted compressor with jack hammer 2) Excavator of 0.90m <sup>3</sup> bucket capacity (with Rock breaker attachment).												
b.	Loading	: Excavator of 0.90m <sup>3</sup> bucket capacity (with Rock breaker attachment).												
c.	Transportation	: Hired Tipper 10Nos 5/10Ts capacity												
5.6	Disposal of Overburden	: There is no overburden anticipated during entire rough stone quarrying operation.												
5.7	Brief Note on Conceptual Mining Plan for the entire lease period	: <p>Conceptual Mining Plan is prepared with an object of five years of systematic development of bench lay outs, selection of ultimate pit limit, depth of quarrying, ultimate pit slope, selection of sites for construction of infrastructures etc.</p> <p>Ultimate pit size is designed based on certain practical factors such as the economical depth of mining, safety zones, permissible areas etc.</p> <p>Ultimate Pit dimension is given as under,</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th colspan="4">Ultimate Pit dimension (M)</th> </tr> <tr> <th>Pit No</th> <th>Length (max) in (m)</th> <th>Width (Avg) in (m)</th> <th>Depth(max) in (m)</th> </tr> </thead> <tbody> <tr> <td>I</td> <td>210</td> <td>185</td> <td>60m (40m Above ground level and 20m Below ground level)</td> </tr> </tbody> </table> <p>Afforestation has been proposed on all along the boundary barrier by planting trees.</p> <p>All the baseline information studies like Air Quality monitoring, Noise and Vibration monitoring, Water Analysis studies will be carried out every year as per the MOEF norms.</p>	Ultimate Pit dimension (M)				Pit No	Length (max) in (m)	Width (Avg) in (m)	Depth(max) in (m)	I	210	185	60m (40m Above ground level and 20m Below ground level)
Ultimate Pit dimension (M)														
Pit No	Length (max) in (m)	Width (Avg) in (m)	Depth(max) in (m)											
I	210	185	60m (40m Above ground level and 20m Below ground level)											






**6.0 Blasting:**

6.1 Blasting Pattern

: The massive formation shall be broken into pieces of portable size by drilling and blasting using jack hammers and shot hole blasting. Powder factor of explosives for breaking such hard rock shall be in the order of 6 to 7 Tonnes per K.g of explosives. Blasting parameters are as follows.

Diameter of the hole	: 32-36 mm
Spacing	: 1.2m
Depth	: 2.9 to 3.0m
Burden for hole	: 1m
Pattern of hole	: ZigZag
Inclination of hole	: 70° from the horizontal.

**ROCK BLASTING**



6.2 Types of Explosives

: Small dia, 25mm slurry explosive are proposed to be used for shattering and heaving effect for removal and winning of Rough stone. No deep hole drilling or primary blasting is proposed.



6.3	Measures proposed to minimize ground vibration due to blasting	<p>: Controlled blasting measures will be adopted for minimizing ground vibration and fly rock. Shallow depths jackhammer drilling and blasting is proposed to be carried out with minimum use of explosive mainly to give shattering effect in rough stone for easy excavation and to control fly rock.</p> <table border="1" data-bbox="718 584 1287 835"> <tr> <td>Number of holes</td> <td>: 413</td> </tr> <tr> <td>Powder factor</td> <td>: 6Ts/Kg of explosives</td> </tr> <tr> <td>Total explosive required</td> <td>: 620Kg slurry explosives</td> </tr> <tr> <td>Charge / hole</td> <td>: 1.5Kg</td> </tr> <tr> <td>Blasting time</td> <td>: 12-2 Pm</td> </tr> </table>	Number of holes	: 413	Powder factor	: 6Ts/Kg of explosives	Total explosive required	: 620Kg slurry explosives	Charge / hole	: 1.5Kg	Blasting time	: 12-2 Pm
Number of holes	: 413											
Powder factor	: 6Ts/Kg of explosives											
Total explosive required	: 620Kg slurry explosives											
Charge / hole	: 1.5Kg											
Blasting time	: 12-2 Pm											
6.4	Storage of Explosives and safety measures to be taken while blasting.	<p>: The applicant will engage an authorized explosive agency to carry out the small amount of blasting and it will be supervised by competent and statutory foreman/ mines manager.</p>										

**7.0 Mine Drainage:**

7.1	Depth of Water table	<p>: The ground water table is reported as 58m below ground level in nearby wells of this area. The quarry operation is proposed upto a depth of 60m (40m Above ground level and 20m Below ground level). Hence the quarrying operation may not affect the ground water.</p>
7.2	Arrangement and Places where the mine water is finally proposed to be discharged	<p>: The ground water may not rise immediately in this type of mining. However, the rain water percolation and collection of water from the seepage shall be less than 300 lpm and it shall be pumped about periodically by a stand by diesel powered Centrifugal pump motivated with 7.5 H.P. Motor. The quality of water is potable and it is not contaminated with any hazardous things. Hence, water stored in the quarry pit will be pumped into the adjacent agricultural fields. Further the water stored in the old pit will also be used for plantation purposes</p>



<b>8.0 Other Permanent Structures:</b>	
8.1	Habitations / Village : There are no habitations within a radius of 300m.
8.2	Power lines (HT/LT) : There is no LT/HT power lines within a radius of 50m.
8.3	Water bodies (River, Pond, Lake, Odai, Channel etc) : There is one Tank on Western side of the area which is 270m away from the area.
8.4	Archeological / Historical Monuments : There are no Archeological / Historical Monuments within a radius of 500m.
8.5	Road (NH, SH, Village Road etc) : The National Highway (NH-46) Chennai - Krishnagiri is about 26.5Km on Northern side of the area. The State Highway (SH-116) Kanchipuram - Vandavasi is about 4.5Km on Eastern side of the area.
8.6	Places of Worship : There are no Places of Worship within a radius of 500m.
8.7	Reserved Forest / Forest / Social Forest / Wild Life Sanctuary etc., : There are no Reserved Forest / Forest / Social Forest / Wild Life Sanctuary etc within a radius of 500m.
8.8	Any Interstate Border, Protected areas under the Wild Life (Protection) Act, 1972, Critically Polluted Areas as Identified by Central Pollution Control Board and Notified Eco sensitive areas : There are No inter State border within a radius of 10kms.
8.9	Any Other Structures : Nil

<b>9.0 Employment Potential &amp; Welfare Measures:</b>						
9.1	Employment Potential (Management & Supervisory personal)	:	1.	Skilled	Operator	15 No.
					Mechanic	1 No.
					Mines manager	1 No.
					Foreman	1 No.
					Blaster/Mat	2 No.
				2.	Semi skilled	Driver
3.	Unskilled	Musdoor / Labours	20Nos			
				Total =	50Nos	
Allowing 10% absenteeism, the no. of men of roll will be around 45.						



			<p>The above man power is adequate to meet out the production schedule and the machinery strength envisaged in the mining plan and to comply the statutory provisions of Mines Safety Regulations.</p> <p>It is been ensured that, child labours under than 18 years of age will not be engaged for quarrying operation.</p> <p>Necessary life insurance policies will be taken by the applicant to all the employees up to the end of the lease period.</p>
9.2		Welfare Measures	
	a.	Drinking Water	: Packaged drinking water is available from the nearby approved water vendors in Vada Aalampirandhan Village which is about 700m on Southern side of the area.
	b.	Sanitary facilities	: Semi permanent latrines & urinals shall be maintained at convenient places for use of labours as per the provisions of Rule (33) of the Mines Rules, 1960 separately for males and females. Washing facilities shall also be arranged as per rule (36) of the Mines Rules, 1960.
	c.	First Aid Facility	: First aid kits are kept in Mines office room, in case of such eventualities the victim will be given first aid immediately at the site and injured person will be taken to the hospital. Hospital is available at distance of 7.0Km (NW) in Cheyyar the competent and Statutory foreman/ permit manager will be in charge of first aid.
	d.	Labour Health	: As per Mines Rule, Periodic medical examination related to occupational health safety will be conducted to all the workers in applicants own cost.
	e.	Precautionary safety measures to the Labourers	: Safety provisions like helmet, goggles, safety shoes, Dust mask, Ear muffs etc have to be provided as per the circulars and amendments made for Mine labours under the guidance of DGMS being a mechanized operation.
			Necessary training will be conducted once in a year to all the employees with the help of qualified and experienced officers to train about the safe and systematic quarrying operation.



**PART - B**

**10.0 Environmental Management Plan:**

10.1	Existing Land Use Pattern	<p>1. The area is exhibits hilly terrain topography covered by massive rough stone formation.</p> <p>2. Quarrying is proposed up to a depth of 60m (40m Above ground level and 20m Below ground level).</p> <p>3. Fluctuation of Water table in this area is in between 58m and 55m during a year.</p> <p>4. This region receives the average annual rainfall of 800mm to 900mm. The surrounding area is practiced by the seasonal cultivation.</p> <p>The existing land use pattern is given as under.</p> <p align="center">Table No-4</p> <table border="1" data-bbox="639 862 1379 1214"> <thead> <tr> <th>Sl. No.</th> <th>Land Use</th> <th>Present Area (Hect)</th> <th>Area in use during the quarrying period (Hect)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Quarrying Pit</td> <td>Nil</td> <td>3.85.0</td> </tr> <tr> <td>2.</td> <td>Infrastructure</td> <td>Nil</td> <td>0.01.0</td> </tr> <tr> <td>3.</td> <td>Roads</td> <td>Nil</td> <td>0.02.0</td> </tr> <tr> <td>4.</td> <td>Green Belt</td> <td>Nil</td> <td>0.25.0</td> </tr> <tr> <td>5.</td> <td>Unutilized</td> <td>4.50.0</td> <td>0.37.0</td> </tr> <tr> <td></td> <td><b>Total =</b></td> <td><b>4.50.0</b></td> <td><b>4.50.0</b></td> </tr> </tbody> </table>	Sl. No.	Land Use	Present Area (Hect)	Area in use during the quarrying period (Hect)	1.	Quarrying Pit	Nil	3.85.0	2.	Infrastructure	Nil	0.01.0	3.	Roads	Nil	0.02.0	4.	Green Belt	Nil	0.25.0	5.	Unutilized	4.50.0	0.37.0		<b>Total =</b>	<b>4.50.0</b>	<b>4.50.0</b>
Sl. No.	Land Use	Present Area (Hect)	Area in use during the quarrying period (Hect)																											
1.	Quarrying Pit	Nil	3.85.0																											
2.	Infrastructure	Nil	0.01.0																											
3.	Roads	Nil	0.02.0																											
4.	Green Belt	Nil	0.25.0																											
5.	Unutilized	4.50.0	0.37.0																											
	<b>Total =</b>	<b>4.50.0</b>	<b>4.50.0</b>																											
10.2	Water Regime	<p>Water table in this area is noticed at a depth of 58m and presently, the quarrying of Rough Stone quarry is proposed up to a depth of 60m (40m Above ground level and 20m Below ground level) and hence, it will not affect the ground water depletion of this area.</p>																												
10.3	Flora and Fauna	<p>Except acacia bushes, no other valuable trees are noticed in the applied area. Further, neither flora of botanical interest nor fauna of zoological interest is noticed in this area.</p>																												
10.4	Climatic conditions	<p>Generally subtropical climatic condition prevails throughout the year and there is no sharp variation in climate.</p> <p>This District receives rain both in south west and north east monsoon.</p> <p>The average rainfall is about 800mm to 900mm and the temperature ranges from 18°C during winter and to a maximum of 42°C during the summer.</p>																												



10.5	Human Settlement	<p>: The nearest habitations with the population is given as under</p> <p style="text-align: center;">Table No-5</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>S.No</th> <th>Name of the Village</th> <th>Approximate distance &amp; Direction from lease applied area</th> <th>Approximate population</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Elaneerkundram</td> <td>2.5km - NE</td> <td>300</td> </tr> <tr> <td>2.</td> <td>Velianallore</td> <td>3.5Km - NW</td> <td>400</td> </tr> <tr> <td>3.</td> <td>Nedungal</td> <td>2.5Km - SE</td> <td>200</td> </tr> <tr> <td>4.</td> <td>Anappathur</td> <td>3.0Km - SW</td> <td>300</td> </tr> </tbody> </table>	S.No	Name of the Village	Approximate distance & Direction from lease applied area	Approximate population	1.	Elaneerkundram	2.5km - NE	300	2.	Velianallore	3.5Km - NW	400	3.	Nedungal	2.5Km - SE	200	4.	Anappathur	3.0Km - SW	300
S.No	Name of the Village	Approximate distance & Direction from lease applied area	Approximate population																			
1.	Elaneerkundram	2.5km - NE	300																			
2.	Velianallore	3.5Km - NW	400																			
3.	Nedungal	2.5Km - SE	200																			
4.	Anappathur	3.0Km - SW	300																			
10.6	Plan for Air, Dust Suppression	<p>: Air or dust expected to be generated from drilling process, hauling roads, places of excavation etc., will be suppressed by periodical wetting of land by water spraying.</p> <p>Wet drilling and dust extractor arrangements will be provided to drilling units so as to control raise of dust from the site of drilling.</p> <p>Operators, those exposed directly to such conditions will be provide such protective equipments like mask, ear plug, helmet, gloze etc., as per the Mines Act.</p>																				
10.7	Plan for Noise Control	<p>: Quarrying of Rough Stone will be carried out by drilling and blasting by using low power explosives, and hence, noise will be very minimum. However, periodical noise level monitoring will be carried out to check the noise level in and around the quarry site. Nowhere the noise level should exceed the permissible limit of 80db during the quarry working hours.</p>																				
10.8	Environmental Impact Assessment Statement Describing Impact on mining on the next five years	<p>: The mining plan proposed is for a small production of Rough stone without involving deep hole drilling and heavy blasting. Such limited mining activity is not likely to cause any impact adversely on environment as far as pollution of air, water and noise is concerned, anyhow environmental impact studies will be conducted as per EIA notification issued by MOEF. It is B2 Category mine.</p>																				
10.9	Proposal for Waste Management	<p>: There is no waste anticipated in this rough stone quarry operation.</p>																				



10.10	Proposal of Reclamation of Land affected during mining activities and at the end of mining.	: In the proposed mining plan only a maximum depth of 60m (40m Above ground level and 20m Below ground level) has been envisaged as workable depth for safe & economic mining during the lease period. Hence, after quarry reaches ultimate pit limit (for this lease period) of 60m depth, fencing will be constructed around the quarried pits to prevent inherent entry of the public and cattle.																																				
10.11	Program for Afforestation	: The 7.5m, safety distance along the lease boundary has been identified to be utilized for afforestation. Appropriate native species of neem/Pungan trees will be planted in a phased manner as described below. <p style="text-align: center;">Table - 6</p> <table border="1" data-bbox="619 851 1387 1377"> <thead> <tr> <th>Year</th> <th>No. of trees proposed to be planted</th> <th>Survival %</th> <th>Area to be covered Sq.m</th> <th>Name of the species</th> <th>No. of trees expected to be grown</th> </tr> </thead> <tbody> <tr> <td>I</td> <td>30</td> <td>80%</td> <td>500</td> <td>Neem /Pungan</td> <td>26</td> </tr> <tr> <td>II</td> <td>30</td> <td>80%</td> <td>500</td> <td>Neem /Pungan</td> <td>26</td> </tr> <tr> <td>III</td> <td>30</td> <td>80%</td> <td>500</td> <td>Neem /Pungan</td> <td>26</td> </tr> <tr> <td>IV</td> <td>30</td> <td>80%</td> <td>500</td> <td>Neem /Pungan</td> <td>26</td> </tr> <tr> <td>V</td> <td>30</td> <td>80%</td> <td>500</td> <td>Neem /Pungan</td> <td>26</td> </tr> </tbody> </table> <p>Nearly 2500Sq.m area is proposed to use under afforestation by planting 30nos. of neem/Pungan trees during every year with an anticipated survival rate of 80%. The Quarry landuse, layout and afforestation plan is shown in Plate No.III.</p>	Year	No. of trees proposed to be planted	Survival %	Area to be covered Sq.m	Name of the species	No. of trees expected to be grown	I	30	80%	500	Neem /Pungan	26	II	30	80%	500	Neem /Pungan	26	III	30	80%	500	Neem /Pungan	26	IV	30	80%	500	Neem /Pungan	26	V	30	80%	500	Neem /Pungan	26
Year	No. of trees proposed to be planted	Survival %	Area to be covered Sq.m	Name of the species	No. of trees expected to be grown																																	
I	30	80%	500	Neem /Pungan	26																																	
II	30	80%	500	Neem /Pungan	26																																	
III	30	80%	500	Neem /Pungan	26																																	
IV	30	80%	500	Neem /Pungan	26																																	
V	30	80%	500	Neem /Pungan	26																																	
10.12	Proposed Financial Estimate / Budget for (EMP) Environment Management																																					
	<b>A.Fixed Asset Cost:</b> 1. Land Cost (Tender amount) 2. First aid room and accessories 3. Labour Shed 4. Sanitary Facility <b>Total=</b>	: Rs. 5,04,00,000 : Rs. 1,00,000 : Rs. 1,00,000 : Rs. 1,00,000 <b>: Rs. 5,07,00,000/-</b>																																				



<b>B.Operational Cost:</b>		
1. Machineries	:	Rs.80,00,000-
2. Fencing cost	:	Rs.1,00,000
<b>Total</b>	:	<b>Rs.81,00,000</b>
<b>C.EMP Cost:</b>		Budget Provision for the entire quarrying period.
	:	Air Quality Sampling = Rs. 40,000/-
	:	Water Quality Sampling = Rs. 40,000/-
	:	Noise Monitoring = Rs. 20,000/-
	:	Ground vibration test = Rs. 20,000/-
<b>Expenditure</b>		
1. Drinking water facility	:	Rs. 1,50,000/-
2. Sanitary Arrangments	:	Rs. 50,000/-
3. Safety kids	:	Rs. 1,00,000/-
4. Water sprinkling	:	Rs. 2,00,000/-
5. Afforestation	:	Rs. 1,00,000/-
6. Cost towards charity	:	Rs. 50,000/-
<b>Total=</b>	:	<b>Rs. 7,70,000/-</b>
<b>Total Project Cost (A+B+C)</b>		<b>Rs. 5,95,70,000/-</b>

#### 11.0 Mine Closure Plan:

11.1	Steps proposed for phased restoration, reclamation of already mined out area.	:	There is no proposal for back filling, reclamation and rehabilitation. The quarried pits after the end of the life of lease will be fenced to prevent inherent entry of public and cattles.
11.2	Measures to be under taken on mine closure as per Act & Rules	:	Measures will be taken as per the Acts and Rules. The quarried pit will be fenced by using Barbed wire fencing to prevent inherent entry of public and cattle.
11.3	Mitigation measures to be undertaken for safety and restoration/ reclamation of the already mined out area	:	Mitigation measures: Drilling will be carried out by wet drilling mode to control the dust propagation into the air. Blasting will be carried out on limited scale. Mist Water spraying on haul road is proposed to prevent the dust propagation into the air.





**12.0 Any Other Details Intend to Furnish by the Applicant:**

- (i) Permission will be obtained from the District Mines Office to extract the Rough Stone from the Boundary barriers and for slopes.
- (ii) Care and precautionary measures will be taken for the safety of workers as per Rules and Acts.
- (iii) The applicant will endeavor every attempt to quarry the Rough Stone economically without any wastage and to improve the environment and ecology.
- (iv) The Mining Plan is prepared by incorporating the conditions stipulated in the precise area communication issued and relevant mining laws in force.
- (v) Any violation pointed out by the inspecting authorities shall be rectified as per the guidelines of the Department.

Prepared by

*C. Natarajan*  
C.Natarajan, M.Sc., M.Phil.,  
RQP/MAS/004/87/A  
**C. NATARAJAN, M.Sc., M.Phil.,**  
**RECOGNISED QUALIFIED PERSON,**  
**RQP / MAS / 004 / 87 / A**

Place : Salem  
Date :

**This Mining Plan is Approved**  
**Subject to the conditions/Stipulation**  
**indicated in the Mining Plan Approval**  
**Letter No. 16/Mines/2019 , Dt:07.06.2019**  
**office of the Assistant Director of**  
**Geology and Mining, Tiruvannamalai.**

**This Mining Plan is approved based on incorporation**  
**of the particulars specified in the letter of the**  
**Commissioner of Geology and Mining, Chennai**  
**Lr.No.3868/LC/2012, Dated: 19.11.2012 and subject**  
**to further fulfillment of the conditions laid down**  
**under Tamil Nadu Minor Mineral Concession Rules, 1959.**

*S. G. Srinivasan*  
Assistant Director,  
Dept. of Geology and Mining,  
Tiruvannamalai.

*S. G. Srinivasan*  
7/6/19



மாண்புமிகு அலுவலகம்,  
(புவியியல் மற்றும் சுரங்கத்துறை),  
திருவண்ணாமலை-4.  
நாள் 28.05.2019.

பொருள்: கனிமங்களும் குவாரிகளும் - திருவண்ணாமலை மாவட்டம் - செய்யார் வட்டம் - வட ஆளபிறந்தான் கிராமம் - அரசு புறம்போக்கு - புல எண் 168 (பகுதி-1)-ல் 450.0 ஹெக்டேர் 10 ஆண்டுகளுக்கு கல்குவாரி செய்ய குத்தகை உரிமம் வழங்கும் பொருட்டு திருவண்ணாமலை மாவட்ட அரசிதழ் சிறப்பு வெளியீடு - 1ன்படி அறிவிப்பு செய்யப்பட்டு 22.01.2019 அன்று ஏலம் நடத்தப்பட்டது - திரு.Nவெங்கடேஷ், த/பெ. நடராஜன், கடலூர் என்பவருக்கு - ஏலம் உறுதி செய்யப்பட்டது - ஏலத்தொகை முழுவதும் வசூலிக்கப்பட்டு அரசு கணக்கில் செலுத்தப்பட்டது - ஒப்புதல் பெறப்பட்ட சுரங்க திட்ட அறிக்கை மற்றும் சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணைய தடையின்மைச் சான்று பெற்று சமர்ப்பிக்க அறிவுறுத்துதல் - தொடர்பாக.

- பார்வை:
1. திருவண்ணாமலை மாவட்ட அரசிதழ் சிறப்பு வெளியீடு எண் 1, நாள்: 03.01.2019.
  2. திரு.Nவெங்கடேஷ் த/பெ. நடராஜன், எண் 158, குறிஞ்சி நகர், வெளிச்செம்மண்டலம், கடலூர் என்பவரின் ஏல விண்ணப்பம், நாள் 22.01.2019.
  3. இவ்வலுவலக குறிப்பாணை ந.க.எண்.390/கனிமம்/2017, நாள் 22.01.2019.
  4. திரு.Nவெங்கடேஷ் த/பெ. நடராஜன், கடலூர் என்பவரின் கடிதம் நாள் 22.01.2019.
  5. அரசாணை எண். 79, தொழில்(எம்.எம்.சி1)துறை, நாள் 06.04.2015.

\*\*\*\*\*

திருவண்ணாமலை மாவட்ட அரசிதழ் சிறப்பு வெளியீடு எண் 1, நாள் 03.01.2019-ல் திருவண்ணாமலை மாவட்டம், செய்யார் வட்டம், வட ஆளபிறந்தான் கிராம அரசு புறம்போக்கு புல எண் 168 (பகுதி-1)-ல் 450.0 ஹெக்டேர் பரப்பிலுள்ள புதிய கற்குவாரியினை பத்து ஆண்டுகளுக்கு டெண்டர் / ஏலம் முறையில் குத்தகை உரிமம் வழங்கும் பொருட்டு 21.01.2019 மாலை 5 மணி வரை டெண்டர் விண்ணப்பங்கள் பெறப்படும் என்றும் அதனை தொடர்ந்து 22.01.2019 அன்று பொது ஏலம் நடைபெறும் என அறிவிப்பு செய்யப்பட்டது.

2. மேற்கண்ட அறிவிப்பின் படி 21.01.2019 மாலை 5 மணி வரை 8 டெண்டர் விண்ணப்பங்கள் வரப்பெற்றது. அதனை தொடர்ந்து 22.01.2019 அன்று நடைபெற்ற பொது ஏலத்தில் மேற்படி டெண்டர் தாரர்கள் உட்பட 32 நபர்கள் பங்கு பெற்றனர். மேற்படி குவாரிக்கு உயர்ந்தபட்ச ஏலத்தொகையாக ரூ.5,04,00,000/- (ரூபாய் ஐந்து கோடியே நான்கு லட்சம் மட்டும்) திரு.Nவெங்கடேஷ் த/பெ. நடராஜன், கடலூர் என்பவரால் ஏலம் கோரப்பட்டது. அதனை தொடர்ந்து டெண்டர் விண்ணப்பங்கள் திறக்கப்பட்டு பரிசீலிக்கப்பட்டதில் மேற்படி குவாரிக்கு அதிக பட்ச



டெண்டர் தொகையாக ரூ.3,00,00,000/-ஐ திரு.M.மகுடேஸ்வரன் என்பவர் குறிப்பிட்டிருந்தார். பொது ஏலத்தில் கோரப்பட்ட உயர்ந்த பட்ட தொகையானது டெண்டரில் குறிப்பிட்டிருந்த அதிகபட்ச தொகையைக் காட்டிலும் கூடுதலாக இருந்ததாலும் மேற்படி ஏலத்தொகையானது மேற்படி குவாரிக்கு அரசால் நிர்ணயம் செய்யப்பட்ட குறுமத்தொகை ரூ.2,28,47,499/-ஐக் காட்டிலும் கூடுதலாக இருந்ததால் திரு.N.வெங்கடேசன் என்பவரை உயர்ந்தபட்ச ஏலதாரராக அறிவிக்கப்பட்டு மேற்படி ஏலத்தொகையில் 10% தொகைக்கு ரூ.50,50,000/-ஐ ஏலம் நடந்த அன்றே காசோலைகள் மூலம் வசூல் செய்யப்பட்டு ஏலம் உறுதி செய்யப்பட்டது.

3. பார்வை 3-ல் காணும் குறிப்பாணையில் அறிவுறுத்தியவாறு ஏலதாரர் ஏலத்தொகையில் ஏற்கனவே செலுத்தப்பட்ட ரூ.50,50,000/- மற்றும் பிணை வைப்புத்தொகையான ரூ.25000/- நீங்கலாக மீதமுள்ள தொகையான ரூ.4,53,25,000/-ஐ குறிப்பிட்ட கால கெடுவிற்குள் காசோலைகளாக பார்வை 4-ல் காணும் கடிதம் மூலம் செலுத்தப்பட்டது மேற்படி காசோலைகள் பாரத ஸ்டேட் வங்கி, திருவண்ணாமலை கிளை மூலம் காசாக்கம் செய்து உரிய அரசு கணக்கில் 14.03.2019 மற்றும் 15.03.2019 அன்று வரவு வைக்கப்பட்டுள்ளது.

4. மேலும், மேற்கண்ட ஏலத்தொகைக்கு 2% வீதம் வருமானவரி பிடித்தம் (TDS) கணக்கிட்டு ரூ.10,08,000/-ஐ திருவண்ணாமலை பாரத மாநில வங்கி மூலம் 11.02.2019 அன்று செலுத்தி அசல் ஆவணங்களை இவ்வலுவலகத்தில் சமர்ப்பித்துள்ளார்.

5. எனவே, ஏலதாரர் திரு.N.வெங்கடேஷ் த/பெ. நடராஜன், கடலூர் என்பவருக்கு திருவண்ணாமலை மாவட்டம், செய்யார் வட்டம், வட ஆளபிறந்தான் கிராம அரசு புறம்போக்கு, புல எண்.168 (பகுதி-1)-ல், 4,50.0 பரப்பினை 10 ஆண்டுகளுக்கு கற்குவாரி செய்ய உகந்த புலம் (Precise Area) என தீர்மானித்து கீழ்க்கண்ட நிபந்தனைகளுக்கு உட்பட்டு அறிவிப்பு செய்யப்படுகிறது.

#### நிபந்தனைகள்

1. அருகில் உள்ள பட்டா மற்றும் புறம்போக்கு நிலங்களுக்கு முறையே 7.5மீ மற்றும் 10மீ பாதுகாப்பு இடைவெளி விடவேண்டும்.
2. நிலையான அமைப்புகளுக்கு (நீர் நிலைகள், நெற்றுஞ்சாலைகள், மின் சாதனங்கள், இரயில் பாதைகள்) 50மீ பாதுகாப்பு இடைவெளி விடவேண்டும்.
3. அருகில் உள்ள நிலங்களுக்கும் மற்றும் பொதுமக்களுக்கும் எவ்வித பாதிப்புமின்றி குவாரிப்பணி மேற்கொள்ள வேண்டும்.



4. குவாரிப்பணி ஆரம்பிப்பதற்கு முன்பாக குத்தகை உரிமம் வழங்கப்பட்ட புலத்தினைச் சுற்றி முன்கம்பி வேலி அமைத்து குத்தகை காலம் முழுவதும் பராமரித்து வரவேண்டும்.
5. பாறைகளைத் தகர்க்க கைத்துளைப்பான்களை பாறைகளை துளையிட்டு குறைவான வெடிபொருட்கள் பயன்படுத்த வேண்டும்.
6. குவாரிப்பணியினை விஞ்ஞானப்பூர்வமாகவும், முறையாகவும் மேற்கொள்ள வேண்டும்.

6. அரசாணை எண்.79 தொழில் எம்.எம்.சி1 துறை நாள்.06.04.2015 மூலம் அமுல்படுத்தப்பட்ட தமிழ்நாடு சிறுகனிம சலுகை விதிகள் 1959 விதிகள் 41 மற்றும் 42-ன்படி கல் மற்றும் இதர சிறு கனிமங்களுக்கு குவாரி குத்தகை உரிமம் வழங்கும் முன்பு ஒப்புதல் பெறப்பட்ட சுரங்கத்திட்ட அறிக்கை மற்றும் சுற்றுத்தழல் தாக்க மதிப்பீட்டு ஆணைய தடையின்மை சான்று பெறப்பட வேண்டும் என வரையறுக்கப்பட்டுள்ளது.

7. ஆதலால், ஏலதாரர் திரு.N.வெங்கடேஷ் த/பெ. நடராஜன், கடலூர் என்பவர் தமிழ்நாடு சிறுகனிம சலுகை விதிகள் 1959 விதிகள் 41 மற்றும் 42-ன்படி ஒப்புதல் பெறப்பட்ட சுரங்கத்திட்ட அறிக்கை மற்றும் சுற்றுத்தழல் தாக்க மதிப்பீட்டு ஆணைய தடையின்மைச் சான்றினை பெற்று சமர்ப்பிக்கும் பட்சத்தில் செய்யார் வட்டம், வட ஆளபிறந்தான் கிராம அரசு புறம்போக்கு, புல எண்.168 (பகுதி-1)-ல் 4.50.0 ஹெக்டேர் பரப்பில் கற்குவாரி செய்ய 1959-ஆம் வருடத்திய தமிழ்நாடு சிறுகனிம சலுகை விதிகளின், விதி 8(6)(a)-ன்படி 10 ஆண்டுகளுக்கு குத்தகை உரிமம் வழங்க உரிய நடவடிக்கை மேற்கொள்ளப்படும் என்ற விவரம் தெரிவிக்கப்படுகிறது.

8. எனவே, ஏலதாரர் இவ்வறிவிப்பு கிடைக்கபெற்ற 90 நாட்களுக்குள் மேற்சொன்ன நிபந்தனைகளையும் குறிக்கும் வகையில் வரைவு சுரங்கத்திட்ட அறிக்கை தயார் செய்து உதவி இயக்குநர், புவியியல் மற்றும் சுரங்கத்துறை திருவண்ணாமலை மாவட்டம் அவர்களிடம் ஒப்புதல் பெற சமர்ப்பிக்குமாறு அறிவுறுத்தப்படுகிறார்.

.. (ஒம்)XXXXXXX,

மாவட்ட ஆட்சித்தலைவர்,

திருவண்ணாமலை.

|| உண்மை நகல் || உத்திரவுப்படி ||

*(Handwritten Signature)*  
மாவட்ட ஆட்சித்தலைவருக்காக  
திருவண்ணாமலை.

பெறுநர்:

திரு.N.வெங்கடேஷ்,

த/பெ. நடராஜன்,

எண்.158, குறிஞ்சி நகர், வெளிச்செம்மண்டலம், கடலூர்.

நகல்:-


ஏலதாரர் சுரங்கத்திட்ட அறிக்கை தயார் செய்யவும் குத்தகை வட்டாட்சியர் - ஒப்பந்தம் நிறைவேற்ற ஏதுவாக குத்தகை உரிமம் வழங்க பரிந்துரை செய்யப்பட்ட பகுதியினை புல வரைப்படத்தின்படி குறியிட்டு ஒப்பம் செய்து முப்பிரதிகளில் வழங்க வேண்டி.



கனம் உறுப்பினர்  
பணி உடனாக

தலைப்பு: 168

பிள்ளை {  
பெண் {  
ஆண் {



**No. 153**  
**ALAPIRANDAN (VADA)**  
**CHEYYAR TALUK**  
 KARAIKUDI DISTRICT


Scale of [Plotted] 1:10000  
 [Plotted] 1:10000  
 [Plotted] 1:10000

Scale 1:10000



Legend

1	Water
2	Canal
3	Drain
4	Highway
5	Other Road
6	Boundary
7	Survey Line
8	Spot Height
9	Spot Level
10	Spot Elevation
11	Spot Depression
12	Spot Contour
13	Spot Contour Interval
14	Spot Contour Interval
15	Spot Contour Interval
16	Spot Contour Interval
17	Spot Contour Interval
18	Spot Contour Interval
19	Spot Contour Interval
20	Spot Contour Interval
21	Spot Contour Interval
22	Spot Contour Interval
23	Spot Contour Interval
24	Spot Contour Interval
25	Spot Contour Interval
26	Spot Contour Interval
27	Spot Contour Interval
28	Spot Contour Interval
29	Spot Contour Interval
30	Spot Contour Interval
31	Spot Contour Interval
32	Spot Contour Interval
33	Spot Contour Interval
34	Spot Contour Interval
35	Spot Contour Interval
36	Spot Contour Interval
37	Spot Contour Interval
38	Spot Contour Interval
39	Spot Contour Interval
40	Spot Contour Interval
41	Spot Contour Interval
42	Spot Contour Interval
43	Spot Contour Interval
44	Spot Contour Interval
45	Spot Contour Interval
46	Spot Contour Interval
47	Spot Contour Interval
48	Spot Contour Interval
49	Spot Contour Interval
50	Spot Contour Interval
51	Spot Contour Interval
52	Spot Contour Interval
53	Spot Contour Interval
54	Spot Contour Interval
55	Spot Contour Interval
56	Spot Contour Interval
57	Spot Contour Interval
58	Spot Contour Interval
59	Spot Contour Interval
60	Spot Contour Interval
61	Spot Contour Interval
62	Spot Contour Interval
63	Spot Contour Interval
64	Spot Contour Interval
65	Spot Contour Interval
66	Spot Contour Interval
67	Spot Contour Interval
68	Spot Contour Interval
69	Spot Contour Interval
70	Spot Contour Interval
71	Spot Contour Interval
72	Spot Contour Interval
73	Spot Contour Interval
74	Spot Contour Interval
75	Spot Contour Interval
76	Spot Contour Interval
77	Spot Contour Interval
78	Spot Contour Interval
79	Spot Contour Interval
80	Spot Contour Interval
81	Spot Contour Interval
82	Spot Contour Interval
83	Spot Contour Interval
84	Spot Contour Interval
85	Spot Contour Interval
86	Spot Contour Interval
87	Spot Contour Interval
88	Spot Contour Interval
89	Spot Contour Interval
90	Spot Contour Interval
91	Spot Contour Interval
92	Spot Contour Interval
93	Spot Contour Interval
94	Spot Contour Interval
95	Spot Contour Interval
96	Spot Contour Interval
97	Spot Contour Interval
98	Spot Contour Interval
99	Spot Contour Interval
100	Spot Contour Interval



Area	Remarks
10	Water
11	Canal
12	Drain
13	Highway
14	Other Road
15	Boundary
16	Survey Line
17	Spot Height
18	Spot Level
19	Spot Elevation
20	Spot Depression
21	Spot Contour
22	Spot Contour Interval
23	Spot Contour Interval
24	Spot Contour Interval
25	Spot Contour Interval
26	Spot Contour Interval
27	Spot Contour Interval
28	Spot Contour Interval
29	Spot Contour Interval
30	Spot Contour Interval
31	Spot Contour Interval
32	Spot Contour Interval
33	Spot Contour Interval
34	Spot Contour Interval
35	Spot Contour Interval
36	Spot Contour Interval
37	Spot Contour Interval
38	Spot Contour Interval
39	Spot Contour Interval
40	Spot Contour Interval
41	Spot Contour Interval
42	Spot Contour Interval
43	Spot Contour Interval
44	Spot Contour Interval
45	Spot Contour Interval
46	Spot Contour Interval
47	Spot Contour Interval
48	Spot Contour Interval
49	Spot Contour Interval
50	Spot Contour Interval
51	Spot Contour Interval
52	Spot Contour Interval
53	Spot Contour Interval
54	Spot Contour Interval
55	Spot Contour Interval
56	Spot Contour Interval
57	Spot Contour Interval
58	Spot Contour Interval
59	Spot Contour Interval
60	Spot Contour Interval
61	Spot Contour Interval
62	Spot Contour Interval
63	Spot Contour Interval
64	Spot Contour Interval
65	Spot Contour Interval
66	Spot Contour Interval
67	Spot Contour Interval
68	Spot Contour Interval
69	Spot Contour Interval
70	Spot Contour Interval
71	Spot Contour Interval
72	Spot Contour Interval
73	Spot Contour Interval
74	Spot Contour Interval
75	Spot Contour Interval
76	Spot Contour Interval
77	Spot Contour Interval
78	Spot Contour Interval
79	Spot Contour Interval
80	Spot Contour Interval
81	Spot Contour Interval
82	Spot Contour Interval
83	Spot Contour Interval
84	Spot Contour Interval
85	Spot Contour Interval
86	Spot Contour Interval
87	Spot Contour Interval
88	Spot Contour Interval
89	Spot Contour Interval
90	Spot Contour Interval
91	Spot Contour Interval
92	Spot Contour Interval
93	Spot Contour Interval
94	Spot Contour Interval
95	Spot Contour Interval
96	Spot Contour Interval
97	Spot Contour Interval
98	Spot Contour Interval
99	Spot Contour Interval
100	Spot Contour Interval



Scale of [Plotted] 1:10000

Scale of [Plotted] 1:10000

Scale of [Plotted] 1:10000



1A.2.B - ஆம் பக்கத்தில்  
 இலவசத் திட்டத்தில்  
 பங்களிப்பு செய்தவர்கள்

(1) திரு. அரண்மனை	(2) ச. சிவசாமி	(3) என்.டி.	(4) சீமை	(5) சி. சேகர்	(6) சி. சேகர்	(7) சி. சேகர்	(8) சி. சேகர்	(9) சி. சேகர்	(10) சி. சேகர்	(11) சி. சேகர்	(12) சி. சேகர்

கிராமக் கணக்கு  
 வட்டம் 153.21.1.அ-ஆர்  
 இரண்டாம் பாகம்

அட்டை நம்பிக்கை	பெயர்	பெயர்	பெயர்	பெயர்	பெயர்	பெயர்	பெயர்	பெயர்	பெயர்	பெயர்	பெயர்	பெயர்
செயல்பாட்டு	செயல்பாட்டு	செயல்பாட்டு	செயல்பாட்டு	செயல்பாட்டு	செயல்பாட்டு	செயல்பாட்டு	செயல்பாட்டு	செயல்பாட்டு	செயல்பாட்டு	செயல்பாட்டு	செயல்பாட்டு	செயல்பாட்டு

168 - 2962.5  
 சி. சேகர்

10000



District Tiruvannamalai Taluk CHEYYAR

Village VADALAIKATTI

சரணுள்ள நிலம் (அ) பரணுள்ள நிலம்	பரணுள்ள நிலம் (அ) சரணுள்ள நிலம்	பரணுள்ள நிலம் (அ) சரணுள்ள நிலம்	பரணுள்ள நிலம் (அ) சரணுள்ள நிலம்	பரணுள்ள நிலம் (அ) சரணுள்ள நிலம்	பரணுள்ள நிலம் (அ) சரணுள்ள நிலம்	பரணுள்ள நிலம் (அ) சரணுள்ள நிலம்	பரணுள்ள நிலம் (அ) சரணுள்ள நிலம்	பரணுள்ள நிலம் (அ) சரணுள்ள நிலம்	பரணுள்ள நிலம் (அ) சரணுள்ள நிலம்	பரணுள்ள நிலம் (அ) சரணுள்ள நிலம்	பரணுள்ள நிலம் (அ) சரணுள்ள நிலம்	பரணுள்ள நிலம் (அ) சரணுள்ள நிலம்	பரணுள்ள நிலம் (அ) சரணுள்ள நிலம்
166-2	166-2	ப	புதுசா	8	3	5	2	62	0	14.00	0	35.75	செங்கீரமணி மன்றம்
166-3	166-3	ப	புதுசா	8	3	5	2	62	1	66.50	4	35.75	செங்கீரமணி மன்றம்
				Total For Survey Number- 166				1	97.0	5	15	80.75	செங்கீரமணி மன்றம்
168	168	ப	புதுசா	0	0	0	0	0	29	62.50	0	00	புதுசா
169	169	ப	புதுசா	0	0	0	0	0	30	20.50	0	00	புதுசா
170	170	ப	புதுசா	0	0	0	0	0	0	37.00	0	30	0
171	171	ப	புதுசா	0	0	0	0	0	0	11.50	0	00	0
172	172	P	புதுசா	0	0	0	0	0	0	32.50	0	00	0
172	172	P	புதுசா	0	0	0	0	0	0	0.50	0	00	0
172	172	P	புதுசா	0	0	0	0	0	0	0.50	0	00	0
				Total For Survey Number- 172				0	33.5	9	00	0	0
173	173	ப	புதுசா	0	0	0	0	0	0	6.00	0	00	0
174	174	ப	புதுசா	0	0	0	0	0	0	82.50	0	90	0
175	175	ப	புதுசா	0	0	0	0	0	0	2.00	0	20	0
176	176	ப	புதுசா	3	0	0	0	0	47	91.00	0	00	0
177	177	ப	புதுசா	0	0	0	0	0	1	31.30	0	00	0
178	178	ப	புதுசா	0	0	0	0	0	1	89.50	0	00	0
179	179-1	ப	புதுசா	8	3	5	2	62	0	58.50	1	5512	தனக்குடியேற்பு மன்றம்
179	179-2	ப	புதுசா	0	3	5	2	62	1	60.50	4	9012	தனக்குடியேற்பு மன்றம்
				Total For Survey Number- 179				2	20.0	5	70	80	88 மலர்மாளி
180	180	ப	புதுசா	8	3	5	2	62	0	68.00	1	80	88 மலர்மாளி
181	181-1	ப	புதுசா	8	3	5	2	62	0	84.00	2	20 27	செங்கீரமணி மன்றம்
181	181-2	ப	புதுசா	8	3	5	2	62	0	40.50	1	05 52	செங்கீரமணி மன்றம்
				Total For Survey Number- 181				1	24.5	3	25	0	0
182	182-1	P	புதுசா	0	0	0	0	0	2	76.50	0	00	0
182	182-2	ப	புதுசா	8	3	5	2	62	0	35.00	0	94 52	செங்கீரமணி மன்றம்
				Total For Survey Number- 182				3	12.5	0	94	00	0
183	183-1	P	புதுசா	0	0	0	0	0	0	99.50	0	00	0
183	183-2	P	புதுசா	0	0	0	0	0	0	31.00	0	00	0
183	183-3	ப	புதுசா	8	3	5	2	62	0	56.00	1	55	0 மன்றம்
183	183-3	P	புதுசா	0	0	0	0	0	0	3.00	0	00	0
				Total For Survey Number- 183				1	89.5	1	55	142	தனக்குடியேற்பு மன்றம்
184	184-1	P	புதுசா	8	3	5	2	62	0	64.50	1	68	189-தனக்குடியேற்பு மன்றம்
184	184-1	P	புதுசா	8	3	5	2	62	1	28.50	3	37	189-தனக்குடியேற்பு மன்றம்
184	184-2	P	புதுசா	8	3	5	2	62	0	68.00	1	8058	தனக்குடியேற்பு மன்றம்
184	184-2B	P	புதுசா	8	3	5	2	62	0	9.00	0	25	97-தனக்குடியேற்பு மன்றம்
				Total For Survey Number- 184				2	70.0	7	10	00	0
185	185	P	புதுசா	0	0	0	0	0	2	26.50	0	00	0
186	186-1	P	புதுசா	0	0	0	0	0	0	29.50	0	00	0

செங்கீரமணி மன்றம்  
 தனக்குடியேற்பு மன்றம்  
 தனக்குடியேற்பு மன்றம்  
 தனக்குடியேற்பு மன்றம்  
 தனக்குடியேற்பு மன்றம்





ANNEXURE VI

இந்திய தேர்தல் ஆணையர்  
வாக்காளர் அடையாள அட்டை  
ELECTION COMMISSION OF INDIA  
IDENTITY CARD  
ULP0508911



வாக்காளர் பெயர் : வெங்கடேஷ்  
Elector's Name : Venkatesh  
தந்தை பெயர் : நடராஜன்  
Father's Name : Natarajan  
பாலினம் / Sex : ஆண் / Male  
பிறந்த தேதி / Date of Birth : 23/01/1977

வா.பெ.எண்: 158 / NA  
குறிஞ்சி நகர், வெள்ளிமீனாடையம்  
கண்டூர், சட்டமன்ற தொகுதி  
சட்டமன்ற (மா) 007002



Address : 158 / NA  
Kurinjil Nagar, Valiseminandalam  
Kondur, Cuddalore (Tk)  
Cuddalore (Dt) 007002

திகதி / Date : 05/01/2012  
வாக்காளர் பெயர்: வெங்கடேஷ்  
வா.பெ.எண்: 158 - சட்டமன்ற  
சட்டமன்ற தொகுதி  
Facsimile Signature of  
Electoral Registration Officer  
158 - Cuddalore  
Assembly Constituency

முன்னதாக அறிவிக்கப்பட்டிருக்கின்ற வாக்காளர் பெயர், வா.பெ.எண், குறிஞ்சி நகர், வெள்ளிமீனாடையம், கண்டூர், சட்டமன்ற தொகுதி, சட்டமன்ற (மா) 007002 என்பன சரியானவையாக உள்ளன என்பதை உறுதிப்படுத்தி, இவ்வாட்டை வழங்குகிறேன்.  
In case of change of address, mention this serial No. in the relevant form for including your name in the roll at the changed address and to submit the card with appropriate documents.



सक नवीकृत  
Renewed up to 24 OCT 1991

P. Hanumanthly 26/10/87  
Regional Controller of Mines  
INDIAN BUREAU OF MINES  
Ministry of Steel Mines & Coal  
MADRAS

**CERTIFICATE OF RECOGNITION AS  
QUALIFIED PERSON TO PREPARE MINING PLANS**  
(Under Rule 22 (c) of Mineral Concession Rules 1960)

Shri ..... C. NATARAJAN ..... resident  
of ALAMBADI (VILL), VEDASENDUR (TO), ANNA (DISTT), TAMILNADU, son  
of SHRI K. CHINNA GOUNDER, having given satisfactory  
evidence of his qualifications and experience is hereby granted recognition  
under Rule 22 (c) of the Mineral Concession Rules, 1960 as a Qualified  
Person to prepare Mining Plans.

His registration number is RQP / MAS / 004 / 87 / A

This recognition is valid for a period of two years  
ending ..... 25.10.1989

Place: MADRAS  
Date: 26.10.1987

P. Hanumanthly 26/10/87  
Regional Controller of Mines  
Indian Bureau of Mines  
MADRAS

தக நவீகர்த்த 23 OCT 1993  
Renewed up to.....

தக நவீகர்த்த 22-10-2011  
Renewed up to.....



*Phanumun*  
Regional Controller of Mines  
INDIAN BUREAU OF MINES

*Suprabhena*  
REGIONAL CONTROLLER OF MINES  
INDIAN BUREAU OF MINES  
CHENNAI

தக நவீகர்த்த  
Renewed up to 23 OCT 1995

*Phanumun*

உய்யோய ஶாம நிவ்யவத்  
Regional Controller of Mine  
भारतीय खान ब्यूरो  
INDIAN BUREAU OF MINES

தக நவீகர்த்த 22-10-2021  
Renewed up to.....

*Suprabhena*  
REGIONAL CONTROLLER OF MINES  
INDIAN BUREAU OF MINES  
CHENNAI REGION

தக நவீகர்த்த 22 OCT 1997  
Renewed up to.....

*Suprabhena*  
உய்யோய ஶாம நிவ்யவத்  
Regional Controller of Mines  
भारतीय खान ब्यूरो  
INDIAN BUREAU OF MINES

தக நவீகர்த்த 22-10-99  
Renewed up to.....

*M.K.A. Murugan*  
Regional Controller of Mines  
INDIAN BUREAU OF MINES

தக நவீகர்த்த 22-10-2001  
Renewed up to.....

*Suprabhena*  
Regional Controller of Mines  
INDIAN BUREAU OF MINES



GOVERNMENT OF INDIA  
MINISTRY OF MINES AND MINEALS  
INDIAN BUREAU OF MINES  
OFFICE OF THE REGIONAL CONTROLLER OF MINES

No. : 656(48)/2010-Mds

C 4 A Rajaji Bhavan  
Besant Nagar  
Chennai 600 090.

Dated : 21 / 9 / 2011

✓ To :  
Sri C. Natarajan  
S/o K. Chinna Gounder  
No. 5/85 Muthugapatti - Post  
Namakkal Taluk & District  
Pincode - 637405

Sub. : Renewal of recognition as recognized qualified person under Rule 22C of MCR, 1960 reg.

Ref. : a) Your letter dated 5.08.2011.  
b) Reg. No. RQP/MAS/004/87/A dated 26.10.87.

Sir,

With reference to your request for renewal of recognition under Rule 22C of MCR, 1960, please find enclosed herewith the original certificate of recognition duly renewed for a further period of ten years.

02. You are advised to prepare standard mining plans/scheme of mining/Progressive Mine Closure Plan/Final Mine Closure Plan complete in all respects as per the outline/guidelines and taking into account all requirements as per CCOM's Circular to RQPs and instructions issued from time to time. Further, you are advised not to furnish any deliberate false information in the mining plan/scheme of mining/Progressive Mine Closure Plan/Final Mine Closure Plan, so as to mislead the authorities. It may please be noted that any such incidence on your part may lead to withdrawal of the recognition granted to you.

03. The recognition is valid up to 22.10.2021.

Yours faithfully,

*Ivan Khess*  
20/9/11

(Ivan Khess)

Regional Controller of Mines

✓ Encl. as above.

Copy for kind information to :  
The Controller of Mines (S), Indian Bureau of Mines, Bangalore without any enclosure.

*Ivan Khess*

Regional Controller of Mines

12°38'16"N

79°36'28"E




PLATE NO: I

DATE OF SURVEY : 29.05.2019

APPLICANT: **சுந்தர் அழகவேலன்**

THIRU.N.VENKATESH,  
S/o. NATARAJAN,  
NO.156, KURINJI NAGAR,  
VELLISEMANDALAM,  
CUDDALORE DISTRICT.

**QUARRY LEASE APPLIED AREA:**

S.F.NO : 168 (PART-I)

EXTENT : 4.50.0 Hc.

VILLAGE: VADA AALAPIRANDHAN,

TALUK : CHEYYAR,

DISTRICT : TIRUVANNAMALAI.

**INDEX**

Q. L. A. AREA : ●

TOPO SHEET NO : 57 P / 10

LATITUDE : 12°38'06"N to 12°38'16"N

LONGITUDE : 79°36'28"E to 79°36'35"E

**LOCATION PLAN**

NOT TO SCALE

**PREPARED BY :**

THIS IS TO CERTIFY THAT THE INFORMATION  
IN THIS PLATE IS TRUE AND CORRECT TO  
THE BEST OF MY KNOWLEDGE BASED UPON  
THE LEASE MAP AUTHENTICATED BY STATE  
GOVERNMENT

*(Signature)*

C.NATARAJAN, M.Sc., M.P.Hil.,  
RECOGNIZED QUALIFIED PERSON  
ROF/MAS/004/87/A

12°38'06"N

PLATE NO: 1A

DATE OF SURVEY: 29.05.2019

APPLICANT:

THIRU.N.VENKATESH,  
S/o. NATARAJAN,  
NO.158, KURINJI NAGAR,  
VELLISEMMANDALAM,  
CUDDALORE DISTRICT.

QUARRY LEASE APPLIED AREA:

S.F.NO : 168 (PART-1)  
EXTENT : 4.50.0 Ha,  
VILLAGE : VADA AALAPIRANDHAN,  
TALUK : CHEYYAR,  
DISTRICT : TIRUVANNAMALAI.

INDEX

TOPO SHEET NO : 57 P/ 10

LATITUDE : 12°38'06"N to 12°38'16"N

LONGITUDE : 79°36'28"E to 79°36'35"E

Q.L. APPLIED AREA	
500M RADIUS	
1KM RADIUS	
APPROACH ROAD	
PANCHAYAT ROAD	
BARREN LAND	
TREES	
AGRICULTURAL LAND	
QUARRY PIT	
HABITATIONS	
TANK	
ODAI	
HILLOCK	

LAND USE PATTERN

DESCRIPTION	AREA IN (%)
ROAD	07
TREES	10
BARREN LAND	43
HABITATION	05
AGRICULTURAL LAND	20
WATER BODIES	05
HILLOCK	10



ENVIRONMENTAL PLAN


SCALE 1: 10,000

PREPARED BY :

THIS IS TO CERTIFY THAT THE INFORMATION  
IN THIS PLATE IS TRUE AND CORRECT TO  
THE BEST OF MY KNOWLEDGE BASED UPON  
THE LEASE MAP AUTHENTICATED BY STATE  
GOVERNMENT

C.NATARAJAN, M.Sc., M.P.hil.,  
RECOGNIZED QUALIFIED PERSON  
RQP/MAS/004/87/A 254





**PLATE NO: 1B**

DATE OF SURVEY : 29/05/2019

**APPLICANT:**

THIRU.N.VENKATESH,  
S/o. NATARAJAN,  
NO.158, KURINJI NAGAR,  
VELLISEMMANDALAM,  
CUDDALORE DISTRICT.

**QUARRY LEASE APPLIED AREA:**

S.F.NO : 168 (PART-1)  
EXTENT : 4.50.0 Ha,  
VILLAGE : VADA AALAPIRANDHAN,  
TALUK : CHEYYAR,  
DISTRICT : TIRUVANNAMALAI.

**INDEX**

TOPO SHEET NO : 57 P/ 10

LATITUDE : 12°38'06"N to 12°38'16"N

LONGITUDE : 79°36'28"E to 79°36'35"E


Q.L. APPLIED AREA	
500M RADIUS	
1KM RADIUS	
APPROACH ROAD	
PANCHAYAT ROAD	

**SATELLITE IMAGE**

SCALE 1: 10,000

**PREPARED BY :**


THIS IS TO CERTIFY THAT THE INFORMATION  
IN THIS PLATE IS TRUE AND CORRECT TO  
THE BEST OF MY KNOWLEDGE BASED UPON  
THE LEASE MAP AUTHENTICATED BY STATE  
GOVERNMENT

  
C.NATARAJAN, M.Sc.,M.P.hil.,  
RECOGNIZED QUALIFIED PERSON  
RQP/MAS/004/87/A





# KEY PLAN



**PLATE NO: I-D**  
**DATE OF SURVEY: 29.05.2019**

**APPLICANT:**  
 THIRUVENKATESH,  
 S/o. NATARAJAN,  
 NO.158, KURUMBAGAR,  
 VELLISENMANUDAM,  
 CUDDALORE DISTRICT.

**QUARRY LEASE APPLIED AREA:**  
 S.F.NO : 168 (PART-I)  
 EXTENT : 4.50.0 Ha,  
 VILLAGE : VADA AALAPIRANDHAN,  
 TALUK : CHEYYAR,  
 DISTRICT : TIRUVANNAMALAI.

**INDEX**

**Q.L.AREA**

**STATE HIGHWAY**

**PANCHAYAT ROAD**


**APPROACH ROAD**

**HABITATIONS**

**KEY PLAN**  
 Not To Scale

**PREPARED BY :**  
 THIS IS TO CERTIFY THAT THE INFORMATION  
 IN THIS PLATE IS TRUE AND CORRECT TO  
 THE BEST OF MY KNOWLEDGE BASED UPON  
 THE LEASE MAP AUTHENTICATED BY STATE  
 GOVERNMENT.

*C. Natarajan*  
 C.NATARAJAN, M.Sc., M.P.H.I.,  
 RECOGNIZED QUALIFIED PERSON  
 RQP/MAS/004/87/A






PLATE NO-II  
DATE OF SURVEY - 29.03.2012

APPLICANT  
THIRU K. RAJAGANESH  
NO. 110, GURU NANAK  
VEENI RAMANAVILAM  
CHENNAI DISTRICT

QUARRY LEASE APPLIED AREA  
EXTENT - 4.500 Hha.  
VILLAGE - VADA AALAIANDRAN,  
TALUK - CHEYVAK,  
DISTRICT - TRIVANAMMALAI.

INDEX

LEASE APPLIED BOUNDARY	
7.5M SAFETY DISTANCE	
TEMPORARY BENCH MARK	
APPROACH ROAD	
COROUR	
SCRUB	


QUARRY LEASE & SURFACE PLAN  
SCALE 1 : 1000

PREPARED BY: S. S. SIVASUBRAMANIAM  
IN THIS PLACE BY ORDER AND CONTROLLED BY  
THE DEPT. OF SURVEY & MAPPING  
(THESE MAPS ARE NOT TO BE USED FOR ANY OTHER PURPOSE)



258

*S. S. Sivasubramaniam*  
DIRECTOR GENERAL  
MADRAS QUARTERS  
CHENNAI

SECTION A-A (1/4)



SECTION B-B (1/4)



- PROPOSED QUARRY**
- 1. QUARRY
  - 2. QUARRY
  - 3. QUARRY
  - 4. QUARRY
  - 5. QUARRY

APPROVED BY  
 (Signature)  
 DATE: 10/10/2010

- 10' Top Proposed Area to be Fenced
- 20' Top Proposed Area to be Fenced
- 30' Top Proposed Area to be Fenced
- 40' Top Proposed Area to be Fenced
- 50' Top Proposed Area to be Fenced

PLATE NO. IV  
 DATE OF ISSUE: 10/10/2010




**APPLICANT**  
 FREDERICK S. SORIANO  
 20, PARRAGALAN  
 BARANGAY SAN ANTONIO  
 CANTONMENT  
 CANTONMENT PROJECT  
 17th AVENUE, 17th FLOOR  
 3RD FLOOR - 3RD FLOOR  
 VALDE VERDE MALAPANGALAN  
 TALEK, QUEZON CITY  
 DISTRICT MALAPANGALAN

**INDEX**



QUARRY APPLIED BOUNDARY	—————
EXISTING QUARRY BOUNDARY	—————
BOUNDARY WITHIN QUARRY	—————
APPROACH ROAD	—————
CONTOUR	—————
EXISTING	—————
ROUGH STONE	—————
STONE & ASP	—————
PROPOSED QUARRY FE	—————
CONCEPTUAL PLAN & SECTION	—————
SCALE: 1:1000	—————
SECTION NO. 1-1000 VER. 1-1000	—————

**PREPARED BY:**  
 (Signature)  
 DATE: 10/10/2010

SECTION ALONG X-Y



SECTION ALONG A-B



**PROJECT & PLOT LAYOUT DETAILS**

DESCRIPTION	PERCENT	AREA (HA)	PERCENT	AREA (HA)
ALL OTHER BUILDING	0%	0.00	0%	0.00
INFRASTRUCTURE	0%	0.00	0%	0.00
ROADS	0%	0.00	0%	0.00
GREEN BELT	0%	0.00	0%	0.00
NET QUARRY AREA	4.30%	0.31	0%	0.00
<b>GRAND TOTAL</b>	<b>4.30%</b>	<b>0.31</b>	<b>0%</b>	<b>0.00</b>

- 1st Year Proposed area to be Quarried
- 2nd Year Proposed area to be Quarried
- 3rd Year Proposed area to be Quarried
- 4th Year Proposed area to be Quarried
- 5th Year Proposed area to be Quarried
- 1st Year Proposed area to be Planned
- 2nd Year Proposed area to be Planned
- 3rd Year Proposed area to be Planned
- 4th Year Proposed area to be Planned
- 5th Year Proposed area to be Planned

**PLATE NO-III**  
DATE OF SURVEY : 29.05.2019

**APPLICANT:**  
THIRU K. KESAVAN  
SH. NATARAJAN  
NEELARAJU NAJIA  
VELLUMANNARAJU  
CHITRAVATI PRABHU

**QUARRY LEASE APPLIED AREA:**  
S.F. NO. : 148 (PART-II)  
EXTENT : 4.30 H.A.  
VILLAGE : VADA AALAPRANDHAN  
TALUK : CHETYAR  
DISTRICT : TRUVANANTHAPURAM

**INDEX**

Q. LEASE APPLIED BOUNDARY

7.5m SAFETY DISTANCE

TEMPORARY BENCH MARK

APPROACH ROAD

CONTOUR

SCRUB

ROUGH STONE

SHRUBS & COP

**TOPOGRAPHY, GEOLOGICAL & YEARWISE DEVELOPMENT & PRODUCTION PLAN & SECTIONS**  
SCALE : 1:1000  
SECTIONS H/W 1:1000, V/W 1:500

**PREPARED BY:**  
THIS IS TO CERTIFY THAT THE INFORMATION CONTAINED IN THIS PLAN IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND I AM NOT PROVIDING ANY GUARANTEE OR WARRANTY FOR THE SAME NOR AM I PROVIDING ANY SERVICE TO ANY PARTY.

**260**

**PROPOSED SITE SERVICES**

- A - OFFICE
- B - STORE ROOM
- C - REST HOUSE
- D - REST HOUSE
- E - TRUCK
- F - WASHING

From  
Dr.G.Panneer Selvam M.Sc., M.Phil., Ph.D.,  
Assistant Director,  
Geology and Mining,  
Tiruvannamalai - 4.

To  
Thiru.N.Venkatesh,  
S/o.Natarajan,  
No.158, Kurinji Nagar,  
Vellisemmandalam,  
Cuddalore District

**Rc.No. 16/Kanimam/2019, dated: .06.2019.**

Sub: Mines and Minerals - Tiruvannamalai District -  
Thiru.N.Venkatesh, Cuddalore - Bidder of Proposal Stone quarry  
in an extent of 4.50.0 Hectare at Govt. Poramboke  
S.F.No. 168 (Part-1), in Vada Aalapirandhan Village, Cheyyar  
Taluk - Particulars called for - furnished - regarding.

Ref: Thiru.N.Venkatesh, Cuddalore letter, dt: 03.06.2019

◆◆◆◆◆

In the reference cited, the bidder of proposed stone quarry in  
S.F.No. 168 (Part-1) over an extent 4.50.0 hectare of Vada Aalapirandhan  
Village, Cheyyar Taluk Thiru. N.Venkatesh, Cuddalore has requested to furnish the  
details of Proposed / Existing / lease expired quarries located within 500 mts  
radius from his proposed quarry, so as to submit the same to the Environment  
Impact Assessment Authority for obtaining Environment Clearance.

In this regard, apart from his proposed quarry in S.F.No. 168 (Part-1)  
over an extent 4.50.0 Hect., of Vada Aalapirandhan Village, Cheyyar Taluk the  
details of quarries (Proposed / Existing / Lease Expired) located within 500 mts  
radius are furnished as follows.

**Details of proposed / Existing / lease expired quarries**

Sl. No.	Name of the Owner	Village & S.F. No.	Extent in Hect.	Lease Period	Remarks
1.	Thiru.S.Thennarasu, S/o.Selvaraju, No.2/352, Vavipalayam, Paramathi Velur Taluk, Namakkal District.	Vada Aalapirandhan Village, S.F.No. 168 (Part 2)	4.50.0	--	Proposed quarry

*lysmml*  
Assistant Director,  
Geology and Mining,  
Tiruvannamalai.

*7/16/19*

TOPOGRAPHICAL VIEW OF VADA AALAPIRANDHAN VILLAGE,  
ROUGH STONE QUARRY



Name of the applicant : N.Venkatesh,  
S.F.No : 168(Part-1)  
Extent : 4.50.0Ha  
Name of the Village : Vada Aalapirandhan Village,  
Taluk : Cheyyar Taluk,  
District : Tiruvannamalai

Place:

Date:

  
VAO SIGN & SEAL  
கிராம நிர்வாக அலுவலர்,  
153 அலுவலகம், கிராமம்,  
தெய்வக் கட்டை, தி. வனமலை.

## சான்றிதழ்

கிராம நிர்வாக அலுவலர்

153. உட்கண்டி பறந்திணி கிராமம்

25/05/2019

வட்டம்,..... சி. 10000..... மாவட்டம்,

சர்வே எண் ..... 168..... பரப்பு ஹெக்டேர் ..... 4.50.0 Ha

மேற்கண்ட சர்வே எண்ணில் உள்ள இந்த

இடம் 153. உட்கண்டி பறந்திணி இந்த இடத்தில் 500 மீட்டர்

சுற்றளவில் குடியிருப்புகளோ, புறதான சின்னங்களோ, உயர்வழுத்த

,தாழ்வழுத்த மின் கம்பிகள் மற்றும் நீர் நிலை ஆதாரங்கள் எதுவும் இல்லை

எனவே இந்த இடம் குவாரி செய்வதற்கு ஏற்ற இடம் என்பதற்கு இதுவே

சான்றாகும்.

  
கிராம நிர்வாக அலுவலர்  
கிராம நிர்வாக அலுவலர்,  
153. உட்கண்டி பறந்திணி... கிராமம்,  
வட்டம், சி. 10000, மாவட்டம்.



தமிழ்நாடு தமில்நாடு TAMILNADU

24 FEB 2021

CC 981387

N. Venkatesh  
No. 158, Kurinji Nagar  
Cuddalore - 607 001

M. KAILASH CHAND  
STAMP VENDOR-L.No.11727/C/91  
SAIDAPET, CHENNAI-15. P:9840173098

AFFIDAVIT TO SEIAA, TAMIL NADU

I Thiru.N.Venkatesh, S/o. Natarajan No158 No. 158, Kurinji Nagar, Vellisemmandalam, Cuddalore. Do hereby solemnly declare and sincerely affirm that, I have applied for getting environment clearance to SEIAA, Tamil Nadu for quarry lease for Rough Stone quarry over an extent of 4.50.0hectares of Patta land in S.F.Nos. 168 (Part -1) of Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu State,

1. I swear to state and confirm that within 10km area of the quarry site, we have applied for environmental clearance, none of the following is situated
  - a. Protected areas notified under the wild life (Protection) Act, 1972 (NBWL).  
**Wildlife Sanctuary:** Nil within 10km Radius
  - b. Critically polluted areas as notified by the central pollution control board constituted under water (Prevention and control of Pollution) Act 1974.



N. Venkatesh



- c. Interstate boundaries and international boundaries within 10km radius from the boundary of the proposed site.
2. I will complete the following Corporate Environment Responsibility (CER) activities before commencement of the quarrying activities.

CER Activity	Project cost (Rs)	CER cost 2.0% of Project cost (Rs)
Carrying out various developmental works in the nearby region based on the need of the locals.	Rs.5,95,70,000	Rs.1,191,400/-
Total cost Allocation	Rs.5,95,70,000	Rs.1,191,400/-

3. Details of quarry within 500m radius from the applied area:

S.No	Name and address of the lessee	Quarry location	Extent in Hectare	Lease Period
<b>a. Existing Quarries</b>				
Nil				
<b>b. Abandoned Quarries</b>				
1	Nil			
<b>c. Proposed Quarries</b>				
1	N.Venkatesh , S/o. Natarajan No158 No. 158, Kurinji Nagar, Vellisemmandalam, Cuddalore	Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, S.F.Nos.168 (Part -1)	4.50.0	Proposed Quarry
	S.Thennarasu	Vada Aalapirandhan	4.50.0	Proposed



*N. Venkatesh*

S/o. Selvaraju, No.2/352, Vavipalayam, Paramathi Velur Taluk, Namakkal District	Village, S.F No 168 (Part 2)		Quarry
--	---------------------------------	--	--------

The total lease within the 500m radius (Existing + Proposed) (2+1) works out to 5.90.5ha including this lease are.

4. There will not be hindrance or disturbance to the people living no enrooted/ nearby our quarry site while transporting the mineral and due to quarrying activities.
5. There is no approved habitation within 300m radius from the periphery of our quarry.
6. I swear that afforestation will be carried out during the course of quarrying operation and maintained.
7. The required insurance will be taken in the name of the laborers working in our quarry site.
8. The existing road from the main road to quarry is in good condition and the same will be maintained and utilized for Transportation of Rough Stone Quarry.
9. I will not engage any child labor in our quarry site and I aware that engaging child labor is punishable under the law.
10. All types of safety / protective equipment will be provided to all the laborers working in our quarry.
11. No permanent structures, temple etc., are located within 500m radius from the periphery of our quarry.

I ensure to do the social and Environment commitment as mentioned in the Mining plan to the best of our knowledge

Notary Sign & Seal

Quarry owner sign & Seal



*a. Saravanan*  
M. SARAVANAN, B.Sc., B.L.,  
ADVOCATE & NOTARY PUBLIC  
No.29, 2nd Cross Street, Sankar Nagar,  
Pammal, Chennai - 600 075.  
Cell : 9841081607

*N. Venkatesh*

N.Venkatesh

*N. Venkatesh*

भारतीय गैर न्यायिक

पचास  
रुपये

रु.50



FIFTY  
RUPEES

Rs.50

INDIA NON JUDICIAL

தமிழ்நாடு தமிழ்நாடு TAMILNADU

10/06/2019

Rs.50/-  
AY 911314

N. வெங்கடேஷ்  
- வெளிநிதி இண்டஸ்ட்ரி

K. Prudiva  
K. சந்திரா  
ஸ்டாம்பு வெண்டர்  
உத்தரவிட்டால்  
L.C.No. 1/96

DEED OF AGREEMENT OF CONDUCT BLASTING OPERATION

This deed of agreement entered and executed. Between  
Thiru N.VENKATESH S/o NATARAJAN, No.158, Kurinji Nagar  
Vellisemmandalam Cuddalore .For Quarrying Rough stone –common.  
Use Mineral under rule 1959 –lease Granted by District Collector,  
Thiruvannamalai No.16/mines/2019 dated in S.F.No:168(part-1) over  
the extent of 4.50.0 Hectares in Vada Aalapirandhan Village, Cheyyar  
Taluk, Thiruvannamalai District Considered .As party of the First part

*N. Venkatesh*

For MANONMANI EXPLOSIVES

*S. C. S.*  
Proprietor

M/s Manonmani Explosives ,Thirunarunkundram Village, Nannavaram Post, Ulundurpet Taluk ,Villupuram District Operating explosives magazine at S.No:61/3. Under License No. E/SC/TN/22/336(E6219) referred to as party of Second Part.

Whereas the part of the first part as decided to entrust the work of conducting blasting operation .In his stone quarry to the Party of the Second Part on Contract basis as per mutually agreed terms and conditions.

Whereas the Party of the second part is responsible for blasting operations and also making their own arrangement for the explosives and exploding machineries /equipments required for the work. The entire blasting in the above quarry and the possesment of the blasting equipments will be handled by the party of the second part having valid licensed Short Firers or Blasters. Holding permit granted under the Explosives Rule,1983 by Department of explosives and hereby undertake the responsibility for the work entrusted.

Whereas payment will be made periodically by the party of the First part for the quantity of explosives used and hours and time of the exploding equipments put into use/Calculation will be made and Settlement will be arrived at on the completion of blasting operation.


Whereas the agreement is valid from the date of execution till validity of the quarrying lease granted by the Govt to the party of the First part or terminable earlier by mutual consent. The above work Contract given to N.VENKATESH S/o NATARAJAN No.158, Kurinji Nagar ,Vellisemmandalam Cuddalore District



Signature of the party of

First Part 1

For MANONMANI EXPLOSIVES



Proprietor

Signature of the party of

Second

**LICENCE FORM I.E-3**

(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

**Licence to possess : (c) for use explosives of class 1, 2,3,4,5,6 or 7 in a m**

Licence No. : E/SC/TN/22/336(E6219)

Annual Fee Rs.4800/-



1. Licence is hereby granted to : **M/s. Manonmani Explosives (Occupier : Sri.S.C. SHEKAR)**  
**Thirunarukundram (V) Ulundurpet Taluk, Villuppuram**  
**District., Town/Village - Thirunarukundram**  
**District-VILUPPURAM, State-Tamil Nadu, Pincode - 606102**

2. Status of licensee : **Partnership Firm**3. Licence is valid only for the following purpose : possess for use of **Nitrate Mixture, Detonating Fuse, Safety Fuse, Electric and/or Ordinary Detonators,**

4. (a) Licence is valid for the following kinds and quantity of explosives:

Sr. No.	Name and Description	Class & Division	Sub-division (If any)	Quantity at any one time
1.	Nitrate Mixture	2.0	0	1400 Kg.
2.	Detonating Fuse	6.2	0	5000 Mtrs
3.	Safety Fuse	6.1	0	10000 Mtrs
4.	Electric and/or Ordinary Detonators	6.3	0	20000 Nos.

(b) Quantity of explosives to be purchased in a calendar month [applicable for licensee under article 3(b) and (c)] : **20 times as above.**

5. The licensee premises shall conform to the following drawing(s):

Drawing No : E/SC/TN/22/336(E6219) dated : 08/10/2015

6. The licensee premises are situated at following address:

Survey Nofs). 613, Town/Village : **Thirunarungundram**Police Station : **Thirunavalur**District : **VILUPPURAM**State : **Tamil Nadu**

PinCode :

Phone :

E-Mail :

Fax :

7. The licensed premises consist of following facilities : **Magazine consists of main room, lobby and detonator room**

8. The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

(1) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

(2) Conditions and Additional Conditions of this licence signed by the licensing authority.

(3) Distance Form DE-2

9. This licence shall remain valid till **31st day of March 2008**

This licence is liable to be suspended or revoked for any violation of the Act or Rules or orders there under or the conditions of this licence as set forth under Set VIII, wherever applicable, mentioned in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

Dt. Date: 18.06.2014

  
Joint Chief Controller of Explosives  
South Circle, Chennai

**Amendments :**

- Amendment of Quantity of Explosives Monthly Purchase Limit dated : 07/04/2011
- Amendment of Quantity of Explosives Monthly Purchase Limit dated : 02/05/2011
- Amendment of Quantity of Explosives Monthly Purchase Limit dated : 13/03/2012
- Amendment of Quantity of Explosives Monthly Purchase Limit dated : 05/09/2012
- Amendment of Quantity of Explosives Monthly Purchase Limit dated : 08/10/2015

**Endorsement for renewal of licence:**

Date of Renewal	Date of Expiry	Signature of licensing authority
26/02/2015	31/03/2020	Sd/- Jt. Chief Controller of Explosives, South Circle, Chennai

**Statutory Warning :** Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

**LICENCE FORM LE-3**

(See article 3(a) to (d) of Part I of Schedule IV of Explosives Rules, 2008)

Licence to possess : (et for use only) of Slurry Explosives, Safety Fuse, Detonating Fuse, DetonatorsLicence No. : E/HQ/TN/22/377(E42667)  
Annual Fee Rs.5000/-

1. Licence is hereby granted to : **M/s Senthil Explosives. (Occupier : S.S. SAKTHIVELU)**  
**20, PANCHAYAT OFFICE STREET, SULUR,**  
**COIMBATORE Dist., Town/Village - , SULUR**  
**District-COIMBATORE, State-Tamil Nadu, Pincode - 641402**

2. Status of licensee : **Partnership Firm**3. Licence is valid only for the following purpose : possess for use of **Slurry Explosives, Safety Fuse, Detonating Fuse, Detonators.**

4. (a) Licence is valid for the following kinds and quantity of explosives:

Sr. No.	Name and Description	Class & Division	Sub-division (If any)	Quantity at any one time
1.	Slurry Explosives	2.0	0	4900 Kg.
2.	Safety Fuse	6.1	0	20000 Mtrs
3.	Detonating Fuse	6.2	0	10000 Mtrs
4.	Detonators	6.3	0	44000 Nos.

(b) Quantity of explosives to be purchased in a calendar month [applicable for licence under article 3(b) and (c)] : **10 times as above.**5. The licensed premises shall conform to the following drawing(s):  
Drawing No : E/HQ/TN/22/377(E42667) dated : 23/09/1991

6. The licensed premises are situated at following address:

Survey No(s), **126/2, (v) No. 80**, Town/Village : **SULUR**Police Station : **COIMBATORE**District : **COIMBATORE**State : **Tamil Nadu**

PinCode :

Phone :

E-Mail :

Fax :

7. The licensed premises consist of following facilities : **a main magazine room, a lobby and a detonator storage room.**

8. The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

- (1) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.  
 (2) Conditions and Additional Conditions of this licence signed by the licensing authority.  
 (3) Distance Form DE-2

9. This licence shall remain valid till **31st day of March 1993**



खान अधिनियम, 1952  
**THE MINE'S ACT, 1952**

Certified that he was medically examined on 16/10/2008  
 and found to be fit to carry out the prescribed duties upto 15/10/2009  
 Director of Mines Safety, Chennai Region.

**खान मेट सम्बंधता प्रमाण-पत्र**  
**MINING MATE'S CERTIFICATE OF COMPETENCY**

(अन्तर्गत खान विनियम, 1951 के अन्तर्गत)  
 (Under Metalliferous Mines Regulations, 1951)  
 (अन्तर्गत खान सम्बंधता प्रमाण-पत्र प्रदान करने का अधिकार)  
 (Restricted to metalliferous mines having spontaneous workings etc)

श्री..... पुत्र  
 (निवासी) गाँव....., तालुका.....  
 जिला....., राज्य.....  
 जन्म तारीख..... मैं अपनी मातृ, पत्न्यात, बहनात, भाइयता और अनुभव का सहोपयोग प्रदान करे किता है और यह  
 पर पूर्व योजित परीक्षा पास कर जो है इसे भारतीय खान विनियम, 1951 के अन्तर्गत खान सम्बंधता प्रमाण-पत्र के लिए निम्न में खान मेट सम्बंधता प्रमाण-पत्र प्रदान किया जाता है।

**M. P. KUPPUSAMY** (Name)

of Village **WALAYAR**, Taluk **MADHEKARAI**  
 District **COIMBATORE**, State **TAMIL NADU**  
 born on **13TH MAY 1948**, Son of **PONNAM**

having given satisfactory evidence of his age, medical fitness, good conduct, literary and experience and having passed all oral examination held at **SALEM** on **24TH JULY, 1976**.

It is hereby granted a MINING MATE'S CERTIFICATE under the Metalliferous Mines Regulations, 1951, restricted to metalliferous mines having spontaneous workings etc.

Certified that he was medically examined on 16-10-2012 and found to be fit to carry out the prescribed duties upto 15-10-2013

सचिव  
 खान परीक्षा बोर्ड  
 Secretary,  
 Board of Mining Examinations.

अध्यक्ष  
 खान परीक्षा बोर्ड  
 Chairman,  
 Board of Mining Examinations.

दिनांक 22.08.2012 Director of Mines Safety, Chennai Region.



यह दाग के अर्थ का निमित्त  
 Left hand thumb impression

Certified that he was medically examined on 19/10/2010 and found to be fit to carry out the prescribed duties upto 18/10/2011

Director of Mines Safety, Chennai Region.



अर्थात् किता प्रमाण है कि श्री..... को परीक्षा की गई और.....  
 को भारतीय खान सम्बंधता प्रमाण-पत्र प्रदान किया गया है, किता अन्तर्गत खान सम्बंधता प्रमाण-पत्र प्रदान किया जाता है।

Certified that he was examined and found fit from deafness, defective vision or any other infirmity, mental or physical, likely to interfere with the efficient discharge of his duties.

1. 22.6.2012 On.....  
 2. On.....  
 3. On.....  
 4. On.....  
 5. On.....

- Certified that he was medically examined on 19/10/2011 and found to be fit to carry out the prescribed duties upto 18/10/2012  
 2. On.....  
 4. On.....  
 6. On.....



Certified that he was medically  
examined on 29-10-2013  
and found to be fit to carry out the  
prescribed duties upto 28-10-2014

  
Director of Mines Safety, Chhattisgarh Region.

Certified that he was medically  
examined on... 15/11/2014  
and found to be fit to carry out the  
prescribed duties upto 14/11/2015

  
Director of Mines Safety, Chhattisgarh Region.

Certified that he was medically  
examined on 19-11-2015  
and found to be fit to carry out the  
prescribed duties upto 18-11-2016

  
Director of Mines Safety, Chhattisgarh Region.

Certified that he was medically  
examined on 15-12-2016  
and found to be fit to carry out the  
prescribed duties upto 14-12-2017

  
Director of Mines Safety, Chhattisgarh Region.

Certified that he was medically  
examined on... 14/12/2017  
and found to be fit to carry out the  
prescribed duties upto 13/12/2018

  
Director of Mines Safety, Chhattisgarh Region.

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

The Date: 23/08/2010

Sd/  
Chief Controller of Explosives

**Amendments:**


- Amendment of Quantity of Explosives/Monthly Purchase Limit dated 27/08/2013
- Endorsement for renewal of licence:

Date of Renewal	Date of Expiry
19/02/2014	31/03/2010

Signature of licensing authority

*[Signature]*  
Chief Controller of Explosives, South Circle, Chennai

**Statutory Warning:** Mishandling and misuse of explosives shall constitute serious criminal offence under the law.




**Google Image Showing Environmental Sensitive Areas**


- Legend**
-  Project Site
  -  River, RF, Tanks & Canals
  -  Google Earth Pro
  -  0.5km Buffer Boundary
  -  1km Buffer Boundary
  -  5km Buffer Boundary
  -  10km Buffer Boundary
  -  15km Buffer Boundary

**Map No : EIA VRSGQ - 015**

**Client : Thiru.N.Venkatesh, Cuddalore**

**Source: SOI Toposheet 57P/6,57P/9,57P/10&57P/11**





**ANNEXURE-3**

From  
Dr.G.Panneer Selvam M.Sc., M.Phil., Ph.D.,  
Assistant Director,  
Geology and Mining,  
Tiruvannamalai - 4.

To  
Thiru.N.Venkatesh,  
S/o.Natarajan,  
No.158, Kurinji Nagar,  
Vellisemmandalam,  
Cuddalore District

**Rc.No. 16/Kanimam/2019, dated: .06.2019.**

Sub: Mines and Minerals - Tiruvannamalai District -  
Thiru.N.Venkatesh, Cuddalore - Bidder of Proposal Stone quarry  
in an extent of 4.50.0 Hectare at Govt. Poramboke  
S.F.No. 168 (Part-1), in Vada Aalapirandhan Village, Cheyyar  
Taluk - Particulars called for - furnished - regarding.

Ref: Thiru.N.Venkatesh, Cuddalore letter, dt: 03.06.2019

◆◆◆◆◆

In the reference cited, the bidder of proposed stone quarry in S.F.No. 168 (Part-1) over an extent 4.50.0 hectare of Vada Aalapirandhan Village, Cheyyar Taluk Thiru. N.Venkatesh, Cuddalore has requested to furnish the details of Proposed / Existing / lease expired quarries located within 500 mts radius from his proposed quarry, so as to submit the same to the Environment Impact Assessment Authority for obtaining Environment Clearance.


In this regard, apart from his proposed quarry in S.F.No. 168 (Part-1) over an extent 4.50.0 Hect., of Vada Aalapirandhan Village, Cheyyar Taluk the details of quarries (Proposed / Existing / Lease Expired) located within 500 mts radius are furnished as follows.

**Details of proposed / Existing / lease expired quarries**

Sl. No.	Name of the Owner	Village & S.F. No.	Extent in Hect.	Lease Period	Remarks
1.	Thiru.S.Thennarasu, S/o.Selvaraju, No.2/352, Vavipalayam, Paramathi Velur Taluk, Namakkal District.	Vada Aalapirandhan Village, S.F.No. 168 (Part 2)	4.50.0	--	Proposed quarry

*gymml*  
Assistant Director,  
Geology and Mining,  
Tiruvannamalai.

*gymml*  
7/6/19



**ANNEXURE-4**

TOPOGRAPHICAL VIEW OF VADA AALAPIRANDHAN VILLAGE,  
ROUGH STONE QUARRY



Name of the applicant : N.Venkatesh,  
S.F.No : 168(Part-1)  
Extent : 4.50.0Ha  
Name of the Village : Vada Aalapirandhan Village,  
Taluk : Cheyyar Taluk,  
District : Tiruvannamalai

Place:

Date:

  
VAO SIGN & SEAL  
கிராம நிர்வாக அலுவலர்,  
153 அலுவலகம், கிராமம்,  
தெய்யார் தாலுக்கா, திருவணமலை.

## சான்றிதழ்

கிராம நிர்வாக அலுவலர்

153. உடனடி பறந்திணி கிராமம்

25/05/20

வட்டம், சி. 10000 மாவட்டம்,

சர்வே எண் 168 பரப்பு ஹெக்டேர் 4.50.0 Ha

மேற்கண்ட சர்வே எண்ணில் உள்ள இந்த

இடம் 153. உடனடி பறந்திணி இந்த இடத்தில் 500 மீட்டர்

சுற்றளவில் குடியிருப்புகளோ, புறதான சின்னங்களோ, உயர்வழுத்த

,தாழ்வழுத்த மின் கம்பிகள் மற்றும் நீர் நிலை ஆதாரங்கள் எதுவும் இல்லை

எனவே இந்த இடம் குவாரி செய்வதற்கு ஏற்ற இடம் என்பதற்கு இதுவே

சான்றாகும்.

  
கிராம நிர்வாக அலுவலர்  
கிராம நிர்வாக அலுவலர்,  
153. உடனடி பறந்திணி... கிராமம்,  
வட்டம், சி. 10000 மாவட்டம், த. மகலகாசி.





**ANNEXURE-5**

भारतीय गैर न्यायिक

पचास  
रुपये

रु.50



FIFTY  
RUPEES

Rs.50

INDIA NON JUDICIAL

தமிழ்நாடு தமிழ்நாடு TAMILNADU

10/06/2019

Rs.50/-  
AY 911314

N. வெங்கடேஷ்  
- வெளிநிதி இண்டஸ்ட்ரி

K. Prudhva  
K. சந்திரா  
ஸ்டாம்பு வெண்டர்  
உத்தரவிட்டால்  
L.C.No. 1/96

DEED OF AGREEMENT OF CONDUCT BLASTING OPERATION

This deed of agreement entered and executed. Between  
Thiru N.VENKATESH S/o NATARAJAN, No.158, Kurinji Nagar  
Vellisemmandalam Cuddalore .For Quarrying Rough stone –common.  
Use Mineral under rule 1959 –lease Granted by District Collector,  
Thiruvannamalai No.16/mines/2019 dated in S.F.No:168(part-1) over  
the extent of 4.50.0 Hectares in Vada Aalapirandhan Village, Cheyyar  
Taluk, Thiruvannamalai District Considered .As party of the First part

*N. Venkatesh*

For MANONMANI EXPLOSIVES

*S. C. S.*  
Proprietor

M/s Manonmani Explosives ,Thirunarunkundram Village, Nannavaram Post, Ulundurpet Taluk ,Villupuram District Operating explosives magazine at S.No:61/3. Under License No. E/SC/TN/22/336(E6219) referred to as party of Second Part.

Whereas the part of the first part as decided to entrust the work of conducting blasting operation .In his stone quarry to the Party of the Second Part on Contract basis as per mutually agreed terms and conditions.

Whereas the Party of the second part is responsible for blasting operations and also making their own arrangement for the explosives and exploding machineries /equipments required for the work. The entire blasting in the above quarry and the possesment of the blasting equipments will be handled by the party of the second part having valid licensed Short Firers or Blasters. Holding permit granted under the Explosives Rule,1983 by Department of explosives and hereby undertake the responsibility for the work entrusted.

Whereas payment will be made periodically by the party of the First part for the quantity of explosives used and hours and time of the exploding equipments put into use/Calculation will be made and Settlement will be arrived at on the completion of blasting operation.


Whereas the agreement is valid from the date of execution till validity of the quarrying lease granted by the Govt to the party of the First part or terminable earlier by mutual consent. The above work Contract given to N.VENKATESH S/o NATARAJAN No.158, Kurinji Nagar ,Vellisemmandalam Cuddalore District



Signature of the party of

First Part 1

For MANONMANI EXPLOSIVES



Proprietor

Signature of the party of

Second

**LICENCE FORM I.E-3**

(See article 3(a) to (d) of Part I of Schedule IV of Explosives Rules, 2008)

**Licence to possess : (c) for use explosives of class 1, 2,3,4,5,6 or 7 in a m**Licence No. : E/SC/TN/22/336(E6219)  
Annual Fee Rs.4800/-

1. Licence is hereby granted to : **M/s. Manonmani Explosives (Occupier : Sri.S.C. SHEKAR)**  
**Thirunarukundram (V) Ulundurpet Taluk, Villuppuram**  
**District., Town/Village - Thirunarukundram**  
**District-VILUPPURAM, State-Tamil Nadu, Pincode - 606102**

2. Status of licensee : **Partnership Firm**  
3. Licence is valid only for the following purpose : possess for use of **Nitrate Mixture, Detonating Fuse, Safety Fuse, Electric and/or Ordinary Detonators,**  
4. (a) Licence is valid for the following kinds and quantity of explosives:

Sr. No.	Name and Description	Class & Division	Sub-division (If any)	Quantity at any one time
1.	Nitrate Mixture	2.0	0	1400 Kg.
2.	Detonating Fuse	6.2	0	5000 Mtrs
3.	Safety Fuse	6.1	0	10000 Mtrs
4.	Electric and/or Ordinary Detonators	6.3	0	20000 Nos.

(b) Quantity of explosives to be purchased in a calendar month [applicable for licensee under article 3(b) and (c)] : **20 times as above.**

5. The licensee premises shall conform to the following drawing(s):  
**Drawing No : E/SC/TN/22/336(E6219) dated : 08/10/2015**
6. The licensee premises are situated at following address:  
**Survey Nofs). 613, Town/Village : Thirunarungundram**  
**Police Station : Thirunavalur District : VILUPPURAM State : Tamil Nadu**  
**PinCode : Phone : E-Mail : Fax :**
7. The licensed premises consist of following facilities : **Magazine consists of main room, lobby and detonator room**
8. The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.  
(1) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.  
(2) Conditions and Additional Conditions of this licence signed by the licensing authority.  
(3) Distance Form DE-2
9. This licence shall remain valid till **31st day of March 2008**

This licence is liable to be suspended or revoked for any violation of the Act or Rules or orders there under or the conditions of this licence as set forth under Set VIII, wherever applicable, mentioned in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

Dt. Date: 18.06.2014

  
**Joint Chief Controller of Explosives**  
 South Circle, Chennai

**Amendments :**

- Amendment of Quantity of Explosives Monthly Purchase Limit dated : 07/04/2011
- Amendment of Quantity of Explosives Monthly Purchase Limit dated : 02/05/2011
- Amendment of Quantity of Explosives Monthly Purchase Limit dated : 13/03/2012
- Amendment of Quantity of Explosives Monthly Purchase Limit dated : 05/09/2012
- Amendment of Quantity of Explosives Monthly Purchase Limit dated : 08/10/2013

**Endorsement for renewal of licence:**

Date of Renewal	Date of Expiry	Signature of licensing authority
26/02/2015	31/03/2020	Sd/- Jt. Chief Controller of Explosives, South Circle, Chennai

**Statutory Warning :** Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

**LICENCE FORM LE-3**

(See article 3(a) to (d) of Part I of Schedule IV of Explosives Rules, 2008)

Licence to possess : (et for use only) of Slurry Explosives, Safety Fuse, Detonating Fuse, DetonatorsLicence No. : E/HQ/TN/22/377(E42667)  
Annual Fee Rs.5000/-

1. Licence is hereby granted to : **M/s Senthil Explosives. (Occupier : S.S. SAKTHIVELU)**  
**20, PANCHAYAT OFFICE STREET, SULUR,**  
**COIMBATORE Dist., Town/Village - , SULUR**  
**District-COIMBATORE, State-Tamil Nadu, Pincode - 641402**

2. Status of licensee : **Partnership Firm**3. Licence is valid only for the following purpose : possess for use of **Slurry Explosives, Safety Fuse, Detonating Fuse, Detonators.**

4. (a) Licence is valid for the following kinds and quantity of explosives:

Sr. No.	Name and Description	Class & Division	Sub-division (If any)	Quantity at any one time
1.	Slurry Explosives	2.0	0	4900 Kg.
2.	Safety Fuse	6.1	0	20000 Mtrs
3.	Detonating Fuse	6.2	0	10000 Mtrs
4.	Detonators	6.3	0	44000 Nos.

(b) Quantity of explosives to be purchased in a calendar month [applicable for licence under article 3(b) and (c)] : **10 times as above.**5. The licensed premises shall conform to the following drawing(s):  
Drawing No : E/HQ/TN/22/377(E42667) dated : 23/09/1991

6. The licensed premises are situated at following address:

Survey No(s), **126/2, (v) No. 80**, Town/Village : **SULUR**Police Station : **COIMBATORE**District : **COIMBATORE**State : **Tamil Nadu**

PinCode :

Phone :

E-Mail :

Fax :

7. The licensed premises consist of following facilities : **a main magazine room, a lobby and a detonator storage room.**

8. The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

- (1) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.  
 (2) Conditions and Additional Conditions of this licence signed by the licensing authority.  
 (3) Distance Form DE-2

9. This licence shall remain valid till **31st day of March 1993**



खान अधिनियम, 1952  
**THE MINE'S ACT, 1952**

Certified that he was medically  
 examined on 16/10/2008  
 and found to be fit to carry out the  
 prescribed duties upto 15/10/2009  
 Director of Mines Safety, Chennai Region

**खान मेट सम्बंधता प्रमाण-पत्र  
 MINING MATE'S CERTIFICATE OF COMPETENCY**

(असंश्लेष खान अधिनियम, 1952 के अधीन)  
 (Under Metalliferous Mines Regulations, 1951)  
 (केवल खान सम्बंधित कार्य सम्पन्न करने के लिए सीमित)  
 (Restricted to metalliferous mines having spontaneous workings etc)

श्री..... पुत्र  
 (निवासी) गाँव....., तालुका.....  
 जिला....., राज्य.....  
 जन्म तारीख..... मैं अपनी मातृ, पत्न्यात, बहनात, भाइयों और बहूयों का  
 सहोपजनक प्रमाण दे रहा हूँ और यह.....  
 पर हुई शैक्षिक परीक्षा पास कर जो है इसे भारतीय खान अधिनियम, 1952 के अधीन उन शर्तों के लिए निम्न केवल खान कार्यस्थलों  
 पर कार्य सीमित होता है जहाँ मेट सम्बंधता प्रमाण-पत्र प्राप्त करता है :

**M. P. KUPPUSAMY** (Name)  
 of Village **WALAYAR**, Taluk **MADHEKARAI**  
 District **COIMBATORE**, State **TAMIL NADU**  
 born on **13TH MAY 1948**, Son of **PONNAM**

Having given satisfactory evidence of his age, medical fitness, good conduct, literary and experience and having passed all  
 oral examination held at **SALEM** on **24TH JULY, 1976**.

It is hereby granted a MINING MATE'S CERTIFICATE under the Metalliferous Mines  
 Regulations, 1951, restricted to metalliferous mines having spontaneous workings etc.

Certified that he was medically  
 examined on 16-10-2012  
 and found to be fit to carry out the  
 prescribed duties upto 15-10-2013

सचिव  
 प्रस्तावक बोर्ड  
 Secretary,  
 Board of Mining Examinations.  
 तारीख  
 Date 22.10.2012  
 Director of Mines Safety, Chennai Region.  
 अध्यक्ष  
 प्रस्तावक बोर्ड  
 Chairman,  
 Board of Mining Examinations.

एक हाथ के अंकित छाप  
 Left hand thumb impression

Certified that he was medically  
 examined on 19/10/2010  
 and found to be fit to carry out the  
 prescribed duties upto 18/10/2011  
 Director of Mines Safety, Chennai Region.



अर्थात् कि वह काम है कि श्री..... की परीक्षा की गई और.....  
 को भारतीय खान अधिनियम के अधीन उन शर्तों के लिए निम्न केवल खान कार्यस्थलों पर कार्य सीमित होता है जहाँ मेट सम्बंधता प्रमाण-पत्र प्राप्त करता है :

Certified that he was examined and found fit from deafness, defective vision or any other infirmity, mental or  
 physical, likely to interfere with the efficient discharge of his duties. Certified that he was medically  
 examined on 19/10/2011.

- |                 |                  |
|-----------------|------------------|
| 1. On 22.6.2012 | 2. On 18/10/2012 |
| 3. On           | 4. On            |
| 5. On           | 6. On            |

Certified that he was medically  
examined on 29-10-2013  
and found to be fit to carry out the  
prescribed duties upto 28-10-2014

  
Director of Mines Safety, Chhennai Region.

Certified that he was medically  
examined on... 15/11/2014  
and found to be fit to carry out the  
prescribed duties upto 14/11/2015

  
Director of Mines Safety, Chhennai Region.

Certified that he was medically  
examined on 19-11-2015  
and found to be fit to carry out the  
prescribed duties upto 18-11-2016

  
Director of Mines Safety, Chhennai Region.

Certified that he was medically  
examined on 15-12-2016  
and found to be fit to carry out the  
prescribed duties upto 14-12-2017

  
Director of Mines Safety, Chhennai Region.

Certified that he was medically  
examined on... 14/12/2017  
and found to be fit to carry out the  
prescribed duties upto 13/12/2018

  
Director of Mines Safety, Chhennai Region.



This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

The Date: 23/08/2014

Sd/  
Chief Controller of Explosives

**Amendments:**


- Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 27/08/2013
- Endorsement for renewal of licence:

Date of Renewal	Date of Expiry
19/02/2014	31/03/2010

Signature of licensing authority

*[Signature]*  
Chief Controller of Explosives, South Circle, Chennai

**Statutory Warning:** Mishandling and misuse of explosives shall constitute serious criminal offence under the law.



**ANNEXURE-6**

# DISTRICT SURVEY REPORT FOR MINOR MINERALS OTHER THAN SAND MINING / RIVER BED MINING

## MINOR MINERAL : ROUGH STONE

( Prepared As Per Notification Of Ministry Of Environment, Forest And Climate Change - MOEF & CC  
S.O.141 (E) Dated 15<sup>th</sup> January 2016 & S.O.3611 (E) Dated 25<sup>th</sup> July 2018 )



**MAY -2019**

## DISTRICT SURVEY REPORT TIRUVANNAMALAI DISTRICT

Chapter	Contents	Page No.
1.	Introduction	1
2.	Overview of Mining Activity in the District	3
3.	General Profile of the District	4
4.	Geology of Thiruvannamalai District	7
5.	Drainage of Irrigation pattern	12
6.	Land Utilisation Pattern in the District: Forest, Agricultural, Horticultural, Mining etc.,	13
7.	Surface Water and Ground Water scenario of the District	13
8.	Climate and Rainfall of the District	15
9.	Details of Mining Leases in the District	16
10.	Details of Royalty or Revenue received in last three years	32
11.	Details of Production of Minor Mineral in last three years	32
12.	Mineral Map of the District	33
13.	List of Letter of Intent (LOI) Holder in the District along with its validity	34
14.	Total Mineral Reserve available in the district	38
15.	Quality/Grade of Mineral available in the district	56
16.	Use of Mineral	56
17.	Demand and supply of the Mineral in the last three years	56
18.	Mining Leases marked on the map of the district	57
19.	Details of the area of where there is a cluster of the mining leases	58
20.	Details of Eco-sensitive area	59
21.	Impact on the environment due to Mining activity	59
22.	Remedial measures to mitigate the impact of mining on the environment	60
23.	Reclamation of the mined out area	62
24.	Risk assessment & Disaster Management Plan	64
25.	Details of Occupational health issue in the District	66
26.	Plantation and Green belt development in respect of leases already granted in the district	66
27.	Any other information	67

## **1. INTRODUCTION**

Geologically Tiruvannamalai District mainly comprises of rocks of Archaean age. The type of rocks found in the district are Charnockite, Granitic gneiss, Epidote Hornblende Gneiss, Amphibolite, Pyroxenite, Dunite, Migmatites, Banded Magnetite Quartzite, Shale and Clay. Dolerite dykes (Black Granite) are also noticed cutting across the country rocks.

The need of the minor minerals particularly for infrastructural development of Individuals as well as for the Government is increasing day by day rapidly, accordingly the mining of minor minerals, is also developing vigorously. However, each entity looking for a good environment for their habitat.

As per the Gazette Notification **S.O.3611 (E) Dated: 25.07.2018** Ministry of Environment, Forest and Climate Change (MoEF & CC),laid procedure for preparation of District Survey Report of minor minerals other than sand mining or river bed mining. The main purpose of preparation of District Survey Report is to identify the mineral resources and developing the mining activities along with other relevant data of the District.

This District Survey report, guides systematic and scientific utilization of natural resources, so that present and future generations benefit equally. The objective of District Survey Report (DSR) is to meet human needs while preserving the Environment so that these needs can be met not only in the present, also for future generation.


The minerals are basic and strategic material for industrial and Economic development. In mining, the possibilities of adverse effects on the Environment are quite high if the adverse effects are not contain are reduced to minimum. The Negative impact of Mining could be controlled through the application of the concept and principles of sustainable development to mining operation.

The District Survey report (DSR) contain mainly data published and endorsed by various Departments and websites about Geology of the area, Mineral Wealth details, Details of Lease and Mining activity in the District along with Revenue of Minerals. This report also contains details of Forest, Rivers, Soil, Agriculture, Road, Transportation and Climate etc.

The main purpose of preparation of District Survey Report is to identify the mineral resources and developing the mining activities along with other relevant data of the District.

**List of occurrences of Minerals in Tiruvannamalai District:**

1. Rough Stone and associated products
2. Granite (Black Granite and Multi Colour Granite)
3. Fire Clay
4. Gravel / Ordinary Earth (Savudu) / Brick Clay




**Fig. 1.1** Toposheet in Tiruvannamalai District

## 2. OVERVIEW OF MINING ACTIVITY IN THE DISTRICT

The Mining activities are carried out in the district by Opencast Mechanized method and Opencast Manual method. In opencast method, Mining activities being carried out by drilling and blasting and also deploying heavy machineries like pocklain, Breaker, Tipper and compressors etc., Benches are formed along the strike on the hanging wall and footwall sides to work the deposit at depth.


### Procedure for Grant of quarrying lease for Minor Minerals - Rough Stone



The office of the Assistant Director, Department of Geology and Mining is functioning under the control of District Collector, Thiruvannamalai. The Assistant Director, Geology and Mining are assisting the District Collector in the Mineral Administration works.

### 3. GENERAL PROFILE OF THE DISTRICT

Tiruvannamalai district lies in the northern part of Tamil Nadu, and 200 Km from the state capital Chennai. It is bounded on the north by Vellore District, on the east by Kanchipuram District, and Villupuram on the south by Villupuram District, and on the west by Dharmapuri, Krishnagiri and Vellore districts. Tiruvannamalai District is divided into 3 Revenue Divisions namely Tiruvannamalai, Arni and Cheyyar and 12 Taluks namely Tiruvannamalai, Kilpennathur, Chengam, Thandarampattu, Kalasapakkam, Polur, Arni, Chetput, Cheyyar, Vembakkam, Vandavasi and Jamanamarathur. Tiruvannamalai consist of 18 Blocks (Union), 4 Municipalities, 10 Town Panchayats and 860 Village Panchayats.



**Fig.3.1** Tiruvannamalai District (Taluks wise)





## TIRUVANNAMALAI DISTRICT PROFILE – 2017 - 18

Table	Geographical Position	
1	North Latitude between	Between 11.55 and 13.15'
	East Longitude between	Between 78.20 and 79.50'
2	Area and Population	
	1. Area in Square Km	6188
	2. Total Population as per 2011	2464875
	3. Density / Sq. Km	398
	4. Literate	
	Male %	83.11
	Female %	65.32
	Language spoken in the	Tamil
	Temperature (IN CELCIUS)	Max : 36.00 Min : 21.10
	Rainfall in mm	
	Normal	North East Monsoon : 446.5 South West Monsoon : 468.1
	Actual	North East Monsoon : 524.9 South West Monsoon : 621.9
	Agriculture (in Ha)	
	Total Cultivated area	314827
	Net area sown	208644
	Area sown more than once	106182
	Forests (in Ha)	
	Reserved forest	151799.64
	Forest	101017
	Un classed Forest	381.48

## **Places of worship and tourist**

Tiruvannamalai is one of the most venerated places in Tamil Nadu. The main Deepam festival, Maha shivarathri and Pournami Girivalam attracts Tiruvannamalai and Parvathamalai devotees from far and wide throughout India and abroad. Further main features of the District attract historic places besides Tiruvannamalai, Arni, Vandavasi and Devigapuram connected to East India and French companies. It is also noticed that well-maintained tourist places such as Sathanur dam, Jawathumalai and Amirthy Game Park. In the late Chola period the Cholan of Sambuvarayar having Padavedu near Arni as HQ ruled this district.

## **4. GEOLOGY OF TIRUVANNAMALAI DISTRICT**

The Entire district is underlain by the rocks belonging to hard crystalline rock masses of Archaean age. The Archaean rocks in this area are represented by rocks of eastern Ghat complex comprising charnockites, Migmatite complex of composite gneiss. The district is covered by metamorphic crystalline rocks of charnockite, composite gneiss of Archaean age. These rocks are highly metamorphosed and have been subjected to sever folding, crushing and faulting. Charnockites group is occupied by North and Southern part of the basin. The other rock type is encountered by composite granitic gneiss of Epidote hornblende biotite gneiss and hornblende biotite gneiss are occupy in the middle portion of the basin. Charnockite group occupies the high ground as well as plain and it is poorly weathered and jointed. They are generally black grey to dark grey in colour medium to coarse grained texture, and generally massive and un-foliated. A gneissic rock occurs as linear bands in the middle portion of the area and is highly migmatised. Mostly, micaceous with bands of granites, pegmatites, quartz veins the rock is well foliated. The Hornblende biotite gneiss forms the country rock of the area and epidote hornblende gneiss (Proterozoic age) occurs as small isolated outcrops. The crystalline formations are charnockite, granitic gneiss of Archean age have been intrude by dolerite dykes and pegmatite veins. These rocks are highly metamorphosed and have been subjected to very severe folding, crushing and faulting. The crystalline rocks are subjected to tectonic activities under various orogenic cycles resulting in the development of secondary structures such as joints, fissures and cleavages. The intensity of weathering varies from place to place. Highly weathered zones and granitic rock occurs in masses are around some of the

villages like Ariyanallur, Mukkunam, Kaarunkuli Tondur, vedal, Melolakkur, Pennagar, Chinnaagram (57p/7). The general geological sequence of formation is given in the Table.

Age	Stage	Lithology
Archaean	Migmatite Complex	Biotite Gneiss, Epidote, Hornblende gneiss.
	Charnockite Group	Magnetite

## **ROUGH STONE, JELLIES AND M-SAND**

Ordinary stones suitable for making Rough stones, Jelly and M-sand Ballast etc., used for road formation, construction and other purpose are available in all Taluks.



**Photo. 1-2: Charnockite (Rough Stone) Quarry**

**Foliation** : N55°W / 70°SW **Coordinates** : 12° 38' 40.04" N,  
**Joint** : S50°W / 80°SW 79° 36' 12.21" E  
**Location** : Athi - Village, Cheyyar Taluk



**Photo .3: Rough stone crushed into Jellies, Ezhacherri, Cheyyar – Taluk**

## **M-SAND**

Manufactured Sand is defined as a purpose-made crushed fine aggregate produced from a suitable source material. Production generally involves crushing, screening and possibility washing. It is a substitute of river sand is produced from hard granite stone. The crushed sand is of cubical shape with grounded edges, washed and graded to as a construction material. The size of manufactured sand (M-Sand) is less than 4.75mm.

The precious river bed acts as not only mechanical filter but also as a biological filter with its microorganisms, formed through natural evolution over centuries which cannot be artificially replicated. Due to the depletion of good quality river sand for the use of construction, the use of manufactured sand has been increased.



**Photo .4: Mining for M - Sand, Palli- Village, Cheyyar - Taluk**



**Photo .5: Wastage (Dust Particle) Of M- Sand**



**Photo .6: Powdered Rough stone for preparation of M - Sand**



**Photo: 7. Crushing Unit for preparation of M – Sand Manufactured Sand (M – Sand)**



***“Our Children’s Future is in Our Hand or Decision”***

**Our contribution to environment is by producing M-Sand as an alternative to river sand, for reducing the extraction of sand from river bed**

## 5. DRAINAGE AND IRRIGATION PATTERN

### **Drainage :**

Cheyar river which originates from Jawadhu Hills, flows in a southern direction at first, and turns south-east near Chengam after flowing through Polur, Vandavasi and Cheyyar taluks. Palar rising near Nandidurg in Mysore enters Vellore district passing through Gudiyatham, Walajah and Arakonam taluks before entering into Cheyyar taluk of Tiruvannamalai district and there after enters into Kancheepuram district. Pennaiyar and South Pennaiyar originate from Nandidurg of Karnataka. They pass through Dharmapuri district and enter southern part of Chengam taluk before entering in to Viluppuram district. Finally, the river enters into the Bay of Bengal at Cuddalore.

The river is dry for the most part of the year. Water flows during the monsoon season when it is fed by the southwest monsoon in catchment area and the northeast monsoon 45 in Tamil Nadu. A dam has been constructed across this river at Sathanur which is a picnic spot in this district. Sathanur Reservoir provides drinking water to Tiruvannamalai town and the water is used for irrigation when the reservoir is filled with surplus water.

### **Irrigation**

Tanks and dug wells were the major sources of irrigation in the district. The district had 604 major tanks (with ayacut of 40 ha. or more) and 1,361 small tanks (with ayacut of less than 40 ha.) There were 1,050 private borewells, 200 dug-cum-bore wells and 1, 54,415 open wells in the district. Sathanur reservoir is built across the Thenpennai river with an ayacut of 18,882 ha. benefiting both Tiruvannamalai and Villupuram districts

**Source :** Records of Office of Assistant Director of Statistics, Tiruvannamalai



## 6. LAND UTILISATION PATTERN IN THE DISTRICT: FOREST, AGRICULTURAL, HORTICULTURAL, MINING, Etc.,

The total geographical area of the district is 6,191 Sq. km.

### Details of Land Utilization pattern of Tiruvannamalai District

S. No	Classification	Area in Ha	Percentage
1	Forest	1,53,318	24.76
2	Barren and uncultivable land	21,058	3.40
3	Land put to non agricultural uses	92,598	15.00
4	Cultivable waste	14,963	2.41
5	Permanent pastures and other grazing land	2,908	0.46
6	Land under miscellaneous, tree crop sand groves included in the net area sown	2,690	0.43
7	Current fallows	68,662	11.09
8	Other fallow lands	32,621	5.27
9	Net area sown	2,30,282	37.19
10	Total Geographical area	<b>6,19,100</b>	<b>100.00</b>

Source: Records of Office of Department of Revenue, Tiruvannamalai

## 7. SURFACE WATER AND GROUND WATER SCENARIO OF THE DISTRICT

### Surface water

The major rivers traversing the area are Ponnaiyar and Cheyyar. The major part of the district falls under the Palar sub catchment and extreme southern part of the district fall under Ponnaiyar sub catchment.

Cheyar river which originates from Jawadhu Hills, flows in a southern direction at first, and turns south-east near Chengam after flowing through Polur, Vandavasi and Cheyyar taluks. Palar rising near Nandidurg in Mysore enters Vellore district passing through Gudiyatham, Walajah and Arakonam taluks before entering into Cheyyar taluk of Tiruvannamalai district and there after enters into Kancheepuram district. Pennaiyar and South Pennaiyar originate from Nandidurg of Karnataka

**Ground water:**

Ground Water is found beneath the earth's surface and is an important source of water in most of the Districts in the State. Ground Water is withdrawn for Agriculture, Municipal and industrial use. The depth at which the ground water is found is called Ground water Table. The district is classified into different blocks based on the ground water abstraction rate.




Figure 7.0 Geology And Mineral Resources Map Of Tiruvannamalai District

Over exploited (Greater than 100%)	Critical (Between 90 and 100%)	Semi - Critical (70 - 90%)	Safe (Less than 70%)
Chengam, Cheyyar, Kilpennathur, Osur Pachal, Melpallipattu, Somaspadi, Malaiyur, Pudupalayam, Vandavasi, Thandarampat, Thurinjapuram, Veraiyur.	Kettavarampalayam, Nayadumangalam, Vanapuram, Eraiyur, Thanipadi, Thatchampattu, Chennavaram, Vadathandalam, Desur, Kelur, Kilkodungalur, Kolappalur, Nedungunam, Peranamallur, Santhavasal, Thachambadi	Anakavoor, Dusi, Kadaladi, Kalasapakkam, Mandakolathur, Modayur, Polur, T.V. Malai (South), Vakkadai, Vinnamangalam, Mullipattu , Nateri, Thethurai, Mangalam, Agrapalayam, Kannamangalam Vakkadai, Vettavlam.	Perungattur, Sathyavijayanagaram Vembakkam, Arni

Source :Tamil Nadu Water Supply and Drainage Board

## 8. RAINFALL OF THE DISTRICT AND CLIMATE CONDITIONS.

### Rainfall

The area receives rainfall and the 5 year rainfall collected from the IMD, Chennai is as follows.

Actual rainfall in mm					Normal rainfall in mm
2013	2014	2015	2016	2017	
812.80	799.10	1247.4	684.7	1251.3	1039.66

### Climatic Conditions.

This district has moderate climate. In Tiruvannamalai and Chengam taluks, the climate is cool in winter and hot during summer. The district gets rainfall during both north-east monsoon and southwest monsoon. The physiographic nature prevailing in the district forces variation in the climatic conditions. The rainfall of the region depends on the south-west and the north-east monsoons. Except southern taluks of Cheyyar and Vandavas, the district experience moderate rainfall during north-east monsoon. In summer, from March to June, the wind is hot and uncomfortable. In the monsoon seasons, from July to November, the wind is mild and from December to February, the wind is cold. The hottest month in this district was April (36.3° C) and coldest month in this district was January (21.2° C).

**9. DETAILS OF THE ROUGH STONE MINING LEASES IN THE DISTRICT AS PER THE FOLLOWING FORMAT:-**

Sl No	Name of the Mineral	Name of the Lessee	Address & Contact No. lessee	Mining lease Grant Order No. & date	Area of Mining lease (ha)	Period of Mining lease (Initial)		Period of Mining lease (1 <sup>st</sup> / 2 <sup>nd</sup> ... renewal)		date of commencement of Mining operation	Status (working/Non-Working/Temp. Working for dispatch etc.,	Captive / Non-Captive	Obtained Environmental Clearance ( Yes/No) If yes letter No with date of grant of EC	Location of the mining lease (Latitude & Longitude)	Method of Mining (Opencast/ underground)
						From	To	From	To						
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>
1	Rough Stone	D.Jaiganesh,	Vettavalam village, Tiruvannamalai Taluk	614/K2/2009 <b>10.11.2017</b>	1.00.0	10.11.2017	09.11.2019	-	-	10.11.2017	Non-Operative	Non-Captive	Yes SEIAA-TN/F.No.55 36/EC/1(a)/ EC.No.3708 /2016 L.06.09.2016	Vettavalam Tiruvannamalai 12°06' 38" 12° 06' 43" 79° 16' 27" 79° 16' 31"	Opencast
2	Rough Stone	R.Prasath,	Polur Main Road, Tiruvannamalai.	39/K2/2010 <b>08.03.2010</b>	2.00.0	08.03.2010	07.03.2020	-	-	08.03.2010	Operative	Non-Captive	Yes SEIAA-TN/F.No.44 13/EC/1(a)/ EC.No.3065 /2015 dt.02.03.2016	Veraiyur Tiruvannamalai 2°05' 33" N 12° 05' 37" N 79° 07' 11" E 79° 07' 19" E	Opencast
3	Rough Stone	E.Murugesan ,	Nachanandhal Tiruvannamalai.	22/K2/2010 <b>05.04.2010</b>	1.00.0	05.04.2010	04.04.2020	-	-	05.04.2010	Non-Operative	Non-Captive	-No-	Pavupattu Tiruvannamalai 12°07' 58"N 12° 07'53"N 79° 02' 55"E 79° 02' 50"E	Opencast
4	Rough Stone	R.Singaram,	Thenimalai, Tiruvannamalai	73/K2/2010 <b>05.04.2010</b>	1.00.0	05.04.2010	04.04.2020	-	-	05.04.2010	Operative	Non-Captive	Yes SEIAA-TN/F.No.44 67/EC/1(a)/ EC.No.3435 /2016 dated. 29.07.2016	Athipadi Tiruvannamalai 12°05' 06" N 12° 05' 02"N 79° 02' 18"E 79° 02' 13"E	Opencast

5	Rough Stone	A.Nakkeeran,	3, Kardukarar Street, Vettavalam	636/K2/2009 10.05.2010	0.77.0	10.05.2010	09.05.2020	-	-	10.05.2010	Non-Operative	Non-Captive	-No-	Vettavalam Tiruvannamalai 12°06' 27"N 12° 06' 32"N 79° 14' 07"E 79° 14' 11"E	Opencast
6	Rough Stone	R.Arul,	Melanandahal Village, Tirukovilur Taluk.	40/K2/2010 13.05.2010	1.00.0	13.05.2010	12.05.2020	-	-	13.05.2010	Operative	Non Captive	Yes SEIAA- TN/F.No.47 19/EC/1(a) EC.No.3303 /2016 dt.11.07.201 6	Athipadi Tiruvannamalai 12°05' 04" N 12° 05' 09"N 79° 02' 11"E 79° 02' 15"E	Opencast
7	Rough Stone	N.Suresh,	25/73, Ayyankula Street, Tiruvannamalai	43/K2/2010 16.12.2010	2.00.0	16.12.2010	15.12.2020	-	-	16.12.2010	Non-Operative	Non Captive	-No-	Meyyur Tiruvannamalai 12°08' 59"N 12° 09' 05"N 79° 01' 49"E 79° 01' 54"E	Opencast
8	Rough Stone	M.Selvaraj,	Chengam Road, Tiruvannamalai.	74/K2/2010 16.12.2010	1.00.0	16.12.2010	15.12.2020	-	-	16.12.2010	Operative	Non Captive	Yes SEIAA- TN/F.No.46 89/EC/1(a)/ EC.No.3482 /2016 dt.29.07.201 6	Adaiyur Tiruvannamalai 12° 16' 24" N 12° 16' 28"N 79° 02' 55" E 79° 02' 59"E	Opencast
9	Rough Stone	S.Prasanth,	Chengam Road, Tiruvannamalai	75/K2/2010 23.12.2010	0.96.5	23.12.2010	22.12.2020	-	-	23.12.2010	Operative	Non Captive	Yes SEIAA- TN/F.No.54 54/EC/1(a) EC.No.3671 /2016 t.08.08.2016	Adaiyur Tiruvannamalai 12°16' 20" N 12° 16' 25" N 79° 02' 54" E 79° 02' 58"E	Opencast
10	Rough Stone	S.Senthilkumar	10, Kardukarar Street, Vettavalam.	168/K2/2010 24.12.2010	1.23.5	24.12.2010	23.12.2020	-	-	24.12.2010	Non-Operative	Non Captive	-No-	Vettavalam Tiruvannamalai 12° 07' 34"N 12° 07' 38"N 79° 15' 48"E 79° 15' 53"E	Opencast

11	Rough Stone	K.Thirumal,	Perayampattu post and Village, Tandarampet	72/K2/2010 01.03.2011	1.30.0	01.03.2011	28.02.2021	-	-	01.03.2011	Non-Operative	Non Captive	-No-	Athipadi Tiruvannmalai 12°05' 01"N 12° 05' 05"N 79° 02' 03"E 79° 02' 09"E	Opencast
12	Rough Stone	N. Harijay ashree	No.18/7, Vadamathathi St., Tiruvannamalai	57/K/2012 28.04.2012	4.00.0	28.04.2012	27.04.2022	-	-	28.04.2012	Non-Operative	Non Captive	-No-	Vallivagai Tiruvannmalai 12° 16' 41"N 12° 16' 32"N 79° 08' 52"E 79° 08' 39"E	Opencast
13	Rough Stone	R.Sekar,	Mel Chinna Goundanpatti, Tharamangalam Village, Omalur Taluk, Salem Dt.	47/K2/2015 12.09.2017	1.00.0	12.09.2017	11.09.2022	-	-	12.09.2017	Non-Operative	Non Captive	Yes SEIAA-TN/F.No.52 54/EC/1(a)/ EC.No.3656 /2016 dt.24.08.2016	Koothalavadi Tiruvannmalai 12° 20' 02.45"N 12° 20' 07.2"N 79° 06' 49.93"E 79°06' 53.59"E	Opencast
14	Rough Stone	P.Adimoolam,	57A, Tamizhnagar, Tiruavannamalai taluk	130/K2/2009 01.07.2009	1.00.0	01.07.2009	30.06.2019	-	-	01.07.2009	Operative	Non Captive	Yes SEIAA-TN/F.No.43 72/EC/1(a)/ EC.No.3568 /2016 dt.10.08.2016	Iynkunam Kilpennathur 12°15' 36" N 12° 15' 47" N 79° 09' 56" E 79° 10' 02" E	Opencast
15	Rough Stone	R.Karthikeyan	23/29, Lakshmiapuram, Gandhi Nagar, Tiruvannamalai-2.	483/K2/2009 20.04.2011	1.00.0	20.04.2011	19.04.2021	-	-	20.04.2011	Non-Operative	Non Captive	-No-	Iynkunam Kilpennathur 12° 15' 43"N 12° 15' 47"N 79° 09' 41"E 79° 09' 47"E	Opencast
16	Rough Stone	V.J.Dhamodharan,	No.1261-A Thendral Nagar, Vengikkal Village, Tiruvannamalai Taluk & District.	391/K/2017 16.11.2018	1.00.0	16.11.2018	15.11.2023	-	-	16.11.2018	Operative	Non Captive	Yes DEIAA- 5 /TVM/TN/F. No.391/K/2017/E.C.No.3 15/2017- 21 dated: 17.09.2018	Polakunam Kilpennathur N 12°12'32.00" 12°12'34.95" E 79°08'40.72" 79°08'46.20"	Opencast

17	Rough Stone	S.Vasanth-kumari	Uchimalaikuppam Chengam	621/K2/2009 12.04.2010	1.35.5	12.04.2010	11.04.2020	-	-	12.04.2010	Operative	Non Captive	Yes DEIAA- 5 /IVM/IN/F. No.97- 58/K/2015 E.C.No.315/ 2017-28 dt:17.9.2018	Uchimalaiku ppam Chengam N 12°15'54" 12°15'58" E 78°54'21" 78°54'27"	Opencast
18	Rough Stone	K.Durai	1/2, Ramalinganar Street, Tiruvannamalai	27/K2/2010 05.05.2010	1.00.0	05.05.2010	04.05.2020	-	-	05.05.2010	Operative	Non Captive	Yes SEIAA- TN/F.No.46 69/EC/1(a)/ Ec.No.3481/ 2016 dt:29.7.2016	Paliapattu Chengam 12° 16' 10" N 12° 16' 01" N 79° 00' 15" E 79° 00' 08" E	Opencast
19	Rough Stone	R.Jeevanantham,	50, Avarangaatu Street, Tiruvannamalai	24/K2/2010 13.05.2010	2.00.0	13.05.2010	12.05.2020	-	-	13.05.2010	Non-Operative	Non Captive	-No-	Chinnakola- padi Chengam 12° 15' 16" N 12° 15' 22" N 78° 59' 10" E 78° 59' 17" E	Opencast
20	Rough Stone	R.M.Jayavelu	Chengam Road, Tiruvannamalai	28/K2/2010 03.11.2010	1.50.0	03.11.2010	02.11.2020	-	-	03.11.2010	Non-Operative	Non Captive	-No-	Paliapattu Chengam 12° 16' 11" N 12° 16' 04" N 79° 00' 20" E 79° 00' 14" E	Opencast
21	Rough Stone	M.Palani	6, Peygopuram St., Tiruvannamalai	15/K2/2011 12.01.2016	0.50.0	12.01.2016	11.01.2026	-	-	12.01.2016	Operative	Non Captive	Yes SEIAA- TN/F.No.34 24/EC/1(a)/ EC.No.2534 /2015 dt:18.12.2015	Periyakola- padi Chengam 12° 15'02.12"N 12° 15' 05.67"N 79° 58'50.59"E 79°58'52.31"E	Opencast
22	Rough Stone	Sadhaknawas,	No. 25, 3rd Street, Valace Garden, Chennai-6.	14/K2/2011 12.01.2016	0.50.0	12.01.2016	11.01.2021	-	-	12.01.2016	Operative	Non Captive	Yes SEIAA- TN/F.No.39 40/EC/1(a)/ EC.No.2535 /2015 dt:18.12.2015	Periyakola- padi Chengam 12° 15'01.92"N 12° 15' 05.72"N 79° 58'49.37"E 79°58'51.19"E	Opencast

23	Rough Stone	Tmt.S.Kanimozhi	No.152, Old Street, Avoor Village Tiruvannamalai	48/K2/2015 28.07.2016	1.00.0	28.07.2016	27.07.2021	-	-	28.07.2016	Operative	Non Captive	Yes SEIAA-TN/F.No.46 68/EC/1(a)/ 3083/2015 dated. 02.03.2016	Periyakola-padi Chengam 12° 15' 03" N 12° 15' 06" N 78° 58' 53" E 78° 58' 58" E	Opencast
24	Rough Stone	M.Julia	180, Vambalur Road, Tirumalai village, Polur taluk	231/K2/2009 22.06.2009	2.00.0	22.06.2009	21.06.2019	-	-	22.06.2009	Non-Operative	Non Captive	-No-	Tirumalai Polur 12° 33' 44" N 12° 33' 47" N 79° 11' 26" E 79° 11' 33" E	Opencast
25	Rough Stone	M.Parthiban,	27/A, Vengadathan street, Polur taluk & village.	136/K2/2010 24.12.2010	1.00.0	24.12.2010	23.12.2020	-	-	24.12.2010	Non-Operative	Non Captive	-No-	Pudhu-palayam Polur 12° 29' 18" N 79° 6' 40.64" E	Opencast
26	Rough Stone	S.Rajakumar	2/57, Pillaiyar koil street, Kalasapakkam.	50/K/2015 21.07.2016	2.00.0	21.07.2016	20.07.2021	-	-	21.07.2016	Operative	Non Captive	Yes SEIAA-TN/F.No.47 08/EC/1(a)/ EC.No.3344 /2016 dt.15.07.2016	Vasur Polur 12° 29' 16" N 12° 29' 21" N 79° 07' 11" E 79° 07' 17" E	Opencast
27	Rough Stone	E.Sivakumar,	No.20,26,J.30, VRS Nagar, Govindasamy street, Polur.	51/K/2015 21.07.2016	2.00.0	21.07.2016	20.07.2021	-	-	21.07.2016	Operative	Non Captive	Yes SEIAA-TN/F.No.46 94/EC/1(a) EC.No.3317 /2016 dated. 15.07.2016	Pudu-palayam Polur 12° 29' 17" N 12° 29' 22" N 79° 06' 26" E 79° 06' 31" E	Opencast
28	Rough Stone	P.Radhakrishnan	Mettu Street, Tiruvannamalai	20/K2/2010 12.04.2010	1.03.5	12.04.2010	11.04.2020	-	-	12.04.2010	Non-Operative	Non Captive	-No-	Sathanur Thandaram pattu 12° 11' 08" N 12° 11' 13" N 78° 53' 01" E 78° 53' 05" E	Opencast



29	Rough Stone	M.Govindamjan,	No.3/337, Allabasha street,Mungilthurai pattu Village, Shankarapuram Tk.	79/K2/2010 28.06.2010	2.00.0	28.06.2010	27.06.2020	-	-	28.06.2010	Non-Operative	Non Captive	-No-	Thondamanur Thandaram-pattu 12° 03' 48" N 12° 04' 03" N 78° 56' 57" E 78° 57' 05" E	Opencast
30	Rough Stone	A.Thenarmozhi	Manalurmel Siruvalur Village, Sankarapuram	134/K2/2010 23.08.2010	2.00.0	23.08.2010	22.08.2020	-	-	23.08.2010	Operative	Non Captive	Yes SEIAA-TN/F.No.30 48/EC/1(a)/ EC.No.1750 /2014 dt.18.03.2015	Perukulathur Thandaram-pattu 12° 01' 28" N 12° 01' 33" N 78° 55' 03" E 78° 55' 07" E	Opencast
31	Rough Stone	Tmt.K.Sarasu	53, Nehru Street, Chengam	626/K2/2009 17.03.2011	1.00.0	17.03.2011	16.03.2021	-	-	17.03.2011	Operative	Non Captive	Yes DELAA- 5 /TVM/TN/F. No.97- 69/K2015/ E.C.No.315/ 2017- 27 dt: 17.09.2018	Sathanur Thandaram pattu 12°11'21"N 12°11'26"N 78°52'52"E 78°52'56"E	Opencast
32	Rough Stone	R.Dhanakotti	Varagur Village, Tandrapet	18/K2.2011 30.03.2011	1.00.0	30.03.2011	29.03.2021	-	-	30.03.2011	Operative	Non Captive	Yes SEIAA-TN/F.No.47 06/EC/1(a)/ EC.No.3316 /2016 dated. 15.07.2016	Varagur Thandaram pattu 12° 08' 58" N 12° 08' 54" N 79° 01' 48" E 79° 01' 42" E	Opencast
33	Rough Stone	P.Palani	Kolamanjanur Village, Tandarampet.	20/K2.2011 18.04.2011	2.00.0	18.04.2011	17.04.2021	-	-	18.04.2011	Operative	Non Captive	Yes SEIAA-TN/F.No.43 76/EC/1(a)/ EC.No.3327 /2016 dated. 15.07.2016	Kolamanjanur Thandaram pattu 12° 08' 14" N 12° 08' 25" N 78° 53' 05" E 78° 53' 12" E	Opencast

34	Rough Stone	M.Veeramani	Royandapuram Village Thandarampattu Taluk.	19/K2/2011 24.05.2012	2.00.0	24.05.2012	23.05.2022	-	-	24.05.2012	Non-Operative	Non Captive	-No-	Royandapuram Thandarampattu 12°04'49"N 12°04'55"N 78°56'23"E 78°56'29"E	Opencast
35	Rough Stone	M.Vinothkannan,	Varagur Village, Tandrapet	49/K/ 2015 20.01.2016	0.40.0	20.01.2016	19.01.2021	-	-	20.01.2016	Operative	Non Captive	Yes SEIAA-TN/E.No.43 55/EC/1(a)/ EC.No.2552 /2015 dt.23.12.2015	Varagur Thandaram pattu 12° 08' 32" N 12° 08' 29" N 79° 01' 39" E 79° 01' 37"E	Opencast
36	Rough Stone	Tmt.R.Amutha	No.712, Bajanai Koil Street, Dhesurpalayam Village, Keelvanakkambadi Thandrapattu Taluk	396/K/ 2017 11.06.2018	2.00.0	11.06.2018	10.06.2028	-	-	11.06.2018	Operative	Non Captive	Yes DEIAA-3/TVM/TN/ F.No.396/K/ 2017E.C.No .315/2017-8 dated: 04.04.2018	Allappanur Thandaram-pattu N 12°06'06.86" 12°06'12.52" E 78°56'39.04" 78°56'45.64"	Opencast
37	Rough Stone	S.Nagaraj	Manampathy Village, Uthiramerur Taluk.	29/K2/2011 17.12.2011	1.53.0	17.12.2011	16.12.2021	-	-	17.12.2011	Non-Operative	Non Captive	-No-	Athi Cheyyar 12° 38' 18"N 12° 38' 29"N 79° 36' 30"E 79° 36' 39"E	Opencast
38	Rough Stone	K.Gopinath,	Kandigai melkottaiyur post, Chengelpet taluk.	26/K2/2011 03.06.2011	2.00.0	03.06.2011	02.06.2021	-	-	03.06.2011	Non-Operative	Non Captive	-No-	Avaniapuram Chetpattu 12° 08' 54"N 12° 08' 58"N 79° 01' 34"E 79° 01'41"E	Opencast
39	Rough Stone	V.Rajagopal,	Oorapakkam.Chen galpattu.	169/K2/2010 17.12.2011	1.00.0	17.12.2011	16.12.2021	-	-	17.12.2011	Non-Operative	Non Captive	-No-	Jeganatha-puram Chetpattu 12° 28' 51"N 12° 28' 57"N 79° 24' 06"E 79° 24' 10"E	Opencast

40	Rough Stone	D.Saravanan,	Venkatapuram, Saidapet, Chennai - 15.	140/K2/2010 18.10.2010	2.00.0	18.10.2010	17.10.2020	-	-	18.10.2010	Non-Operative	Non Captive	-No-	Seeyalam Vandavasi 12° 26' 24"N 12° 26' 27" N 79° 43' 05"E 79° 43' 12"E	Opencast
41	Rough Stone	R.Tamilvanan.	Saidapet, Chennai -15.	143/K2/2010 18.10.2010	2.00.0	18.10.2010	17.10.2020	-	-	18.10.2010	Non-Operative	Non Captive	-No-	Seeyalam Vandavasi 12° 26' 14"N 12° 26' 18" N 79°43' 02"E 79° 43' 11"E	Opencast
42	Rough Stone	Siddique Basha,	Kunnathur village, Arni taluk	602/K2/2009 19.11.2009	2.00.0	19.11.2009	18.11.2019	-	-	19.11.2009	Operative	Non Captive	Yes SEIAA- TN/F.No.44 20/EC/1(a)/ EC.No.3505 /2016 dt.10.08.2016	Melnagar ramasani kuppam Arni 12°42'13"N 12°42'07" N 79°11'01"E 79° 10' 55"E	Opencast
43	Rough Stone	S.Suresh,	3, Saradha Nagar, Agraharam Koratur, Chennai - 76.	135/K2/2009 23.11.2009	1.00.0	23.11.2009	22.11.2019	-	-	23.11.2009	Operative	Non Captive	Yes SEIAA- TN/F.No.55 57/EC/1(a) Ec.No.3658/ 2016 dt.24.08.2016	Mullan- diram Arni 12°49'02.10"N 12°49'06.57" N 79°15'31.79"N 79°15'36.38"N	Opencast
44	Rough Stone	M.Shajakhan	855, Bazar Street Santhavasal, Polur Tk.	68/K/2012 24.05.2012	1.00.0	24.05.2012	23.05.2022	-	-	24.05.2012	Operative	Non Captive	Yes SEIAA- TN/F.No.44 70/EC/1(a) EC.No.3336 /2016 dated. 15.07.2016	Melnagar Arni 12° 42' 27"N 12° 42' 32"N 79° 10' 17"E 79° 10' 21"E	Opencast
45	Rough Stone	A.Nazeer Basha,	520/I, C.C.Road, Vannangulam, Arni taluk	51/K2/2010 14.09.2010	2.00.0	14.09.2010	13.09.2020	-	-	14.09.2010	Non-Operative	Non Captive	Yes SEIAA- TN/F.No.55 84/TOR.540 /2018 t.30.07.2018	Ayyam- palayam Arni 12° 42' 10"N 12° 42' 18"N 79° 10' 15"E 79° 10' 21"E	Opencast

46	Rough Stone	A.G.Mohan,	43, V.A.K.Nagar, Arni Taluk	52/K/2015 13.11.2017	0.40.0	13.11.2017	12.11.2022	-	-	13.11.2017	Operative	Non Captive	Yes SEIAA-TN/F.No.48 19/EC/1(a)/ EC.No.3759 /2016 L.26.09.2016	Ariyapadi Arni 12° 41' 52"N 12° 41' 54"N 79° 13' 22"E 79° 13' 25"E	Opencast
47	Rough Stone	P.Vinayagamoorthi	Ramana Nagar, Thiruvannamalai.	104/K2/2015 02.03.2016	0.75.5	02.03.2016	01.03.2021	-	-	02.03.2016	Non-Operative	Non Captive	Yes SEIAA-TN/F.No.48 81/EC/1(a)/ 2914/2015 dated. 17.02.2016	Pavithram Tiruvannam alai 12°07'21" N 12°07'24" E 79°06'26" 79°06'32"E	Opencast
48	Rough Stone	C.Shanthi	No. 3/22 Nehru Street, Vettavalam Taluk	132/K2/2015 15.05.2018	0.65.0	15.05.2018	14.05.2023	-	-	15.05.2018	Operative	Non Captive	Yes DEIAA-1/TVM/TN/ F No.132/K/ 2015E,C No. 315/2017-3 dt.8.11.2017	Vettavalam Kilpennathur 12°06'15.10" 12°06'18.00" 79°13'59.75" 79°14'04.16"	Opencast
49	Rough Stone	K.S.BABURAJ,	No. 12/14, 3rd Cross Street, Karpagam Garden, Adayar, chennai -20	101/K/2018 14.11.2018	1.66.0	14.11.2018	13.11.2023	-	-	14.11.2018	Operative	Non Captive	Yes DEIAA-1/TVM/TN/ F No.101/K/ 2016/E.C.N o.315/2017- 5 Dt. 16.02-2018	Kasthambadi Pohur N 12°35'55" 12°36'01" E 79°11'51" 79°11'57"	Opencast
50	Rough Stone	T.Selvaraj,	Harur Main Road, Mothakkal village, Thandaram pattu Tk.	31/K/2013 16.06.2014	0.40.5	16.06.2014	15.06.2019	-	-	16.06.2014	Operative	Non Captive	Yes SEIAA-TN/F.No.14 30/EC/1(a) EC.No.1229 /2013 dt:30.04.2014	Mothakkal Tmpt 12°05'25.30"N 12°05'22.51"N 78°43'34.90"E 78°43'36.52"E	Opencast

51	Rough Stone	R.Gopi,	4/75B, Veerapathran Kovil St., Vijayappanur, Thandarampattu Tk.	101/K/2015 02.06.2016	1.71.0	02.06.2016	01.06.2021	-	-	02.06.2016	Operative	Non Captive	Yes SEIAA- TN/F.No.47 68/EC/1(a) EC.No.3076 /2016 dt:02.03.2016	Varagur Thandaram pattu 12°08'54"N 12°08'58"N 79°01'34"E 79°01'41"E	Opencast
52	Rough Stone	R.Venkatachalam.,	No.30, New State Bank Colony, West Tambaram, Chennai.	95/K/2015 21.07.2016	2.90.0	21.07.2016	20.07.2021	-	-	21.07.2016	Operative	Non Captive	Yes SEIAA- TN/F.No.50 41/EC/1(a) EC.No.3236 /2016 dt:06.07.2016	Palli Cheyyar 12° 42' 53"N 12° 43' 01"N 79° 36' 08"E 79° 36' 15"E	Opencast
53	Rough Stone	Tvl.Src Projects (P) Ltd.,	4-B, Lakshmipuram, Gandhi Road, Salem-636 007.	99/K/2015 21.07.2016	4.75.5	21.07.2016	20.07.2021	-	-	21.07.2016	Operative	Non Captive	Yes SEIAA- TN/F.No.50 40/EC/1(a) EC.No.3224 /2016 dt:06.07.2016	Palli Cheyyar 12° 43' 20"N 12° 43' 30"N 79° 36' 14" E 79° 36' 24"E	Opencast
54	Rough Stone	I.Prakash	Senthamangalam Village S.V.Chathiram (Via), Sriperumpthur Taluk, Kanchipuram District.	122.K.2015 28.07.2016	0.78.0	28.07.2016	27.07.2021	-	-	28.07.2016	Operative	Non Captive	Yes SEIAA- TN/F.No.54 29/EC/1(a) EC.No.3404 /2016 dt:25.07.2016	Painkinar Cheyyar 12°41'20.08" 12°41'24.79" 79°31'11.49" 79°31'15.16"	Opencast
55	Rough Stone	S.Suresh Babu	No.5, Kulakkarai Street Anakkaputhur Village, Thambaram Taluk, Chennai District.	147.K/2015 28.07.2016	3.88.5	28.07.2016	27.07.2021	-	-	28.07.2016	Operative	Non Captive	Yes SEIAA- TN/F.No.54 30/EC/1(a) EC.No.3402 /2016 dt:25.07.2016	Kurumbur Cheyyar 12°35'56.33" N 12°36'07.32"N 79°36'54.98" E 79°37'02.93"E	Opencast

56	Rough Stone	R.Velmurugan,	304, Theradi Street, Asanamapettai Village, Vembakkam Taluk.	360/K/2017 17.09.2018	1.20.0	17.09.2018	16.09.2023	-	-	17.09.2018	Operative	Non Captive	Yes DEIAA-4/TVM/TN/ F.No.360/K/ 2017/E.C.N o.315/2017- 16 dt: 06 -07-2018	Palli Cheyyar N 12°43'15" to 12°43'19" E 79°35'36" to 79°35'43"	Opencast
57	Rough Stone	S.MURUGAN,	No. 62/2 , Vedanatham Village, Tiruvannamalai Taluk & District.	125/K/2015 03.11.2018	2.06.5	03.11.2018	02.11.2023	-	-	03.11.2018	Operative	Non Captive	Yes DEIAA-4/TVM/TN/ F.No.125/K/ 2015/E.C.N o.315/2017 - 11 dated: 06 -07-2018	Agatheripattu Cheyyar N 12°36'39.77" 12°36'46.70" E 79°27'00.45" 79°27'05.69"	Opencast
58	Rough Stone	M.Marimuthu,	Kilpudupakkam Village, Cheyyar Taluk, Tiruvannamalai District.	413/K/2017 16.11.2018	0.98.5	16.11.2018	15.11.2023	-	-	16.11.2018	Operative	Non Captive	Yes DEIAA-5 /TVM/TN/ F.No.413/K/ 2017 E.C.No.315/2 017-26 dated: 17.09.2018	Palli Cheyyar N 12°43'14" 12°43'20" E 79°35'59" 79°36'02"	Opencast
59	Rough Stone	R.Seenuvasan,	Road Street, Arasanipalai village, Vembakkam Taluk	176/K/2013 27.06.2014	3.42.0	27.06.2014	26.06.2019	-	-	27.06.2014	Operative	Non Captive	Yes SEIAA- TN/F.No.180 7/EC/1(a)/ EC.No.1163/ 2013 dt.03.03.2014	Ezhacheri Vembakkam 12° 42' 48" N 12° 43' 1" N 79° 43' 17" E 79° 43' 27" E	Opencast
60	Rough Stone	Ganesh Kaskar,	RMC Ready mix (India) Sidco Industrial Thirumudivakkam, Chennai.	105/K/2013 14.07.2014	4.23.5	14.07.2014	13.07.2019	-	-	14.07.2014	Non-Operative	Non Captive	-No-	Sithalapakkam Vembakkam 12°43'23"N 12° 43'10"N 79°43'29" E 79°43'36" E	Opencast

61	Rough Stone	D.Madhavan	19, Sarangapami street, Krishnapuram, Ambathur, Chennai-53.	116/K.2013 03.03.2015	0.90.0	03.03.2015	02.03.2020	-	-	03.03.2015	Operative	Non Captive	Yes SEIAA- TN/F.No.442 0/EC/1(a)/ EC.No.3505/ 2016 dt.10.08.2016	Girijapuram Vembakkam 12° 44'25" 12° 44'19"N" 79° 42' 14" 79° 42'11"E	Opencast
62	Rough Stone	R.Mohanraj	No.33, Pillaiyar koil street, Puliymbedu village, Ambathur Taluk.	242/K.2012 13.05.2015	0.81.0	13.05.2015	12.05.2020	-	-	13.05.2015	Operative	Non Captive	Yes SEIAA- TN/F.No.194 3/EC/1(a)/ EC.No.1753/ 2014 dt.18.03.2015	Girijapuram Vembakkam 12° 44' 11" N 12° 44' 08" N 79° 42' 12" E 79° 42' 09" E	Opencast
63	Rough Stone	N.Subramani	No 210 , Mandapam Junction Arpakkam Village, Kanchipuram	75/K/2014 21.07.2016	3.02.5	21.07.2016	20.07.2021	-	-	21.07.2016	Operative	Non Captive	Yes SEIAA- TN/F.No.515 1/EC/1(a)/ EC.No.3338/ 2016 dt.15.07.2016	Menallur Vembakkam 12°44'08.63"N 12°44'18.71"N 79°42'16.36"E 79°42'21.37"E	Opencast
64	Rough Stone	B.Sri Devi,	No.56, Balasundaram Street, Chandramohan Nagar, Velingapattarai, Kanchipuram 631 501.	12/K/2015 28.07.2016	1.15.5	28.07.2016	27.07.2021	-	-	28.07.2016	Non-Operative	Non Captive	Yes SEIAA- TN/F.No.54 27/EC/1(a)/ EC.No.3401 /2016 dt.25.7.2016	Kundiyan- thandalm Vembakkam 12°43'55.90"N 12°43'59.56"N 79°43'6.08" E 79°43'12.04"E	Opencast
65	Rough Stone	K.Kumar,	No.2/32, Mandapam Junction, Arpakkam Village & Post, Kanchipuram.	14/K/2015 28.07.2016	2.29.5	28.07.2016	27.07.2021	-	-	28.07.2016	Operative	Non Captive	Yes SEIAA- TN/F.No.54 28/EC/1(a)/ EC.No.3379 /2016 dt.25.7.2016	Kundiyan- thandalm Vembakkam 12°43'50.86"N 12°43'58.24"N 79°42'56.50"E 79°43'03.46"E	Opencast
66	Rough Stone	K.Thirumalai,	No.52, Pillaiyar Koil Street, M.G.R. Nagar,Kundrathur, Chennai 600 069.	29/K/2015 28.07.2016	1.50.0	28.07.2016	27.07.2021	-	-	28.07.2016	Operative	Non Captive	Yes SEIAA- TN/F.No.54 31/EC/1(a) EC.No.3388 /2016 dt.25.7.2016	Suruttal Vembakkam 12°43' 56.14"N 12°44' 02.73"N 79°43' 48.82"E 79°43' 55.08"E	Opencast

67	Rough Stone	Tmt.Deepa	81, Santhi Nagar First Street, Chengalpattu, Kanchipuram District	11/K/2014 06.06.2016	0.90.5	06.06.2016	05.06.2021	-	-	06.06.2016	Non-Operative	Non Captive	Yes SEIAA-TN/F.No.29 21/EC/1(a) EC.No.2835 /2015 dt.08.2.2016	Thiruppana- moor Vembakkam 12°45'34.03"N 12°45'39.08"N 79°34'44.00"E 79°34'49.08"E	Opencast
68	Rough Stone	J. Venkatesan	153-A/1, Pillaiyar Koil Street, Melapattu Vge, Ramakrishna puram, Cheyyar Taluk	06/K/2017 14.09.2017	1.00.0	14.09.2017	13.09.2022	-	-	14.09.2017	Operative	Non Captive	Yes DEIAA-1/TVM/TN/ F.No.06/K/2 017E.C.No. 315 /2017-4 dt:10.8.2017	Chithathur Vembakkam N 12°43'15" 12°43'20" E 79°36'25" 79°36'28"	Opencast
69	Rough Stone	E.Panneerselvam	89, Vanniya Mettu St., Arpakkam Village, Kanchipuram Tk & Dt.	131/K/2015 14.09.2017	1.43.0	14.09.2017	13.09.2022	-	-	14.09.2017	Operative	Non Captive	Yes DEIAA-1/ TVM/TN/ F No 131/K/2015 /E.C No. 315/2017-1 dt:10.8.2017	Kundiyan- thandalm Vembakkam N 12°43'45.58" 12°43'51.42" E 79°42'58.50" 79°43'02.06"	Opencast
70	Rough Stone	L.Sudhakar ,	89, Palla Street, Agaram Village Thenneri Post, Kanchipuram Taluk.	105/K/2016 14.09.2017	3.51.5	14.09.2017	13.09.2022	-	-	14.09.2017	Operative	Non Captive	Yes DEIAA-1/TVM/TN/ F.No.105/K/ 2016/E.C No. 315/2017-2 dt:10.8.2017	Girijapuram Vembakkam 12°44'03.76" 12°44'12.07N 79°42'00.56E" 79°42'08.36E	Opencast
71	Rough Stone	A.Aron Samuvel,	No.15, Sesha Nagar, Poovimthavalli, Chennai – 600 056.	80/K/2017 17.09.2018	1.83.5	17.09.2018	16.09.2023	-	-	17.09.2018	Operative	Non Captive	Yes DEIAA-4/TVM/TN/ F.No.80/K/2 017/E.C.No. 315/2017- 13 dt: 06.07.2018	Kundiyan- thandalm Vembakkam N 12°43'46.58" 12°43'52.64" E 79°43'15.17" 79°43'21.32"	Opencast



72	Rough Stone	M.Sudharsan,	Pl.No.37, Parvathi Nagar, 3rd Street, Madampakkam, Chennai- 600 126.	377/K/2017 17.09.2018	3.25.0	17.09.2018	16.09.2023	-	-	17.09.2018	Operative	Non Captive	Yes E.C.No.315/ 2017- 14 dated: 06.07.2018	Kundiyan- thandalm Vembakkam N 12°43'51.14" 12°43'57.08" E 79°43'07.34" 79°43'16.63"	Opencast
73	Rough Stone	S.Sridhar	Managing Director, SKT MINES, No.19C, Villakkadi Koil Thoppu Street, Kancheepuram-635 501.	26/K/2018 17.09.2018	3.96.5	17.09.2018	16.09.2023	-	-	17.09.2018	Operative	Non Captive	Yes DEIAA- 4/TVM/TN/ F.No.26/K/2 018/E.C.No. 315/2017-15 dt:06.7.2018	Kaganam Vembakkam N 12°44'36.64" 12°44'45.79" E 79°34'38.22" 79°34'48.97"	Opencast
74	Rough Stone	B.Deenan	Vembakkam Taluk	78/K/2014 20.07.2018	0.95.5	20.07.2018	01.03.2021	-	-	20.07.2018	Operative	Non Captive	Yes SEIAA- TN/F.No.41 38/EC/1(a)/ EC.No.3070 /2015 dt.02.3.2016	Ezhacheri Vembakkam N 12°42'51" 12°42'48" E 79°43'25" 79°43'21"	Opencast
75	Rough Stone	K.Devaraj,	No.105, Gandhisilai Street, Lakshmipuram Village, Vembakkam Taluk, Tiruvannamalai	248/K/2017 17.10.2018	2.10.0	17.10.2018	16.10.2023	-	-	17.10.2018	Operative	Non Captive	Yes DEIAA- 4/TVM/TN/F. No.248/K/201 7/ E.C.No.315/2 017 - 9 dated: 06.07.2018	Girijapuram Vembakkam N 12°44'14" 12°44'21" E 79°42'03" 79°42'09"	Opencast
76	Rough Stone	J.K.Srinivasan	No.782, Mariyamman Koil Street, Jambodai Village, Azhividaithangal, Vembakkam Taluk.	249/K/2017 15.10.2018	1.21.54	15.10.2018	14.10.2023	-	-	15.10.2018	Operative	Non Captive	Yes DEIAA- 4/TVM/TN/ F.No.249/K/ 2016/E.C.N o.315/2017- 10 dt.06- 07-2018	Chithathur Vembakkam N 12°44'09" to 12°44'14" E 79°37'18" to 79°37'25"	Opencast

77	Rough Stone	M.R.Azhagiri,	No.120, Shanmuganandhar Kovil Street Mangadu, Striperumbuthur Tk. Kancheepuram	85/K/2018 17.10.2018	3.87.5	17.10.2018	16.10.2023	-	-	17.10.2018	Operative	Non Captive	Yes DEIAA-4/TVM/TN/ F.No.85/K/2015/E.C.No. 315/2017-12 dated: 06-07-2018	Chithala-pakkam Vembakkam N 12°42'46.17" 12°42'52.84" E 79°43'25.08" 79°43'33.59"	Opencast
78	Rough Stone	Tvl.Golden Sands,	No. 15, 4th Street, VGP Lay Out, East coast Road, Chennai-115.	23/K/2018 07.11.2018	3.74.5	07.11.2018	06.11.2023	-	-	07.11.2018	Operative	Non Captive	Yes DEIAA- 5 /TVM/TN/ No.23/K/2018/E.C.No.315/2017-24 dt:17.9.2018	Ezhacheri Vembakkam N12°43'18.09" 12°43'24.02" E 79°43'19.41" 79°43'11.43"	Opencast
79	Rough Stone	Thiru.C.Sugumar,	No.18-A, V.V Kovil Street, Walajabad Taluk, Kancheepuram District.	375/K/2017 16.11.2018	1.82.5	16.11.2018	15.11.2023	-	-	16.11.2018	Operative	Non Captive	Yes DEIAA-5/TVM/TN/ F.No.375/K/2017E.C.No .315/2017-19 dt:17.9.2018	Ezhacheri Vembakkam N 12°43'16.06" 12°43'19.39" E 79°43'10.40" 79°43'19.71"	Opencast
80	Rough Stone	Muthukrishnan,	No. 221, Chenjiaman Koil Street, Chithalappakkam Village, Arasanipalayam Post, Vempakkam Taluk.	337/K/2017 22.11.2018	1.26.0	22.11.2018	23.11.2023	-	-	22.11.2018	Operative	Non Captive	Yes DEIAA - 5 /TVM/TN/ No. 337/K/2017/E.C.No.315/2017-18 dt:17.9.2018	Chithala-pakkam Vembakkam N 12°43'18.67" 12°43'24.09" E 79°43'30.36" 79°43'34.30"	Opencast
81	Rough Stone	R.Venkatasubramanian,	No.83/I Pillaiyar Kovil Street, Sirumayilur Village, Kancheepuram.	05/K/2018 04.12.2018	2.43.0	04.12.2018	05.12.2023	-	-	04.12.2018	Operative	Non Captive	Yes DEIAA- 5 /TVM/TN/ No.05/K/2018E.C.No.315/2017-25 dt:17.9.2018	Kundiyanthandalam Vembakkam N12°44'12" 12°44'44'17" E 79°43'03" 79°43'12"	Opencast

82	Rough Stone	Tvl.Src Projects (P) Ltd.,	4-B, Lakshmipuram, Gandhi Road, Salem-636 007.	371/K/2017 14.12.2018	4.71.5	14.12.2018	13.12.2023	-	-	14.12.2018	Operative	Non Captive	Yes DEIAA- 5 /TVM/TNF. No.371/K/ E.C.No.315/ 2017- 23 dt:17.9.2018	Chithathur Vembakkam N 12°43'19.14" 12°43'27.05" E 79°36'22.83" 79°36'34.83"	Opencast
83	Rough Stone	Vijay Ramakrishnan	Door No.52, MGR Road, Kalachitra Colony, Besent Nagar, Chennai-90.	193/K/2013 23.09.2014	1.50.5	23.09.2014	22.09.2019	-	-	23.09.2014	Non-Operative	Non Captive	Yes SEIAA- TN/F.No.26 69/EC/1(a)/ EC.No.1522 /2014 dt.14.08.2014	Kizhnamandi Vandavasi 12° 23'15"N 12° 23'23"N 79°29'40" E 79°29'43" E	Opencast
84	Rough Stone	G.Vasudevan	Door No.842-D, Vengidamangalam Road, Melakkottaiyur,Chengalpattu Taluk,Kancheepuram.	115/K/2015 08.12.2016	1.04.0	08.12.2016	07.12.2021	-	-	08.12.2016	Operative	Non Captive	Yes SEIAA- TN/F.No.55 80/EC/1(a)/ EC.No.3572 /2016 dt.19.08.2016	Septangulam Vandavasi 12°31' 53.54" 12°31' 56.24" 79°26'21.93" 79°26'28.09"	Opencast
85	Rough Stone	G.Rajendran,	No. 18, First Street, Rajiv Gandhi Nagar, Urappakkam Village, Chengalpattu .	37/K/2014 22.12.2016	1.68.0	22.12.2016	21.12.2021	-	-	22.12.2016	Operative	Non Captive	Yes SEIAA- TN/F.No.28 45/EC/1(a)/ EC.No.2312 /2014 dt.27.10.2015	Mavalavadi Vandavasi 12°22'32.00"N 79°39'29.10"E	Opencast
86	Rough Stone	A.C.Mari,	Vettilaikara street, Arni.	36/K/2013 25.09.2014	0.67.0	25.09.2014	24.09.2019	-	-	25.09.2014	Operative	Non Captive	Yes SEIAA- TN/F.No.19 37/EC/1(a)/ EC.No.1497 /2013 dt.13.08.2014	Ariyapadi Arni 12°41'56"N 12° 41' 52"N 79° 13' 20" E 79° 13' 23" E	Opencast

**10. DETAILS OF ROYALTY OR REVENUE RECEIVED IN LAST THREE YEARS (2016-17 TO 2018-19)**

The mineral wise revenue collection for the last three years is given below:

<b>Sl.No</b>	<b>Year</b>	<b>Revenue realized</b>
1.	2016-2017	33519675
2.	2017-2018	38311705
3.	2018-2019	59673732

**11. DETAILS OF PRODUCTION OF MINERALS IN LAST THREE YEARS (2016-17 TO 2018-19)**

The mineral wise production for the last three years is given below:

<b>Sl.No</b>	<b>Year</b>	<b>Production of Rough Stone</b>
1.	2016-2017	688198
2.	2017-2018	825787
3.	2018-2019	1023023



**13. LIST OF LETTER OF INTENT (LOI) HOLDERS IN THE DISTRICT ALONG WITH ITS VALIDITY  
AS PER THE FOLLOWING FORMAT:-**

Sl. No	Name of the Mineral	Name of the lessee	Address & contact no. of letter of Intent holder	Letter of Intent Grant order No. & date	Area of mining lease to be allotted (Ha)	Validity of LOI	Use (Captive/ Non-captive)	Location of the Mining lease (Latitude & Longitude)
1	Rough Stone	Thiru.R.Monishkumar	No.35/88, Rajaji Street, Chengalpattu.	Rc.No.379/ Kanimam / 2017 dt:17.07.2018	3.12.5	-	Non-captive	Ezhacheri Vembakkam 12°43'01.10"N to 12°43'08.27"N 79°43'06.48"E to 79°43'16.34"E
2	Rough Stone	Thiru.R.Gunasekaran	No.50/70 Kalyanasundharam St, Merku Thambaram, Chennai.	Rc.No.378/ Kanimam /2017 dt:06.08.2018	1.49.0	-	Non-captive	Vazhavandal Vembakkam 12°44'10.61"N to 12°44'16.71"N 79°41'19.33"E to 79°41'23.75"E
3	Rough Stone	Tvl.Suganya Blue Stone	No.505/3, Main Road, Thirupanamoor, Vembakkam Taluk. Tiruvannamalai District.	Rc.No.25 / Kanimam / 2018 dt:05.09.2018	2.95.0	-	Non-captive	Thirupanamoor Vembakkam 12°45'38.82"N to 12°45'47.05"N 79°34'45.63"E to 79°34'56.70"E
4	Rough Stone	Thiru.A.WILLIAM	No.139, 4 <sup>th</sup> Main Road, Lakshmi Nagar Extension, Porur, Chennai – 600 116.	Rc.No.32 / Kanimam/ 2018 dt.24.09.2018	2.88.0	-	Non-captive	Kundiyanthandalam Vembakkam 12°44'06.24"N to 12°44'21.05"N 79°43'01.47"E to 79°43'05.11"E

5	Rough Stone	Tvl. NRM SONS BLUE METALS	97A, Ottakuthar street, Mamallan Nagar, Kanchipuram District.	Rc.No.56 / Kanimam/2018 dt.19.09.2018	2.75.0	-	Non-captive	Kiznayacken palayam & Girijapuram vembakkam 12°44'07.37"N to 12°44'13.71"N 79°41'53.84"E to 79°41'00.88"E
6	Rough Stone	Thiru.R.Nethaji	No.79, Jain Street, Arpakkam Village, Valajabhath Taluk Kanchipuram District.	Rc.No.33/ Kanimam / 2018 dt.14.10.2018	2.45.0	-	Non-captive	Kundiyanthandalam Vembakkam 12°43'52"N to 12°43'57"N 79°43'16"E to 79°43'23"E
7	Rough Stone	Thiru.R.K.Sudhakar Ramakrishnan	No.326, Vivekanandar st, Thadaperumbakkam, Thiruvengadapuram, Ponneri, Tiruvallur District.	Rc.No. 78/ Kanimam / 2018 dt:27.09.2018	1.66.0	-	Non-captive	Thethurai Cheyyar 12°36'39.72"N to 12°36'44.60"N 79°37'16.98"E to 79°37'22.96"E
8	Rough Stone	Thiru.S.Sivasuriya madhava Raja	No.9/13, Shanmuga Nagar, Mannivakkam, Chennai – 600048.	Rc.No. 09/ Kanimam / 2018 dt.14.12.2018	1.05.5	-	Non-captive	Palli Cheyyar 12°43'11"N to 12°43'15"N 79°36'36"E to 79°36'41"E
9	Rough Stone	Thiru.S.Gopiraj	No.180/2, Pillaiyar Kovil Street, Kangeyanoor Village & Post, Polur Taluk, Tiruvannamalai.	Rc.No.395/ Kanimam / 2017 dt.10.12.2017	1.00.0	-	Non-captive	Pudhupalayam Polur 12°29'25.02"N to 12°29'29.53"N 79°06'32.03"E to 79°06'37.17"E

10	Rough Stone	Thiru.K.Ashok Kumar	Maganurpatti Village and Post, Uthangarai Taluk, Krishnagiri District.	Rc.No.20/ Kanimam/2017 dt.04.12.2017	1.00.0	-	Non-captive	Naradapattu Chengan 12°13'09"N to 12°13'12"N 78°41'20"E to 78°41'25"E
11	Rough Stone	Thiru.S.Manokaran	No.33/60 K, TPT Main Road, Vakkanampatti Post, Jolarpettai, Vellore District.	Rc.No.397/ Kanimam/2017 dt.17.11.2017	1.00.0	-	Non-captive	Thiruvadathanur Thandarampattu N 12°06'36.89" to 12°06'42.33" E 78°53'27.56" to 78°53'33.85"
12	Rough Stone	Thiru.K.Chandreskaran	No.301, Madhrayan Pettai Street, Mamandur Village, Vembakkam Taluk, Tiruvannamalai District	Rc.No.66/ Kanimam / 2018 dt.13.02.2019	1.97.5	-	Non-captive	Kundiyanthandalam Vembakkam 12°43'59.73"N to 12°43'06.66"N 78°43'01.36"E to 78°43'06.10"E
13	Rough Stone	M/s.Bhuvaneswari Blue Metals	No.37 B, Ground Floor, Vembuliamman Kovil Street, Pazhvanthangal, Chennai.	Rc.No.83/ Kanimam/2018 dt.02.02.2019	2.05.5	-	Non-captive	Kundiyanthandalam Vembakkam 12°43'50.85"N to 79°43'05.5"E to
14	Rough Stone	Thiru.R.Ganesan, Director of SRC Projects Pvt. Ltd.,	No.47, Brindhavan Road, Fairlands, Salem District.	Rc.No.18/ Kanimam / 2019 dt:16.05.2019	4.50.0	-	Non-captive	Athi Cheyyar 12°38'34.74"N to 12°38'43.98"N 79°35'58.85"E to 79°36'07.81"E



15	Rough Stone	M/s.Rajiraj Minerals Pvt. Ltd.,	O/F Penna Complex, Vellore Main Road, 3 <sup>rd</sup> Street, Anna Nagar, Arcot, Vellore	Rc.No.182/ Kanimam / 2018 dt.20.05.2019	10.90.35	-	Non-captive	Pavoor & Ezhacheri Vembakkam 12°42'55"N to 12°43'08"N 79°41'53"E to 79°42'08"E
16	Rough Stone	Thiru.Rajganesh	No.192/86, Habibullah Road, Thiagaraya Nagar, Chennai	Rc.No.135/ Kanimam/2018 dt.02.02.2019	2.58.5	-	Non-captive	Arugavoor Cheyyar 12°40'40.05"N to 12°40'49.43"N 79°30'36.11"E to 79°30'42.93"E
17	Rough Stone	N.Ragu	S/o.Nadarajan, No.14/2 Center street, Ganapathypuram, East Thambaram, Chennai	Rc.No.117/ Kanimam/2018 dt. 29.05.2019	2.95.0	-	Non-Captive	Menallur Vembakkam 12°43'52.49"N to 12°43'58.91"N 79°42'00.13"E to 79°42'07.16"E
18	Rough Stone	A.Dhasarathan,	No.39, Erikkarai Street, Thiruparuthikundram Village, Sevilimedu, Kanchipuram taluk & District.	Rc.No.79/Kanimam/2018 dt.02.02.2019	2.88.5	-	Non-Captive	Kundiyanthadalam Vembakkam 12°43'42.20"N to 12°43'51.08"N 79°42'54.37"E to 79°42'59.68"E

**14. TOTAL MINERAL RESERVES AVAILABLE IN THE DISTRICT:-**

Sl. No	Name of the Mineral	Name of the Lessee	Address & Contact No. lessee	Mining lease / Letter of Intent Grant Order No. & date	Area of Mining lease (ha)	Location of the mining lease (Latitude & Longitude)	Total Quantity (Geological Reverses)
1	2	3	4	5	6	7	8
1	<b>Rough Stone</b>	D.Jaiganesh,	Vettavalam village, Tiruvannamalai Taluk	614/K2/2009 <b>10.11.2017</b>	1.00.0	Vettavalam Tiruvannamalai <b>12°06' 38"</b> <b>12° 06' 43"</b> <b>79° 16' 27"</b> <b>79° 16' 31"</b>	<b>109580</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
2	<b>Rough Stone</b>	R.Prasath,	Polur Main Road, Tiruvannamalai.	39/K2/2010 <b>08.03.2010</b>	2.00.0	Veraiyur Tiruvannamalai <b>2°05' 33" N</b> <b>12° 05' 37" N</b> <b>79° 07' 11" E</b> <b>79° 07' 19" E</b>	<b>182300</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
3	<b>Rough Stone</b>	E.Murugesan ,	Nachanandhal Tiruvannamalai.	22/K2/2010 <b>05.04.2010</b>	1.00.0	<b>Pavupattu</b> <b>Tiruvannmalai</b> <b>12°07' 58"N</b> <b>12° 07'53"N</b> <b>79° 02' 55"E</b> <b>79° 02' 50"E</b>	<b>213395</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
4	<b>Rough Stone</b>	R.Singaram,	Thenimalai, Tiruvannamalai	73/K2/2010 <b>05.04.2010</b>	1.00.0	Athipadi <b>Tiruvannmalai</b> <b>12°05' 06" N</b> <b>12° 05' 02"N</b> <b>79° 02' 18"E</b> <b>79° 02' 13"E</b>	<b>100010</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
5	<b>Rough Stone</b>	A.Nakkeeran,	3, Kardukarar Street, Vettavalam	636/K2/2009 <b>10.05.2010</b>	0.77.0	Vettavalam Tiruvannamalai <b>12°06' 27"N</b> <b>12° 06' 32"N</b> <b>79° 14' 07"E</b> <b>79° 14' 11"E</b>	<b>192500</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>

6	<b>Rough Stone</b>	R.Arul,	Melanandahal Village, Tirukovilur Taluk.	40/K2/2010 <b>13.05.2010</b>	1.00.0	Athipadi <b>Tiruvannmalai</b> 12°05' 04" N 12° 05' 09"N 79° 02' 11"E 79° 02' 15"E	<b>148500</b> cbm <b>Rough Stone</b>
7	<b>Rough Stone</b>	N.Suresh,	25/73, Ayyankula Street, Tiruvannamalai	43/K2/2010 <b>16.12.2010</b>	2.00.0	Meyyur <b>Tiruvannmalai</b> 12°08' 59"N 12° 09' 05"N 79° 01' 49'E 79° 01' 54"E	<b>500000</b> cbm <b>Rough Stone</b>
8	<b>Rough Stone</b>	M.Selvaraj,	Chengam Road, Tiruvannamalai.	74/K2/2010 <b>16.12.2010</b>	1.00.0	Adaiyur <b>Tiruvannmalai</b> 12° 16' 24" N 12° 16' 28"N 79° 02' 55" E 79° 02' 59"E	<b>100250</b> cbm <b>Rough Stone</b>
9	<b>Rough Stone</b>	S.Prasanth,	Chengam Road, Tiruvannamalai	75/K2/2010 <b>23.12.2010</b>	0.96.5	Adaiyur <b>Tiruvannmalai</b> 12°16' 20" N 12° 16' 25" N 79° 02' 54" E 79° 02' 58"E	<b>92750</b> cbm <b>Rough Stone</b>
10	<b>Rough Stone</b>	S.Senthilkumar,	10, Kardukarar Street, Vettavalam.	168/K2/2010 <b>24.12.2010</b>	1.23.5	Vettavalam T iruvannamalai 12° 07' 34"N 12° 07' 38"N 79° 15' 48"E 79° 15' 53"E	<b>61820</b> cbm <b>Rough Stone</b>
11	<b>Rough Stone</b>	K.Thirumal,	Perayampattu post and Village, Tandarampet	72/K2/2010 <b>01.03.2011</b>	1.30.0	Athipadi <b>Tiruvannmalai</b> 12°05' 01"N 12° 05' 05"N 79° 02' 03"E 79° 02' 09"E	<b>165490</b> cbm <b>Rough Stone</b>

12	<b>Rough Stone</b>	N. Harijayashree,	No.18/7, Vadamathathi St.,Tiruvannamalai	57/K/2012 <b>28.04.2012</b>	4.00.0	Vallivagai Tiruvannmalai 12° 16' 41"N      12° 16' 32"N      79° 08' 52"E      79° 08' 39"E	<b>600795 cbm Rough Stone</b>
13	<b>Rough Stone</b>	R.Sekar,	Mel Chinna Goundanpatti, Tharamangalam Village, Omalur Taluk, Salem Dt.	47/K2/2015 <b>12.09.2017</b>	1.00.0	Koothalavadi Tiruvannmalai 12° 20 02.45"N 12° 20' 07.2"N 79° 06' 49.93'E 79°06' 53.59"E	<b>38760 cbm Rough- Stone</b>
14	<b>Rough Stone</b>	P.Adimoolam,	57A, Tamizhnagar, Tiruavannamalai taluk	130/K2/2009 <b>01.07.2009</b>	1.00.0	Iynkunam Kilpennathur 12°15' 36" N 12° 15' 47" N 79° 09' 56" E 79° 10' 02" E	<b>154000 cbm Rough Stone</b>
15	<b>Rough Stone</b>	R.Karthikeyan	23/29, Lakshmipuram, Gandhi Nagar, Tiruvannamalai-2.	483/K2/2009 <b>20.04.2011</b>	1.00.0	Iynkunam Kilpennathur 12° 15' 43"N 12° 15' 47"N 79° 09' 41"E 79° 09' 47"E	<b>190500 cbm Rough Stone</b>
16	<b>Rough Stone</b>	V.J.Dhamodharan,	No.1261-A Thendral Nagar, Vengikkal Village, Tiruvannamalai Taluk & District.	391/K/2017 <b>16.11.2018</b>	1.00.0	Polakunam Kilpennathur N 12°12'32.00" 12°12'34.95" E 79°08'40.72" 79°08'46.20"	<b>300750 cbm Rough Stone</b>
17	<b>Rough Stone</b>	S.Vasanthkumari	Uchimalaikuppam Chengam	621/K2/2009 <b>12.04.2010</b>	1.35.5	Uchimalaikuppam Chengam N 12°15'54" 12°15'58" E 78°54'21" 78°54'27"	<b>124560 cbm Rough Stone</b>

18	<b>Rough Stone</b>	K.Durai	1/2, Ramalinganar Street, Tiruvannamalai	27/K2/2010 <b>05.05.2010</b>	1.00.0	Paliapattu Chengam <b>12° 16' 10" N</b> <b>12° 16' 01" N</b> <b>79° 00' 15" E</b> <b>79° 00' 08"E</b>	<b>274040</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
19	<b>Rough Stone</b>	R.Jeevanantham,	50, Avarangaatu Street, Tiruvannamalai	24/K2/2010 <b>13.05.2010</b>	2.00.0	Chinnakola-padi Chengam <b>12° 15' 16"N</b> <b>12° 15' 22"N</b> <b>78° 59' 10"E</b> <b>78° 59' 17"E</b>	<b>300000</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
20	<b>Rough Stone</b>	R.M.Jayavelu	Chengam Road, Tiruvannamalai	28/K2/2010 <b>03.11.2010</b>	1.50.0	Paliapattu Chengam <b>12° 16' 11"N</b> <b>12° 16' 04"N</b> <b>79° 00' 20"E</b> <b>79° 00' 14"E</b>	<b>155610</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
21	<b>Rough Stone</b>	M.Palani	6, Peygopuram St., Tiruvannamalai	15/K2/2011 <b>12.01.2016</b>	0.50.0	Periyakola-padi Chengam <b>12° 15'02.12"N</b> <b>12° 15' 05.67"N</b> <b>79° 58'50.59"E</b> <b>79°58'52.31"E</b>	<b>47595</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
22	<b>Rough Stone</b>	Sadhaknawas,	No. 25, 3rd Street, Valace Garden, Chennai-6.	14/K2/2011 <b>12.01.2016</b>	0.50.0	Periyakola-padi Chengam <b>12° 15'01.92"N</b> <b>12° 15' 05.72"N</b> <b>79° 58'49.37"E</b> <b>79°58'51.19"E</b>	<b>57465</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
23	<b>Rough Stone</b>	Tmt.S.Kanimozhi	No.152, Old Street, Avoor Village Tiruvannamalai	48/K2/2015 <b>28.07.2016</b>	1.00.0	Periyakola-padi Chengam <b>12° 15' 03" N</b> <b>12° 15' 06" N</b> <b>78° 58' 53" E</b> <b>78° 58' 58" E</b>	<b>266480</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>

24	<b>Rough Stone</b>	M.Julia	180, Vambalur Road, Tirumalai village, Polur taluk	231/K2/2009 <b>22.06.2009</b>	2.00.0	Tirumalai Polur 12° 33' 44"N 12° 33' 47"N 79° 11' 26"E 79° 11' 33"E	<b>288000 cbm Rough Stone</b>
25	<b>Rough Stone</b>	M.Parthiban,	27/A, Vengadathan street, Polur taluk & village.	136/K2/2010 <b>24.12.2010</b>	1.00.0	Pudhu-palayam Polur 12° 29' 18" N 79°6'40.64" E	<b>70385 cbm Rough Stone</b>
26	<b>Rough Stone</b>	S.Rajakumar	2/57, Pillaiyar koil street, Kalasapakkam.	50/K/2015 <b>21.07.2016</b>	2.00.0	Vasur Polur 12° 29' 16" N 12° 29' 21" N 79° 07' 11" E 79° 07' 17"E	<b>392950 cbm Rough Stone</b>
27	<b>Rough Stone</b>	E.Sivakumar,	No.20.26.J.30, VRS Nagar, Govindasamy street, Polur.	51/K/2015 <b>21.07.2016</b>	2.00.0	Pudu-palayam Polur 12° 29' 17"N 12° 29' 22" N 79° 06' 26" E 79° 06' 31"E	<b>239070 cbm Rough Stone</b>
28	<b>Rough Stone</b>	P.Radhakrishnan	Mettu Street, Tiruvannamalai	20/K2/2010 <b>12.04.2010</b>	1.03.5	Sathanur Thandarampattu 12° 11' 08"N 12° 11' 13"N 78° 53' 01"E 78° 53' 05"E	<b>134345 cbm Rough Stone</b>
29	<b>Rough Stone</b>	M.Govindarajan,	No.3/337, Allabasha street, Mungilthuraipattu Village, Shankarapuram Tk.	79/K2/2010 <b>28.06.2010</b>	2.00.0	Thonda-manur Thandaram-pattu 12° 03' 48"N 12° 04' 03"N 78° 56' 57"E 78° 57' 05"E	<b>279000 cbm Rough Stone</b>

30	<b>Rough Stone</b>	A.Thenarmozhi	Manalurmel Siruvallur Village, Sankarapuram	134/K2/2010 <b>23.08.2010</b>	2.00.0	Perukulathur Thandaram-pattu 12° 01' 28" N 12° 01' 33" N 78° 55' 03" E 78° 55' 07" E	<b>199420 cbm Rough Stone</b>
31	<b>Rough Stone</b>	Tmt.K.Sarasu	53, Nehru Street, Chengam	626/K2/2009 <b>17.03.2011</b>	1.00.0	Sathanur Thandarampattu 12°11'21"N 12°11'26"N 78°52'52"E 78°52'56"E	<b>182750 cbm Rough Stone</b>
32	<b>Rough Stone</b>	R.Dhanakotti	Varagur Village, Tandrapet	18/K2/2011 <b>30.03.2011</b>	1.00.0	Varagur Thandarampattu 12° 08' 58" N 12° 08' 54" N 79° 01' 48"E 79° 01' 42"E	<b>186000 cbm Rough Stone</b>
33	<b>Rough Stone</b>	P.Palani	Kolamanjanur Village, Tandarampet.	20/K2/2011 <b>18.04.2011</b>	2.00.0	Kolaman-janur Thandarampattu 12° 08' 14"N 12° 08' 25"N 78° 53' 05"E 78° 53' 12"E	<b>365400 cbm Rough Stone</b>
34	<b>Rough Stone</b>	M.Veeramani	Royandapuram Village Thandarampattu Taluk.	19/K2/2011 <b>24.05.2012</b>	2.00.0	Royanda-puram Thandaram-pattu 12°04'49"N 12°04'55"N 78°56'23"E 78°56'29"E	<b>543200 cbm Rough Stone</b>
35	<b>Rough Stone</b>	M.Vinothkannan,	Varagur Village, Tandrapet	49/K/ 2015 <b>20.01.2016</b>	0.40.0	Varagur Thandarampattu 12° 08' 32" N 12° 08' 29" N 79° 01' 39" E 79° 01' 37"E	<b>101250 cbm Rough Stone</b>

36	<b>Rough Stone</b>	Tmt. R. Amutha	No.712, Bajanai Koil Street, Dhesurpalayam Village, Keelvanakkambadi Thandrampattu Taluk	396/K/ 2017 <b>11.06.2018</b>	2.00.0	Allappanur Thandaram-pattu <b>N 12°06'06.86"</b> <b>12°06'12.52"</b> <b>E 78°56'39.04"</b> <b>78°56'45.64"</b>	<b>1000000</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
37	<b>Rough Stone</b>	S. Nagaraj	Manampathy Village, Uthiramerur Taluk.	29/K2/2011 <b>17.12.2011</b>	1.53.0	Athi Cheyyar <b>12° 38' 18"N</b> <b>12° 38' 29"N</b> <b>79° 36' 30"E</b> <b>79° 36' 39"E</b>	<b>230055</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
38	<b>Rough Stone</b>	K. Gopinath,	Kandigai melkottaiyur post, Chengelpet taluk.	26/K2/2011 <b>03.06.2011</b>	2.00.0	Avaniapuram Chetpattu <b>12° 08' 54"N</b> <b>12° 08' 58"N</b> <b>79° 01' 34"E</b> <b>79° 01'41"E</b>	<b>200080</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
39	<b>Rough Stone</b>	V. Rajagopal,	Oorapakkam, Chengal attu.	169/K2/2010 <b>17.12.2011</b>	1.00.0	Jeganatha-puram Chetpattu <b>12° 28' 51"N</b> <b>12° 28' 57"N</b> <b>79° 24' 06"E</b> <b>79° 24' 10"E</b>	<b>199820</b> <b>Cbm of</b> <b>Rough</b> <b>stone</b>
40	<b>Rough Stone</b>	D. Saravanan,	Venkatapuram, Saidapet, Chennai - 15.	140/K2/2010 <b>18.10.2010</b>	2.00.0	Seeyalam Vandavasi <b>12° 26' 24"N</b> <b>12° 26' 27 N</b> <b>79° 43' 05"E</b> <b>79° 43' 12"E</b>	<b>295245</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
41	<b>Rough Stone</b>	R. Tamilvanan.	Saidapet, Chennai -15.	143/K2/2010 <b>18.10.2010</b>	2.00.0	Seeyalam Vandavasi <b>12° 26' 14"N</b> <b>12° 26' 18 N</b> <b>79°43' 02"E</b> <b>79° 43' 11"E</b>	<b>222720</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>



2	<b>Rough Stone</b>	Siddique Basha,	Kunnathur village, Arni taluk	602/K2/2009 <b>19.11.2009</b>	2.00.0	Melnagar ramasani kuppam Arni <b>12°42'13"N</b> <b>12°42'07" N</b> <b>79°11'01"E</b> <b>79°10' 55"E</b>	<b>353600</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
43	<b>Rough Stone</b>	S.Suresh,	3, Saradha Nagar, Agraharam Koratur, Chennai - 76.	135/K2/2009 <b>23.11.2009</b>	1.00.0	Mullan-diram Arni <b>12°49'02.10"N</b> <b>12°49'06.57" N</b> <b>79°15'31.79"N</b> <b>79°15'36.38"N</b>	<b>204000</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
44	<b>Rough Stone</b>	M.Shajakhan	855, Bazar Street Santhavasal, Polur Tk.	68/K/2012 <b>24.05.2012</b>	1.00.0	Melnagar Arni <b>12° 42' 27"N</b> <b>12° 42' 32"N</b> <b>79° 10' 17"E</b> <b>79° 10' 21"E</b>	<b>136950</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
45	<b>Rough Stone</b>	A.Nazeer Basha,	520/1, C.C.Road, Vannangulam, Arni taluk	51/K2/2010 <b>14.09.2010</b>	2.00.0	Ayyam-palayam Arni <b>12° 42' 10"N</b> <b>12° 42' 18"N</b> <b>79° 10' 15"E</b> <b>79° 10' 21"E</b>	<b>266450</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
46	<b>Rough Stone</b>	A.G.Mohan,	43, V.A.K.Nagar, Arni Taluk	52/K/2015 <b>13.11.2017</b>	0.40.0	Ariyapadi Arni <b>12° 41' 52"N</b> <b>12° 41' 54"N</b> <b>79° 13' 22"E</b> <b>79° 13' 25"E</b>	<b>101250</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
47	<b>Rough Stone</b>	P.Vinayagamoorthi	Ramana Nagar, Thiruvannamalai.	104/K2/2015 <b>02.03.2016</b>	0.75.5	Pavithram Tiruvannamalai <b>12°07'21"N</b> <b>12°07'24"</b> <b>E 79°06'26"</b> <b>79°06'32"E</b>	<b>151840</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>

48	<b>Rough Stone</b>	C.Shanthi	No.3/22 Nehru Street, Vettavalam Taluk	132/K2/2015 <b>15.05.2018</b>	0.65.0	Vettavalam Kilpennathur <b>12°06'15.10"</b> <b>12°06'18.00"</b> <b>79°13'59.75"</b> <b>79°14'04.16"</b>	<b>130000</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
49	<b>Rough Stone</b>	K.S.BABURAJ,	No.12/14,3rd Cross Street, Karpagam Garden, Adayar, chennai -20	101/K/2018 <b>14.11.2018</b>	1.66.0	Kasthambadi Polur <b>N 12°35'55"</b> <b>12°36'01"</b> <b>E 79°11'51"</b> <b>79°11'57"</b>	<b>207480</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
50	<b>Rough Stone</b>	T.Selvaraj,	Harur Main Road, Mothakkal village, Thandarampattu Tk.	31/K/2013 <b>16.06.2014</b>	0.40.5	Mothakkal Tmpt <b>12°05'25.30"N</b> <b>12°05'22.51"N</b> <b>78°43'34.90"E</b> <b>78°43'36.52"E</b>	<b>22276</b> <b>cbm</b> <b>Rough-</b> <b>Stone</b>
51	<b>Rough Stone</b>	R.Gopi,	4/75B, Veerapathran Kovil St., Vijayappanur, Thandarampattu Tk.	101/K/2015 <b>02.06.2016</b>	1.71.0	Varagur Thandarampattu <b>12°08'54"N</b> <b>12°08'58"N</b> <b>79°01'34"E</b> <b>79°01'41"E</b>	<b>171170</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
52	<b>Rough Stone</b>	R.Venkatachalam,.	No.30, New State Bank Colony, West Tambaram, Chennai.	95/K/2015 <b>21.07.2016</b>	2.90.0	Palli Cheyyar <b>12° 42' 53"N</b> <b>12° 43'01"N</b> <b>79° 36' 08"E</b> <b>79° 36'15"E</b>	<b>290000</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
53	<b>Rough Stone</b>	Tvl.Src Projects (P) Ltd.,	4-B, Lakshmiipuram, Gandhi Road, Salem-636 007.	99/K/2015 <b>21.07.2016</b>	4.75.5	Palli Cheyyar <b>12° 43' 20"N</b> <b>12° 43' 30"N</b> <b>79° 36' 14" E</b> <b>79° 36' 24"E</b>	<b>1902000</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>

54	<b>Rough Stone</b>	I.Prakash	Senthamangalam Village S.V.Chathiram (Via), Sriperumpthur Taluk, Kanchipuram District.	122/K/2015 <b>28.07.2016</b>	0.78.0	Painkinar Cheyyar <b>12°41'20.08"</b> <b>12°41'24.79"</b> <b>79°31'11.49"</b> <b>79°31'15.16"</b>	<b>168080</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
55	<b>Rough Stone</b>	S.Suresh Babu	No.5, Kulakkarai Street Anakkaputhur Village, Thambaram Taluk, Chennai District.	147/K/2015 <b>28.07.2016</b>	3.88.5	Kurumbur Cheyyar <b>12°35'56.33" N</b> <b>12°36'07.32" N</b> <b>79°36'54.98" E</b> <b>79°37'02.93" E</b>	<b>900840</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
56	<b>Rough Stone</b>	R.Velmurugan,	304, Theradi Street, Asanamapettai Village, Vembakkam Taluk.	360/K/2017 <b>17.09.2018</b>	1.20.0	Palli Cheyyar <b>N 12°43'15"</b> <b>12°43'19"</b> <b>E 79°35'36"</b> <b>79°35'43"</b>	<b>416080</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
57	<b>Rough Stone</b>	S.MURUGAN,	No.62/2 , Vedanatham Village, Tiruvannamalai Taluk & District.	125/K/2015 <b>03.11.2018</b>	2.06.5	Agatheri-pattu Cheyyar <b>N 12°36'39.77"</b> <b>12°36'46.70"</b> <b>E 79°27'00.45"</b> <b>79°27'05.69"</b>	<b>450740</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
58	<b>Rough Stone</b>	M.Marimuthu,	Kilpudupakkam Village, Cheyyar Taluk, Tiruvannamalai District.	413/K/2017 <b>16.11.2018</b>	0.98.5	Palli Cheyyar <b>N 12°43'14"</b> <b>12°43'20"</b> <b>E 79°35'59"</b> <b>79°36'02"</b>	<b>244200</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
59	<b>Rough Stone</b>	R.Seenuvasan,	Road Street,Arasanipalai village, Vembakkam Taluk	176/K/2013 <b>27.06.2014</b>	3.42.0	Ezhacheri Vembakkam <b>12° 42' 48" N</b> <b>12° 43' 1" N</b> <b>79° 43' 17" E</b> <b>79° 43' 27" E</b>	<b>150155</b> <b>cbm</b> <b>Rough-</b> <b>Stone</b>

60	<b>Rough Stone</b>	Ganesh Kaskar,	RMC Ready mix (India) Sidco Industrial Estate, Thirumudivakkam, Chennai.	105/K/2013 <b>14.07.2014</b>	4.23.5	Sithala-pakkam Vembakkam <b>12°43'23"N</b> <b>12° 43'10"N</b> <b>79°43'29" E</b> <b>79°43'36" E</b>	<b>968970</b> <b>cbm</b> <b>Rough Stone</b>
61	<b>Rough Stone</b>	D.Madhavan	19, Sarangapani street, Krishnapuram, Ambathur, Chennai-53.	116/K/2013 <b>03.03.2015</b>	0.90.0	Girijapuram Vembakkam <b>12° 44'25"</b> <b>12° 44'19"N</b> <b>79° 42' 14"</b> <b>79° 42'11"E</b>	<b>76000</b> <b>cbm</b> <b>Rough Stone</b>
62	<b>Rough Stone</b>	R.Mohanraj	No.33, Pillaiyar koil street, Puliyambedu village, Ambatthur Taluk.	242/K/2012 <b>13.05.2015</b>	0.81.0	Girijapuram Vembakkam <b>12° 44' 11" N</b> <b>12° 44' 08" N</b> <b>79° 42' 12" E</b> <b>79° 42' 09" E</b>	<b>257400</b> <b>cbm</b> <b>Rough Stone</b>
63	<b>Rough Stone</b>	N.Subramani	No 210 , Mandapam Junction Arpakkam Village, Kanchipuram	75/K/2014 <b>21.07.2016</b>	3.02.5	Menallur Vembakkam <b>12°44'08.63"N</b> <b>12°44'18.71"N</b> <b>79°42'16.36"E</b> <b>79°42'21.37"E</b>	<b>89184</b> <b>cbm</b> <b>Rough Stone</b>
64	<b>Rough Stone</b>	B.Sri Devi,	No.56, Balasundaram Street, Chandramohan Nagar, Velingapattarai, Kanchipuram 631 501.	12/K/2015 <b>28.07.2016</b>	1.15.5	Kundiyan-thandalm Vembakkam <b>12°43'55.90"N</b> <b>12°43'59.56"N</b> <b>79°43'6.08" E</b> <b>79°43'12.04"E</b>	<b>316710</b> <b>cbm</b> <b>Rough Stone</b>
65	<b>Rough Stone</b>	K.Kumar,	No.2/32, Mandapam Junction, Arpakkam Village & Post, Kanchipuram.	14/K/2015 <b>28.07.2016</b>	2.29.5	Kundiyan-thandalm Vembakkam <b>12°43'50.86"N</b> <b>12°43'58.24"N</b> <b>79°42'56.50"E</b> <b>79°43'03.46"E</b>	<b>334530</b> <b>cbm</b> <b>Rough Stone</b>

66	<b>Rough Stone</b>	K.Thirumalai,	No.52, Pillaiyar Koil Street, M.G.R. Nagar,Kundrathur, Chennai 600 069.	29/K/2015 <b>28.07.2016</b>	1.50.0	Suruttal Vembakkam <b>12°43' 56.14"N</b> <b>12°44' 02.73"N</b> <b>79°43' 48.82"E</b> <b>79°43' 55.08"E</b>	<b>257475</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
67	<b>Rough Stone</b>	Tmt.Deepa	81, Santhi Nagar First Street, Chengalpattu, Kanchipuram District	11/K/2014 <b>06.06.2016</b>	0.90.5	Thiruppana-moor Vembakkam <b>12°45'34.03"N</b> <b>12°45'39.08"N</b> <b>79°34'44.00"E</b> <b>79°34'49.08"E</b>	<b>20610</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
68	<b>Rough Stone</b>	J. Venkatesan	153-A/1, Pillaiyar Koil Street, Melapattu Vge., Ramakrishnapuram. Cheyyar Taluk.	06/K/2017 <b>14.09.2017</b>	1.00.0	Chithathur Vembakkam N <b>12°43'15"</b> <b>12°43'20"</b> <b>E 79°36'25"</b> <b>79°36'28"</b>	<b>249150</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
69	<b>Rough Stone</b>	E.Panneerselvam	89, Vanniya Mettu St., Arpakkam Village, Kanchipuram Tk & Dt.	131/K/2015 <b>14.09.2017</b>	1.43.0	Kundiyan-thandalm Vembakkam <b>N 12°43'45.58"</b> <b>12°43'51.42"</b> <b>E 79°42'58.50"</b> <b>79°43'02.06"</b>	<b>500500</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
70	<b>Rough Stone</b>	L.Sudhakar ,	89, Palla Street, Agaram Village Thenneri Post, Kanchipuram Taluk.	105/K/2016 <b>14.09.2017</b>	3.51.5	Girijapuram Vembakkam <b>12°44'03.76"</b> <b>12°44'12.07N</b> <b>79°42'00.56E"</b> <b>79°42'08.36E</b>	<b>1127350</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
71	<b>Rough Stone</b>	A.Aron Samuvel,	No.15, Sesha Nagar, Poovirnthavalli, Chennai - 600 056.	80/K/2017 <b>17.09.2018</b>	1.83.5	Kundiyan-thandalm Vembakkam <b>N 12°43'46.58"</b> <b>12°43'52.64"</b> <b>E 79°43'15.17"</b> <b>79°43'21.32"</b>	<b>306990</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>

72	<b>Rough Stone</b>	M.Sudharsan,	Pl.No.37, Parvathi Nagar, 3rd Street, Madampakkam, Chennai- 600 126.	377/K/2017 <b>17.09.2018</b>	3.25.0	Kundiyan-thandalm Vembakkam <b>N 12°43'51.14"</b> <b>12°43'57.08"</b> <b>E 79°43'07.34"</b> <b>79°43'16.63"</b>	<b>634000</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
73	<b>Rough Stone</b>	S.Sridhar	Managing Director, SKT MINES, No.19C, Villakkadi Koil Thoppu Street, Kancheepuram- 635 501.	26/K/2018 <b>17.09.2018</b>	3.96.5	Kaganam Vembakkam <b>N 12°44'36.64"</b> <b>12°44'45.79"</b> <b>E 79°34'38.22"</b> <b>79°34'48.97"</b>	<b>1721925</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
74	<b>Rough Stone</b>	B.Deenan ,	Vembakkam Taluk	78/K/2014 <b>20.07.2018</b>	0.95.5	Ezhacheri Vembakkam <b>N 12°42'51"</b> <b>12°42'48"</b> <b>E 79°43'25"</b> <b>79°43'21"</b>	<b>238000</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
75	<b>Rough Stone</b>	K.Devaraj,	No.105, Gandhisilai Street, Lakshmpuram Village, Vembakkam Taluk, Tiruvannamalai	248/K/2017 <b>17.10.2018</b>	2.10.0	Girijapuram Vembakkam <b>N 12°44'14"</b> <b>12°44'21"</b> <b>E 79°42'03"</b> <b>79°42'09"</b>	<b>822160</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
76	<b>Rough Stone</b>	J.K.Srinivasan	No.782, Mariyamman Koil Street, Jambodai Village, Azhividaithangal, Vembakkam Taluk.	249/K/2017 <b>15.10.2018</b>	1.21.54	Chithathur Vembakkam <b>N 12°44'09"</b> <b>12°44'14"</b> <b>E 79°37'18"</b> <b>79°37'25"</b>	<b>484640</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
77	<b>Rough Stone</b>	M.R.Azhagiri,	No.120, Shanmuganandhar Kovil Street Mangadu, Sriperumbuthur Tk, Kancheepuram	85/K/2018 <b>17.10.2018</b>	3.87.5	Chithala-pakkam Vembakkam <b>N 12°42'46.17"</b> <b>12°42'52.84"</b> <b>E 79°43'25.08"</b> <b>79°43'33.59"</b>	<b>968750</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>

78	<b>Rough Stone</b>	Tvl.Golden Sands,	No.15, 4th Street, VGP Lay Out, East coast Road, Chennai-115.	23/K/2018 <b>07.11.2018</b>	3.74.5	Ezhacheri Vembakkam <b>N12°43'18.09"</b> <b>12°43'24.02"</b> <b>E 79°43'19.41"</b> <b>79°43'11.43"</b>	<b>1310610</b> <b>cbm</b> <b>Rough Stone</b>
79	<b>Rough Stone</b>	Thiru.C.Sugumar,	No.18-A, V.V.Kovil Street, Walajabad Taluk, Kancheepuram District.	375/K/2017 <b>16.11.2018</b>	1.82.5	Ezhacheri Vembakkam <b>N 12°43'16.06"</b> <b>12°43'19.39"</b> <b>E 79°43'10.40"</b> <b>79°43'19.71"</b>	<b>638750</b> <b>cbm</b> <b>Rough Stone</b>
80	<b>Rough Stone</b>	Muthukrishnan,	No.221,Chenjiamman Koil Street, Chithalappakkam Village, Arasanipalayam Post, Vempakkam Taluk.	337/K/2017 <b>22.11.2018</b>	1.26.0	Chithala-pakkam Vembakkam <b>N 12°43'18.67"</b> <b>12°43'24.09"</b> <b>E 79°43'30.36"</b> <b>79°43'34.30"</b>	<b>441000</b> <b>cbm</b> <b>Rough Stone</b>
81	<b>Rough Stone</b>	R.Venkatasubramanian,	No.83/1 Pillaiyar Kovil Street, Sirumayilur Village, Kancheepuram.	05/K/2018 <b>04.12.2018</b>	2.43.0	Kundiyanthandalam Vembakkam <b>N12°44'12"</b> <b>12°44'44'17"</b> <b>E 79°43'03"</b> <b>79°43'12"</b>	<b>107395</b> <b>cbm</b> <b>Rough Stone</b>
82	<b>Rough Stone</b>	Tvl.Src Projects (P) Ltd.,	4-B, Lakshmipuram, Gandhi Road, Salem-636 007.	371/K/2017 <b>14.12.2018</b>	4.71.5	Chithathur Vembakkam <b>N 12°43'19.14"</b> <b>12°43'27.05"</b> <b>E 79°36'22.83"</b> <b>79°36'34.83"</b>	<b>2121750</b> <b>cbm</b> <b>Rough Stone</b>
83	<b>Rough Stone</b>	Vijay Ramakrishnan	Door No.52, MGR Road, Kalachitra Colony, Besent Nagar, Chennai-90	193/K/2013 <b>23.09.2014</b>	1.50.5	Kizhnamandi Vandavasi <b>12° 23'15"N</b> <b>12° 23'23"N</b> <b>79°29'40"E</b> <b>79°29'43" E</b>	<b>102767</b> <b>cbm</b> <b>Rough Stone</b>

84	<b>Rough Stone</b>	G.Vasudevan	Door No.842-D, Vengidamangalam Road, Melakkottaiyur,Chengal pattu Taluk,Kancheepuram.	115/K/2015 <b>08.12.2016</b>	1.04.0	Septangulam Vandavasi <b>12°31' 53.54"</b> <b>12°31' 56.24"</b> <b>79°26'21.93"</b> <b>79°26'28.09"</b>	<b>256700 cbm Rough Stone</b>
85	<b>Rough Stone</b>	G.Rajendran,	No.18, First Street, Rajiv Gandhi Nagar, Urapakkam Village, Chengalpattu .	37/K/2014 <b>22.12.2016</b>	1.68.0	Mavalavadi Vandavasi <b>12°22'32.00"N</b> <b>79°39'29.10"E</b>	<b>202464 cbm Rough Stone</b>
86	<b>Rough Stone</b>	A.C.Mani,	Vetrilaikara street, Arni.	36/K/2013 <b>25.09.2014</b>	0.67.0	Ariyapadi Arni <b>12°41'56"N</b> <b>12° 41' 52"N</b> <b>79° 13' 20" E</b> <b>79° 13' 23"E</b>	<b>36244 cbm Rough - Stone</b>
87	<b>Rough Stone</b>	R.Monishkumar	No.35/88, Rajaji Street, Chengalpattu.	Rc.No.379/ Kanimam / 2017 dt:17.07.2018	3.12.5	Ezhacheri Vembakkam <b>12°43'01.10"N</b> <b>12°43'08.27"N</b> <b>79°43'06.48"E</b> <b>79°43'16.34"E</b>	<b>894250 cbm Rough Stone</b>
88	<b>Rough Stone</b>	R.Gunasekaran	No.50/70 Kalyanasundharam St, Merku Thambaram, Chennai.	Rc.No.378/ Kanimam /2017 dt:06.08.2018	1.49.0	Vazhavandal Vembakkam <b>12°44'10.61"N</b> <b>12°44'16.71"N</b> <b>79°41'19.33"E</b> <b>79°41'23.75"E</b>	<b>521500 cbm Rough Stone</b>
89	<b>Rough Stone</b>	Tvl.Suganya Blue Stone	No.505/3, Main Road, Thirupanamoor, Vembakkam Taluk. Tiruvannamalai District.	Rc.No.25 / Kanimam / 2018 dt:05.09.2018	2.95.0	Thirupanamoor Vembakkam <b>12°45'38.82"N</b> <b>12°45'47.05"N</b> <b>79°34'45.63"E</b> <b>79°34'56.70"E</b>	<b>1180000 cbm Rough Stone</b>



90	<b>Rough Stone</b>	A.WILLIAM	No.139, 4 <sup>th</sup> Main Road, Lakshmi Nagar Extension, Porur, Chennai - 600 116.	Rc.No.32 / Kanimam/ 2018 dt.24.09.2018	2.88.0	Kundiyanthandalam Vembakkam 12°44'06.24"N 12°44'21.05"N 79°43'01.47"E 79°43'05.11"E	<b>692200 cbm Rough Stone</b>
91	<b>Rough Stone</b>	Tvl. NRM SONS BLUE METALS	97A, Ottakuthar street, Mamallan Nagar, Kanchipuram District.	Rc.No.56 / Kanimam/2018 dt.19.09.2018	2.75.0	Kiznayacken palayam & Girijapuram vembakkam 12°44'07.37"N 12°44'13.71"N 79°41'53.84"E 79°41'00.88"E	<b>2133360 cbm Rough Stone</b>
92	<b>Rough Stone</b>	R.Nethaji	No.79, Jain Street, Arpakkam Village, Valajabhath Taluk Kanchipuram District.	Rc.No.33/ Kanimam / 2018 dt.14.10.2018	2.45.0	Kundiyanthandalam Vembakkam 12°43'52"N 12°43'57"N 79°43'16"E 79°43'23"E	<b>1326400 cbm Rough Stone</b>
93	<b>Rough Stone</b>	R.K.Sudhakar Ramakrishnan	No.326, Vivekanandar st, Thadaperumbakkam, Thiruvengadapuram, Ponneri, Tiruvallur District.	Rc.No. 78/ Kanimam / 2018 dt:27.09.2018	1.66.0	Thethurai Cheyyar 12°36'39.72"N 12°36'44.60"N 79°37'16.98"E 79°37'22.96"E	<b>566755 cbm Rough Stone</b>
94	<b>Rough Stone</b>	S.Sivasuriya madhava Raja	No.9/13, Shanmuga Nagar, Mannivakkam, Chennai - 600048.	Rc.No. 09/ Kanimam / 2018 dt.14.12.2018	1.05.5	Palli Cheyyar 12°43'11"N 12°43'15"N 79°36'36"E 79°36'41"E	<b>520800 cbm Rough Stone</b>
95	<b>Rough Stone</b>	S.Gopiraj	No.180/2, Pillaiyar Kovil Street, Kangeyanoor Village & Post, Polur Taluk, Tiruvannamalai.	Rc.No.395/ Kanimam / 2017 dt.10.12.2017	1.00.0	Pudhupalayam Polur 12°29'25.02"N 12°29'29.53"N 79°06'32.03"E 79°06'37.17"E	<b>326190 cbm Rough Stone</b>

96	<b>Rough Stone</b>	K.Ashok Kumar	Maganurpatti Village and Post, Uthangarai Taluk, Krishnagiri District.	Rc.No.20/ Kanimam/2017 dt.04.12.2017	1.00.0	Naradapattu Chengan <b>12°13'09"N</b> <b>12°13'12"N</b> <b>78°41'20"E</b> <b>78°41'25"E</b>	<b>355250</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
97	<b>Rough Stone</b>	S.Manokaran	No.33/60 K, TPT Main Road, Vakkanampatti Post, Jolarpettai, Vellore District.	Rc.No.397/ Kanimam/2017 dt.17.11.2017	1.00.0	Thiruvadathanur Thandarampattu <b>N 12°06'36.89"</b> <b>12°06'42.33"</b> <b>E 78°53'27.56"</b> <b>78°53'33.85"</b>	<b>182600</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
98	<b>Rough Stone</b>	K.Chandreskaran	No.301, Madhrayan Pettai Street, Mamandur Village, Vembakkam Taluk, Tiruvannamalai District	Rc.No.66/ Kanimam / 2018 dt.13.02.2019	1.97.5	Kundiyanthandalam Vembakkam <b>12°43'59.73"N</b> <b>12°43'06.66"N</b> <b>78°43'01.36"E</b> <b>78°43'06.10"E</b>	<b>681640</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
99	<b>Rough Stone</b>	M/s.Bhuvaneshwari Blue Metals	No.37 B, Ground Floor, Vembuliamman Kovil Street, Pazhvanthangal, Chennai.	Rc.No.83/ Kanimam/2018 dt.02.02.2019	2.05.5	Kundiyanthandalam Vembakkam <b>12°43'50.85"N</b> <b>79°43'05.5"E</b>	<b>807200</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
100	<b>Rough Stone</b>	Thiru.R.Ganesan, Director of SRC Projects Pvt. Ltd.,	No.47, Brindhavan Road, Fairlands, Salem District.	Rc.No.18/ Kanimam / 2019 dt:16.05.2019	4.50.0	Athi Cheyyar <b>12°38'34.74"N</b> <b>12°38'43.98"N</b> <b>79°35'58.85"E</b> <b>79°36'07.81"E</b>	<b>3294775</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>
101	<b>Rough Stone</b>	M/s.Rajiraj Minerals Pvt. Ltd.,	O/F Penna Complex, Vellore Main Road, 3 <sup>rd</sup> Street, Anna Nagar, Arcot, Vellore	Rc.No.182/ Kanimam / 2018 dt.20.05.2019	10.90.35	Pavoor & Ezhacheri Vembakkam <b>12°42'55"N</b> <b>12°43'08"N</b> <b>79°41'53"E</b> <b>79°42'08"E</b>	<b>7630070</b> <b>cbm</b> <b>Rough</b> <b>Stone</b>

102	<b>Rough Stone</b>	Thiru.Rajganesh	No.192/86, Habibullah Road, Thiyagaraya Nagar, Chennai	Rc.No.135/ Kanimam/2018 dt.02.02.2019	2.58.5	Arugavoor Cheyyar 12°40'40.05"N 12°40'49.43"N 79°30'36.11"E 79°30'42.93"E	<b>1240800 cbm Rough Stone</b>
103	<b>Rough Stone</b>	N.Ragu	S/o.Nadarajan, No.14/2 Center street, Ganapathypuram, East Thambaram, Chennai	Rc.No.117/ Kanimam/2018 dt: 29.05.2019	2.95.0	Menallur Vembakkam 12°43'52.49"N 12°43'58.91"N 79°42'00.13"E 79°42'07.16"E	<b>1178520 cbm Rough Stone</b>
104	<b>Rough Stone</b>	A.Dhasarathan,	No.39, Erikkarai Street, Thiruparuthikundram Village, Sevilimedu, Kanchipuram taluk & District.	Rc.No.79/Kanim am/2018 dt.02.02.2019	2.88.5	Kundiyanthadalam Vembakkam 12°43'42.20"N 12°43'51.08"N 79°42'54.37"E 79°42'59.68"E	<b>1298250 cbm Rough Stone</b>

## 15) QUALITY/ GRADE OF MINERAL AVAILABLE IN THE DISTRICT

### ROUGH STONE

The charnockite series includes rocks of many different types, some being felsic and rich in quartz and microcline, others mafic and full of pyroxene and olivine, while there are also intermediate varieties corresponding mineralogical to norites, quartz-norites and diorites.

A special feature, recurring in many members of the group, is the presence of a strongly pleochroic, reddish or green orthopyroxene (formerly known as hypersthene).

## 16. USE OF MINERAL

### ROUGH STONE:

Aggregates – stone used for its strong physical properties – crushed and sorted into various sizes for use in concrete, coated with bitumen to make asphalt or used 'dry' as bulk fill in construction. Mostly used in roads, concrete and building products.

## 17. DEMAND AND SUPPLY OF THE MINERAL IN THE LAST THREE YEARS :-


There is a huge demand for Rough stone and Gravel in the district due to the sudden increase of Construction activities and highway projects around the district.

Sl.No	Year	Production of Rough Stone	Revenue realized
1.	2016-2017	688198	33519675
2.	2017-2018	825787	38311705
3.	2018-2019	1023023	59673732

Granite quarry leases are considerably low in the district compare to the other district but the demand and supply of Granite stone is not much more.

**18. MINING LEASES MARKED ON THE MAP OF THE DISTRICT**

**Figure 18.0 Rough stone quarry Leases marked in the District Map**



Mining leases marked in the Madathukulam Taluk map

**19. DETAILS OF THE AREA OF WHERE THERE IS A CLUSTER OF MINING VIZ., NUMBER OF MINING LEASES, LOCATION (LATITUDE AND LONGITUDE):-**

S. No	Name of the Mineral	No. of Mining Lease	Taluk	village	Location of the Mining lease (Latitude & Longitude)
1	Rough Stone	5	Vembakkam	Ezhacheri	1. N 12°42'46.17" 12°42'52.84" E 79°43'25.08" 79°43'33.59"
					2. 12° 42' 48" N 12° 43' 1" N 79° 43' 17" E 79° 43' 27" E
					3. N 12°42'51" 12°42'48" E 79°43'25" 79°43'21"
					4. N 12°43'16.06" 12°43'19.39" E 79°43'10.40" 79°43'19.71"
				Chithalapakkam	5. N12°43'18.09" 12°43'24.02" E 79°43'19.41" 79°43'11.43"
2		5	Vembakkam	Girijapuram	1. 12°44'03.76" 12°44'12.07N 79°42'00.56E" 79°42'08.36E
				Mennalur	2. 12°44'08.63"N 12°44'18.71"N 79°42'16.36"E 79°42'21.37"E
				Girijapuram	3. 12° 44' 11" N 12° 44' 08" N 79° 42' 12" E 79° 42' 09" E
					4. N 12°44'14" 12°44'21" E 79°42'03" 79°42'09"
					5. 12° 44'25" 12° 44'19N" 79° 42' 14" 79° 42'11"E
3	7	Cheyyar	Palli	1. 12° 42' 53"N 12° 43'01"N 79° 36' 08"E 79° 36'15"E	
				2. N 12°43'14" 12°43'20" E 79°35'59" 79°36'02"	
				3. N 12°43'15" to 12°43'19" E 79°35'36" to 79°35'43"	
				4. 12° 43' 20"N 12° 43' 30"N 79° 36' 14" E 79° 36' 24"E	
		Vembakkam	Chithathur	5. N 12°43'15" 12°43'20" E 79°36'25" 79°36'28"	
			Chithathur	6. N 12°43'19.14" 12°43'27.05" E 79°36'22.83" 79°36'34.83"	
			Chithathur	7. N 12°44'09" to 12°44'14" E 79°37'18" to 79°37'25"	
4	5	Vembakkam	Kundiyanthandalam	1. N 12°43'45.58" 12°43'51.42" E 79°42'58.50" 79°43'02.06"	
				2. N 12°43'46.58" 12°43'52.64" E 79°43'15.17" 79°43'21.32"	
				3. 12°43'50.86"N 12°43'58.24"N 79°42'56.50"E 79°43'03.46"E	
				4. N 12°43'51.14" 12°43'57.08" E 79°43'07.34" 79°43'16.63"	
				5. 12°43'55.90"N 12°43'59.56"N 79°43'6.08" E 79°43'12.04"E	

## **20 .DETAILS OF ECO – SENSITIVE AREA, IF ANY, IN THE DISTRICT.**

- There is no Wild Life Sanctuaries and National Park as per The Indian Wildlife (Protection) Act, 1972.
- There is no Western Ghats region near the district
- There is No Interstate Boundary crossing in the Tiruvannamalai District.
- There is No Coastal Regulation Zone (CRZ) within the district.

## **21.IMPACT ON THE ENVIRONMENT (AIR, WATER, NOISE, SOIL FLORA & FAUNA, LAND USE, AGRICULTURE, FOREST ETC.,) DUE TO MINING ACTIVITY**

Generally, the Environmental impacts can be categorized as either primary or secondary. Primary impacts are those, which are attributed directly by the project, secondary impacts are those, which are indirectly induced and typically include the associated investment and changed pattern of social and economic activities by the proposed action.

The impact has been ascertained for the project assuming that the pollution due to mining activity has been completely spelled out under the baseline environmental status for the entire ROM which is proposed to exploit from the mines.

### **Air**

Mining Operations are carried out by opencast semi mechanized/ Mechanized method, dust particles are generated due to various activities like, Excavation, Loading, handling of mineral and transportation. The air quality in the mining area depends upon the nature and concentration of emissions and meteorological conditions.

The major air pollutants due to mining activity includes:-

- Particulate Matter (Dust) of various sizes.
- Gases, such as, Sulphur Dioxide, Oxides of Nitrogen, Carbon Monoxide etc., from vehicular exhaust.
- Dust is the single Air pollutant observed in the open cast mines. Diesel operating drilling machines, small amount of blasting and movement of machinery/ vehicles produce NO<sub>x</sub>,SO<sub>2</sub>and CO emissions, usually at low

levels. Dust can be of significant nuisance surrounding land users and potential health risk in some circumstances.

### **Water**

#### **Impact**

The mining operation leads to intersect the water table cause ground water depletion.

Due to the interruption surface water sources like River, Nallah, Odai etc., surface water system, Drainage pattern of the area is altered.

#### **Noise**

Noise pollution is mainly due to operation of Machineries and occasional plying of machineries. These activities will create Noise pollution in the surrounding area.

#### **Land Environment**

The topography of the area will change, due to the Topographical changes the entire Eco system will be altered.

#### **Flora and Fauna**

The impact on biodiversity is difficult to quantify because of its diverse and dynamic characteristics.

Mining activities generally result in the deforestation, land degradation, water, air and noise pollution which directly or indirectly affect the faunal and floral status of the project area.

However, occurrence and magnitude of these impacts are entirely dependent upon the project location, mode of operation and technology involved.

## **22. REMEDIAL MEASURE TO MITIGATE THE IMPACT OF MINING ON THE ENVIRONMENT**

### **Air**

Mitigated measures suggested for air pollution controls are based on the baseline ambient air quality of the area

**The following measures are proposed to adopted in the mines such as,**

- Dust generation shall be reduced by using sharp teeth of shovels.
- Wet drilling shall be carried out to contain the dust.
- Controlled blasting techniques shall be adopted.



- Water spraying on haul roads, service roads and overburden dumps will help in reducing considerable dust pollution.
- Proper and regular maintenance of mining equipment's have to be considered.
- Transport of material in trucks covered with tarpaulin.
- The mine pit water can be utilized for dust suppression in and around mine areas.
- Information on wind direction and meteorology will be considered while planning, so that pollutants, which cannot be fully suppressed by engineering technique, will be prevented from reaching the nearby agriculture area.
- Comprehensive green belt around overburden dumps has to be carried out to reduce to fugitive dust emissions in order to create clean and healthy environment.

#### **Water**

- Construction of garland drains to divert surface run-off into the mining area.
- Construction of check dams / gully plugs at strategic places to arrest silt wash off from broken up area.
- Retaining walls with weep hole will be constructed around the mine boundaries to arrest silt wash off.
- The mined out pits shall be converted into the water reservoir at the end of mine life. This will help in recharging ground water table by acting as a water harvesting structure.
- Periodic analysis of mine pit water and ground water quality in nearby villages.
- Domestic sewage from site office & urinals/latrines provided in ML is discharged in septic tank followed by soak pits.

#### **Noise**

##### **Mitigation measures**

- Periodic maintenance of machinery, equipment's shall be ensured to keep the noise generated at minimum.
- Development of thick green belt around mining area and haul roads to reduce the noise.

- Provision of earplugs to workers exposed to high noise generating activities. Workers and operators at work site will be provided with earmuffs.
- Conducting periodical medical check up of all workers for any noise related health problems.
- Proper training to personnel to create awareness about adverse noise level effects.
- Periodic noise monitoring at suitable locations in the mining area and nearby habitations to assess efficacy of adopted control measures.
- During the blasting, optimum Spacing, Burden and charging of holes will be made under the supervision of competent qualified mines foreman, Mate as approved by Director of Mines safety.

### **Biological Environment**

#### **MITIGATION MEASURES:**

- Development of gap filling saplings in the safety barrier left around the quarry area.
- Carrying out thick greenbelt with local flora species predominantly with long canopy leaves on the inactive mined out upper benches.
- Development of dense poly-culture plantation using local flora species in the mining area at conceptual stage.
- Adoption of suitable air pollution control measures as suggested above.
- Transport of materials in trucks covered with tarpaulin.
- Construction of garland drains and settling tank to arrest silt wash off from lease area.
- Construction of retention walls around lower boundary of mining area to arrest silt wash off and roll down boulders.
- Retaining walls with weep hole will be constructed around the mine boundaries to arrest silt wash off.

### **23. RECLAMATION OF MINED OUT AREA (BEST PRACTICE ALREADY IMPLEMENTED IN THE DISTRICT, REQUIREMENT AS PER RULES AND REGULATION, PROPOSED RECLAMATION PLAN):-**

Under Rule 23A, Mine Closure Plan: Every mine shall have Mine Closure Plan, which shall be of two types:-

- (i) Progressive mine closure plan; and
- (ii) Final mine closure plan.

### **Conceptual Final Landform-**

The broad rehabilitation objective for the post-quarry landform is to establish a similar land use on the disturbed areas, with the exception of the final void. The topography of the final landform will consist of a large number of stepped benches formed in an amphitheatre configuration, each with a re-vegetated bench as shown in Figure-1.

Figure 2 shows plan and sectional views of the final landform. The void will be some approximately 1.88.8 Ha in area. Until such time that extraction has ceased, rehabilitation will occur around the perimeter of the pit only along the benches, and will not involve the pit floor. The primary purpose of rehabilitation during the operational phase is to mitigate any visual impacts.



**Figure 23.0: Example of Bench Rehabilitation**

Once operations have ceased, all buildings and infrastructure will be removed. These areas will be reshaped and ripped where necessary for top-soiling and re-vegetation.

The top benches will be vegetated with appropriate native species. The lower benches will be formed as a shallow depression of retention pond/ rain water harvesting structure.

### **Rehabilitation and Re-vegetation -**

Rehabilitation of the site will be undertaken once extraction is complete. As the extraction progresses through the resource, 5 m wide benches will be left every

5 m of depth to provide a horizontal platform on which native flora species will be established.

The plantation in the mine lease area also includes gap filling plantation on the safety barrier zone left around the mine lease area. Gap filling plantation has been carried out in the safety barrier zone left around the mine lease area from the beginning of the mining operations.

Additional plantation will be carried out in the inactive mining area. Grass and bushes will be planted in areas prone to erosion. Other areas will be spread with organic manures and planted with local species.

The characteristics of this vegetation will resemble that of the natural environment except for the early growth, which may be a protective cover crop of non-seeding annuals. Before re-vegetation, the land will be properly prepared by spreading the top soil, which is rich in organic contents along with mulches and organic manure. Vegetation will be self-sufficient after planting and require no fertilizers or maintenance.

The re-vegetation program will re-establish native tree / shrub / ground cover and will stabilize reshaped and benched areas. Benches will be deep ripped to actively promote infiltration of water which will enhance soil moisture requirements for direct tree seeding and minimize surface runoff to underlying benches. Re-vegetation will also visually screen disturbed areas and will re-establish habitat for native fauna.

#### **24. RISK ASSESSMENT & DISASTER MANAGEMENT PLAN:-**

The Disaster Management Plan (DMP) is supposed to be a dynamic, changing, document focusing on continual improvement of emergency response planning and arrangements.

The disaster management plan is aimed to ensure safety of life, protection of environment, protection of installation, restoration of production and salvage operations in this same order of priorities. For effective implementation of the disaster management plan, it should be

widely circulated and personnel training through rehearsals/induction conducted by the respective department from time to time.

### **General Responsibilities of Employees during an Emergency:**

During an emergency, it becomes more enhanced and pronounced when an emergency warning is raised, the workers in-charge, should adopt safe and emergency shut down and attend any prescribed duty as essential employee. If no such responsibility is assigned, he should adopt a safe course to assembly point and await instructions. He should not resort to spread panic. On the other hand, he must assist emergency personnel towards objectives of DMP.

#### **Co-ordination with Local Authorities:**

The mine manager who is responsible for emergency will always keep a jeep ready at site. In case any eventualities the victim will be taken to the nearby hospitals after carrying out the first aid at site. A certified first aid certificate holder will be responsible to carryout the first aid at site. The mine manager should collect and have adequate information of the nearby hospitals, fire station, police station, village panchayat heads, taxy stands, medical shop, district revenue authorities etc., and use them efficiently during the case of emergency.

**25. DETAILS OF THE OCCUPATION HEALTH ISSUES IN THE DISTRICT. (LAST FIVE-YEAR DATE OF NUMBER OF PATIENTS OF SILICOSIS & TUBERCULOSIS IS ALSO NEEDS TO BE SUBMITTED):-**

As per the guidelines of the Mine Rules 1955, occupational health safety stipulated by the ILO/WHO. The proponent's will take all necessary precautions. Normal sanitary facilities should be provided within the lease area. The management will carry out periodic health check up of workers.

Occupational hazards involved in mines are related to dust pollution, Noise pollution, blasting and injuries from moving machineries & equipment and fall from high places. DGMS has given necessary guidelines for safety against these occupational hazards. The management will strictly follow these guidelines.

All necessary first aid and medical facilities will be provided to the workers. The mine shall be well equipped with Personal Protective Equipment (PPE). Further all the necessary protective equipment's such as helmets, safety goggles, earplugs, earmuffs, etc. will be provided to persons working in mines as per Mines Rules. All operators and mechanics will be trained to handle fire-fighting equipment's.

**26. PLANTATION OF GREEN BELT DEVELOPMENT IN RESPECT OF LEASES ALREADY GRANTED IN THE DISTRICT:-**

***Green Belt Development***

- ❖ A well planned Green Belt with multi rows (Three tier) preferably with long canopy leaves shall be developed with dense plantations around the boundary and haul rods to prevent air, dust noise propagation to undesired places. Efforts will be taken for the enhancement of survival rate since the soil is alkaline in nature.

***Species Recommended for Plantation***

Following points have been considered while recommending the species for plantation:

- ❖ Natural growth of existing species and survival rate of various species.
- ❖ Suitability of a particular plant species for a particular type of area.
- ❖ Creating of bio-diversity.
- ❖ Fast growing, thick canopy cover, perennial and evergreen large leaf area,
- ❖ Efficient in absorbing pollutants without major effects on natural growth.
- ❖ The following species may be considered primarily for plantation best suited for the prevailing climatic condition in the area.

### RECOMMENDED SPECIES TO PLANT IN THE GREENBELT

S.No	Name of the plant (Botanical)	Family Name	Common Name	Habit
1.	<i>Azadirachta indica</i>	<i>Meliaceae</i>	Neem, Vembu	Tree
2.	<i>Albizia falcataria</i>	<i>Fabaceae</i>	Tamarind, Puliyaaram	Tree
3.	<i>Polyalthia longifolia</i>	<i>Annonaceae</i>	Kattumaram	Tree
4.	<i>Borassus flabellifer</i>	<i>Areaceae</i>	Palmyra Palm	Tree


### 27. ANY OTHER INFORMATION:-


The well developed Environmental management plan and remedial measures is proposed to carryout in all mining areas in the District.


CER/CSR activities shall be carried out by providing social and welfare measures to the local community of the nearby villages. The main activities would be like drinking water facilities for the government schools children, public toilets to the local community and government schools, conducting free medical camps, providing solar lights to the villages besides encouraging the local cultural activities of the area.

This District Survey Report has been prepared in a short span of time by doing rapid field work. The details related to the occurrence of mineral resources and other data of the district are subject to updation from time to time. Before grant of any quarry lease, the parameters related to geosciences and sustainable developments are to be considered on the basis of ground reality.

The Thiruvannamalai District is having very large deposits of Charnockite rock which is the raw material for the production of aggregates and M-sand. M-sand is the need of the hour to replace the utilisation of river sand. The Charnockite / Rough Stones are crushed in the crushing units for the manufacture of aggregates and M-sand which gives direct and indirect employment to the local people. Preferences and encouragements can be given to the Entrepreneurs for set up of new units for the production of M-sand.

  
Assistant Director  
Dept. of Geology & Mining  
Thiruvannamalai District.



  
COLLECTOR  
Thiruvannamalai District,  
Thiruvannamalai.






**ANNEXURE-7**





## TEST REPORT

Report No.	SES/AAQ/966/2023-24		Report Date	24.03.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	20.03.2023	
Sample Collected by	SES		Test Commenced on	20.03.2023	
Sample Collected Date	07.03.2023		Test Completed on	20.03.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	49.8	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	21.8	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.3	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/967/2023-24		Report Date	24.03.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	20.03.2023	
Sample Collected by	SES		Test Commenced on	20.03.2023	
Sample Collected Date	08.03.2023		Test Completed on	20.03.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	47.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	19.5	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	3.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			
					




## TEST REPORT

Report No.	SES/AAQ/968/2023-24		Report Date	24.03.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE		Sample Received on	20.03.2023	
Sample Collected by	SES		Test Commenced on	20.03.2023	
Sample Collected Date	07.03.2023		Test Completed on	20.03.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	45.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.0	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/969/2023-24		Report Date	24.03.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE		Sample Received on	20.03.2023	
Sample Collected by	SES		Test Commenced on	20.03.2023	
Sample Collected Date	08.03.2023		Test Completed on	20.03.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	47.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	20.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	3.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		  Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/970/2023-24		Report Date	24.03.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	20.03.2023	
Sample Collected by	SES		Test Commenced on	20.03.2023	
Sample Collected Date	09.03.2023		Test Completed on	20.03.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	44.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	22.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.3	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			
					




## TEST REPORT

Report No.	SES/AAQ/971/2023-24		Report Date	24.03.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	20.03.2023	
Sample Collected by	SES		Test Commenced on	20.03.2023	
Sample Collected Date	10.03.2023		Test Completed on	20.03.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	45.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	18.7	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT




<b>Report No.</b>	SES/AAQ/972/2023-24		<b>Report Date</b>	24.03.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		<b>Sample Received on</b>	20.03.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	20.03.2023	
<b>Sample Collected Date</b>	09.03.2023		<b>Test Completed on</b>	20.03.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	55.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	30.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory A.Prabhu Quality/Technical Manager</b>			

## TEST REPORT



Report No.	SES/AAQ/973/2023-24		Report Date	24.03.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		Sample Received on	20.03.2023	
Sample Collected by	SES		Test Commenced on	20.03.2023	
Sample Collected Date	10.03.2023		Test Completed on	20.03.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	52.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory <b>A.Prabhu</b> Quality/Technical Manager			





## TEST REPORT

Report No.	SES/AAQ/974/2023-24		Report Date	24.03.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE		Sample Received on	20.03.2023	
Sample Collected by	SES		Test Commenced on	20.03.2023	
Sample Collected Date	11.03.2023		Test Completed on	20.03.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	49.7	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.1	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/975/2023-24			Report Date	24.03.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE			Sample Received on	20.03.2023
Sample Collected by	SES			Test Commenced on	20.03.2023
Sample Collected Date	12.03.2023			Test Completed on	20.03.2023
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	47.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

<b>Report No.</b>	SES/AAQ/976/2023-24		<b>Report Date</b>	24.03.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A5-ANAPPATHUR VILLAGE		<b>Sample Received on</b>	20.03.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	20.03.2023	
<b>Sample Collected Date</b>	14.03.2023		<b>Test Completed on</b>	20.03.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	54.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory</b> <b>A.Prabhu</b> <b>Quality/Technical Manager</b>			




## TEST REPORT

Report No.	SES/AAQ/977/2023-24		Report Date	24.03.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE		Sample Received on	20.03.2023	
Sample Collected by	SES		Test Commenced on	20.03.2023	
Sample Collected Date	15.03.2023		Test Completed on	20.03.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	59.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	27.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	9.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

<b>Report No.</b>	SES/AAQ/978/2023-24		<b>Report Date</b>	24.03.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		<b>Sample Received on</b>	20.03.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	20.03.2023	
<b>Sample Collected Date</b>	16.03.2023		<b>Test Completed on</b>	20.03.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	60.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	28.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
 <b>Chemist</b>		 <b>Authorized Signatory</b> <b>A.Prabhu</b> <b>Quality/Technical Manager</b>			
					



## TEST REPORT

<b>Report No.</b>	SES/AAQ/979/2023-24		<b>Report Date</b>	24.03.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		<b>Sample Received on</b>	20.03.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	20.03.2023	
<b>Sample Collected Date</b>	17.03.2023		<b>Test Completed on</b>	20.03.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	57.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	29.0	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	6.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
 <b>Chemist</b>		 <b>Authorized Signatory</b> <b>A.Prabhu</b> <b>Quality/Technical Manager</b>			
					

## TEST REPORT




<b>Report No.</b>	SES/AAQ/980/2023-24		<b>Report Date</b>	24.03.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A3-KILNETHAPAKKAM VILLAGE		<b>Sample Received on</b>	20.03.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	20.03.2023	
<b>Sample Collected Date</b>	16.03.2023		<b>Test Completed on</b>	20.03.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	52.3	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.9	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	6.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.3	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory</b> <b>A.Prabhu</b> <b>Quality/Technical Manager</b>			

## TEST REPORT




<b>Report No.</b>	SES/AAQ/981/2023-24		<b>Report Date</b>	24.03.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A3-KILNETHAPAKKAM VILLAGE		<b>Sample Received on</b>	20.03.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	20.03.2023	
<b>Sample Collected Date</b>	17.03.2023		<b>Test Completed on</b>	20.03.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	50.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory A.Prabhu Quality/Technical Manager</b>			





## TEST REPORT

Report No.	SES/AAQ/982/2023-24			Report Date	24.03.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE			Sample Received on	20.03.2023
Sample Collected by	SES			Test Commenced on	20.03.2023
Sample Collected Date	18.03.2023			Test Completed on	20.03.2023
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	46.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.8	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.5	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory <b>A.Prabhu</b> Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/983/2023-24			Report Date	24.03.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE			Sample Received on	20.03.2023
Sample Collected by	SES			Test Commenced on	20.03.2023
Sample Collected Date	19.03.2023			Test Completed on	20.03.2023
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	45.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	21.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/984/2023-24		Report Date	24.03.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	20.03.2023	
Sample Collected by	SES		Test Commenced on	20.03.2023	
Sample Collected Date	18.03.2023		Test Completed on	20.03.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	45.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	22.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.0	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/985/2023-24		Report Date	24.03.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	20.03.2023	
Sample Collected by	SES		Test Commenced on	20.03.2023	
Sample Collected Date	19.03.2023		Test Completed on	20.03.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	53.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.4	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/986/2023-24		Report Date	08.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	03.04.2023	
Sample Collected by	SES		Test Commenced on	03.04.2023	
Sample Collected Date	21.03.2023		Test Completed on	08.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	50.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/987/2023-24		Report Date	08.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	03.04.2023	
Sample Collected by	SES		Test Commenced on	03.04.2023	
Sample Collected Date	22.03.2023		Test Completed on	08.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	42.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	20.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			
					

## TEST REPORT



Report No.	SES/AAQ/988/2023-24		Report Date	08.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE		Sample Received on	03.04.2023	
Sample Collected by	SES		Test Commenced on	03.04.2023	
Sample Collected Date	21.03.2023		Test Completed on	08.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	48.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.7	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.5	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.3	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory <b>A.Prabhu</b> Quality/Technical Manager			

## TEST REPORT




Report No.	SES/AAQ/989/2023-24		Report Date	08.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE		Sample Received on	03.04.2023	
Sample Collected by	SES		Test Commenced on	03.04.2023	
Sample Collected Date	22.03.2023		Test Completed on	08.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	46.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	20.4	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.1	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.7	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory <b>A.Prabhu</b> Quality/Technical Manager			






## TEST REPORT

Report No.	SES/AAQ/990/2023-24		Report Date	08.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	03.04.2023	
Sample Collected by	SES		Test Commenced on	03.04.2023	
Sample Collected Date	23.03.2023		Test Completed on	08.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	57.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	26.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/991/2023-24		Report Date	08.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	03.04.2023	
Sample Collected by	SES		Test Commenced on	03.04.2023	
Sample Collected Date	24.03.2023		Test Completed on	08.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	52.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	28.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory <b>A.Prabhu</b> Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/992/2023-24			Report Date	08.04.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE	Sample Received on	03.04.2023		
Sample Collected by	SES	Test Commenced on	03.04.2023		
Sample Collected Date	23.03.2023	Test Completed on	08.04.2023		
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	51.8	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	9.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			
					



## TEST REPORT

Report No.	SES/AAQ/993/2023-24		Report Date	08.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		Sample Received on	03.04.2023	
Sample Collected by	SES		Test Commenced on	03.04.2023	
Sample Collected Date	24.03.2023		Test Completed on	08.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	55.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/994/2023-24		Report Date	08.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE		Sample Received on	03.04.2023	
Sample Collected by	SES		Test Commenced on	03.04.2023	
Sample Collected Date	25.03.2023		Test Completed on	08.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	52.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	7.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

<b>Report No.</b>	SES/AAQ/995/2023-24		<b>Report Date</b>	08.04.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A5-ANAPPATHUR VILLAGE		<b>Sample Received on</b>	03.04.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	03.04.2023	
<b>Sample Collected Date</b>	26.03.2023		<b>Test Completed on</b>	08.04.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	54.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	26.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	10.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory A.Prabhu Quality/Technical Manager</b>			

## TEST REPORT



Report No.	SES/AAQ/996/2023-24		Report Date	08.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE		Sample Received on	03.04.2023	
Sample Collected by	SES		Test Commenced on	03.04.2023	
Sample Collected Date	28.03.2023		Test Completed on	08.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	47.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			
					

## TEST REPORT




Report No.	SES/AAQ/997/2023-24			Report Date	08.04.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE			Sample Received on	03.04.2023
Sample Collected by	SES			Test Commenced on	03.04.2023
Sample Collected Date	29.03.2023			Test Completed on	08.04.2023
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	49.7	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	22.8	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory <b>A.Prabhu</b> Quality/Technical Manager			






## TEST REPORT

Report No.	SES/AAQ/998/2023-24			Report Date	08.04.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE	Sample Received on	03.04.2023		
Sample Collected by	SES	Test Commenced on	03.04.2023		
Sample Collected Date	30.03.2023	Test Completed on	08.04.2023		
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	45.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	21.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	9.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

<b>Report No.</b>	SES/AAQ/999/2023-24		<b>Report Date</b>	08.04.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		<b>Sample Received on</b>	03.04.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	03.04.2023	
<b>Sample Collected Date</b>	31.03.2023		<b>Test Completed on</b>	08.04.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	48.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	20.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	6.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory</b> <b>A.Prabhu</b> <b>Quality/Technical Manager</b>			
					




## TEST REPORT

Report No.	SES/AAQ/1000/2023-24			Report Date	08.04.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE			Sample Received on	03.04.2023
Sample Collected by	SES			Test Commenced on	03.04.2023
Sample Collected Date	30.03.2023			Test Completed on	08.04.2023
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	45.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	22.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.0	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

<b>Report No.</b>	SES/AAQ/1001/2023-24		<b>Report Date</b>	08.04.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A3-KILNETHAPAKKAM VILLAGE		<b>Sample Received on</b>	03.04.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	03.04.2023	
<b>Sample Collected Date</b>	31.03.2023		<b>Test Completed on</b>	08.04.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	49.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
 Chemist		  Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1002/2023-24			Report Date	08.04.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE			Sample Received on	03.04.2023
Sample Collected by	SES			Test Commenced on	03.04.2023
Sample Collected Date	01.04.2023			Test Completed on	08.04.2023
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	45.3	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.4	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1003/2023-24			Report Date	08.04.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE			Sample Received on	03.04.2023
Sample Collected by	SES			Test Commenced on	03.04.2023
Sample Collected Date	02.04.2023			Test Completed on	08.04.2023
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	46.9	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	22.4	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.3	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT



Report No.	SES/AAQ/1004/2023-24		Report Date	08.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	03.04.2023	
Sample Collected by	SES		Test Commenced on	03.04.2023	
Sample Collected Date	01.04.2023		Test Completed on	08.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	48.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.7	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.1	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	5.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist				 Authorized Signatory A.Prabhu Quality/Technical Manager	

## TEST REPORT




Report No.	SES/AAQ/1005/2023-24		Report Date	08.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	03.04.2023	
Sample Collected by	SES		Test Commenced on	03.04.2023	
Sample Collected Date	02.04.2023		Test Completed on	08.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	43.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	21.4	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	5.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			






## TEST REPORT

Report No.	SES/AAQ/1006/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	04.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	51.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.5	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.0	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1007/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	05.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	45.7	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	20.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	5.5	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		  Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1008/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	04.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	48.3	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	3.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory <b>A.Prabhu</b> Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1009/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	05.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	45.5	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	22.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.7	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			
					



## TEST REPORT

Report No.	SES/AAQ/1010/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	06.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	44.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	22.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.3	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.9	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory <b>A.Prabhu</b> Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1011/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	07.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	50.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	26.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.1	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT



<b>Report No.</b>	SES/AAQ/1012/2023-24		<b>Report Date</b>	22.04.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		<b>Sample Received on</b>	17.04.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	17.04.2023	
<b>Sample Collected Date</b>	06.04.2023		<b>Test Completed on</b>	22.04.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	50.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	22.8	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	6.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory A.Prabhu Quality/Technical Manager</b>			

## TEST REPORT



Report No.	SES/AAQ/1013/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	07.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	46.9	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	22.4	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.3	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			
					






## TEST REPORT

<b>Report No.</b>	SES/AAQ/1014/2023-24		<b>Report Date</b>	22.04.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A5-ANAPPATHUR VILLAGE		<b>Sample Received on</b>	17.04.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	17.04.2023	
<b>Sample Collected Date</b>	08.04.2023		<b>Test Completed on</b>	22.04.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	55.7	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.3	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory A.Prabhu Quality/Technical Manager</b>			



## TEST REPORT

Report No.	SES/AAQ/1015/2023-24			Report Date	22.04.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE			Sample Received on	17.04.2023
Sample Collected by	SES			Test Commenced on	17.04.2023
Sample Collected Date	09.04.2023			Test Completed on	22.04.2023
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	51.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	26.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/1016/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	11.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	53.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/1017/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	12.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	51.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1018/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	13.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	48.3	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	3.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1019/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	14.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	47.5	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	22.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.7	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT



Report No.	SES/AAQ/1020/2023-24			Report Date	22.04.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE			Sample Received on	17.04.2023
Sample Collected by	SES			Test Commenced on	17.04.2023
Sample Collected Date	13.04.2023			Test Completed on	22.04.2023
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	52.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.7	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT



Report No.	SES/AAQ/1021/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	14.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	49.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	28.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.3	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			





## TEST REPORT

<b>Report No.</b>	SES/AAQ/1022/2023-24		<b>Report Date</b>	22.04.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A2-ATHI VILLAGE		<b>Sample Received on</b>	17.04.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	17.04.2023	
<b>Sample Collected Date</b>	15.04.2023		<b>Test Completed on</b>	22.04.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	47.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	21.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory A.Prabhu Quality/Technical Manager</b>			



## TEST REPORT

Report No.	SES/AAQ/1023/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	16.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	50.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	5.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/1024/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	15.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	50.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	5.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/1025/2023-24		Report Date	22.04.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	17.04.2023	
Sample Collected by	SES		Test Commenced on	17.04.2023	
Sample Collected Date	16.04.2023		Test Completed on	22.04.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	54.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1026/2023-24		Report Date	06.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	01.05.2023	
Sample Collected by	SES		Test Commenced on	01.05.2023	
Sample Collected Date	18.04.2023		Test Completed on	06.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	45.3	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	21.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	3.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.3	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By  Chemist		For Swasti Enviro Solutions Pvt Ltd,  Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1027/2023-24		Report Date	06.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	01.05.2023	
Sample Collected by	SES		Test Commenced on	01.05.2023	
Sample Collected Date	19.04.2023		Test Completed on	06.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	52.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT




Report No.	SES/AAQ/1028/2023-24		Report Date	06.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE		Sample Received on	01.05.2023	
Sample Collected by	SES		Test Commenced on	01.05.2023	
Sample Collected Date	18.04.2023		Test Completed on	06.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	53.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	6.0	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		  Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT




Report No.	SES/AAQ/1029/2023-24		Report Date	06.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE		Sample Received on	01.05.2023	
Sample Collected by	SES		Test Commenced on	01.05.2023	
Sample Collected Date	19.04.2023		Test Completed on	06.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	50.3	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	26.5	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			





## TEST REPORT

Report No.	SES/AAQ/1030/2023-24		Report Date	06.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	01.05.2023	
Sample Collected by	SES		Test Commenced on	01.05.2023	
Sample Collected Date	20.04.2023		Test Completed on	06.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	48.3	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	29.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/1031/2023-24		Report Date	06.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	01.05.2023	
Sample Collected by	SES		Test Commenced on	01.05.2023	
Sample Collected Date	21.04.2023		Test Completed on	06.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	52.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory <b>A.Prabhu</b> Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/1032/2023-24		Report Date	06.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		Sample Received on	01.05.2023	
Sample Collected by	SES		Test Commenced on	01.05.2023	
Sample Collected Date	20.04.2023		Test Completed on	06.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	45.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/1033/2023-24		Report Date	06.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		Sample Received on	01.05.2023	
Sample Collected by	SES		Test Commenced on	01.05.2023	
Sample Collected Date	21.04.2023		Test Completed on	06.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	47.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	6.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1034/2023-24		Report Date	06.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE		Sample Received on	01.05.2023	
Sample Collected by	SES		Test Commenced on	01.05.2023	
Sample Collected Date	22.04.2023		Test Completed on	06.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	47.8	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

<b>Report No.</b>	SES/AAQ/1035/2023-24		<b>Report Date</b>	06.05.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A5-ANAPPATHUR VILLAGE		<b>Sample Received on</b>	01.05.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	01.05.2023	
<b>Sample Collected Date</b>	23.04.2023		<b>Test Completed on</b>	06.05.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	55.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.7	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	9.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory A.Prabhu Quality/Technical Manager</b>			

## TEST REPORT




<b>Report No.</b>	SES/AAQ/1036/2023-24		<b>Report Date</b>	06.05.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A5-ANAPPATHUR VILLAGE		<b>Sample Received on</b>	01.05.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	01.05.2023	
<b>Sample Collected Date</b>	25.04.2023		<b>Test Completed on</b>	06.05.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	50.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	6.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
 <b>Chemist</b>		  <b>Authorized Signatory</b> <b>A.Prabhu</b> <b>Quality/Technical Manager</b>			

## TEST REPORT




Report No.	SES/AAQ/1037/2023-24			Report Date	06.05.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE	Sample Received on	01.05.2023		
Sample Collected by	SES	Test Commenced on	01.05.2023		
Sample Collected Date	26.04.2023	Test Completed on	06.05.2023		
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	48.3	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.5	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By  Chemist		For Swasti Enviro Solutions Pvt Ltd,  Authorized Signatory A.Prabhu Quality/Technical Manager			






## TEST REPORT

Report No.	SES/AAQ/1038/2023-24		Report Date	06.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		Sample Received on	01.05.2023	
Sample Collected by	SES		Test Commenced on	01.05.2023	
Sample Collected Date	27.04.2023		Test Completed on	06.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	57.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	26.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	6.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

<b>Report No.</b>	SES/AAQ/1039/2023-24		<b>Report Date</b>	06.05.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		<b>Sample Received on</b>	01.05.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	01.05.2023	
<b>Sample Collected Date</b>	28.04.2023		<b>Test Completed on</b>	06.05.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	50.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	10.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
 <b>Chemist</b>		 <b>Authorized Signatory A.Prabhu Quality/Technical Manager</b>			
					




## TEST REPORT

Report No.	SES/AAQ/1040/2023-24		Report Date	06.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	01.05.2023	
Sample Collected by	SES		Test Commenced on	01.05.2023	
Sample Collected Date	27.04.2023		Test Completed on	06.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	50.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

<b>Report No.</b>	SES/AAQ/1041/2023-24		<b>Report Date</b>	06.05.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A3-KILNETHAPAKKAM VILLAGE		<b>Sample Received on</b>	01.05.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	01.05.2023	
<b>Sample Collected Date</b>	28.04.2023		<b>Test Completed on</b>	06.05.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	47.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
 <b>Chemist</b>		 <b>Authorized Signatory A.Prabhu Quality/Technical Manager</b>			
					



## TEST REPORT

Report No.	SES/AAQ/1042/2023-24			Report Date	06.05.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE			Sample Received on	01.05.2023
Sample Collected by	SES			Test Commenced on	01.05.2023
Sample Collected Date	29.04.2023			Test Completed on	06.05.2023
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	51.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory <b>A.Prabhu</b> Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1043/2023-24		Report Date	06.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE		Sample Received on	01.05.2023	
Sample Collected by	SES		Test Commenced on	01.05.2023	
Sample Collected Date	30.04.2023		Test Completed on	06.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	48.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	6.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	5.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		  Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT



Report No.	SES/AAQ/1044/2023-24		Report Date	06.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	01.05.2023	
Sample Collected by	SES		Test Commenced on	01.05.2023	
Sample Collected Date	29.04.2023		Test Completed on	06.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	46.3	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	20.8	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	3.9	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT




Report No.	SES/AAQ/1045/2023-24		Report Date	06.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	01.05.2023	
Sample Collected by	SES		Test Commenced on	01.05.2023	
Sample Collected Date	30.04.2023		Test Completed on	06.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	53.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	22.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	5.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			
					





## TEST REPORT

Report No.	SES/AAQ/1046/2023-24		Report Date	20.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	15.05.2023	
Sample Collected by	SES		Test Commenced on	15.05.2023	
Sample Collected Date	02.05.2023		Test Completed on	20.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	51.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.4	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By  Chemist		For Swasti Enviro Solutions Pvt Ltd,  Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1047/2023-24		Report Date	20.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	15.05.2023	
Sample Collected by	SES		Test Commenced on	15.05.2023	
Sample Collected Date	03.05.2023		Test Completed on	20.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	54.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.4	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1048/2023-24		Report Date	20.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE		Sample Received on	15.05.2023	
Sample Collected by	SES		Test Commenced on	15.05.2023	
Sample Collected Date	02.05.2023		Test Completed on	20.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	50.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

<b>Report No.</b>	SES/AAQ/1049/2023-24		<b>Report Date</b>	20.05.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A2-ATHI VILLAGE		<b>Sample Received on</b>	15.05.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	15.05.2023	
<b>Sample Collected Date</b>	03.05.2023		<b>Test Completed on</b>	20.05.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	53.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	3.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory</b> <b>A.Prabhu</b> <b>Quality/Technical Manager</b>			
					




## TEST REPORT

Report No.	SES/AAQ/1050/2023-24		Report Date	20.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	15.05.2023	
Sample Collected by	SES		Test Commenced on	15.05.2023	
Sample Collected Date	04.05.2023		Test Completed on	20.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	44.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	21.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory <b>A.Prabhu</b> Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1051/2023-24		Report Date	20.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	15.05.2023	
Sample Collected by	SES		Test Commenced on	15.05.2023	
Sample Collected Date	05.05.2023		Test Completed on	20.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	48.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	22.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
Analyzed By  Chemist		For Swasti Enviro Solutions Pvt Ltd,   Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT




<b>Report No.</b>	SES/AAQ/1052/2023-24		<b>Report Date</b>	20.05.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		<b>Sample Received on</b>	15.05.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	15.05.2023	
<b>Sample Collected Date</b>	04.05.2023		<b>Test Completed on</b>	20.05.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	53.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
 Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			
					

## TEST REPORT



Report No.	SES/AAQ/1053/2023-24			Report Date	20.05.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE	Sample Received on	15.05.2023		
Sample Collected by	SES	Test Commenced on	15.05.2023		
Sample Collected Date	05.05.2023	Test Completed on	20.05.2023		
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	52.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	6.3	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	11.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			
					





## TEST REPORT

Report No.	SES/AAQ/1054/2023-24			Report Date	20.05.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE			Sample Received on	15.05.2023
Sample Collected by	SES			Test Commenced on	15.05.2023
Sample Collected Date	06.05.2023			Test Completed on	20.05.2023
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	49.8	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	22.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	9.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		  Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

<b>Report No.</b>	SES/AAQ/1055/2023-24		<b>Report Date</b>	20.05.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A5-ANAPPATHUR VILLAGE		<b>Sample Received on</b>	15.05.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	15.05.2023	
<b>Sample Collected Date</b>	07.05.2023		<b>Test Completed on</b>	20.05.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	47.9	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.3	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory A.Prabhu Quality/Technical Manager</b>			



## TEST REPORT

<b>Report No.</b>	SES/AAQ/1056/2023-24		<b>Report Date</b>	20.05.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A5-ANAPPATHUR VILLAGE		<b>Sample Received on</b>	15.05.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	15.05.2023	
<b>Sample Collected Date</b>	09.05.2023		<b>Test Completed on</b>	20.05.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	52.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	27.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	6.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory A.Prabhu Quality/Technical Manager</b>			




## TEST REPORT

Report No.	SES/AAQ/1057/2023-24		Report Date	20.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE		Sample Received on	15.05.2023	
Sample Collected by	SES		Test Commenced on	15.05.2023	
Sample Collected Date	10.05.2023		Test Completed on	20.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	50.3	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.6	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	9.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		  Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/1058/2023-24			Report Date	20.05.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE	Sample Received on	15.05.2023		
Sample Collected by	SES	Test Commenced on	15.05.2023		
Sample Collected Date	11.05.2023	Test Completed on	20.05.2023		
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	57.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	27.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	9.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/1059/2023-24		Report Date	20.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		Sample Received on	15.05.2023	
Sample Collected by	SES		Test Commenced on	15.05.2023	
Sample Collected Date	12.05.2023		Test Completed on	20.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	54.3	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	8.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	10.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		  Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT




Report No.	SES/AAQ/1060/2023-24		Report Date	20.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	15.05.2023	
Sample Collected by	SES		Test Commenced on	15.05.2023	
Sample Collected Date	11.05.2023		Test Completed on	20.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	43.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	20.5	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	9.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT



Report No.	SES/AAQ/1061/2023-24		Report Date	20.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	15.05.2023	
Sample Collected by	SES		Test Commenced on	15.05.2023	
Sample Collected Date	12.05.2023		Test Completed on	20.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	50.5	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	26.8	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	6.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.3	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			





## TEST REPORT

Report No.	SES/AAQ/1062/2023-24			Report Date	20.05.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE			Sample Received on	15.05.2023
Sample Collected by	SES			Test Commenced on	15.05.2023
Sample Collected Date	13.05.2023			Test Completed on	20.05.2023
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	56.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	29.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.1	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

<b>Report No.</b>	SES/AAQ/1063/2023-24		<b>Report Date</b>	20.05.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A2-ATHI VILLAGE		<b>Sample Received on</b>	15.05.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	15.05.2023	
<b>Sample Collected Date</b>	14.05.2023		<b>Test Completed on</b>	20.05.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	55.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory A.Prabhu Quality/Technical Manager</b>			



## TEST REPORT

Report No.	SES/AAQ/1064/2023-24		Report Date	20.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	15.05.2023	
Sample Collected by	SES		Test Commenced on	15.05.2023	
Sample Collected Date	13.05.2023		Test Completed on	20.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	50.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	3.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.0	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/1065/2023-24		Report Date	20.05.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	15.05.2023	
Sample Collected by	SES		Test Commenced on	15.05.2023	
Sample Collected Date	14.05.2023		Test Completed on	20.05.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	53.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.9	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1066/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	16.05.2023		Test Completed on	07.06.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	51.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	29.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/1067/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	17.05.2023		Test Completed on	07.06.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	46.3	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	19.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	3.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.5	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT




Report No.	SES/AAQ/1068/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	16.05.2023		Test Completed on	07.06.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	52.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	3.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		  Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT




Report No.	SES/AAQ/1069/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	17.05.2023		Test Completed on	07.06.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	50.7	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	22.4	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	3.7	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.1	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			





## TEST REPORT

Report No.	SES/AAQ/1070/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	18.05.2023		Test Completed on	07.06.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	43.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	25.7	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.1	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/1071/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	19.05.2023		Test Completed on	07.06.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	47.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			
					



## TEST REPORT

Report No.	SES/AAQ/1072/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	18.05.2023		Test Completed on	07.06.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	57.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	29.4	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

<b>Report No.</b>	SES/AAQ/1073/2023-24		<b>Report Date</b>	07.06.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		<b>Sample Received on</b>	29.05.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	29.05.2023	
<b>Sample Collected Date</b>	19.05.2023		<b>Test Completed on</b>	07.06.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	52.6	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	26.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	6.0	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	9.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory A.Prabhu Quality/Technical Manager</b>			




## TEST REPORT

Report No.	SES/AAQ/1074/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	20.05.2023		Test Completed on	07.06.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	55.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	26.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.6	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.0	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

Report No.	SES/AAQ/1075/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	21.05.2023		Test Completed on	07.06.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	61.3	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	34.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT



Report No.	SES/AAQ/1076/2023-24			Report Date	07.06.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A5-ANAPPATHUR VILLAGE			Sample Received on	29.05.2023
Sample Collected by	SES			Test Commenced on	29.05.2023
Sample Collected Date	23.05.2023			Test Completed on	07.06.2023
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	57.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	30.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT



<b>Report No.</b>	SES/AAQ/1077/2023-24		<b>Report Date</b>	07.06.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A5-ANAPPATHUR VILLAGE		<b>Sample Received on</b>	29.05.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	29.05.2023	
<b>Sample Collected Date</b>	24.05.2023		<b>Test Completed on</b>	07.06.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	53.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	28.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	6.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory</b> <b>A.Prabhu</b> <b>Quality/Technical Manager</b>			






## TEST REPORT

<b>Report No.</b>	SES/AAQ/1078/2023-24		<b>Report Date</b>	07.06.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		<b>Sample Received on</b>	29.05.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	29.05.2023	
<b>Sample Collected Date</b>	25.05.2023		<b>Test Completed on</b>	07.06.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	55.7	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	28.3	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.6	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>		<b>Authorized Signatory A.Prabhu Quality/Technical Manager</b>			




## TEST REPORT

Report No.	SES/AAQ/1079/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A4-VADA ALAPIRANTHAN PUDUR VILLAGE		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	26.05.2023		Test Completed on	07.06.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	50.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	8.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1080/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	25.05.2023		Test Completed on	07.06.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	45.7	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	20.4	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.2	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.9	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory <b>A.Prabhu</b> Quality/Technical Manager			




## TEST REPORT

Report No.	SES/AAQ/1081/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A3-KILNETHAPAKKAM VILLAGE		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	26.05.2023		Test Completed on	07.06.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	46.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory A.Prabhu Quality/Technical Manager			



## TEST REPORT

<b>Report No.</b>	SES/AAQ/1082/2023-24		<b>Report Date</b>	07.06.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Sample Description</b>	Ambient Air Quality Survey				
<b>Sample Location</b>	A2-ATHI VILLAGE		<b>Sample Received on</b>	29.05.2023	
<b>Sample Collected by</b>	SES		<b>Test Commenced on</b>	29.05.2023	
<b>Sample Collected Date</b>	27.05.2023		<b>Test Completed on</b>	07.06.2023	
<b>Sl.No</b>	<b>Parameters</b>	<b>Results (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Time weighted Average</b>	<b>NAAQS Residential, Industrial Area</b>	<b>Test Method</b>
1	PM 10.0 (<10 $\mu\text{m}$ )	47.2	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	5.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
<b>Chemist</b>					
		<b>Authorized Signatory</b> <b>A.Prabhu</b> <b>Quality/Technical Manager</b>			



## TEST REPORT

Report No.	SES/AAQ/1083/2023-24			Report Date	07.06.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A2-ATHI VILLAGE			Sample Received on	29.05.2023
Sample Collected by	SES			Test Commenced on	29.05.2023
Sample Collected Date	28.05.2023			Test Completed on	07.06.2023
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	53.1	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	26.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.4	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	7.2	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		 Authorized Signatory <b>A.Prabhu</b> Quality/Technical Manager			

## TEST REPORT




Report No.	SES/AAQ/1084/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	27.05.2023		Test Completed on	07.06.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	52.4	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	24.2	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	3.8	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	5.8	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			

## TEST REPORT




Report No.	SES/AAQ/1085/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Sample Description	Ambient Air Quality Survey				
Sample Location	A1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	28.05.2023		Test Completed on	07.06.2023	
Sl.No	Parameters	Results ( $\mu\text{g}/\text{m}^3$ )	Time weighted Average	NAAQS Residential, Industrial Area	Test Method
1	PM 10.0 (<10 $\mu\text{m}$ )	54.5	24 Hours	100	IS :5182P23 RA2017
2	PM 2.5 (< 2.5 $\mu\text{m}$ )	23.1	24 Hours	60	IS:5182P24:2019
3	Sulphur Dioxide (SO <sub>2</sub> )	4.3	24 Hours	80	IS :5182P2 RA2017
4	Nitrogen Dioxide (NO <sub>2</sub> )	6.4	24 Hours	80	IS :5182P6 RA2017
5	Carbon Monoxide (CO)	BDL(D.L - 1144)	-	2.0	Gas Analyser
BDL – Below Detectable Limit DL- Detectable Limit <b>Opinion</b> – The Values observed for the pollutants given above are within NAAQ standards.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A.Prabhu Quality/Technical Manager			






## TEST REPORT

Report No.	SES/WA/1086/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Customer Reference	-		Sample Reference No.	WA/1086	
Sample Description	W1- NEAR MINE LEASE AREA VENKATESH		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	28.05.2023		Test Completed on	07.06.2023	
Sl.No	PARAMETER	UNITS	RESULTS	REFERENCE METHOD	Desirable Limit IS-10500 R.2012
1	Odour	-	Agreeable	IS:3025/P5/RA2018	Agreeable
2	pH @ 25°C	-	7.28	IS:3025/P11/RA2017	6.5-8.5
3	Turbidity	NTU	<1.0	IS:3025/P10/RA2017	1.0
4	Electrical Conductivity	µS/cm	1018	IS:3025/P13/RA2019	---
5	Total Dissolved Solids	mg/l	612	IS:3025/P16/RA2017	500
6	Chlorides (as Cl)	mg/l	82.2	IS:3025/P32/RA2019	250
7	Sulphates (as SO <sub>4</sub> )	mg/l	124	IS:3025/P24/RA2019	200
8	Total Hardness (as CaCO <sub>3</sub> )	mg/l	431	IS:3025/P21/RA2019	200
9	Calcium Hardness (as CaCO <sub>3</sub> )	mg/l	208	IS:3025/P40/RA2019	---
10	Magnesium Hardness (as CaCO <sub>3</sub> )	mg/l	223	IS:3025/P46/RA2019	---
11	Calcium as Ca	mg/l	83.1	IS:3025/P40/RA2019	75
12	Magnesium as Mg	mg/l	53.6	IS:3025/P46/RA2019	30
13	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	319	IS:3025/P23/RA2019	200
14	Iron (as Fe)	mg/l	0.09	IS:3025/P53/RA2019	0.3
15	Free Residual Chlorine	mg/l	BDL (DL-0.2)	IS:3025/P26/RA2019	0.2
16	Fluorides (as F)	mg/l	0.36	IS:3025/P60/RA2019	1.5
17	Nitrates (as NO <sub>3</sub> )	mg/l	3.26	IS:3025/P34/RA2019	No Relaxation
18	Manganese as Mn	mg/l	BDL (DL-0.05)	APHA 22nd Edition	0.1
<b>Remarks:</b> The above sample meets the requirements of IS 10500 R.2012 for portability with respect to the parameters tested. BDL – Below Detectable Limit DL-Detectable Limit.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
					
Chemist		Authorized Signatory A. Prabhu Quality/Technical Manager			
					




## TEST REPORT

Report No.	SES/WA/1087/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Customer Reference	-		Sample Reference No.	WA/1087	
Sample Description	W2-ATHI VILLAGE		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	28.05.2023		Test Completed on	07.06.2023	
Sl.No	PARAMETER	UNITS	RESULTS	REFERENCE METHOD	Desirable Limit IS-10500 R.2012
1	Odour	-	Agreeable	IS:3025/P5/RA2018	Agreeable
2	pH @ 25°C	-	7.81	IS:3025/P11/RA2017	6.5-8.5
3	Turbidity	NTU	<1	IS:3025/P10/RA2017	1.0
4	Electrical Conductivity	µS/cm	389.4	IS:3025/P13/RA2019	---
5	Total Dissolved Solids	mg/l	236	IS:3025/P16/RA2017	500
6	Chlorides (as Cl)	mg/l	34.2	IS:3025/P32/RA2019	250
7	Sulphates (as SO <sub>4</sub> )	mg/l	13.6	IS:3025/P24/RA2019	200
8	Total Hardness (as CaCO <sub>3</sub> )	mg/l	171	IS:3025/P21/RA2019	200
9	Calcium Hardness (as CaCO <sub>3</sub> )	mg/l	108	IS:3025/P40/RA2019	---
10	Magnesium Hardness (as CaCO <sub>3</sub> )	mg/l	62.7	IS:3025/P46/RA2019	---
11	Calcium as Ca	mg/l	43.1	IS:3025/P40/RA2019	75
12	Magnesium as Mg	mg/l	15.1	IS:3025/P46/RA2019	30
13	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	147	IS:3025/P23/RA2019	200
14	Iron (as Fe)	mg/l	0.08	IS:3025/P53/RA2019	0.3
15	Free Residual Chlorine	mg/l	BDL (DL-0.2)	IS:3025/P26/RA2019	0.2
16	Fluorides (as F)	mg/l	0.13	IS:3025/P60/RA2019	1.5
17	Nitrates (as NO <sub>3</sub> )	mg/l	BDL(D.L-1.0)	IS:3025/P34/RA2019	No Relaxation
18	Manganese as Mn	mg/l	BDL (DL-0.05)	APHA 22nd Edition	0.1
<p><b>Remarks:</b> The above sample meets the requirements of IS 10500 R.2012 for portability with respect to the parameters tested. BDL – Below Detectable Limit DL-Detectable Limit.</p>					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
 Chemist		 Authorized Signatory A. Prabhu Quality/Technical Manager			
					



## TEST REPORT

Report No.	SES/WA/1088/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Customer Reference	-		Sample Reference No.	WA/1088	
Sample Description	W3-KILNETHAPAKKAM VILLAGE		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	28.05.2023		Test Completed on	07.06.2023	
Sl.No	PARAMETER	UNITS	RESULTS	REFERENCE METHOD	Desirable Limit IS-10500 R.2012
1	Odour	-	Agreeable	IS:3025/P5/RA2018	Agreeable
2	pH @ 25°C	-	6.89	IS:3025/P11/RA2017	6.5-8.5
3	Turbidity	NTU	<1	IS:3025/P10/RA2017	1.0
4	Electrical Conductivity	µS/cm	710.5	IS:3025/P13/RA2019	---
5	Total Dissolved Solids	mg/l	430	IS:3025/P16/RA2017	500
6	Chlorides (as Cl)	mg/l	134	IS:3025/P32/RA2019	250
7	Sulphates (as SO <sub>4</sub> )	mg/l	72.6	IS:3025/P24/RA2019	200
8	Total Hardness (as CaCO <sub>3</sub> )	mg/l	235	IS:3025/P21/RA2019	200
9	Calcium Hardness (as CaCO <sub>3</sub> )	mg/l	142	IS:3025/P40/RA2019	---
10	Magnesium Hardness (as CaCO <sub>3</sub> )	mg/l	93.0	IS:3025/P46/RA2019	---
11	Calcium as Ca	mg/l	56.8	IS:3025/P40/RA2019	75
12	Magnesium as Mg	mg/l	22.3	IS:3025/P46/RA2019	30
13	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	160	IS:3025/P23/RA2019	200
14	Iron (as Fe)	mg/l	0.05	IS:3025/P53/RA2019	0.3
15	Free Residual Chlorine	mg/l	BDL (DL-0.2)	IS:3025/P26/RA2019	0.2
16	Fluorides (as F)	mg/l	0.21	IS:3025/P60/RA2019	1.5
17	Nitrates (as NO <sub>3</sub> )	mg/l	3.5	IS:3025/P34/RA2019	No Relaxation
18	Manganese as Mn	mg/l	BDL (DL-0.05)	APHA 22nd Edition	0.1
<b>Remarks:</b> The above sample meets the requirements of IS 10500 R.2012 for portability with respect to the parameters tested. BDL – Below Detectable Limit DL-Detectable Limit.					
<b>*** End of Report ***</b>					
<b>Analyzed By</b>		<b>For Swasti Enviro Solutions Pvt Ltd,</b>			
 Chemist		 Authorized Signatory A. Prabhu Quality/Technical Manager			
					

## TEST REPORT

Report No.	SES/WA/1089/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Customer Reference	-		Sample Reference No.	WA/1089	
Sample Description	W4-VADA ALAPIRANTHAN PUDUR VILLAGE		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	28.05.2023		Test Completed on	07.06.2023	
Sl.No	PARAMETER	UNITS	RESULTS	REFERENCE METHOD	Desirable Limit IS-10500 R.2012
1	Odour	-	Agreeable	IS:3025/P5/RA2018	Agreeable
2	pH @ 25°C	-	7.34	IS:3025/P11/RA2017	6.5-8.5
3	Turbidity	NTU	<1	IS:3025/P10/RA2017	1.0
4	Electrical Conductivity	µS/cm	1656	IS:3025/P13/RA2019	---
5	Total Dissolved Solids	mg/l	995	IS:3025/P16/RA2017	500
6	Chlorides (as Cl)	mg/l	342	IS:3025/P32/RA2019	250
7	Sulphates (as SO <sub>4</sub> )	mg/l	208	IS:3025/P24/RA2019	200
8	Total Hardness (as CaCO <sub>3</sub> )	mg/l	349	IS:3025/P21/RA2019	200
9	Calcium Hardness (as CaCO <sub>3</sub> )	mg/l	161	IS:3025/P40/RA2019	---
10	Magnesium Hardness (as CaCO <sub>3</sub> )	mg/l	188	IS:3025/P46/RA2019	---
11	Calcium as Ca	mg/l	64.3	IS:3025/P40/RA2019	75
12	Magnesium as Mg	mg/l	45.2	IS:3025/P46/RA2019	30
13	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	326	IS:3025/P23/RA2019	200
14	Iron (as Fe)	mg/l	0.15	IS:3025/P53/RA2019	0.3
15	Free Residual Chlorine	mg/l	BDL (DL-0.04)	IS:3025/P26/RA2019	0.2
16	Fluorides (as F)	mg/l	0.39	IS:3025/P60/RA2019	1.5
17	Nitrates (as NO <sub>3</sub> )	mg/l	2.08	IS:3025/P34/RA2019	No Relaxation
18	Manganese as Mn	mg/l	BDL (DL-0.05)	APHA 22nd Edition	0.1
<b>Remarks:</b> The above sample meets the requirements of IS 10500 R.2012 for portability with respect to the parameters tested. BDL – Below Detectable Limit DL-Detectable Limit.					
*** End of Report ***					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A. Prabhu Quality/Technical Manager			
					

## TEST REPORT



Report No.	SES/WA/1090/2023-24		Report Date	07.06.2023	
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
Customer Reference	-		Sample Reference No.	WA/1090	
Sample Description	W5-ANAPPATHUR VILLAGE		Sample Received on	29.05.2023	
Sample Collected by	SES		Test Commenced on	29.05.2023	
Sample Collected Date	28.05.2023		Test Completed on	07.06.2023	
Sl.No	PARAMETER	UNITS	RESULTS	REFERENCE METHOD	Desirable Limit IS-10500 R.2012
1	Odour	-	Agreeable	IS:3025/P5/RA2018	Agreeable
2	pH @ 25°C	-	7.29	IS:3025/P11/RA2017	6.5-8.5
3	Turbidity	NTU	<1	IS:3025/P10/RA2017	1.0
4	Electrical Conductivity	µS/cm	985.7	IS:3025/P13/RA2019	---
5	Total Dissolved Solids	mg/l	596	IS:3025/P16/RA2017	500
6	Chlorides (as Cl)	mg/l	117	IS:3025/P32/RA2019	250
7	Sulphates (as SO <sub>4</sub> )	mg/l	114	IS:3025/P24/RA2019	200
8	Total Hardness (as CaCO <sub>3</sub> )	mg/l	408	IS:3025/P21/RA2019	200
9	Calcium Hardness (as CaCO <sub>3</sub> )	mg/l	186	IS:3025/P40/RA2019	---
10	Magnesium Hardness (as CaCO <sub>3</sub> )	mg/l	221	IS:3025/P46/RA2019	---
11	Calcium as Ca	mg/l	74.5	IS:3025/P40/RA2019	75
12	Magnesium as Mg	mg/l	53.2	IS:3025/P46/RA2019	30
13	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	254	IS:3025/P23/RA2019	200
14	Iron (as Fe)	mg/l	0.12	IS:3025/P53/RA2019	0.3
15	Free Residual Chlorine	mg/l	BDL (DL-0.2)	IS:3025/P26/RA2019	0.2
16	Fluorides (as F)	mg/l	0.24	IS:3025/P60/RA2019	1.5
17	Nitrates (as NO <sub>3</sub> )	mg/l	2.93	IS:3025/P34/RA2019	No Relaxation
18	Manganese as Mn	mg/l	BDL (DL-0.05)	APHA 22nd Edition	0.1
<b>Remarks:</b> The above sample meets the requirements of IS 10500 R.2012 for portability with respect to the parameters tested. BDL – Below Detectable Limit DL-Detectable Limit.					
<b>*** End of Report ***</b>					
Analyzed By		For Swasti Enviro Solutions Pvt Ltd,			
					
Chemist		Authorized Signatory A. Prabhu Quality/Technical Manager			

## TEST REPORT

Report No.	SES/SA/1091/2023-24		Report Date	07.06.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.			
Customer Reference	-		Sample Reference No.	SA/1091
Sample Description	S1- WITHIN THE MINE LEASE AREA VENKATESH		Sample Received on	29.05.2023
Sample Collected by	SES		Test Commenced on	29.05.2023
Sample Collected Date	28.05.2023		Test Completed on	07.06.2023
Sl.No	PARAMETER	UNITS	RESULTS	REFERENCE METHOD
1	pH at 25 °C	-	7.95	IS : 2720 (Part -26)
2	Electrical Conductivity	µmhos/cm	184.9	IS : 14767 : 2000
3	Dry matter content	%	97.6	IS : 15106 2002
4	Water Content	%	2.4	IS : 15106 2002
5	Organic Matter	%	0.15	IS : 2720 (Part – 22)
6	Soil texture	-	Sandy Loam	USEPA – Soil.sci soi.AM.J.Vol 65 may – June 2001
7	Grain Size Distribution	%	55.64	
8	i. Sand	%	28.95	
9	ii. Silt	%	15.41	
10	iii. Clay	%		
10	Phosphorous as P	mg/kg	4.5	IS 10158 – 1982 (RA 2003)
11	Sodium as Na	mg/kg	476	USEPA 3050 B
12	Potassium as K	mg/kg	720	USEPA 3050 B
13	Total Nitrogen	mg/kg	53.0	IS 14684 - 1999
14	Total Sulphur	%	BDL(D.L.0.02)	FAO 2007
15	Water Holding Capacity	%	3.3	SES/SOP/15
16	Porosity	%	16.4	SES/SOP/16

Remarks: BDL – Below Detectable Limit DL-Detectable Limit.

\*\*\* End of Report \*\*\*

Analyzed By	For Swasti Enviro Solutions Pvt Ltd,
	
Chemist	Authorized Signatory A. Prabhu Quality/Technical Manager




## TEST REPORT

Report No.	SES/SA/1092/2023-24		Report Date	07.06.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.			
Customer Reference	-	Sample Reference No.	SA/1092	
Sample Description	S1- WITHIN THE MINE LEASE AREA SUDHAKARAN		Sample Received on	29.05.2023
Sample Collected by	SES		Test Commenced on	29.05.2023
Sample Collected Date	28.05.2023		Test Completed on	07.06.2023
Sl.No	PARAMETER	UNITS	RESULTS	REFERENCE METHOD
1	pH at 25 °C	-	7.25	IS : 2720 (Part -26)
2	Electrical Conductivity	µmhos/cm	156.7	IS : 14767 : 2000
3	Dry matter content	%	96.5	IS : 15106 2002
4	Water Content	%	3.5	IS : 15106 2002
5	Organic Matter	%	0.22	IS : 2720 (Part – 22)
6	Soil texture	-	Clay	USEPA – Soil.sci.soi.AM.J.Vol 65 may – June 2001
7	Grain Size Distribution	%	32.57	
8	i. Sand	%	26.44	
9	ii. Silt	%	40.99	
10	iii. Clay	%	40.99	
10	Phosphorous as P	mg/kg	3.2	IS 10158 – 1982 (RA 2003)
11	Sodium as Na	mg/kg	540	USEPA 3050 B
12	Potassium as K	mg/kg	910	USEPA 3050 B
13	Total Nitrogen	mg/kg	68.0	IS 14684 - 1999
14	Total Sulphur	%	BDL(D.L.0.02)	FAO 2007
15	Water Holding Capacity	%	3.7	SES/SOP/15
16	Porosity	%	18.6	SES/SOP/16

Remarks: BDL – Below Detectable Limit DL-Detectable Limit.

\*\*\* End of Report \*\*\*

Analyzed By	For Swasti Enviro Solutions Pvt Ltd,
	
Chemist	Authorized Signatory A. Prabhu Quality/Technical Manager



## TEST REPORT

Report No.	SES/SA/1093/2023-24		Report Date	07.06.2023
Customer Name & Address	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.			
Customer Reference	-		Sample Reference No.	SA/1093
Sample Description	S1- WITHIN THE MINE LEASE AREA SUDHAKARAN		Sample Received on	29.05.2023
Sample Collected by	SES		Test Commenced on	29.05.2023
Sample Collected Date	28.05.2023		Test Completed on	07.06.2023
Sl.No	PARAMETER	UNITS	RESULTS	REFERENCE METHOD
1	pH at 25 °C	-	7.67	IS : 2720 (Part -26)
2	Electrical Conductivity	µmhos/cm	110.2	IS : 14767 : 2000
3	Dry matter content	%	98.3	IS : 15106 2002
4	Water Content	%	1.7	IS : 15106 2002
5	Organic Matter	%	0.32	IS : 2720 (Part – 22)
6	Soil texture	-	SILT LOAM	USEPA – Soil.sci soi.AM.J.Vol 65 may – June 2001
7	Grain Size Distribution	%	36.58	
8	i. Sand	%	52.47	
9	ii. Silt	%	10.95	
10	iii. Clay	%	10.95	
10	Phosphorous as P	mg/kg	2.7	IS 10158 – 1982 (RA 2003)
11	Sodium as Na	mg/kg	386	USEPA 3050 B
12	Potassium as K	mg/kg	562	USEPA 3050 B
13	Total Nitrogen	mg/kg	102	IS 14684 - 1999
14	Total Sulphur	%	BDL(D.L.0.02)	FAO 2007
15	Water Holding Capacity	%	3.5	SES/SOP/15
16	Porosity	%	16.9	SES/SOP/16

Remarks: BDL – Below Detectable Limit DL-Detectable Limit.




\*\*\* End of Report \*\*\*


Analyzed By	For Swasti Enviro Solutions Pvt Ltd,
	
Chemist	Authorized Signatory A. Prabhu Quality/Technical Manager





## TEST REPORT

<b>Report No.</b>	SES/NM/1094/2023-24		<b>Report Date</b>	08.06.2023	
<b>Customer Name &amp; Address</b>	Vada Aalapirandhan Rough Stone Quarry of Thiru.N. Venkatesh over an extent of 4.50.0 Ha, located in Survey No. 168 (Part-1) of Vada Aalapirandhan Village, Cheyyar Taluk, Tiruvannamalai District, Tamil Nadu.				
<b>Customer Reference</b>	-	<b>Reference No.</b>	NM/1094		
<b>Description</b>	<b>Ambient Noise Monitoring</b>	<b>Monitoring Date</b>	02.06.2023		
<b>Monitored by</b>	SES	<b>Data Received On</b>	03.06.2023		
<b>Sl.No.</b>	<b>Locations</b>	<b>DAY EQUIVALENT</b>	<b>NIGHT EQUIVALENT</b>	<b>DAY &amp; NIGHT EQUIVALENT</b>	
1	N1- WITHIN THE MINE LEASE AREA VENKATESH	45.0	47.3	46.2	
2	N2-ATHI VILLAGE	37.7	38.1	39.0	
3	N3-KILNETHAPAKKAM VILLAGE	43.6	45.8	44.8	
4	N4-VADA ALAPIRANTHAN PUDUR VILLAGE	45.0	47.3	46.2	
5	N5-ANAPPATHUR VILLAGE	37.7	38.1	39.0	
<b>Unit</b>	dB(A)				
<b>Reference Method</b>	IS 9989-1981 (Reaff.2014)				
<b>*** End of Report ***</b>					
<b>Verified By</b>			<b>For Swasti Enviro Solutions Pvt Ltd,</b>		
 Chemist			 Authorized Signatory A.Prabhu Quality/Technical Manager		



# ANNEXURE-8



National Accreditation Board for  
Testing and Calibration Laboratories

**CERTIFICATE OF ACCREDITATION**

**SWASTI ENVIRO SOLUTIONS PVT LTD**

has been assessed and accredited in accordance with the standard

**ISO/IEC 17025:2017**

**"General Requirements for the Competence of Testing &  
Calibration Laboratories"**

for its facilities at

PLOT NO.J 86, BHARATHI STREET, PARI NAGAR, JAFFERKHANPET, CHENNAI, TAMIL NADU, INDIA

in the field of

**TESTING**

Certificate Number: TC-10448

Issue Date: 29/03/2022

Valid Until: 28/03/2024

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.

(To see the scope of accreditation of this laboratory, you may also visit NABL website [www.nabl-india.org](http://www.nabl-india.org))

Name of Legal Identity : SWASTI ENVIRO SOLUTIONS PVT LTD

Signed for and on behalf of NABL



N. Venkateswaran  
Chief Executive Officer



# National Accreditation Board for Testing and Calibration Laboratories

## SCOPE OF ACCREDITATION

<b>Laboratory Name :</b>	SWASTI ENVIRO SOLUTIONS PVT LTD, PLOT NO.J 86, BHARATHI STREET, PARI NAGAR, JAFFERKHANPET, CHENNAI, TAMIL NADU, INDIA		
<b>Accreditation Standard</b>	ISO/IEC 17025:2017		
<b>Certificate Number</b>	TC-10448	<b>Page No</b>	1 of 8
<b>Validity</b>	29/03/2022 to 28/03/2024	<b>Last Amended on</b>	10/05/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air Monitoring	Ammonia (as NH <sub>3</sub> )	SOP A06, Issue No: 01, Issue date: June 2015
2	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air Monitoring	Nitrogen dioxide (as NO <sub>2</sub> )	IS 5182 (Part 06)
3	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air Monitoring	Particulate Matter less than 10 micron size (PM <sub>10</sub> )	IS 5182 (Part 23)
4	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air Monitoring	Particulate Matter less than 2.5 micron size (PM <sub>2.5</sub> )	SOP A02, Issue No.01, Issue Date: June 2018
5	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air Monitoring	Sulphur Dioxide (as SO <sub>2</sub> )	IS 5182 (Part 02)
6	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission Monitoring	Carbon Dioxide (as CO <sub>2</sub> )	IS 13270
7	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission Monitoring	Carbon Monoxide (as CO)	IS 13270
8	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission Monitoring	Oxygen (as O <sub>2</sub> )	IS 13270
9	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission Monitoring	Sulphur Dioxide as SO <sub>2</sub>	IS 11255 (Part 02)
10	CHEMICAL- ATMOSPHERIC POLLUTION	Work Environment and Indoor Air Quality	Ammonia (as NH <sub>3</sub> )	NIOSH 4th Edition Method No:6015
11	CHEMICAL- ATMOSPHERIC POLLUTION	Work Environment and Indoor Air Quality	Nitrogen dioxide (as NO <sub>2</sub> )	NIOSH 4th edition Method No: 6014
12	CHEMICAL- ATMOSPHERIC POLLUTION	Work Environment and Indoor Air Quality	Respirable Aerosol mass	NIOSH 4th Edition Method No. 0600
13	CHEMICAL- ATMOSPHERIC POLLUTION	Work Environment and Indoor Air Quality	Total Aerosol mass	NOISH 4th Edition Method No: 0500
14	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Ammonical Nitrogen	IS 3025 (Part 34)
15	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	pH at 25°C	IS 3025 (Part 11)
16	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Calcium as Ca	IS 3025 (Part 40)
17	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)
18	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Dissolved Oxygen	IS 3025 (Part 38,4)



# National Accreditation Board for Testing and Calibration Laboratories

## SCOPE OF ACCREDITATION

<b>Laboratory Name :</b>	SWASTI ENVIRO SOLUTIONS PVT LTD, PLOT NO.J 86, BHARATHI STREET, PARI NAGAR, JAFFERKHANPET, CHENNAI, TAMIL NADU, INDIA		
<b>Accreditation Standard</b>	ISO/IEC 17025:2017		
<b>Certificate Number</b>	TC-10448	<b>Page No</b>	2 of 8
<b>Validity</b>	29/03/2022 to 28/03/2024	<b>Last Amended on</b>	10/05/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
19	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Electrical Conductivity	IS 3025 (Part 14)
20	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Free Ammonia as NH3	IS 3025 (Part 34)
21	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Hexavalent Chromium as Cr6	IS 3025 (Part 52)
22	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Iron as Fe	IS 3025 (Part 53)
23	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Magnesium hardness as CaCO3	APHA 23rd Edn. 3500 Mg B
24	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Nitrate as NO3	IS 3025 (Part 34)
25	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Phosphate as PO4	IS 3025 (Part 31)
26	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Temperature	IS 3025 (Part 9)
27	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Total Dissolved Solids (TDS)	IS 3025 (Part 16)
28	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Total Residual chlorine as Cl	IS 3025 (Part 26)
29	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Total Suspended Solids	IS 3025 (Part 17)
30	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Turbidity	IS 3025 (Part 10)
31	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Acidity as CaCO3	IS 3025 (Part 22)
32	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Biological Oxygen Demand (BOD) @ 27°C for 3 days	IS 3025 (Part 44)
33	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Copper as Cu	IS 3025 (Part 42)
34	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Fluoride as F	APHA 23rd Edn. 4500 F- B,D
35	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Magnesium as Mg	IS 3025 (Part 46)
36	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Oil & Grease	IS 3025 (Part 39)
37	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Acidity as CaCO3	APHA 23rd Edn. - 2310 B



# National Accreditation Board for Testing and Calibration Laboratories

## SCOPE OF ACCREDITATION

<b>Laboratory Name :</b>	SWASTI ENVIRO SOLUTIONS PVT LTD, PLOT NO.J 86, BHARATHI STREET, PARI NAGAR, JAFFERKHANPET, CHENNAI, TAMIL NADU, INDIA		
<b>Accreditation Standard</b>	ISO/IEC 17025:2017		
<b>Certificate Number</b>	TC-10448	<b>Page No</b>	3 of 8
<b>Validity</b>	29/03/2022 to 28/03/2024	<b>Last Amended on</b>	10/05/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
38	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Boron as B	APHA 23rd Edn. - 4500 - B/B
39	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Boron as B	IS 3025 (Part 57)
40	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Calcium Hardness as CaCO <sub>3</sub>	APHA 23rd Edn. 3500 Ca B
41	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Chloride as Cl	APHA 23rd Edn - 4500 Cl- B
42	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Chloride as Cl	IS 3025 (Part 32)
43	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Colour	APHA 23rd Edn. - 2120 B
44	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Colour	IS 3025 (Part 4) (Pt- Co) visual comparison method
45	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Hexavalent Chromium as Cr <sub>6</sub>	APHA 23rd Edn.- 3500 Cr-B
46	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Potassium as K	APHA 23rd Edn. -3500 - K-B
47	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Potassium as K	IS 3025 (Part 45)
48	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Silica as Si	APHA 23rd Edn. -4500 SiO <sub>2</sub> -C
49	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Sodium as Na	APHA 23rd Edn. -3500 - K-B
50	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Sodium as Na	IS 3025 (Part 45)
51	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Sulphates as SO <sub>4</sub>	APHA 23rd Edn. 4500 SO <sub>4</sub> 2 E
52	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Sulphates as SO <sub>4</sub>	IS 3025 (Part 24)
53	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Temperature	APHA 23rd Edn. - 2550 B
54	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Total / carbonate & non-carbonate hardness as CaCO <sub>3</sub>	APHA 23rd Edn. -2340 A,C&2320 B
55	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Total / carbonate & non-carbonate hardness as CaCO <sub>3</sub>	IS 3025 (Part 21)
56	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Total Dissolved Solids (TDS)	APHA 23rd Edn. - 2540 C



# National Accreditation Board for Testing and Calibration Laboratories

## SCOPE OF ACCREDITATION

<b>Laboratory Name :</b>	SWASTI ENVIRO SOLUTIONS PVT LTD, PLOT NO.J 86, BHARATHI STREET, PARI NAGAR, JAFFERKHANPET, CHENNAI, TAMIL NADU, INDIA		
<b>Accreditation Standard</b>	ISO/IEC 17025:2017		
<b>Certificate Number</b>	TC-10448	<b>Page No</b>	4 of 8
<b>Validity</b>	29/03/2022 to 28/03/2024	<b>Last Amended on</b>	10/05/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
57	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Total Kjeldahl Nitrogen	APHA 23rd Edn. - 4500 - Norg - A, B
58	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Total Kjeldahl Nitrogen	IS 3025 (Part 34)
59	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Total Suspended Solids	APHA 23rd Edn. - 2540 D
60	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Raw & Treated Liquid Effluents and Sewage)	Total/Phenolphthalein/Carbonate/Hydroxide/Bicarbonate alkalinity as CaCO <sub>3</sub>	IS 3025 (Part 23)
61	CHEMICAL- RESIDUES IN WATER	Drinking Water	Boron as B	APHA 23rd Edn. - 4500 - B/B
62	CHEMICAL- RESIDUES IN WATER	Drinking Water	Boron as B	IS 3025 (Part 57)
63	CHEMICAL- RESIDUES IN WATER	Drinking Water	Iron as Fe	IS 3025 (Part 53)
64	CHEMICAL- RESIDUES IN WATER	Drinking Water	Magnesium as Mg	IS 3025 (Part 46)
65	CHEMICAL- RESIDUES IN WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Boron as B	APHA 23rd Edn. - 4500 - B/B
66	CHEMICAL- RESIDUES IN WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Boron as B	IS 3025 (Part 57)
67	CHEMICAL- RESIDUES IN WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Copper as Cu	IS 3025 (Part 42)
68	CHEMICAL- RESIDUES IN WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Fluoride as F	APHA 23rd Edn. 4500 F D
69	CHEMICAL- RESIDUES IN WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Fluoride as F	IS 3025 (Part 60,5)
70	CHEMICAL- WATER	Construction Water	Chloride as Cl	APHA 23rd Edn - 4500 Cl- B
71	CHEMICAL- WATER	Construction Water	Chloride as Cl	IS 3025 (Part 32)
72	CHEMICAL- WATER	Construction Water	Fixed Residue	IS 3025 (Part 18)
73	CHEMICAL- WATER	Construction Water	pH at 25°C	IS 3025 (Part 11)
74	CHEMICAL- WATER	Construction Water	Sulphates as SO <sub>4</sub>	APHA 23rd Edn. 4500 SO42 E
75	CHEMICAL- WATER	Construction Water	Sulphates as SO <sub>4</sub>	IS 3025 (Part 24)
76	CHEMICAL- WATER	Construction Water	Suspended Solids	IS 3025 (Part 17)
77	CHEMICAL- WATER	Construction Water	Volatile Residue	IS 3025 (Part 18)
78	CHEMICAL- WATER	Drinking Water	Calcium as Ca	APHA 23rd Edn. - 3500 Ca B



# National Accreditation Board for Testing and Calibration Laboratories

## SCOPE OF ACCREDITATION

**Laboratory Name :** SWASTI ENVIRO SOLUTIONS PVT LTD, PLOT NO.J 86, BHARATHI STREET, PARI NAGAR, JAFFERKHANPET, CHENNAI, TAMIL NADU, INDIA

**Accreditation Standard** ISO/IEC 17025:2017

**Certificate Number** TC-10448 **Page No** 5 of 8

**Validity** 29/03/2022 to 28/03/2024 **Last Amended on** 10/05/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
79	CHEMICAL- WATER	Drinking Water	Calcium as Ca	IS 3025 (Part 40)
80	CHEMICAL- WATER	Drinking Water	Chloride as Cl	APHA 23rd Edn. - 4500 Cl- B
81	CHEMICAL- WATER	Drinking Water	Chloride as Cl	IS 3025 (Part 32)
82	CHEMICAL- WATER	Drinking Water	Colour	APHA 23rd Edn. - 2120 B
83	CHEMICAL- WATER	Drinking Water	Colour	IS 3025 (Part 4)
84	CHEMICAL- WATER	Drinking Water	Copper as Cu	IS 3025 (Part 42)
85	CHEMICAL- WATER	Drinking Water	Electrical Conductivity	IS 3025 (Part 14)
86	CHEMICAL- WATER	Drinking Water	Fluoride as F	APHA 23rd Edn 4500 F- B,D
87	CHEMICAL- WATER	Drinking Water	Hexavalent Chromium as Cr6	APHA 23rd Edn.- 3500 Cr-B
88	CHEMICAL- WATER	Drinking Water	Hexavalent Chromium as Cr6	IS 3025 (Part 52)
89	CHEMICAL- WATER	Drinking Water	Magnesium hardness as CaCO3	APHA 23rd Edn 3500 Mg B
90	CHEMICAL- WATER	Drinking Water	Nitrate as NO3	IS 3025 (Part 34)
91	CHEMICAL- WATER	Drinking Water	Silica	APHA 23rd Edn. -4500 SiO2-C
92	CHEMICAL- WATER	Drinking Water	Silica	IS 3025 (Part 35)
93	CHEMICAL- WATER	Drinking Water	Sulphates as SO4	IS 3025 (Part 24)
94	CHEMICAL- WATER	Drinking Water	Total Acidity as CaCO3	APHA 23rd Edn. - 2310 B
95	CHEMICAL- WATER	Drinking Water	Total Acidity as CaCO3	IS 3025 (Part 22)
96	CHEMICAL- WATER	Drinking Water	Total Alkalinity as CaCO3	IS 3025 (Part 23)
97	CHEMICAL- WATER	Drinking Water	Total Dissolved Solids (TDS)	APHA 23rd Edn. - 2540 C
98	CHEMICAL- WATER	Drinking Water	Total Dissolved Solids (TDS)	IS 3025 (Part 16)
99	CHEMICAL- WATER	Drinking Water	Total hardness as CaCO3	APHA 23rd Edn. -2340 A,C&2320 B
100	CHEMICAL- WATER	Drinking Water	Total hardness as CaCO3	IS 3025 (Part 21)
101	CHEMICAL- WATER	Drinking Water	Total Phosphate as P	IS 3025 (Part 31)
102	CHEMICAL- WATER	Drinking Water	Total Residual chlorine as Cl	IS 3025 (Part 26)
103	CHEMICAL- WATER	Drinking Water	Total Suspended Solids	APHA 23rd Edn. - 2540 D
104	CHEMICAL- WATER	Drinking Water	Total Suspended Solids	IS 3025 (Part 17)
105	CHEMICAL- WATER	Drinking Water	Turbidity	IS 3025 (Part 10)
106	CHEMICAL- WATER	Drinking Water,	Calcium hardness as CaCO3	APHA 23rd Edition 3500 Ca B
107	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Hexavalent Chromium as Cr6	APHA 23rd Edn.- 3500 Cr-B





# National Accreditation Board for Testing and Calibration Laboratories

## SCOPE OF ACCREDITATION

<b>Laboratory Name :</b>	SWASTI ENVIRO SOLUTIONS PVT LTD, PLOT NO.J 86, BHARATHI STREET, PARI NAGAR, JAFFERKHANPET, CHENNAI, TAMIL NADU, INDIA		
<b>Accreditation Standard</b>	ISO/IEC 17025:2017		
<b>Certificate Number</b>	TC-10448	<b>Page No</b>	6 of 8
<b>Validity</b>	29/03/2022 to 28/03/2024	<b>Last Amended on</b>	10/05/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
108	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Hexavalent Chromium as Cr6	IS 3025 (Part 52)
109	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Ammonical Nitrogen	IS 3025 (Part 34)
110	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Calcium as Ca	APHA 23rd Edn. - 3500 Ca B
111	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Calcium as Ca	IS 3025 (Part 40)
112	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Calcium hardness as CaCO3	APHA 23rd Edn. 3500 Ca B
113	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Chloride as Cl	APHA 23rd Edn. - 4500 Cl- B
114	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Chloride as Cl	IS 3025 (Part 32)
115	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Dissolved Oxygen	IS 3025 (Part 38,4)
116	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Electrical Conductivity	IS 3025 (Part 14)
117	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Free Ammonia as NH3	IS 3025 (Part 34)
118	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Iron as Fe	IS 3025 (Part 53)
119	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Magnesium as Mg	APHA 23rd Edn. 3500 Mg B
120	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Magnesium as Mg	IS 3025 (Part 46,6)
121	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Magnesium hardness as CaCO3	APHA 23rd Edn. 3500 Mg B
122	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Nitrate Nitrogen as NO3	IS 3025 (Part 34)
123	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	pH at 25°C	IS 3025 (Part 11)
124	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Potassium as K	APHA 23rd Edn. -3500 - K-B
125	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Potassium as K	IS 3025 (Part 45)
126	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Silica as Si	APHA 23rd Edn. -4500 SiO2-C



# National Accreditation Board for Testing and Calibration Laboratories

## SCOPE OF ACCREDITATION

<b>Laboratory Name :</b>	SWASTI ENVIRO SOLUTIONS PVT LTD, PLOT NO.J 86, BHARATHI STREET, PARI NAGAR, JAFFERKHANPET, CHENNAI, TAMIL NADU, INDIA		
<b>Accreditation Standard</b>	ISO/IEC 17025:2017		
<b>Certificate Number</b>	TC-10448	<b>Page No</b>	7 of 8
<b>Validity</b>	29/03/2022 to 28/03/2024	<b>Last Amended on</b>	10/05/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
127	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Silica as Si	IS 3025 (Part 35)
128	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Sodium as Na	APHA 23rd Edn. -3500 - K-B
129	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Sodium as Na	IS 3025 (Part 45)
130	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Sulphates as SO <sub>4</sub>	IS 3025 (Part 24)
131	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Total / carbonate & non-carbonate hardness as CaCO <sub>3</sub>	APHA 23rd Edn. -2340 A,C&2320 B
132	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Total / carbonate & non-carbonate hardness as CaCO <sub>3</sub>	IS 3025 (Part 21)
133	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Total Acidity as CaCO <sub>3</sub>	APHA 23rd Edn. - 2310 B
134	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Total Acidity as CaCO <sub>3</sub>	IS 3025 (Part 22)
135	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Total Dissolved Solids (TDS)	APHA 23rd Edn. - 2540 C
136	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Total Dissolved Solids (TDS)	IS 3025 (Part 16)
137	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Total Phosphate as P	IS 3025 (Part 31)
138	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Total Residual chlorine as Cl	IS 3025 (Part 26)
139	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Total Suspended Solids	APHA 23rd Edn. - 2540 D
140	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Total/Phenolphthalein/Carbonate/Hydroxide/Bicarbonate alkalinity as CaCO <sub>3</sub>	IS 3025 (Part 23)
141	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Total Suspended Solids	IS 3025 (Part 17)
142	CHEMICAL- WATER	Well Water, Borewell Water, Surface Water, Packaged Drinking water	Turbidity	IS 3025 (Part 10)



# National Accreditation Board for Testing and Calibration Laboratories

## SCOPE OF ACCREDITATION

<b>Laboratory Name :</b>	SWASTI ENVIRO SOLUTIONS PVT LTD, PLOT NO.J 86, BHARATHI STREET, PARI NAGAR, JAFFERKHANPET, CHENNAI, TAMIL NADU, INDIA		
<b>Accreditation Standard</b>	ISO/IEC 17025:2017		
<b>Certificate Number</b>	TC-10448	<b>Page No</b>	8 of 8
<b>Validity</b>	29/03/2022 to 28/03/2024	<b>Last Amended on</b>	10/05/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Site Facility				
1	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission Monitoring	Oxides of Nitrogen (as NOx)	IS 11255 (Part 7)
2	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission Monitoring	Particulate Matter	IS 11255 (Part 01)