

# EXECUTIVE SUMMARY

## PROJECT PROPONENTS

Sl. No.	Name	Extent of Mining Applied
1	Thiru.K. Sundararaj	2.11.50 ha
2	M/s. Sri Blue Metals	2.69.05 ha
3	Thiru.R. Raju	2.93.0 ha
4	Thiru. R.K. Palanisamy	4.90.0 ha

### BELLADHI ROUGH STONE & GRAVEL QUARRY – CLUSTER

“B1” CATEGORY – MINOR MINERAL – CLUSTER – NON-FOREST LAND

**CLUSTER EXTENT = 38.01.55 ha**

**At**

Belladhi Village, Mettupalayam Taluk, Coimbatore District

**Complied as per ToR obtained**

Lr.No. SEIAA-TN/F.No.9087/SEAC/ToR-1176/2022 Dated: 14.06.2022 for P1

Lr.No. SEIAA-TN/F.No.9044/SEAC/ToR-1163/2022 Dated: 06.06.2022 for P2

Lr.No. SEIAA-TN/F.No.9221/SEAC/ToR-1193/2022 Dated: 14.07.2022 for P3

Lr.No. SEIAA-TN/F.No.9309/SEAC/ToR-1242/2022 Dated: 30.08.2022 for P4

**Environmental Consultant**

**GEO EXPLORATION AND MINING SOLUTIONS**



Old No. 260-B, New No. 17,  
Advaitha Ashram Road, Alagapuram,  
Salem – 636 004, Tamil Nadu, India



Accredited for sector 1 Category ‘A’, sector 31 & 38 Category ‘B’  
Certificate No : NABET/EIA/2225/RA0276



Phone: 0427-2431989,

Email: ifthiahmed@gmail.com, geothangam@gmail.com

Web: [www.gemssalem.com](http://www.gemssalem.com)

\* Calculated as per MoEF & CC Notification – S.O. 2269(E) Dated: 01.07.2016

**Baseline Monitoring Period: December 2022 to February 2023**

**MAY 2023**

## 1. INTRODUCTION

Rough Stone & Gravel is the major requirements for construction industry. This EIA report is prepared by considering Cumulative load of all proposed & existing quarries of Belladhi Rough Stone & Gravel Quarries Cluster consisting of 10 Proposed and 7 Existing Quarries with total extent of Cluster of. 38.01.55 ha in Belladhi Village, Mettupalayam Taluk, Coimbatore District and Tamil Nadu State, cluster area calculated as per MoEF & CC Notification S.O. 2269(E) Dated 1st July 2016.

This EIA Report is prepared in compliance with ToR obtained vide –

Lr.No. SEIAA-TN/F.No.9087/SEAC/ToR-1176/2022 Dated: 14.06.2022 for P1

Lr.No. SEIAA-TN/F.No.9044/SEAC/ToR-1163/2022 Dated: 06.06.2022 for P2

Lr.No. SEIAA-TN/F.No.9221/SEAC/ToR-1193/2022 Dated: 14.07.2022 for P3

Lr.No. SEIAA-TN/F.No.9309/SEAC/ToR-1242/2022 Dated: 30.08.2022 for P4

The Baseline Monitoring study has been carried out during the period of December 2022 - February 2023 and this EIA and EMP report is prepared for considering cumulative impacts arising out of these projects, the Cumulative Environmental Impact Assessment study is undertaken, which is followed by preparation of a detailed Environmental Management Plan (EMP) individually to minimize those adverse impacts.

**“Draft EIA report prepared on the basis of ToR Issued & Standard ToR for carrying out Public Hearing for the Grant of Environmental Clearance from SEIAA, - Tamil Nadu”**

### 1.1 DETAILS OF PROJECT PROPONENT –

<b>PROPOSAL – P1</b>	
Name of the Project	Thiru.K. Sundararaj Rough stone and Gravel quarry
S.F. No.	393/1A(P)
Extent	2.11.5 ha
Land Type	Patta Land
Village Taluk and District	Belladhi Village, Mettupalayam Taluk, Coimbatore District
<b>PROPOSAL – P2</b>	
Name of the Project	Tvl. Sri Blue Metals Rough Stone and Gravel Quarry
S.F. No.	343 & 344/1
Extent	2.69.05ha
Land Type	Patta Land
Village Taluk and District	Belladhi Village, Mettupalayam Taluk & Coimbatore District
<b>PROPOSAL – P3</b>	
Name of the Project	Thiru.R. Raju Rough Stone and Gravel Quarry
S.F. No.	391
Extent	2.93.0 ha
Land Type	Patta Land
Village Taluk and District	Belladhi Village, Mettupalayam Taluk & Coimbatore District
<b>PROPOSAL – P4</b>	
Name of the Project	Thiru. R.K. Palanisamy Rough Stone and Gravel Quarry
S.F. No.	340 (P) and 341/3 (P)
Extent	4.90.0 ha
Land Type	Patta Land
Village Taluk and District	Belladhi Village, Mettupalayam Taluk & Coimbatore District

Source: Approved Mining Plan of Respective Proposal

## 1.2 QUARRY DETAILS WITHIN 500 M RADIUS

PROPOSED QUARRIES FOR PUBLIC HEARING					
CODE	Name of the Owner	Village	S.F. Nos	Extent in Ha	Status
P1	Thiru.K. Sundararaj S/o. Karuppanna Gounder, Somayanur, Chinnathadagam, Coimbatore District.	Belladhi	393/1A (P)	2.11.5	Lr.No.SEIAA-TN/F.No.9087 /SEAC/ToR-1176/2022 Dated: 14.06.2022
P2	Sri Blue Metal, Prop. S. Gnanasekaren, No. 2/241, Kannarpalayam, Karamadai, Mettupalayam Taluk, Coimbatore District – 641 104.	Belladhi	343 & 344/1	2.69.05	Lr.No.SEIAA-TN/ F.No. 9044 /SEAC/ToR-1163/2022 Dated: 06.06.2022
P3	Thiru.R. Raju S/o. Rangasamy Naidu, No.108 Deepalaya, Valluvar Street, Sivananda Colony, Coimbatore-641012	Belladhi	391	2.93.0	Lr.No.SEIAA-TN/F.No.9221 /SEAC/ToR-1193/2022 Dated: 14.07.2022
P4	Thiru. R.K. Palanisamy S/o. T. Karivaradha Gounder, No. 4/51, Ramampalayam, Jadayampalayam Post, Mettupalayam, Coimbatore District. Tamil Nadu State – 641 302.	Belladhi	340 (P) and 341/3 (P)	4.90.0	Lr.No.SEIAA-TN/F.No.9309 /SEAC/ToR-1242/2022 Dated: 30.08.2022
<b>TOTAL EXTENT</b>				<b>12.63.55</b>	
Near by Proposed Quarries					
CODE	Name of the Owner	Village	S.F. Nos	Extent in Ha	Status
P5	Thiru.A. Nandakumar S/o.Arukutty Gounder No.79D, Avinashi road, Annur, Coimbatore	Chikkaram Palayam	78/1(P), 419&420	3.46.0	Lr.No.SEIAA- TN/F.No.9011/SEAC/ToR- 1161/2022 Dated: 06.06.2022
P6	S. Palanisamy	Chikkarama palaym	435/2B2, 435/2C, 435/2D, 435/2B1 & 435/2E	1.55.0	Public hearing Conducted
P7	M/s. Palanivel Sri Blue Metals	Chikkarama palaym	428/1A, 60/1B & 61	1.75.5	Public hearing Conducted
P8	Tmt.M. Muthammal	Chikkarama palaym	77/2E (P), 77/2F (P), 79/1A (P)	1.82.0	Public hearing Conducted
P9	C.N. Mani	Chikkaram palayam	75	2.47.5	Public hearing Conducted
P10	M/s. Sri Blue Metal	Chikkaram palayam	77/1B, 421/2B (P)	3.11.0	Public hearing Conducted
<b>TOTAL EXTENT</b>				<b>14.17.0</b>	

<b>Existing Quarries</b>					
<b>CODE</b>	<b>Name of the Owner</b>	<b>Village</b>	<b>S.F. Nos</b>	<b>Extent in Ha</b>	<b>Status</b>
E1	Tmt.P. Bakiavathy	Chickkaram palayam	482/2429/ 1,429/2	1.81.5	17.10.2017 to 16.10.2022
E2	Thiru. S. Gnanasekaran	Chickkaram palayam	77/2D (P)	1.01.2	01.10.2018 to 30.09.2023
E3	Technomax Building Solution	Bellathi	345/3	1.48.8	26.10.2018 to 25.10.2023
E4	Tmt. R. Poorani	Chickkaram Palayam	80/1	1.27.0	22.12.2018 to 21.12.2023
E5	Tmt. T. Kaveriammal	Chickkaram Palayam	77/2B	0.99.0	24.12.2018 to 23.12.2023
E6	R.K. Selvakumar	Chickkaram Palayam	69 (Part)	2.19.0	17.10.2017 to 16.10.2022
E7	R.Ganesan	Chickkaram Palayam	460/2 & 462/1(P)	1.51.5	-
<b>TOTAL EXTENT</b>				<b>10.28.0</b>	
<b>Expired Quarries</b>					
<b>CODE</b>	<b>Name of the Owner</b>	<b>Village</b>	<b>S.F. Nos</b>	<b>Extent in Ha</b>	<b>Status</b>
EX-1	T. Rajendran	Bellathi	331/3	0.93.0	17.09.2016 to 16.09.2021
<b>TOTAL EXTENT</b>				<b>0.93.0</b>	
<b>TOTAL CLUSTER EXTENT</b>				<b>38.01.55</b>	

**Note: -Cluster area is calculated as per MoEF & CC Notification – S.O. 2269 (E) Dated: 01.07.2016**

## 1.2 SALIENT FEATURES OF THE PROPOSAL

### DESCRIPTION OF THE PROJECT – P1

Name of the Project	Thiru. K. Sundararaj Rough stone and Gravel quarry		
Toposheet No	58-A/15		
Latitude between	11°15'04.60" N to 11°15'10.07" N		
Longitude between	76°59'22.63" E to 76°59'28.51" E		
Highest Elevation	348m AMSL		
Proposed Depth of Mining (As per ToR)	34 m bgl (2 m Gravel + 2 m Wheathered Formation + 30m Rough Stone)		
Geological Resources	Rough Stone in m <sup>3</sup>	Weathered Formation m <sup>3</sup>	Gravel m <sup>3</sup>
	8,45,880	42,294	42,294
Mineable Reserves	Rough Stone in m <sup>3</sup>	Weathered Formation m <sup>3</sup>	Gravel m <sup>3</sup>
	2,92,600	29,648	32,660
Yearwise production recommended in ToR	Rough Stone in m <sup>3</sup>	Weathered Formation m <sup>3</sup>	Gravel m <sup>3</sup>
	2,65,550	29,648	32,600
Existing pit Dimension	NIL		
Environmental Clearance	It is a fresh quarry		
Consent to Operate (CTO) from TNPCB	It is a fresh quarry		
Ultimate Pit Dimension	144m (L) x 117m (W) x 44m (D)		
Water Level measured in the surrounding area	`65-70m bgl		
Method of Mining	Opencast Mechanized Mining Method involving drilling and blasting		

Topography	The lease applied area is exhibits plain terrain. The area has gentle sloping towards Southeastern side. The altitude of the area is 348m (max) above mean sea level. The area is covered by 2m thickness of Gravel and 2m of Weathered formation. Massive Charnockite is found after 4m (2m Gravel + 2m Weathered formation) which is clearly inferred from the nearby existing quarrying pit.	
Machinery proposed	Jack Hammer	7 Nos
	Compressor	2 No
	Hydraulic Excavator	2 No
	Tipppers	4 No
Blasting method and type of Explosives proposed	Controlled Blasting Method by shot hole drilling (35-32mm dia hole) and small dia of 25mm slurry explosive are proposed to use for winning of Rough Stone. No deep hole drilling is proposed.	
Proposed Manpower Deployment	35 Nos	
Project Cost	Rs.56,71,000/-	
CER Cost	Rs.5,00,000/-	
Nearby Water Bodies	Canal	950 m SE
	Canal	1.1km NW
	Belladhi lake	1.6km West
	Bhavani River	6.6km North
Greenbelt Development Plan	As per Mining plan it is Proposed to plant 1000 trees in the 7.5 m Safety Zone& approach road and panchayat roads.	
Proposed Water Requirement	2.0 KLD	
Nearest Habitation	Sikkarampalayam – 2.0Km- East	

DESCRIPTION OF THE PROJECT – P2		
Name of the Quarry	Tvl. Sri Blue Metals Rough Stone and Gravel Quarry	
Toposheet No	58-A/15	
Latitude between	11°15'01.36"N to 11°15'07.48"N	
Longitude between	76°59'05.05"E to 76°59'11.68"E	
Highest Elevation	352m AMSL	
Proposed Depth of Mining	47 m bgl (2 m Gravel + 45 m Rough Stone)	
Geological Resources	Rough Stone in m <sup>3</sup>	Gravel in m <sup>3</sup>
	12,09,600	53,760
Mineable Reserves	Rough Stone in m <sup>3</sup>	Gravel in m <sup>3</sup>
	4,83,960	42,900
Yearwise Production	Rough Stone in m <sup>3</sup>	Gravel in m <sup>3</sup>
	4,83,960	42,900
Existing pit dimension	-	
Environmental Clearance	-	
Consent to Operate (CTO) from TNPCB	-	
Ultimate Pit Dimension	150m (L) x 143m (W) x 47m (D) bgl	
Water Level in the surrounds area	65-70 m bgl	
Method of Mining	Opencast Mechanized Mining Method involving drilling and blasting	
Topography	The lease applied area is exhibits plain topography. The area has gentle sloping towards Northeastern side. The altitude of the area is 352 m (max) above mean sea level. The area is covered by 2 m thickness of Gravel formation. Massive Charnockite is found after 2 m Gravel formation which is clearly inferred from the nearby existing pit	
Machinery proposed	Jack Hammer	10 Nos
	Compressor	3 Nos
	Hydraulic Excavator	2 No
	Tipppers	5Nos

Blasting Method	Controlled Blasting Method by shot hole drilling and small dia of 25mm slurry explosive are proposed to be used for shattering and heaving effect for removal and winning of Rough Stone. No deep hole drilling is proposed.	
Proposed Manpower Deployment	41 Nos	
Project Cost	Rs. 79,58,000/-	
CER Cost	Rs. 5,00,000/-	
Nearby Water Bodies	Canal	680m NW
	Odai	120m N
	Belladhi Lake	1.45 km West
	Odai	6.65 km NE
	Bhavani River	6.8km N
Greenbelt Development Plan	As per Mining plan it is Proposed to plant 1300 trees in the 7.5 m Safety Zone , approach road and panchayat roads.	
Proposed Water Requirement	2.6 KLD	
Nearest Habitation	800m South	

<b>DESCRIPTION OF THE PROJECT – P3</b>			
Name of the Quarry	Thiru.R. Raju Rough Stone and Gravel Quarry		
Toposheet No	58-A/15		
Latitude between	11°15'04.79"N to 11°15'10.11"N		
Longitude between	76°59'16.16"E to 76°59'22.73"E		
Highest Elevation	348m AMSL		
Proposed Depth of Mining as per ToR	39m bgl (2 m Gravel +2m Weathered Gravel+ 35 m Rough Stone)		
Geological Resources	Rough Stone in m <sup>3</sup>	Gravel in m <sup>3</sup>	Weathered Gravel in m <sup>3</sup>
	6,01,908	378	378
Mineable Reserves	Rough Stone in m <sup>3</sup>	Gravel in m <sup>3</sup>	Weathered Gravel in m <sup>3</sup>
	1,48,565	378	378
Proposed Production	Rough Stone in m <sup>3</sup>	Gravel in m <sup>3</sup>	Weathered Gravel in m <sup>3</sup>
	1,21,590	-	-
Existing pit dimension	166m (L) x 147m (W) x 25m (D) bgl		
Environmental Clearance	-		
Consent to Operate (CTO) from TNPCB	-		
Ultimate Pit Dimension	166m (L) x 147m (W) x 44m (D) bgl		
Water Level in the surrounds area	60-65 m bgl		
Method of Mining	Opencast Mechanized Mining Method involving drilling and blasting		
Topography	The lease applied area is exhibits plain topography. The area has gentle sloping towards Northeastern side. The altitude of the area is 348 m (max) above mean sea level. The area is covered by 2 m thickness of Gravel formation. Massive Charnockite is found after 2 m Gravel formation which is clearly inferred from the nearby existing pit		
Machinery proposed	Jack Hammer	4 Nos	
	Compressor	1 Nos	
	Hydraulic Excavator	1 No	
	Tipplers	2Nos	
Blasting Method	Controlled Blasting Method by shot hole drilling and small dia of 25mm slurry explosive are proposed to be used for shattering and heaving effect for removal and winning of Rough Stone. No deep hole drilling is proposed.		
Proposed Manpower Deployment	20 Nos		
Project Cost	Rs. 41,11,000/-		

CER Cost	Rs. 5,00,000/-	
Nearby Water Bodies	Canal	1 km NW
	Belladhi Lake	1.45 km West
	Odai	6.65 km NE
Greenbelt Development Plan	As per Mining plan it is Proposed to plant 1500 trees in the 7.5 m Safety Zone, approach road and panchayat roads.	
Proposed Water Requirement	3.0 KLD	
Nearest Habitation	430m NE	

<b>DESCRIPTION OF THE PROJECT – P4</b>		
Name of the Quarry	Thiru.R.K. Palanisamy Rough Stone and Gravel Quarry	
Toposheet No	58-A/15	
Latitude between	11°15'04.00"N to 11°15'10.68"N	
Longitude between	76°58'58.06"E to 76°59'07.10"E	
Highest Elevation	352m AMSL	
Proposed Depth of Mining as per ToR	37m bgl (2 m Gravel + 35 m Rough Stone)	
Geological Resources	Rough Stone in m <sup>3</sup>	Gravel in m <sup>3</sup>
	11,32,713	40,136
Mineable Reserves	Rough Stone in m <sup>3</sup>	Gravel in m <sup>3</sup>
	3,42,504	22,512
Proposed Production	Rough Stone in m <sup>3</sup>	Gravel in m <sup>3</sup>
	2,63,254	22,512
Existing pit dimension	196m (L) x 125m (W) x 35m (D) bgl	
Environmental Clearance	-	
Consent to Operate (CTO) from TNPCB	-	
Ultimate Pit Dimension	207m (L) x 186m (W) x 42m (D) bgl	
Water Level in the surrounds area	56-61 m bgl	
Method of Mining	Opencast Mechanized Mining Method involving drilling and blasting	
Topography	The lease applied area exhibits plain topography. The area has gentle sloping towards Northwestern side. The altitude of the area is 352 m (max) above mean sea level. The area is covered by 2 m thickness of Gravel formation. Massive Charnockite is found after 2 m Gravel formation which is clearly inferred from the nearby existing pit	
Machinery proposed	Jack Hammer	8 Nos
	Compressor	2 Nos
	Hydraulic Excavator	2 No
	Tippers	4 Nos
Blasting Method	Controlled Blasting Method by shot hole drilling and small dia of 25mm slurry explosive are proposed to be used for shattering and heaving effect for removal and winning of Rough Stone. No deep hole drilling is proposed.	
Proposed Manpower Deployment	33 Nos	
Project Cost	Rs. 79,96,000/-	
CER Cost	Rs. 5,00,000/-	
Nearby Water Bodies	Canal	360 m West
	Belladhi Lake	850 m West
	Odai	1.5 km SE
Greenbelt Development Plan	As per Mining plan it is Proposed to plant 2,500 trees in the 7.5 m Safety Zone, approach road and panchayat roads.	
Proposed Water Requirement	3.0 KLD	
Nearest Habitation	1.0 km NW	

Source: Approved Mining Plan

#### 1.4 STATUTORY DETAILS

**SCREENING –****PROPOSAL – P1**

- The proponent applied for Rough Stone and Gravel Quarry Lease Dated: 27.12.2021.
- Precise Area Communication Letter was issued by the District Collector, Coimbatore Rc.No.1408/Mines/2021, Dated: 24.02.2022
- The Mining Plan was prepared by Recognized Qualified Person and approved by Assistant Director, Geology and Mining, Coimbatore District, vide Rc. No.1408/Mines/2021, Dated:01.03.2022
- The proposed project falls under “B1” Category as per Order Dated: 04.09.2018 & 13.09.2018 passed by Hon'ble National Green tribunal, New Delhi in O.A. No. 173 of 2018 & O.A. No, 186 of 2016 and MoEF & CC Office Memorandum F. No. L-11011/175/2018-IA-II (M) Dated: 12.12.2018
- Proponent applied for ToR for Environmental Clearance vide online Proposal No. SIA/TN/MIN/73517/2022 Date: 12.03.2022

**PROPOSAL – P2**

- The proponent applied for Rough Stone and Gravel Quarry Lease Dated: 06.08.2021
- Precise Area Communication Letter was issued by the District Collector, Coimbatore Rc.No.938/Mines/2021, Dated: 01.12.2021
- The Mining Plan was prepared by Recognized Qualified Person and approved by Assistant Director, Geology and Mining, Coimbatore District, vide Rc.No.938/Mines/2021, Dated: 28.12.2021
- The proposed project falls under “B1” Category as per Order Dated: 04.09.2018 & 13.09.2018 passed by Hon'ble National Green tribunal, New Delhi in O.A. No. 173 of 2018 & O.A. No, 186 of 2016 and MoEF & CC Office Memorandum F. No. L-11011/175/2018-IA-II (M) Dated: 12.12.2018
- Proponent applied for ToR for Environmental Clearance vide online Proposal No. SIA/TN/MIN/72625/2022 Date: 25.02.2022.

**PROPOSAL – P3**

- The proponent applied for Rough Stone and Gravel Quarry Lease Dated: 13.05.2019
- Precise Area Communication Letter was issued by the District Collector, Coimbatore Rc.No.337/Mines/2019, Dated: 09.09.2020
- The Mining Plan was prepared by Recognized Qualified Person and approved by Assistant Director, Geology and Mining, Coimbatore District, vide Rc.No.337/Mines/2019, Dated: 10.03.2021
- The proposed project falls under “B1” Category as per Order Dated: 04.09.2018 & 13.09.2018 passed by Hon'ble National Green tribunal, New Delhi in O.A. No. 173 of 2018 & O.A. No, 186 of 2016 and MoEF & CC Office Memorandum F. No. L-11011/175/2018-IA-II (M) Dated: 12.12.2018
- Proponent applied for ToR for Environmental Clearance vide online Proposal No. SIA/TN/MIN/76152/2022 Date: 27.04.2022.

**PROPOSAL – P4**

- The proponent applied for Rough Stone and Gravel Quarry Lease Dated: 24.06.2021
- Precise Area Communication Letter was issued by the District Collector, Coimbatore Rc.No.815/Mines/2021, Dated: 20.09.2021
- The Mining Plan was prepared by Recognized Qualified Person and approved by Assistant Director, Geology and Mining, Coimbatore District, vide Rc.No.815/Mines/2021, Dated: 15.12.2021
- The proposed project falls under “B1” Category as per Order Dated: 04.09.2018 & 13.09.2018 passed by Hon'ble National Green tribunal, New Delhi in O.A. No. 173 of 2018 & O.A. No, 186 of 2016 and MoEF & CC Office Memorandum F. No. L-11011/175/2018-IA-II (M) Dated: 12.12.2018
- Proponent applied for ToR for Environmental Clearance vide online Proposal No. SIA/TN/MIN/77789/2022 Date: 04.06.2022

**SCOOPING:****PROPOSAL – P1**



- The proposal was placed in 274<sup>th</sup> SEAC meeting held on 19.05.2022 and the committee recommended for issue of ToR.
- The proposal was considered in 519<sup>th</sup> SEIAA meeting held on 14.06.2022 and issued ToR vide Lr.No.SEIAA-TN/F.NO.9087/SEAC/ToR-1176/2022 Dated:14.06.2022

#### PROPOSAL – P2

- The proposal was placed in 248<sup>th</sup> SEAC meeting held on 24.02.2022 and the committee recommended for issue of ToR.
- The proposal was considered in 492<sup>th</sup> SEIAA meeting held on 16.03.2022 and issued ToR vide Lr.No.SEIAA-TN/F.NO.8834/SEAC/ToR-1087/2021 Dated:17.03.2022

#### PROPOSAL – P3

- The proposal was placed in 287<sup>th</sup> SEAC meeting held on 22.06.2022 and the committee recommended for issue of ToR.
- The proposal was considered in 532<sup>th</sup> SEIAA meeting held on 14.07.2022 and issued ToR vide Lr.No.SEIAA-TN/F.NO.9221/SEAC/ToR-1193/2022 Dated:14.07.2022

#### PROPOSAL – P4

- The proposal was placed in 302<sup>th</sup> SEAC meeting held on 18.08.2022 and the committee recommended for issue of ToR.
- The proposal was considered in 547<sup>th</sup> SEIAA meeting held on 30.08.2022 and issued ToR vide Lr.No.SEIAA-TN/F.NO.9309/SEAC/ToR-1242/2022 Dated:30.08.2022

## 2. PROJECT DESCRIPTION

The proposed projects are site specific and there is no additional area required for this project. There is no effluent generation/discharge from the proposed quarries.

Method is mining is common for all the proposed quarries in the cluster. Rough Stone is proposed to be excavated by opencast mechanized method involving splitting of rock mass of considerable volume from the parent rock mass by jackhammer drilling and blasting, hydraulic excavators are used for loading the Rough Stone from pithead to the needy crushers and rock breakers to avoid secondary blasting.

### 2.1 SITE CONNECTIVITY TO THE PROJECT AREA

Nearest Roadway	The Nearest National Highway (NH-181) Coimbatore – Ooty is situated about 4km on the Southwestern side of the lease applied area. The State Highway (SH-168) Karamadai – Kariyampalayam is situated about 2km on the Southern side of the lease applied area.
Nearest Village	Chikkarampalayam – 1.0 Km South West
Nearest Town	Karamadai – 4.0 km – South West
Nearest Railway Station	Karamadai Railway station – 4.0Km – SW
Nearest Airport	Coimbatore –26.0 km – South West
Seaport	Kochi- 165 km – South West

### 2.2 LAND USE PATTERN OF THE LEASE APPLIED AREA

PROJECT – P1		
Description	Present area in (ha)	Area at the end of life of quarry (Ha)
Area under quarry	Nil	1.67.0
Infrastructure & Road	Nil	0.03.0
Green Belt	Nil	0.13.0
Unutilized area	2.11.5	0.28.5
<b>Grand Total</b>	<b>2.11.5</b>	<b>2.11.5</b>
PROJECT – P2		
Description	Present area in (ha)	Area at the end of life of quarry (Ha)
Area under quarry	Nil	2.20.0
Infrastructure	Nil	0.01.0

Roads	Nil	0.02.0
Green Belt	Nil	0.36.0
Un – utilized area	2.69.05	0.10.05
<b>Grand Total</b>	<b>2.69.05</b>	<b>2.69.05</b>
<b>PROJECT – P3</b>		
<b>Description</b>	<b>Present area in (ha)</b>	<b>Area at the end of life of quarry (Ha)</b>
Area under quarry	2.44.0	2.44.0
Infrastructure	Nil	0.01.0
Roads	0.02.0	0.02.0
Green Belt	Nil	0.12.0
Un – utilized area	0.47.0	0.34.0
<b>Grand Total</b>	<b>2.93.0</b>	<b>2.93.0</b>
<b>PROJECT – P4</b>		
<b>Description</b>	<b>Present area in (ha)</b>	<b>Area at the end of life of quarry (Ha)</b>
Area under quarry	2.52.8	3.75.0
Infrastructure	Nil	0.01.0
Roads	0.03.0	0.03.0
Green Belt	Nil	0.25.0
Un – utilized area	2.34.2	0.86.0
<b>Grand Total</b>	<b>4.90.0</b>	<b>4.90.0</b>

Source: Approved Mining Plans of respective Proposal

### 2.3 OPERATIONAL DETAILS OF LEASE APPLIED AREA

<b>PROJECT – P1</b>			
<b>PARTICULARS</b>	<b>DETAILS</b>		
	<b>Rough Stone (5Year Plan period)</b>	<b>Weathered formation m<sup>3</sup></b>	<b>Gravel in m<sup>3</sup></b>
Geological Resources	8,45,880	42,294	42,294
Mineable Reserves	2,92,600	29,648	32,660
Production for five-year plan period as per ToR	2,65,550	29,648	32,600
Mining Plan Period	5 Years		
Number of Working Days	300 Days		
Production per day	<b>33</b>		-
No of Lorry loads (6m <sup>3</sup> per load)	<b>5</b>		-
Total Depth of Mining as per ToR	34m bgl		
<b>OPERATIONAL DETAILS FOR PROJECT – P2</b>			
<b>PARTICULARS</b>	<b>DETAILS</b>		<b>Gravel in m<sup>3</sup></b>
	<b>Rough Stone in m<sup>3</sup> (5Year Plan period)</b>		
Geological Resources	12,09,600		53,760
Mineable Reserves	4,83,960		42,900
Production for five-year plan period	4,83,960		42,900
Mining Plan Period	5 years		
Number of Working Days	300 days		
Production per day	330		143
No of Lorry loads (6m <sup>3</sup> per load)	55		24
Total Depth of Mining	47m bgl		
<b>OPERATIONAL DETAILS FOR PROJECT – P3</b>			
<b>PARTICULARS</b>	<b>DETAILS</b>		
	<b>Rough Stone in m<sup>3</sup> (5Year Plan period)</b>	<b>Gravel in m<sup>3</sup></b>	<b>Weathered Rock in m<sup>3</sup></b>
Geological Resources	6,01,908	378	378
Mineable Reserves	1,48,565	-	-
Production for five-year plan period	1,21,590	-	-
Mining Plan Period	5 years		
Number of Working Days	300 days		
Production per day	100		-
No of Lorry loads (6m <sup>3</sup> per load)	16		-

Total Depth of Mining	39m bgl	
<b>OPERATIONAL DETAILS FOR PROJECT – P4</b>		
<b>PARTICULARS</b>	<b>DETAILS</b>	
	<b>Rough Stone in m<sup>3</sup> (5Year Plan period)</b>	<b>Gravel in m<sup>3</sup></b>
Geological Resources	11,32,713	40,136
Mineable Reserves	3,42,504	22,512
Production for five-year plan period	2,63,254	22,512
Mining Plan Period	5 years	
Number of Working Days	300 days	
Production per day	228	25
No of Lorry loads (6m <sup>3</sup> per load)	38	4
Total Depth of Mining	37m bgl	

Source: Respective proposed quarries mining plan


## 2.4 YEAR-WISE PRODUCTION PLAN

<b>PROPOSAL – P1</b>			
<b>YEAR</b>	<b>ROUGH STONE (m<sup>3</sup>)</b>	<b>WEATHERED FORMATION (m<sup>3</sup>)</b>	<b>GRAVEL (m<sup>3</sup>)</b>
I	52,250	13298	15410
II	58,475	6540	6900
III	55,625	9810	10350
IV	63,650	-	-
V	35,550	-	-
<b>TOTAL</b>	<b>2,65,550</b>	<b>29,648</b>	<b>32,660</b>
<b>PROPOSAL – P2</b>			
<b>YEAR</b>	<b>ROUGH STONE (m<sup>3</sup>)</b>	<b>GRAVEL (m<sup>3</sup>)</b>	
I	1,00,100	42,900	
II	97,600		
III	1,19,560		
IV	91,330		
V	75,370		
<b>TOTAL</b>	<b>4,83,960</b>	<b>42,900</b>	
<b>PROPOSAL – P3</b>			
<b>YEAR</b>	<b>ROUGH STONE (m<sup>3</sup>)</b>	<b>GRAVEL (m<sup>3</sup>)</b>	
I	30,400	-	
II	30,815	-	
III	30,375	-	
IV	30,000	-	
V	-	-	
<b>TOTAL</b>	<b>1,21,590</b>	-	
<b>PROPOSAL – P4</b>			
<b>YEAR</b>	<b>ROUGH STONE (m<sup>3</sup>)</b>	<b>GRAVEL (m<sup>3</sup>)</b>	
I	64,250	11,256	
II	72,000	8,040	
III	59,355	3,216	
IV	67,649	-	
V	-	-	
<b>TOTAL</b>	<b>2,63,254</b>	<b>22,512</b>	

Source: Approved Mining Plan




**FIGURE – 1: GOOGLE IMAGE SHOWING APPLIED QUARRY LEASE AREA – P1**



Source: Google Earth Imagery

**FIGURE – 2: GOOGLE IMAGE SHOWING APPLIED QUARRY LEASE AREA – P3**



Source: Google Earth Imagery

**FIGURE – 3: GOOGLE IMAGE SHOWING APPLIED QUARRY LEASE AREA – P3**




**FIGURE – 4: GOOGLE IMAGE SHOWING APPLIED QUARRY LEASE AREA – P4**






**FIGURE – 5: GOOGLE IMAGE SHOWING CLUSTER (500 m QUARRIES)**



**FIGURE – 5: TOPOSHEET MAP COVERING 10 KM RADIUS**



## 2.5 METHOD OF MINING

Proposed Method of Mining is common for all the Proposed Projects – The method of mining is Opencast Mechanized Mining Method is being proposed by formation of 5.0-meter height bench with a bench width not less than the bench height. However, as far as the quarrying of Rough Stone is concerned, observance of the provisions of Regulation 106 (2) (b) as above is seldom possible due to various inherent petro genetic factors coupled with mining difficulties. Hence it is proposed to obtain relaxation to the provisions of the above regulation from the Director of Mines Safety for which necessary provision is available with the Regulation 106 (2) (b) of MMR-1961, under Mine Act – 1952.

The Rough Stone is a batholith formation and the splitting of rock mass of considerable volume from the parent rock mass will be carried out by deploying jackhammer drilling and Slurry Explosives will be used for blasting. Hydraulic Excavators attached with Rock Breakers unit will be deployed for breaking large boulders to required fragmented sizes to avoid secondary blasting and hydraulic excavators attached with bucket unit will be deployed for loading the Rough Stone into the tippers and then the stone is transported from pithead to the nearby crushers.

## 2.6 PROPOSED MACHINERY DEPLOYMENT

PROPOSAL – P1				
S.NO.	TYPE	NOS	SIZE/CAPACITY	MOTIVE POWER
1	Jack hammers	7	1.2m to 2.0m	Compressed air
2	Compressor	2	400psi	Diesel Drive
3	Excavator with Bucket / Rock Breaker Unit 4	2	300 HP	Diesel Drive
4	Tippers / Dumpers	4	20 Tonnes	Diesel Drive
PROPOSAL – P2				
S.NO.	TYPE	NOS	SIZE/CAPACITY	MOTIVE POWER
1	Jack hammers	10	1.2m to 2.0m	Compressed air
2	Compressor	3	400psi	Diesel Drive
3	Excavator with Bucket / Rock Breaker Unit 4	2	300 HP	Diesel Drive
4	Tippers / Dumpers	5	20 Tonnes	Diesel Drive
PROPOSAL – P3				
S.NO.	TYPE	NOS	SIZE/CAPACITY	MOTIVE POWER
1	Jack hammers	4	1.2m to 2.0m	Compressed air
2	Compressor	1	400psi	Diesel Drive
3	Excavator with Bucket / Rock Breaker Unit 4	1	300 HP	Diesel Drive
4	Tippers / Dumpers	2	20 Tonnes	Diesel Drive
PROPOSAL – P4				
S.NO.	TYPE	NOS	SIZE/CAPACITY	MOTIVE POWER
1	Jack hammers	8	1.2m to 2.0m	Compressed air
2	Compressor	2	400psi	Diesel Drive
3	Excavator with Bucket / Rock Breaker Unit 4	2	300 HP	Diesel Drive
4	Tippers / Dumpers	4	20 Tonnes	Diesel Drive

Source: Approved Mining Plans

## 2.7 CONCEPTUAL MINING PLAN/ FINAL MINE CLOSURE PLAN

- ✚ At the end of life of mine, the excavated mine pit / void will act as artificial reservoir for collecting rain water and helps to meet out the demand or crises during drought season.
- ✚ After mine closure the greenbelt developed along the safety barrier and top benches and temporary water reservoir will enhance the ecosystem
- ✚ Mine Closure is a process of returning a disturbed site to its natural state or which prepares it for other productive uses that prevents or minimizes any adverse effects on the environment or threats to human health and safety.
- ✚ The principle closure objectives are for rehabilitated mines to be physically safe to humans and animals, geo-technically stable, geo-chemically non-polluting/ non-contaminating, and capable of sustaining an agreed post-mining land use.

## 2.8 ULTIMATE PIT DIMENSION

PROPOSAL – P1			
Pit	Length (Max) (m)	Width (Max) (m)	Depth (Max)
I	144	117	44m bgl
PROPOSAL – P2			
Pit	Length (Max) (m)	Width (Max) (m)	Depth (Max)
I	150	143	47 m bgl
PROPOSAL – P3			
Pit	Length (Max) (m)	Width (Max) (m)	Depth (Max)
I	166	147	44 m bgl
PROPOSAL – P4			
Pit	Length (Max) (m)	Width (Max) (m)	Depth (Max)
I	207	186	42 m bgl

Source: Approved Mining Plan

## 3. DESCRIPTION OF THE ENVIRONMENT

Field monitoring studies to evaluate the base line status of the project site were carried out during December 2022 to February 2023 as per CPCB guidelines. Environmental Monitoring data has been collected with reference to proposed mine by EHS360 LABS PRIVATE LIMITED ISO/IEC 17025:2017 Certified & MoEF Notified Laboratory

### 3.1 ENVIRONMENT MONITORING ATTRIBUTES

Sl.No.	Attributes	Parameters	Source and Frequency
1	Ambient Air Quality	PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> , NO <sub>2</sub>	Continuous 24-hourly samples twice a week for three months at 9 locations (2 Core & 7 Buffer)
2	Meteorology	Wind speed and direction, temperature, relative humidity and rainfall	Near project site continuous for three months with hourly recording and from secondary sources of IMD station
3	Water quality	Physical, Chemical and Bacteriological parameters	Grab samples were collected at 6 locations – 2 ground water and 4 surface water samples; once during study period.
4	Ecology	Existing terrestrial and aquatic flora and fauna within 10 km radius circle.	Limited primary survey and secondary data was collected from the Forest department.
5	Noise levels	Noise levels in dB(A)	7 locations – data monitored once for 24 hours during EIA study
6	Soil Characteristics	Physical and Chemical Parameters	Once at 5 locations during study period
7	Land use	Existing land use for different categories	Based on Survey of India topographical sheet and satellite imagery and primary survey.
8	Socio-Economic Aspects	Socio-economic and demographic characteristics, worker characteristics	Based on primary survey and secondary sources data like census of India 2011.
9	Hydrology	Drainage pattern of the area, nature of streams, aquifer characteristics, recharge and discharge areas	Based on data collected from secondary sources as well as hydro-geology study report prepared.
10	Risk assessment and Disaster Management Plan	Identify areas where disaster can occur by fires and explosions and release of toxic substances	Based on the findings of Risk analysis done for the risk associated with mining.

The data has been collected as per the requirement of the ToR issued by SEIAA – TN.

### 3.2 LAND ENVIRONMENT

S.No	CLASSIFICATION	AREA_Ha	Area_%
1	Builtup-Urban	1308.83	3.48
2	Decidious Forest	1226.9	3.26
3	Evergreen Forest	277.979	0.74
4	Scrub Land	2238.48	5.96
5	Scrub Forest	392.19	1.04
6	Mining Area	336.875	0.89
7	Crop Land	13905.3	37
8	Fallow Land	13099.1	34.8
9	Agricultural Land	2887.21	7.68
10	Builtup-Rural	1407.69	3.74
11	Water Bodies	178.5	0.47
12	River	287.005	0.76
	<b>Total area</b>	<b>37546.1</b>	<b>100</b>

The total mining area within the study area is 336.87.5 ha i.e., 0.89%. The cluster area of 38.01.55 ha contributes about 8.86% of the total mining area within the study area. This small percentage of Mining Activities shall not have any significant impact on the environment.

### 3.3 SOIL ENVIRONMENT

#### Physical Characteristics –

The physical properties of the soil samples were examined for texture, bulk density, porosity and water holding capacity. The soil texture found in the study area is Clay to Sandy Loam Soil and Bulk Density of Soils in the study area varied between 1.02 – 1.37 g/cc. The Water Holding Capacity and Porosity of the soil samples is found to be medium i.e. ranging from 31.1 – 47.4 %. And 21.3-28.9 %.

#### Chemical Characteristics –

- The nature of soil is slightly alkaline to strongly alkaline with pH range 7.10 to 8.27
- The available Nitrogen content range between 188to 366 kg/ha
- The available Phosphorus content range between 30.1 to 42.5 kg/ha
- The available Potassium range between 28.8 to 41.3 mg/kg

### 3.4 WATER ENVIRONMENT

#### Surface Water

##### Ph:

The pH varied from 7.40 to 7.83 while turbidity found within the standards (Optimal pH range for sustainable aquatic life is 6.5 to 8.5 pH).

#### Total Dissolved Solids:

Total Dissolved Solids varied from 318 to 440 mg/l, the TDS mainly composed of carbonates, bicarbonates, Chlorides, phosphates and nitrates of calcium, magnesium, sodium and other organic matter.

#### Other parameters:

Chloride content is 69.5 – 101.2 mg/l. Nitrates varied from 5.1 to 12 mg/l, while sulphates varied from 24.1 to 32.2 mg/l.

#### Ground Water

The pH of the water samples collected ranged from 7.10 to 7.59 and within the acceptable limit of 6.5 to 8.5. pH, Sulphates and Chlorides of water samples from all the sources are within the limits as per the


Standard. On Turbidity, the water samples meet the requirement. The Total Dissolved Solids were found in the range of 335 – 428 mg/l in all samples. The Total hardness varied between 172 – 259 mg/l for all samples.


On Microbiological parameters, the water samples from all the locations meet the requirement. The parameters thus analysed were compared with IS 10500:2012 and are well within the prescribed limits.

### 3.5 AIR ENVIRONMENT

The baseline studies on air environment include identification of specific air pollution parameters and their existing levels in ambient air. The ambient air quality with respect to the study zone of 10 km radius around the proposed quarry forms the baseline information.

**FIGURE – 6: WIND ROSE DIAGRAM**



**FIGURE – 7: SUMMARY OF AMBIENT AIR QUALITY DATA**

The results of ambient air quality monitoring for the period (December 2022 to February 2023) are presented in the report. Data has been compiled for three months.

As per monitoring data, PM<sub>10</sub> ranges from 39.4 µg/m<sup>3</sup> to 46.6 µg/m<sup>3</sup>, PM<sub>2.5</sub> data ranges from 17.5 µg/m<sup>3</sup> to 26.9 µg/m<sup>3</sup>, SO<sub>2</sub> ranges from 7.1 µg/m<sup>3</sup> to 21.6 µg/m<sup>3</sup> and NO<sub>2</sub> data ranges from 9.3 µg/m<sup>3</sup> to 26.4 µg/m<sup>3</sup>. The concentration levels of the above criteria pollutants were observed to be well within the limits of NAAQS prescribed by CPCB.

### 3.6 NOISE ENVIRONMENT

Ambient noise levels were measured at 7 (Seven) locations around the proposed project area. Noise levels recorded in core zone during day time were from 41.8 to 42.3 dB (A) Leq and during night time were from 38.1 to 38.6 dB (A) Leq. Noise levels recorded in buffer zone during day time were from 39.1 to 42.8 dB (A) Leq and during night time were from 38 to 39.6 dB (A) Leq.

### 3.7 ECOLOGICAL ENVIRONMENT

The study involved in the collection of primary data by conducting a survey in the field, examination of floral and faunal records in previously published reports and records. Analysis of the information is the view of the possible alteration in the environment of the project site. For the survey of fauna, both direct and indirect observation methods were used.

There is no schedule I species of animals observed within study area as per Wildlife Protection Act 1972 as well as no species is in vulnerable, endangered or threatened category as per IUCN. There is no endangered red list species found in the study area. Hence this small operation over short period of time will not have any significant impact on the surrounding flora and fauna.

### **3.8 SOCIO ECONOMIC ENVIRONMENT**

It includes demographic structure of the area, provision of basic amenities viz., housing, education, health and medical services, occupation, water supply, sanitation, communication, transportation, prevailing diseases pattern as well as feature like temples, historical monuments etc., at the baseline level. This will help in visualizing and predicting the possible impact depending upon the nature and magnitude of the project.

The socio economic study of surveyed villages gives a clear picture of its population, average household size, literacy rate and sex ratio etc. It is also found that a part of population is suffering from lack of permanent job to run their day to day life. Their expectation is to earn some income for their sustainability on a long-term basis.

The proposed projects will aim to provide preferential employment to the local people there by improving the employment opportunity in the area and in turn the social standards will improve.

## **4. ANTICIPATED ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES – IN COMMON FOR ALL PROPOSED QUARRIES (P1 – P4)**

In order to maintain the environmental commensuration with the mining operation, it is essential to undertake studies on the existing environmental scenario and assess the impact on different environmental components. This would help in formulating suitable management plans sustainable resource extraction.

### **4.1 LAND ENVIRONMENT:**

#### **ANTICIPATED IMPACT**

- Permanent or temporary change on land use and land cover.
- Change in Topography: Topography of the ML area will change at the end of the life of the mine.
- Movement of heavy vehicles sometimes cause problems to agricultural land, human habitations due to dust, noise and it also causes traffic hazards.
- Due to degradation of land by pitting the aesthetic environment of the core zone may be affected.
- Earthworks during the rainy season increase the potential for soil erosion and sediment laden water entering the water ways.
- If no due care is taken wash off from the exposed working area may choke the water course & can also causes the siltation of water course.

#### **MITIGATION MEASURES**

- The mining activity will be gradual confined in blocks and excavation will be undertaken progressively along with other mitigative measures like phase wise development of greenbelt etc.
- Construction of garland drains all around the quarry pits and construction of check dam at strategic location in lower elevations to prevent soil erosion due to surface runoff during rainfall and also to collect the storm water for various uses within the proposed area
- Green belt development along the boundary within safety zone. The small quantity of water stored in the mined out pit will be used for greenbelt
- Thick plantation will be carried out on unutilized area, top benches of mined out pits, on safety barrier, etc.,
- At conceptual stage, the land use pattern of the quarry will be changed into Greenbelt area and temporary reservoir
- In terms of aesthetics, natural vegetation surrounding the quarry will be retained (such as in a buffer area i.e., 7.5 m safety barrier and other safety provided) so as to help minimise dust emissions.
- Proper fencing will be carried out at the conceptual stage, Security will be posted round the clock, to prevent inherent entry of the public and cattle.



## 4.2 WATER ENVIRONMENT

### ANTICIPATED IMPACT

- The major sources of water pollution normally associated due to mining and allied operations are:
  - Generation of waste water from vehicle washing.
  - Washouts from surface exposure or working areas
  - Domestic sewage
  - Disturbance to drainage course in the project area
  - Mine Pit water discharge
- Increase in sediment load during monsoon in downstream of lease area
- This being a mining project, there will be no process effluent. Waste from washing of machinery may result in discharge of Oil & grease, suspended solids.
- The sewage from soak pit may percolate to the ground water table and contaminate it.
- Surface drainage may be affected due to Mining
- Abstraction of water may lead to depletion of water table.

### MITIGATION MEASURES

- Garland drains, settling tank will be constructed along the individual mining leases. The Garland drains of the individual leases will be connected to settling tank and after settling the water will be discharged out to the natural drainage
- Rainwater will be collected in sump in the mining pits and will be allowed to store and pumped out to surface setting tank of 15 m x 10m x 3m to remove suspended solids if any. This collected water will be judiciously used for dust suppression onwards and such sites where dust likely to be generated and for developing green belt. The proponent will collect and judiciously utilize the rainwater as part of rainwater harvesting
- Providing benches with inner slopes and through a system of drains and channels, allowing rain water to descent into surrounding drains, so as to minimize the effects of erosion & water logging arising out of uncontrolled descent of water.
- Reuse the water collected during storm for dust suppression and greenbelt development within the mines
- Installing interceptor traps/oil separators to remove oils and greases. Water from the tipper wash-down facility and machinery maintenance yard will pass through interceptor traps/oil separators prior to its reuse;
- Using flocculating or coagulating agents to assist in the settling of suspended solids during monsoon seasons;
- Periodic analysis of quarry pit water and ground water quality in nearby villages
- Domestic sewage from site office & urinals/latrines provided in ML is discharged in septic tank followed by soak pits
- Waste water discharge from mine will be treated in settling tanks before using for dust suppression and tree plantation purposes
- De-silting will be carried out before and immediately after the monsoon season
- Regular monitoring and analysing the quality of water in open well, bore wells and surface water

## 4.3 AIR ENVIRONMENT

### ANTICIPATED IMPACT

- During mining, at various stages activities such as excavation, drilling, blasting, and transportation of materials, particular matter (PM), gases such as Sulphur dioxide, oxides of Nitrogen from vehicular exhaust are the main air pollutants.
- Emissions of noxious gases due to incomplete detonation of explosive may sometimes pollute the air.

- The fugitive dust released from the mining operations may cause effect on the mine workers who are directly exposed to the fugitive dust.
- Simultaneously, the air-borne dust may travel to longer distances and settle in the villages located near the mine lease area.

## MITIGATION MEASURES

**Drilling** – To control dust at source, wet drilling will be practiced. Where there is a scarcity of water, suitably designed dust extractor will be provided for dry drilling along with dust hood at the mouth of the drill-hole collar.

### Advantages of Wet Drilling:-

- In this system dust gets suppressed close to its formation. Dust suppression become very effective and the work environment will be improved from the point of occupational comfort and health.
- Due to dust free atmosphere, the life of engine, compressor etc., will be increased.
- The life of drill bit will be increased.
- The rate of penetration of drill will be increased.
- Due to the dust free atmosphere visibility will be improved resulting in safer working conditions.

### Blasting –

- Establish time of blasting to suit the local conditions and water sprinkling on blasting face
- Avoid blasting i.e., when temperature inversion is likely to occur and strong wind blows towards residential areas
- Controlled blasting include Adoption of suitable explosive charge and short delay detonators, adequate stemming of holes at collar zone and restricting blasting to a particular time of the day i.e. at the time lunch hours, controlled charge per hole as well as charge per round of hole
- Before loading of material water will be sprayed on blasted material
- Dust mask will be provided to the workers and their use will be strictly monitored

### Haul Road & Transportation –

- Water will be sprinkled on haul roads twice a day to avoid dust generation during transportation
- Transportation of material will be carried out during day time and material will be covered with tarpaulin
- The speed of tippers plying on the haul road will be limited below 20 km/hr to avoid generation of dust.
- Water sprinkling on haul roads & loading points will be carried out twice a day
- Main source of gaseous pollution will be from vehicle used for transportation of mineral; therefore weekly maintenance of machines improves combustion process & makes reduction in the pollution.
- The un-metalled haul roads will be compacted weekly before being put into use.
- Over loading of tippers will be avoided to prevent spillage.
- It will be ensured that all transportation vehicles carry a valid PUC certificate
- Grading of haul roads and service roads to clear accumulation of loose materials.

### Green Belt –

- Planting of trees all along main mine haul roads and regular grading of haul roads will be practiced to prevent the generation of dust due to movement of dumpers/trucks
- Green belt of adequate width will be developed around the project areas

### Occupational Health –

- Dust mask will be provided to the workers and their use will be strictly monitored
- Annual medical check-ups, trainings and campaigns will be arranged to ensure awareness about importance of wearing dust masks among all mine workers & tipper drivers
- Ambient Air Quality Monitoring will be conducted six month once to assess effectiveness of mitigation measures proposed

## 4.4 NOISE ENVIRONMENT

### ANTICIPATED IMPACT

Noise pollution poses a major health risk to the mine workers. Following are the sources of noise in the existing open cast mine project are being observed such as Drilling, & Blasting, Loading and during movement of vehicles.

### MITIGATION MEASURES

- Usage of sharp drill bits while drilling which will help in reducing noise;
- Secondary blasting will be totally avoided and hydraulic rock breaker will be used for breaking boulders;
- Controlled blasting with proper spacing, burden, stemming and optimum charge/delay will be maintained;
- The blasting will be carried out during favourable atmospheric condition and less human activity timings by using nonelectrical initiation system;
- Proper maintenance, oiling and greasing of machines will be done every week to reduce generation of noise;
- Provision of sound insulated chambers for the workers working on machines (HEMM) producing higher levels of noise;
- Silencers / mufflers will be installed in all machineries;
- Green Belt/Plantation will be developed around the project area and along the haul roads. The plantation minimizes propagation of noise;
- Personal Protective Equipment (PPE) like ear muffs/ear plugs will be provided to the operators of HEMM and persons working near HEMM and their use will be ensured through training and awareness.
- Regular medical check-up and proper training to personnel to create awareness about adverse noise level effects.

## 4.5 BIOLOGICAL ENVIRONMENT

### ANTICIPATED IMPACT

There are no National Park and Archaeological monuments within project area. There are no migratory corridors, migratory avian-fauna, rare endemic and endangered species. There are no wild animals in the area. No breeding and nesting site were identified in project site. No National Park and Wildlife Sanctuary found within 10km radius. The dumps / bunds around the mine itself act as a good barrier for entry of stray animals. In the post mining stage, barbed wire fencing is proposed all around the mined-out void to prevent fall of animals in the mine pits.

### MITIGATION MEASURES

To reduce the adverse effects on natural flora/fauna status of the area due to deposition of dust generated from mining operations, water sprinkling and water spraying systems will be ensured in all dust prone areas to arrest dust generation. Methodical and well-planned plantation scheme will be carried out.

#### 4.5.1 GREENBELT DEVELOPMENT PLAN

PROPOSAL – P1					
Year	No. of trees proposed to be planted	Area to be covered in m2	Name of the species	Survival rate expected in %	No. of trees expected to be grown
I	1250	Plantation along safety distance, approach road	Neem, Pongamia Pinnata, Casuarina etc.,	80	1055
PROPOSAL – P2					
Year	No. of trees	Area to be	Name of the species	Survival rate	No. of trees

	proposed to be planted	covered in m2		expected in %	expected to be grown
I	1300	Plantation along 7.5m safety distance, along approach road.	Neem, Pongamia Pinnata, Casuarina etc.,	80	1,040
<b>PROPOSAL – P3</b>					
Year	No. of trees proposed to be planted	Area to be covered in m2	Name of the species	Survival rate expected in %	No. of trees expected to be grown
I	1500	Plantation along 7.5m safety distance, along approach road.	Neem, Pongamia Pinnata, Casuarina etc.,	80	1200
<b>PROPOSAL – P4</b>					
Year	No. of trees proposed to be planted	Area to be covered in m2	Name of the species	Survival rate expected in %	No. of trees expected to be grown
I	2500	Plantation along 7.5m safety distance, along approach road.	Neem, Pongamia Pinnata, Casuarina etc.,	80	2000

## 4.6 SOCIO ECONOMIC ENVIRONMENT

### ANTICIPATED IMPACT

Employment generation due to the project will provide direct employment for about 129 persons.

### MITIGATION MEASURES

- Good maintenance practices will be adopted for plant machinery and equipment, which will help to avert potential noise problems.
- Green belt will be developed in and around the project site as per Central Pollution Control Board (CPCB) guidelines.
- Appropriate air pollution control measure will be taken to minimize the environmental impact within the core zone.
- For the safety of workers, personal protective appliances like hand gloves, helmets, safety shoes, goggles, aprons, nose masks and ear protecting devices will be provided as per mines act and rules.
- Benefit to the State and the Central governments through financial revenues by way of royalty, tax, DMF, NMET etc, from this project directly and indirectly.

## 5. ANALYSIS OF ALTERNATIVES (TECHNOLOGY AND SITE)

The site has been selected based on geological investigation and exploration as below:

- Occurrence of minerals at the specific site.
- Transportation facility for materials & manpower.
- Overall impact on environment and mitigation feasibility
- Socio – economic background.

The mineral deposits are site specific in nature; hence question of seeking alternate site does not arise for this project.


## 6. ENVIRONMENT MONITORING PROGRAM

Usually an impact assessment study is carried over short period of time and the data cannot bring out all variations induced by natural or human activities. Hence regular monitoring program of Environmental parameters is essential to take into account the changes in the Environment.

The Objective of Monitoring -

- ✚ To check or assess the efficiency of the controlling measures;
- ✚ To establish a data base for future impact assessment studies.

### 6.1 ENVIRONMENTAL MONITORING CELL



## 6.2 POST ENVIRONMENTAL CLEARANCE MONITORING SCHEDULE

IN COMMON FOR P1 – P4					
S. No.	Environment Attributes	Location	Monitoring		Parameters
			Duration	Frequency	
1	Air Quality	2 Locations (1 Core & 1 Buffer)	24 hours	Once in 6 months	Fugitive Dust, PM <sub>2.5</sub> , PM <sub>10</sub> , SO <sub>2</sub> and NO <sub>x</sub> .
2	Meteorology	At mine site before start of Air Quality Monitoring & IMD Secondary Data	Hourly / Daily	Continuous online monitoring	Wind speed, Wind direction, Temperature, Relative humidity and Rainfall
3	Water Quality Monitoring	2 Locations (1SW & 1 GW)	-	Once in 6 months	Parameters specified under IS:10500, 1993 & CPCB Norms
4	Hydrology	Water level in open wells in buffer zone around 1 km at specific wells	-	Once in 6 months	Depth in bgl
5	Noise	2 Locations (1 Core & 1 Buffer)	Hourly – 1 Day	Once in 6 months	Leq, Lmax, Lmin, Leq Day & Leq Night
6	Vibration	At the nearest habitation (in case of reporting)	–	During blasting Operation	Peak Particle Velocity
7	Soil	2 Locations (1 Core & 1 Buffer)	–	Once in six months	Physical and Chemical Characteristics
8	Greenbelt	Within the Project Area	Daily	Monthly	Maintenance

## 7. ADDITIONAL STUDIES

### 7.1 RISK ASSESSMENT FOR P1 – P4

The methodology for the risk assessment has been based on the specific risk assessment guidance issued by the Directorate General of Mine Safety (DGMS), Dhanbad, vide Circular No.13 of 2002, dated 31<sup>st</sup> December, 2002. The DGMS risk assessment process is intended to identify existing and probable hazards in the work environment and all operations and assess the risk levels of those hazards in order to prioritize those that need immediate attention. Further, mechanisms responsible for these hazards are identified and their control measures, set to timetable are recorded along with pinpointed responsibilities.

The whole quarry operation will be carried out under the direction of a Qualified Competent Mine Manager holding certificate of competency to manage a metalliferous mine granted by the DGMS, Dhanbad. Risk Assessment is all about prevention of accidents and to take necessary steps to prevent it from happening.

## 7.2 DISASTER MANAGEMENT PLAN FOR P1 – P4

The Disaster Management Plan is aimed to ensure safety of life, protection of environment, protection of installation, restoration of production and salvage operations in this same order of priorities.

The objective of the Disaster Management Plan is to make use of the combined resources of the mine and the outside services to achieve the following:

- ✚ Rescue and medical treatment of casualties;
- ✚ Safeguard other people;
- ✚ Minimize damage to property and the environment;
- ✚ Initially contain and ultimately bring the incident under control;
- ✚ Secure the safe rehabilitation of affected area; and
- ✚ Preserve relevant records and equipment for the subsequent inquiry into the cause and circumstances of the emergency.

## 7.3 CUMULATIVE IMPACT STUDY

### CUMULATIVE PRODUCTION LOAD OF ROUGH STONE

Quarry	Production for five year plan period	Per Year Production in m <sup>3</sup>	Per Day Production in m <sup>3</sup>	Number of Lorry Load Per Day
P1	2,92,600	58,520	195	33
P2	2,63,254	52,650	175	30
P3	4,83,960	96,792	322	54
P4	1,21,590	24,318	81	27
P5	3,86,746	77,349	258	43
P6	81,738	16,348	54	9
P7	1,29,689	25,938	86	14
P8	63,384	12,677	42	7
P9	2,00,603	40,121	134	22
P10	2,75,864	55,173	184	31
<b>Total</b>	<b>22,99,428</b>	<b>4,59,886</b>	<b>1,531</b>	<b>270</b>
E1	60,940	12,188	40	7
E2	34,130	6,826	22	4
E3	1,06,085	21,217	70	12
E4	77,355	15,471	51	9
E5	46,576	9,315	31	5
E6	1,27,480	25,496	85	14
E7	1,89,650	37,930	126	21
<b>Total</b>	<b>6,42,216</b>	<b>1,28,443</b>	<b>425</b>	<b>72</b>
<b>Grand Total</b>	<b>29,41,644</b>	<b>5,88,329</b>	<b>1,956</b>	<b>342</b>

### CUMULATIVE PRODUCTION LOAD OF GRAVEL

Quarry	Production for five year plan period	Per Year Production in m <sup>3</sup>	Per Day Production in m <sup>3</sup>	Number of Lorry Load Per Day
P1	32,660	10,886	36	6
P2	28,470	9,490	31	5
P3	42,900	14,300	48	8
P4	-	-	-	-
P5	22,512	7,504	25	4
P6	11,496	3,832	13	2
P7	7,038	2,346	8	1
P8	-	-	-	-
P9	-	-	-	-
P10	-	-	-	-

<b>Total</b>	<b>1,45,076</b>	<b>48,358</b>	<b>161</b>	<b>26</b>
E1	10,064	3,354	11	2
E2	1,104	1,104	4	1
E3	19,060	6,353	21	3
E4	7,068	2,356	8	1
E5	-	-	-	-
E6	6,360	2,120	7	1
E7	22,990	7,663	25	4
<b>Total</b>	<b>66,646</b>	<b>22,950</b>	<b>76</b>	<b>12</b>
<b>Grand Total</b>	<b>2,11,722</b>	<b>71,308</b>	<b>237</b>	<b>38</b>

### SOCIO ECONOMIC BENEFITS FROM CLUSTER

Location ID	Project Cost	CER
P1	Rs.56,71,000	Rs.5,00,000
P2	Rs.79,45,000	Rs.5,00,000
P3	Rs.79,58,000	Rs.5,00,000
P4	Rs.41,11,000	Rs.5,00,000
P5	Rs.79,96,000	Rs.5,00,000
P6	Rs. 27,07,850	Rs.5,00,000
P7	Rs.29,13,070	Rs.5,00,000
P8	Rs.31,37,000	Rs.5,00,000
P9	Rs.44,85,000	Rs.5,00,000
P10	Rs.60,13,000	Rs.5,00,000
<b>Total</b>	<b>Rs. 5,29,36,920</b>	<b>Rs.50,00,000</b>
E1	Rs.31,26,000	Rs.25,000
E2	Rs.42,12,400	Rs. 1,05,000
E3	Rs.28,94,000	Rs. 64,000
E4	Rs.36,28,550	Rs.73,000
E5	Rs.32,64,085	Rs. 67,000
E6	Rs.34,98,000	Rs. 87,000
E7	Rs.61,55,000	Rs. 1,54,000
<b>Total</b>	<b>Rs.2,67,78,035</b>	<b>Rs.4,75,000</b>
<b>Grand Total</b>	<b>Rs. 7,97,14,955</b>	<b>Rs.54,75,000</b>

### EMPLOYMENT BENEFITS

Description	Employment
P1	35
P2	38
P3	41
P4	20
P5	33
P6	18
P7	21
P8	15
P9	25
P10	31
<b>Total</b>	<b>277</b>
E1	12
E2	11
E3	14
E4	18
E5	18
E6	14
E7	10
<b>Total</b>	<b>97</b>
<b>Grand Total</b>	<b>374</b>



**GREENBELT DEVELOPMENT BENEFITS FROM CLUSTER**

Code	No of Trees proposed to be planted	Survival %	Area Covered	Name of the Species	No. of Trees expected to be grown
P1	1250	80%	Plantation is along safety distance, approach road	Neem, Casuarina	1055
P2	1750	80%		Neem, Casuarina	1400
P3	1300	80%		Neem, Casuarina	1040
P4	1500	80%		Neem, Casuarina	1200
P5	2500	80%		Neem, Casuarina	2000
P6	225	80%		Neem, Casuarina	180
P7	1,000	80%		Neem, Casuarina	800
P8	1,000	80%		Neem, Casuarina	800
P9	1,250	80%		Neem, Casuarina	1000
P10	1,500	80%		Neem, Casuarina	1250
<b>Total</b>	<b>13,275</b>	<b>80%</b>		Neem, Casuarina	<b>10,620</b>
E1	100	80%	1000	Neem, Casuarina	80
E2	120	80%	1500	Neem, Casuarina	96
E3	200	80%	1000	Neem, Casuarina	160
E4	400	80%	2000	Neem, Casuarina	320
E5	320	80%	2000	Neem, Casuarina	256
E6	150	80%	1000	Neem, Casuarina	120
E7	80	80%	2500	Neem, Casuarina	72
<b>Total</b>	<b>1,370</b>	<b>80%</b>	<b>11,000</b>	Neem, Casuarina	<b>1,104</b>

## 8. PROJECT BENEFITS

The Four Proposed Projects for Quarrying Rough Stone at Belladhi Village aims to produce cumulatively 11,61,404 m<sup>3</sup> Rough Stone over a period of 5 Years. This will enhance the socio-economic activities in the adjoining areas and will result in the following benefits

- ✚ Increase in Employment Potential
- ✚ Improvement in Socio-Economic Welfare
- ✚ Improvement in Physical Infrastructure
- ✚ Improvement in Social infrastructure

## 9. ENVIRONMENT MANAGEMENT PLAN FOR P1 – P4

The Environment Monitoring Cell formed by the mine management will ensure effective implementation of environment management plan and to ensure compliance of environmental statutory guidelines through Mine Management Level.

The said team will be responsible for:

- ✚ Monitoring of the water/ waste water quality, air quality and solid waste generated
- ✚ Analysis of the water and air samples collected through external laboratory
- ✚ Implementation and monitoring of the pollution control and protective measures/ devices which shall include financial estimation, ordering, installation of air pollution control equipment, waste water treatment plant, etc.
- ✚ Co-ordination of the environment related activities within the project as well as with outside agencies
- ✚ Collection of health statistics of the workers and population of the surrounding villages
- ✚ Green belt development
- ✚ Monitoring the progress of implementation of the environmental monitoring programme
- ✚ Compliance to statutory provisions, norms of State Pollution Control Board, Ministry of Environment and Forests and the conditions of the environmental clearance as well as the consents to establish and consents to operate.

## 10. CONCLUSION

It can be concluded from overall assessment of the impacts, in terms of positive and negative effects on various environmental components, that the mining activities will not have any adverse effect on the surrounding environment.

To mitigate any impacts due to the mining activities, a well-planned EMP and a detailed post project monitoring system is provided for regular monitoring and immediate rectification at site. Due to the cluster quarrying activities, socio economic conditions in and around the project site will be improved substantially. Hence, the Prior Environmental Clearance shall be granted at the earliest.