

WATER QUALITY BULLETIN - JANUARY - 2019

Sl.No	Point of collection	Type of River /Lake	DO	BOD	Fecal Coliform	Total Coliform	Water quality index(WQI)
1	Mettur	R	8.1	<2	17	84	Satisfactory
2	Pallipalayam	L	7.3	<2	220	540	Satisfactory
3	Musiri borewell	L		No	Flow		
4	Musiri ferrygate	L	8.0	<2	170	630	Satisfactory
5	Bathira kaliyamman koil	L	7.9	<2	79	240	Satisfactory
6	Sirumugai	L	8.7	3.2	63	220	Satisfactory
7	Bhavani sagar	R	7.9	<2	43	140	Satisfactory
8	Bhavani	R	8.1	<2	63	210	Satisfactory
9	R.N. Pudur	R	7.0	<2	140	540	Satisfactory
10	Vairapalayam	R	7.8	<2	310	840	Satisfactory
11	P. Velur	R	6.9	<2	79	240	Satisfactory
12	Mohanur	R	7.8	<2	110	270	Satisfactory
13	Madathukulam	R	7.2	<2	21	63	Satisfactory
14	Thirumukkudal	R	8.3	<2	210	480	Satisfactory
15	Trichy U/S	R	7.5	<2	270	790	Satisfactory
16	Trichy D/S	R	7.7	3.2	460	1400	Satisfactory
17	Grand Anaicut	R	6.2	3.4	310	1100	Satisfactory
18	Coleroon	R	8.4	<2	78	260	Satisfactory
19	Pitchavaram	R	8.4	<2	130	390	Satisfactory
20	Karunthattankudi	R	7.2	<2	170	400	Satisfactory
21	Komarapalayam	W	6.7	<2	140	390	Satisfactory
22	Urrachikottai	R	8.4	<2	70	170	Satisfactory
23	Chirampalayam	R	7.5	<2	120	320	Satisfactory
24	Pugalur	R	7.1	<2	170	490	Satisfactory
25	Pettavaithalai	R	7.9	<2	210	580	Satisfactory
26	Kumbakonam	R	7.8	<2	110	320	Satisfactory
27	Mayiladurai	R		No	Flow		
28	Sathiyamanagalam	R	7.9	<2	26	84	Satisfactory
29	Kalingalrayan Canal (B5)	R	7.4	<2	210	630	Satisfactory
30	Kalingalrayan Canal (B10)	R	7.1	<2	260	700	Satisfactory
31	Thirumanimuthar	L	Nil	75	3500000	6300000	Non Satisfactory
32	Edappadi	R	Nil	342	1700000	3500000	Non Satisfactory
33	Thulukkanur	R	1.4	18	140000	350000	Non Satisfactory
34	Papanasami / Near Maadura Coate	L	8.5	<2	2	6	Satisfactory
35	Cheranmadevi / Sunpaper Mill	L	7.3	<2	9	14	Satisfactory
36	Kokirakulam / Tirunelveli Collectorate	R	7.0	<2	8	17	Satisfactory
37	Murapanadu	R	6.7	2.9	50	140	Satisfactory
38	Thiruvaidaimarudur	R	6.7	<2	6	8	Satisfactory
39	Ambasamudram	R	8.0	<2	4	7	Satisfactory
40	Authoor	R	7.3	2.7	17	30	Satisfactory
41	Eral	R	6.4	<2	26	40	Satisfactory
42	Kallidai Kurichi	R	7.8	<2	7	9	Satisfactory
43	Srivaikuntam	R	6.5	2.1	40	70	Satisfactory
44	Vellakovil	R	6.8	<2	11	17	Satisfactory
45	Sivalaperi	R	6.7	2.1	14	26	Satisfactory
46	Vaigai	R		No	Flow		
47	Palar	R		No	Flow		
48	Udhagamandalam	R	5.3	2.1	260	840	Satisfactory
49	Kodaikanal	R	7.0	4.6	46	63	Non Satisfactory
50	Yercaud	R	6.2	<2	310	700	Satisfactory
51	Veeranam	R	8.5	<2	40	110	Satisfactory
52	Poondi	R	3.0	7.0	80	1740	Non Satisfactory
53	Red Hills	R	3.0	5.0	18	310	Non Satisfactory
54	Porur	R	3.0	6.0	32	410	Non Satisfactory
55	Pulicat	R	3.0	8.0	<1.8	24	Non Satisfactory

A Water Quality Index (WQI) is a means by which Water Quality data is summarized for reporting to the public in a consistent manner. It is similar to the UV Index or an Air Quality Index and it tells us, in simple terms what the quality of drinking water is from drinking water supply and the results are published as Satisfactory or Non satisfactory.

WATER QUALITY BULLETIN - FEBRUARY - 2019

Sl.No	Point of collection	Type of River /Lake	DO	BOD	Fecal Coliform	Total Coliform	Water quality index(WQI)
1	Mettur	R	7.3	2.4	63	210	Satisfactory
2	Pallipalayam	L	5.6	4.2	320	940	Non Satisfactory
3	Musiri borewell	L		No	Flow		
4	Musiri ferrygate	L	8.5	2.2	310	840	Satisfactory
5	Bathira kaliamman koil	L	7.2	<2	110	280	Satisfactory
6	Sirumugai	L	7.0	<2	140	350	Satisfactory
7	Bhavani sagar	R	4.9	<2	170	390	Satisfactory
8	Bhavani	R	7.5	<2	78	260	Satisfactory
9	R.N. Pudur	R	6.0	2.8	260	630	Satisfactory
10	Vairapalayam	R	6.6	<2	310	700	Satisfactory
11	P. Velur	R	6.7	2.2	130	310	Satisfactory
12	Mohanur	R	7.2	3.0	140	330	Satisfactory
13	Madathukulam	R		No	Flow		
14	Thirumukkudal	R	7.9	<2	210	630	Satisfactory
15	Trichy U/S	R	6.8	<2	320	940	Satisfactory
16	Trichy D/S	R	3.8	6.2	700	2100	Non Satisfactory
17	Grand Anaicut	R	2.5	17	350	1600	Non Satisfactory
18	Coleroon	R	6.5	<2	110	260	Satisfactory
19	Pitchavaram	R	6.6	<2	260	700	Satisfactory
20	Karunthattankudi	R	6.3	2.6	170	480	Satisfactory
21	Komarapalayam	W	6.8	2.5	170	470	Satisfactory
22	Urrachikottai	R	8.2	2.1	170	380	Satisfactory
23	Seerapalayam	R	5.4	4.4	140	390	Non Satisfactory
24	Pugalur	R	7.6	<2	210	580	Satisfactory
25	Pettavaithalai	R	8.6	<2	260	630	Satisfactory
26	Kumbakonam	R	6.1	2.2	210	480	Satisfactory
27	Mayiladurai	R		No	Flow		
28	Sathiyamanagalam	R	6.8	<2	26	110	Satisfactory
29	Kalingalrayan Canal (B5)	R	6.6	<2	310	700	Satisfactory
30	Kalingalrayan Canal (B10)	R	6.5	<2	330	840	Satisfactory
31	Thirumanimuthar	L	Nil	56	1400000	2200000	Non Satisfactory
32	Edappadi	R	1.0	24	220000	430000	Non Satisfactory
33	Thulukkanur	R	Nil	230	14000000	2800000	Non Satisfactory
34	Papanasam/ Near Madura Coats	L	7.8	3.5	4	6	Non Satisfactory
35	Cheranmadevi / Sunpaper Mill	L	7.6	2.0	7	17	Satisfactory
36	Kokirakulam / Tirunelveli Collectorate	R	7.2	2.0	4	8	Satisfactory
37	Murapanadu	R	6.5	6.5	50	70	Non Satisfactory
38	Thiruvudaimarudur	R	7.4	<2	6	12	Satisfactory
39	Ambasamudram	R	8.2	2.0	4	6	Satisfactory
40	Authoor	R	7.5	3.0	17	70	Satisfactory
41	Eral	R	6.3	5.9	70	110	Non Satisfactory
42	Kallidai Kurichi	R	7.6	2.0	4	9	Satisfactory
43	Srivaikuntam	R	6.8	6.5	40	140	Non Satisfactory
44	Vellakovil	R	7.4	2.7	8	17	Satisfactory
45	Sivalaperi	R	7.1	2.0	4	12	Satisfactory
46	Vaigai	R		No	Flow		
47	Palar	R		No	Flow		
48	Udhagamandalam	R	4.6	6.0	320	940	Non Satisfactory
49	Kodaikanal	R	6.2	4.0	58	84	Non Satisfactory
50	Yercaud	R	6.3	<2	330	790	Satisfactory
51	Veeranam	R	6.8	<2	32	94	Satisfactory
52	Poondi	R	4.0	6.0	110	210	Non Satisfactory
53	Red Hills	R	3.0	5.0	250	1100	Non Satisfactory
54	Porur	R	3.0	7.0	210	460	Non Satisfactory
55	Pulicat	R	4.0	6.0	140	320	Non Satisfactory

A Water Quality Index (WQI) is a means by which Water Quality data is summarized for reporting to the public in a consistent manner. It is similar to the UV Index or an Air Quality Index and it tells us, in simple terms what the quality of drinking water is from drinking water supply and the results are published as Satisfactory or Non satisfactory.

WATER QUALITY BULLETIN - MARCH - 2019

Sl.No	Point of collection	Type of River /Lake	DO	BOD	Fecal Coliform	Total Coliform	Water quality index(WQI)
1	Mettur	R	8.4	2.5	94	350	Satisfactory
2	Pallipalayam	L	7.5	3.6	790	2100	Non satisfactory
3	Musiri borewell	L		No	Flow		
4	Musiri ferrygate	L		No	Flow		
5	Bathira kalamman coil	L	7.5	<2	63	210	Satisfactory
6	Sirumugai	L	7.2	<2	84	280	Satisfactory
7	Bhavani sagar	R	7.9	<2	25	120	Satisfactory
8	Bhavani	R	7.5	<2	170	390	Satisfactory
9	R.N. Pudur	R	8.9	<2	260	700	Satisfactory
10	Vairapalayam	R	8.3	<2	210	580	Satisfactory
11	P. Velur	R	8.8	3.4	210	470	Satisfactory
12	Mohanur	R	8.7	3.4	210	480	Satisfactory
13	Madathukulam	R		No	Flow		
14	Thirumukkudal	R	7.7	2.0	270	790	Satisfactory
15	Trichy U/S	R		No	Flow		
16	Trichy D/S	R		No	Flow		
17	Grand Anaicut	R		No	Flow		
18	Coleroon	R	8.8	<2	63	280	Satisfactory
19	Pitchavaram	R	6.2	<2	260	630	Satisfactory
20	Karunthattankudi	R	7.1	4.2	250	580	Non satisfactory
21	Komarapalayam	W	8.6	3.6	630	1700	Non satisfactory
22	Urrachikottai	R	7.6	<2	170	430	Satisfactory
23	Seerampalayam	R	8.1	3.4	330	1100	Satisfactory
24	Pugalur	R	6.9	3.0	260	700	Satisfactory
25	Pettavaithalai	R		No	Flow		
26	Kumbakonam	R	8.7	<2	130	350	Satisfactory
27	Mayiladurai	R		No	Flow		
28	Sathiyamanagalam	R	7.8	<2	21	94	Satisfactory
29	Kalingalrayan Canal (B5)	R	7.9	<2	330	790	Satisfactory
30	Kalingalrayan Canal (B10)	R	8.6	<2	210	630	Satisfactory
31	Thirumanimuthar	L	Nil	10	170000	390000	Non satisfactory
32	Edappadi	R	2.5	9.6	17000	35000	Non satisfactory
33	Thulukkanur	R	Nil	24	940000	1700000	Non satisfactory
34	Papanasam/ Near Madura	L	7.2	<2	2	4	Satisfactory
35	Cheranmadevi / Sunpaper Mill	L	7.0	5.2	7.8	21	Non satisfactory
36	Kokirakulam / Tirunelveli Collectorate	R	6.6	3.0	11	40	Satisfactory
37	Murapanadu	R	7.0	2.1	17	48	Satisfactory
38	Thiruvidaimarudur	R	6.5	4.2	6.1	17	Non satisfactory
39	Ambasamudram	R	7.8	3.1	2	8.3	Satisfactory
40	Authoor	R	6.5	2.3	70	210	Satisfactory
41	Eral	R	6.1	2.3	41	120	Satisfactory
42	Kallidai Kurichi	R	7.3	2.2	4	12	Satisfactory
43	Srivaikuntam	R	5.8	<2	31	84	Satisfactory
44	Vellakovil	R	6.7	3.1	21	63	Satisfactory
45	Sivalaperi	R	6.7	6.1	31	94	Non satisfactory
46	Vaigai	R		No	Flow		
47	Palar	R		No	Flow		
48	Udhagamandalam	R	5.7	2.8	330	1100	Satisfactory
49	Kodaikanal	R	6.9	4.2	49	79	Non satisfactory
50	Yercaud	R	5.0	3.6	63	280	Non satisfactory
51	Veeranam	R	6.4	<2	26	110	Satisfactory
52	Poondi	R	7.4	<2	270	1100	Satisfactory
53	Red Hills	R	7.8	2.0	170	2790	Satisfactory
54	Porur	R	8.0	16.0	220	700	Non satisfactory
55	Pulicat	R	5.6	6.0	140	390	Non satisfactory

A Water Quality Index (WQI) is a means by which Water Quality data is summarized for reporting to the public in a consistent manner. It is similar to the UV Index or an Air Quality Index and it tells us, in simple terms what the quality of drinking water is from drinking water supply and the results are published as Satisfactory or Non satisfactory.

WATER QUALITY BULLETIN - APRIL - 2019

SI.No	Point of collection	Type of River /Lake	DO	BOD	Fecal Coliform	Total Coliform	Water quality index(WQI)
1	Mettur	R	5.2	2.3	70	280	Satisfactory
2	Pallipalayam	L	6.6	3.4	940	2200	Satisfactory
3	Musiri borewell	L		No	Flow		
4	Musiri ferrygate	L		No	Flow		
5	Bathira kalamman koil	L	7.2	<2	70	220	Satisfactory
6	Sirumugai	L	6.8	<2	79	240	Satisfactory
7	Bhavani sagar	R	5.5	<2	22	110	Satisfactory
8	Bhavani	R	7.7	<2	140	380	Satisfactory
9	R.N. Pudur	R	6.6	<2	210	430	Satisfactory
10	Vairapalayam	R	7.4	2.0	220	630	Satisfactory
11	P. Velur	R	7.9	<2	170	430	Satisfactory
12	Mohanur	R	6.2	<2	150	410	Satisfactory
13	Madathukulam	R		No	Flow		
14	Thirumukkudal	R	7.5	<2	210	470	Satisfactory
15	Trichy U/S	R		No	Flow		
16	Trichy D/S	R		No	Flow		
17	Grand Anaicut	R		No	Flow		
18	Coleroon	R	6.0	<2	39	140	Satisfactory
19	Pitchavaram	R	4.1	6.1	210	580	Non satisfactory
20	Karunthattankudi	R		No	Flow		
21	Komarapalayam	W	6.8	4.4	630	1400	Non satisfactory
22	Urrachikottai	R	8.3	<2	150	410	Satisfactory
23	Seerapalayam	R	6.7	2.4	310	840	Satisfactory
24	Pugalur	R	7.9	<2	220	480	Satisfactory
25	Pettavaithalai	R		No	Flow		
26	Kumbakonam	R		No	Flow		
27	Mayiladurai	R		No	Flow		
28	Sathiyamanagalam	R	4.7	<2	26	84	Satisfactory
29	Kalingalrayan Canal (B5)	R	6.6	<2	170	350	Satisfactory
30	Kalingalrayan Canal (B10)	R	6.5	<2	150	340	Satisfactory
31	Thirumanimuthar	L	Nil	28.2	70000	170000	Non satisfactory
32	Edappadi	R	Nil	18.0	17000	28000	Non satisfactory
33	Thulukkanur	R	Nil	7.0	3500	9200	Non satisfactory
34	Papanasam/ Near Madura	L	6.7	<2	2	8.3	Satisfactory
35	Cheranmadevi / Sunpaper Mill	L	7.3	2.9	11	40	Satisfactory
36	Kokirakulam / Tirunelveli Collectorate	R	5.7	2.9	21	63	Satisfactory
37	Murapanadu	R	6.7	2.2	7	23	Satisfactory
38	Thiruvaidaimarudur	R	6.4	<2	7.8	21	Satisfactory
39	Ambasamudram	R	7.0	<2	2	4	Satisfactory
40	Authoor	R	7.0	5.1	23	60	Non satisfactory
41	Eral	R	5.5	3.8	9	30	Non satisfactory
42	Kallidai Kurichi	R	6.8	<2	2	6.1	Satisfactory
43	Srivaikuntam	R	5.0	2.9	12	40	Satisfactory
44	Vellakovil	R	5.6	2.7	18	63	Satisfactory
45	Sivalaperi	R	5.5	3.8	31	94	Non satisfactory
46	Vaigai	R	6.0	5.0	2	4	Non satisfactory
47	Palar	R	5.3	2.0	18	40	Satisfactory
48	Udhagamandalam	R	5.9	2.4	320	940	Satisfactory
49	Kodaikanal	R	6.8	5.4	46	63	Non satisfactory
50	Yercaud	R	5.6	2.1	260	700	Satisfactory
51	Veeranam	R	6.9	<2	22	94	Satisfactory
52	Poondi	R	5.6	14	36	61	Non satisfactory
53	Red Hills	R	6.3	18	170	2200	Non satisfactory
54	Porur	R	7.0	9.0	110	1400	Non satisfactory
55	Pulicat	R	4.6	8.0	68	700	Non satisfactory

A Water Quality Index (WQI) is a means by which Water Quality data is summarized for reporting to the public in a consistent manner. It is similar to the UV Index or an Air Quality Index and it tells us, in simple terms what the quality of drinking water is from drinking water supply and the results are published as Satisfactory or Non satisfactory.

WATER QUALITY BULLETIN - MAY - 2019

Sl. No.	Point of collection	Type of River /Lake	DO	BOD	Fecal Coliform	Total Coliform	Water quality index(WQI)
1	Mettur	R	4.2	5.7	33	110	Non satisfactory
2	Pallipalayam	L	5.2	2.6	840	1700	Satisfactory
3	Musiri borewell	L		No	Flow		
4	Musiri ferrygate	L		No	Flow		
5	Bathira kaliyamman koil	L	7.6	<2	33	110	Satisfactory
6	Sirumugai	L	7.5	<2	79	170	Satisfactory
7	Bhavani sagar	R	4.7	2.4	21	94	Satisfactory
8	Bhavani	R	7.5	<2	150	340	Satisfactory
9	R.N. Pudur	R	3.2	4.2	210	460	Non satisfactory
10	Vairapalayam	R	5.5	3.4	250	580	Satisfactory
11	P. Velur	R	5.0	3.2	170	430	Satisfactory
12	Mohanur	R	5.1	3.0	210	470	Satisfactory
13	Madathukulam	R		No	Flow		
14	Thirumukkudal	R	7.3	<2	140	340	Satisfactory
15	Trichy U/S	R		No	Flow		
16	Trichy D/S	R		No	Flow		
17	Grand Anaicut	R		No	Flow		
18	Coleroon	R	1.7	6.0	38	150	Non satisfactory
19	Pitchavaram	R	7.4	<2	170	460	Satisfactory
20	Karunthattankudi	R		No	Flow		
21	Komarapalayam	W	5.2	2.5	310	840	Satisfactory
22	Urrachikottai	R	7.1	<2	170	380	Satisfactory
23	Chirampalayam	R	5.3	2.4	260	630	Satisfactory
24	Pugalur	R	7.0	<2	140	320	Satisfactory
25	Pettavaithalai	R		No	Flow		
26	Kumbakonam	R		No	Flow		
27	Mayiladurai	R	6.2	<2	<1.8	2	Satisfactory
28	Sathiyamanagalam	R	5.0	3.0	22	79	Satisfactory
29	Kalingalrayan Canal (B5)	R	6.4	2.2	130	320	Satisfactory
30	Kalingalrayan Canal (B10)	R	6.4	2.2	130	330	Satisfactory
31	Thirumanimuthar	L	6.2	<2	<1.8	3.6	Satisfactory
32	Edappadi	R		No	Flow		
33	Thulukkanur	R	5.7	<2	17	39	Satisfactory
34	Papanasam/ Near Madura	L	6.2	<2	2	6	Satisfactory
35	Cheranmadevi / Sunpaper Mill	L	7.4	<2	9	17	Satisfactory
36	Kokirakulam / Tirunelveli Collectorate	R	4.3	<2	11	26	Satisfactory
37	Murapanadu	R	6.4	2.4	8	26	Satisfactory
38	Thiruvidaimarudur	R	6.6	<2	4	14	Satisfactory
39	Ambasamudram	R	6.4	<2	4	11	Satisfactory
40	Authoor	R	6.3	2.8	26	90	Satisfactory
41	Eral	R	6.8	2.5	21	60	Satisfactory
42	Kallidai Kurichi	R	6.8	<2	2	9	Satisfactory
43	Srivaikuntam	R	6.2	2.5	13	40	Satisfactory
44	Vellakovil	R	2.5	<2	11	33	Non satisfactory
45	Sivalaperi	R	2.9	2.4	13	40	Non satisfactory
46	Vaigai	R		No	Flow		
47	Palar	R		No	Flow		
48	Udhagamandalam	R	5.7	8.4	430	1700	Non satisfactory
49	Kodaikanal	R	6.5	5.2	63	84	Non satisfactory
50	Yercaud	R	4.7	4.8	260	630	Non satisfactory
51	Veeranam	R	4.2	3.3	26	84	Satisfactory
52	Poondi	R	6.2	12.0	1100	9200	Non satisfactory
53	Red Hills	R	5.2	11.0	110	700	Non satisfactory
54	Porur	R	6.4	8.0	390	2800	Non satisfactory
55	Pulicat	R	5.2	6.0	390	790	Non satisfactory

A Water Quality Index (WQI) is a means by which Water Quality data is summarized for reporting to the public in a consistent manner. It is similar to the UV Index or an Air Quality Index and it tells us, in simple terms what the quality of drinking water is from drinking water supply and the results are published as Satisfactory or Non satisfactory.

WATER QUALITY BULLETIN- JUNE - 2019

Sl. No.	Point of collection	Type of River /Lake	DO	BOD	Fecal Coliform	Total Coliform	Water Quality Index(WQI)
1	Mettur	R	5.1	3.0	58.0	150.0	Satisfactory
2	Pallipalayam	L	8.2	6.0	580.0	1500.0	Non satisfactory
3	Musiri borewell	L		No	Flow		
4	Musiri ferrygate	L		No	Flow		
5	Bathira kalamman koil	L	6.6	<2	23	63	Satisfactory
6	Sirumugai	L	6.4	<2	63	140	Satisfactory
7	Bhavani sagar	R	5.1	3.1	38	120	Satisfactory
8	Bhavani	R	5.2	2.7	130	390	Satisfactory
9	R.N. Pudur	R	5.4	2.6	250	580	Satisfactory
10	Vairapalayam	R	4.9	3.8	260	630	Non satisfactory
11	P. Velur	R	6.1	<2	250	580	Satisfactory
12	Mohanur	R	5.4	2.1	260	630	Satisfactory
13	Madathukulam	R		No	Flow		
14	Thirumukkudal	R	6.3	<2	170	400	Satisfactory
15	Trichy U/S	R		No	Flow		
16	Trichy D/S	R		No	Flow		
17	Grand Anaicut	R		No	Flow		
18	Coleroon	R	7.1	<2	17	48	Satisfactory
19	Pitchavaram	R	6.6	<2	140	540	Satisfactory
20	Karunthattankudi	R		No	Flow		
21	Komarapalayam	W	7.8	2.0	330	1100	Satisfactory
22	Urrachikottai	R	5.5	2.5	170	410	Satisfactory
23	Chirampalayam	R	8.5	2.2	0.21	580	Satisfactory
24	Pugalur	R	6.4	<2	170	390	Satisfactory
25	Pettavaithalai	R		No	Flow		
26	Kumbakonam	R		No	Flow		
27	Mayiladurai	R		No	Flow		
28	Sathiyamanagalam	R	5.4	2.5	31	63	Satisfactory
29	Kalingalrayan Canal (B5)	R		No	Flow		
30	Kalingalrayan Canal (B10)	R		No	Flow		
31	Thirumanimuthar	L	5.4	<2	1.8	5.6	Satisfactory
32	Edappadi	R		No	Flow		
33	Thulukkanur	R	2.2	3.6	17	41	Non satisfactory
34	Papanasam/ Near Madura Coats	L	7.0	2.0	2	6	Satisfactory
35	Cheranmadevi / Sunpaper Mill	L	7.6	2.0	2	6	Satisfactory
36	Kokirakulam / Tirunelveli Collectorate	R	5.2	<2	9	17	Satisfactory
37	Murapanadu	R	7.5	<2	4	9	Satisfactory
38	Thiruvidaimarudur	R	7.2	<2	2	6	Satisfactory
39	Ambasamudram	R	6.8	2.0	4	17	Satisfactory
40	Author	R	3.0	5.5	7	12	Non satisfactory
41	Eral	R	2.8	4.5	8	17	Non satisfactory
42	Kallidai Kurichi	R	6.7	2.0	2	9	Satisfactory
43	Srivaikuntam	R	4.0	5.2	12	34	Non satisfactory
44	Vellakovil	R	4.0	2.0	7	17	Satisfactory
45	Sivalaperi	R	5.0	<2	11	34	Satisfactory
46	Vaigai	R		No	Flow		
47	Palar	R		No	Flow		
48	Udhagamandalam	R	7.2	5.6	580	2100	Non Satisfactory
49	Kodaikanal	R	6.6	5.6	49	79	Non Satisfactory
50	Yercaud	R	6.3	3.3	310	840	Satisfactory
51	Veeranam	R	5.0	6.3	26	70	Non satisfactory
52	Poondi	R	5.1	8.0	170	700	Non Satisfactory
53	Red Hills	R	4.1	12.0	210	940	Non satisfactory
54	Porur	R	4.9	11.0	<1.8	330	Non satisfactory
55	Pulicat	R	5.7	9.0	<1.8	230	Non satisfactory

A Water Quality Index (WQI) is a means by which Water Quality data is summarized for reporting to the public in a consistent manner. It is similar to the UV Index or an Air Quality Index and it tells us, in simple terms what the quality of drinking water is from drinking water supply and the results are published as Satisfactory or Non satisfactory.

WATER QUALITY BULLETIN - JULY - 2019

SI.No	Point of collection	Type of River /Lake	DO	BOD	Fecal Coliform	Total Coliform	Water quality index(WQI)
1	Mettur	R	7.00	<2	26.0	70.0	Satisfactory
2	Pallipalayam	L	5.40	3.0	280.0	920.0	Satisfactory
3	Musiri borewell	L		No	Flow		
4	Musiri ferrygate	L		No	Flow		
5	Bathira kalamman koil	L	7.90	<2	26	84	Satisfactory
6	Sirumugai	L	8.00	<2	21	70	Satisfactory
7	Bhavani sagar	R	6.40	<2	26	120	Satisfactory
8	Bhavani	R	4.80	3.6	140	430	Non satisfactory
9	R.N. Pudur	R	6.10	2.0	210	580	Satisfactory
10	Vairapalayam	R	5.90	2.2	260	630	Satisfactory
11	P. Velur	R	7.60	<2	150	410	Satisfactory
12	Mohanur	R	8.70	<2	120	400	Satisfactory
13	Madathukulam	R		No	Flow		
14	Thirumukkudal	R	6.60	<2	84	280	Satisfactory
15	Trichy U/S	R		No	Flow		
16	Trichy D/S	R		No	Flow		
17	Grand Anaicut	R		No	Flow		
18	Coleroon	R	7.8	<2	21	70	Satisfactory
19	Pitchavaram	R	7.2	<2	63	220	Satisfactory
20	Karunthattankudi	R		No	Flow		
21	Komarapalayam	W	5.2	3.2	320	940	Satisfactory
22	Urrachikottai	R	6.1	2.6	43	170	Satisfactory
23	Chirampalayam	R	6.5	2.3	170	490	Satisfactory
24	Pugalur	R	6.0	2.7	94	350	Satisfactory
25	Pettavaithalai	R		No	Flow		
26	Kumbakonam	R		No	Flow		
27	Mayiladurai	R		No	Flow		
28	Sathiyamanagalam	R	7.6	<2	27	79	Satisfactory
29	Kalingalrayan Canal (B5)	R		No	Flow		
30	Kalingalrayan Canal (B10)	R		No	Flow		
31	Thirumanimuthar	L	6.0	<2	<1.8	4	Satisfactory
32	Edappadi	R		No	Flow		
33	Thulukkanur	R	5.5	<2	49	140	Satisfactory
34	Papanasam/ Near Madura Coats	L	7.0	2.0	11	25	Satisfactory
35	Cheranmadevi / Sunpaper Mill	L	6.9	2.2	21	58	Satisfactory
36	Kokirakulam / Tirunelveli Collectorate	R	5.5	2.1	25	84	Satisfactory
37	Murapanadu	R	7.9	2.1	17	46	Satisfactory
38	Thiruvidaimarudur	R	7.0	2.6	17	47	Satisfactory
39	Ambasamudram	R	6.9	2.0	17	48	Satisfactory
40	Authoor	R	4.0	3.2	21	84	Satisfactory
41	Eral	R	3.8	2.1	24	70	Satisfactory
42	Kallidai Kurichi	R	7.0	3.2	13	33	Satisfactory
43	Srivaikuntam	R	7.7	2.4	48	150	Satisfactory
44	Vellakovil	R	4.0	2.2	21	70	Satisfactory
45	Sivalaperi	R	4.2	4.0	7.0	20	Non satisfactory
46	Vaigai	R		No	Flow		
47	Palar	R		No	Flow		
48	Udhagamandalam	R	5.4	8.4	700	2200	Non satisfactory
49	Kodaikanal	R	7.2	3.4	58	84	Satisfactory
50	Yercaud	R	7.1	3.4	680	1700	Satisfactory
51	Veeranam	R	6.0	3.6	780	1700	Non satisfactory
52	Poondi	R	4.4	3.9	1700	3300	Non satisfactory
53	Red Hills	R	4.9	8.0	63	170	Non satisfactory
54	Porur	R		No	Sampling		
55	Pulicat	R	3.1	9.0	680	930	Non satisfactory

A Water Quality Index (WQI) is a means by which Water Quality data is summarized for reporting to the public in a consistent manner. It is similar to the UV Index or an Air Quality Index and it tells us, in simple terms what the quality of drinking water is from drinking water supply and the results are published as Satisfactory or Non satisfactory.

WATER QUALITY BULLETIN - AUGUST - 2019

Sl. No	Point of collection	Type of River /Lake	DO	BOD	Fecal Coliform	Total Coliform	Water quality index(WQI)
1	Mettur	R	6.8	<2	33	110	Satisfactory
2	Pallipalayam	L	7.1	<2	170	380	Satisfactory
3	Musiri borewell	L		No	Flow		
4	Musiri ferrygate	L		No	Flow		
5	Bathira kalamman koil	L	7.5	<2	63	140	Satisfactory
6	Sirumugai	L	7.2	<2	27	79	Satisfactory
7	Bhavani sagar	R	6.8	<2	31	84	Satisfactory
8	Bhavani	R	5.9	2.8	78	260	Satisfactory
9	R.N. Pudur	R	5.7	<2	220	490	Satisfactory
10	Vairapalayam	R	0.6	15	370	930	Non satisfactory
11	P. Velur	R	6.8	<2	140	320	Satisfactory
12	Mohanur	R	6.1	<2	140	330	Satisfactory
13	Madathukulam	R		No	Flow		
14	Thirumukkudal	R	6.1	<2	79	240	Satisfactory
15	Trichy U/S	R		No	Flow		
16	Trichy D/S	R		No	Flow		
17	Grand Anaicut	R		No	Flow		
18	Coleroon	R	7.2	<2	26	63	Satisfactory
19	Pitchavaram	R	7.0	<2	110	260	Satisfactory
20	Karunthattankudi	R	5.8	7.5	210	470	Non satisfactory
21	Komarapalayam	W	7.1	<2	210	400	Satisfactory
22	Urrachikottai	R	6.2	<2	49	130	Satisfactory
23	Chirampalayam	R	7.2	<2	170	390	Satisfactory
24	Pugalur	R	5.8	<2	63	210	Satisfactory
25	Pettavaithalai	R		No	Flow		
26	Kumbakonam	R	6.6	2.4	78	320	Satisfactory
27	Mayiladurai	R		No	Flow		
28	Sathiyamanagalam	R	6.0	2.0	26	70	Satisfactory
29	Kalingalrayan Canal (B5)	R		No	Flow		
30	Kalingalrayan Canal (B10)	R		No	Flow		
31	Thirumanimuthar	L	7.0	<2	4	12	Satisfactory
32	Edappadi (Sarabanga)	R		No	Flow		
33	Thulukkanur (Vasista)	R	6.8	<2	11	39	Satisfactory
34	Papanasam/ Near Madura Coats	L	7.4	2.0	1.8	5.6	Satisfactory
35	Cheranmadevi / Sunpaper Mill	L	7.5	2.0	13	39	Satisfactory
36	Kokirakulam / Tirunelveli Collectorate	R	6.0	2.0	17	46	Satisfactory
37	Murapanadu	R	6.2	2.9	26	70	Satisfactory
38	Thiruvidadimarudur	R	7.1	2.6	8	24	Satisfactory
39	Ambasamudram	R	7.3	2.0	4	14	Satisfactory
40	Author	R		No	Sampling		
41	Eral	R		No	Sampling		
42	Kallidai Kurichi	R	7.5	2.0	6	17	Satisfactory
43	Srivaikuntam	R		No	Sampling		
44	Vellakovil	R	5.9	2.0	23	70	Satisfactory
45	Sivalaperi	R	6.1	2.0	38	94	Satisfactory
46	Vaigai	R		No	Flow		
47	Palar	R		No	Flow		
48	Udhagamandalam	R	6.8	4.8	280	920	Non satisfactory
49	Kodaikanal	R	6.4	3.5	49	79	Non satisfactory
50	Yercaud	R	6.2	<2	260	700	Satisfactory
51	Veeranam	R	4.2	8.7	120	280	Non satisfactory
52	Poondi	R	7.0	2.0	<1.8	170	Satisfactory
53	Red Hills	R		No	Flow		
54	Porur	R	7.2	5.0	140	220	Non satisfactory
55	Pulicat	R	5.2	3.0	<1.8	92	Satisfactory

A Water Quality Index (WQI) is a means by which Water Quality data is summarized for reporting to the public in a consistent manner. It is similar to the UV Index or an Air Quality Index and it tells us, in simple terms what the quality of drinking water is from drinking water supply and the results are published as Satisfactory or Non satisfactory.

WATER QUALITY BULLETIN - SEPTEMBER - 2019

Sl.No	Point of collection	Type of River /Lake	DO	BOD	Fecal Coliform	Total Coliform	Water quality index(WQI)
1	Mettur	R	6.1	<2	31	84	Satisfactory
2	Pallipalayam	L	6.0	<2	92	210	Satisfactory
3	Musiri borewell	L		No	Flow		
4	Musiri ferrygate	L	7.4	4.0	260	840	Non satisfactory
5	Bathira kalamman koil	L	6.2	<2	32	94	Satisfactory
6	Sirumugai	L	6.2	<2	9.2	46	Satisfactory
7	Bhavani sagar	R	5.2	<2	140	310	Satisfactory
8	Bhavani	R	5.2	<2	140	310	Satisfactory
9	R.N. Pudur	R	6.3	<2	130	220	Satisfactory
10	Vairapalayam	R	6.4	<2	170	310	Satisfactory
11	P. Velur	R	6.3	<2	130	250	Satisfactory
12	Mohanur	R	6.8	<2	130	260	Satisfactory
13	Madathukulam	R		No	Flow		
14	Thirumukkudal	R	5.7	2.4	78	210	Satisfactory
15	Trichy U/S	R	7.2	3.0	260	630	Satisfactory
16	Trichy D/S	R	6.2	3.3	310	700	Satisfactory
17	Grand Anaicut	R	5.4	4.0	140	350	Non satisfactory
18	Coleroon	R	6.0	2.0	26	84	Satisfactory
19	Pitchavaram	R	5.7	2.8	140	330	Satisfactory
20	Karunthattankudi	R	7.60	5.2	110	350	Non satisfactory
21	Komarapalayam	W	5.2	3.0	260	470	Satisfactory
22	Urrachikottai	R	5.6	<2	58	150	Satisfactory
23	Chirampalayam	R	6.2	<2	140	320	Satisfactory
24	Pugalur	R	6.0	2	68	170	Satisfactory
25	Pettavaithalai	R	6.4	2.8	330	1100	Satisfactory
26	Kumbakonam	R	7.8	4.3	63	210	Non satisfactory
27	Mayiladurai	R		No	Flow		
28	Sathiyamanagalam	R	6.2	<2	21	58	Satisfactory
29	Kalingalrayan Canal (B5)	R	6.1	<2	26	94	Satisfactory
30	Kalingalrayan Canal (B10)	R	6.0	<2	25	84	Satisfactory
31	Thirumanimuthar	L	6.8	<2	1.8	4	Satisfactory
32	Edappadi	R		No	Flow		
33	Thulukkanur	R	6.8	<2	2	6.8	Satisfactory
34	Papanasam/ Near Madura Coats	L	7.2	3.3	2	46	Satisfactory
35	Cheranmadevi / Sunpaper Mill	L	6.6	2.5	10	47	Satisfactory
36	Kokirakulam / Tirunelveli Collectorate	R	6.0	2.8	9.1	34	Satisfactory
37	Murapanadu	R	6.7	4.7	31	94	Non satisfactory
38	Thiruvidaimarudur	R	6.5	3.1	10	70	Satisfactory
39	Ambasamudram	R	7.0	2.8	6	63	Satisfactory
40	Authoor	R		No	Sampling		
41	Eral	R		No	Sampling		
42	Kallidai Kurichi	R	7.1	2.4	8.1	49	Satisfactory
43	Srivaikuntam	R		No	Sampling		
44	Vellakovil	R	5.9	2.7	12	43	Satisfactory
45	Sivalaperi	R	6.0	2.7	12	79	Satisfactory
46	Vaigai	R		No	Flow		
47	Palar	R		No	Flow		
48	Udhagamandalam	R	5.4	7.8	260	840	Non satisfactory
49	Kodaikanal	R	6.3	3.0	58	84	Satisfactory
50	Yercaud	R	5.8	1.4	310	630	Satisfactory
51	Veeranam	R	6.1	2.6	140	320	Satisfactory
52	Poondi	R	5.3	2.0	<1.8	<1.8	Satisfactory
53	Red Hills	R	5.8	2.0	<1.8	170	Satisfactory
54	Porur	R	6.9	3.0	92	1400	Satisfactory
55	Pulicat	R	6.3	2.0	<1.8	330	Satisfactory

A Water Quality Index (WQI) is a means by which Water Quality data is summarized for reporting to the public in a consistent manner. It is similar to the UV Index or an Air Quality Index and it tells us, in simple terms what the quality of drinking water is from drinking water supply and the results are published as Satisfactory or Non satisfactory.

WATER QUALITY BULLETIN - OCTOBER - 2019

Sl.No	Point of collection	Type of River /Lake	DO	BOD	Fecal Coliform	Total Coliform	Water quality index(WQI)
1	Mettur	R	6.2	<2	26	63	Satisfactory
2	Pallipalayam	L	6.6	<2	63	170	Satisfactory
3	Musiri borewell	L		No	Flow		
4	Musiri ferrygate	L	6.5	<2	330	840	Satisfactory
5	Bathira kalamman koil	L	6.5	<2	26	63	Satisfactory
6	Sirumugai	L	6.1	<2	25	58	Satisfactory
7	Bhavani sagar	R	6.8	<2	22	70	Satisfactory
8	Bhavani	R	6.4	<2	170	330	Satisfactory
9	R.N. Pudur	R	6.8	<2	33	110	Satisfactory
10	Vairapalayam	R	6.2	<2	31	84	Satisfactory
11	P. Velur	R	6.7	<2	140	340	Satisfactory
12	Mohanur	R	6.3	<2	130	350	Satisfactory
13	Madathukulam	R	6.4	<2	14	38	Satisfactory
14	Thirumukkudal	R	6.4	<2	61	220	Satisfactory
15	Trichy U/S	R	6.6	<2	260	700	Satisfactory
16	Trichy D/S	R	6.2	<2	413	640	Satisfactory
17	Grand Anaicut	R	6.0	2.4	110	320	Satisfactory
18	Coleroon	R	5.8	3.3	22	79	Satisfactory
19	Pitchavaram	R	6.2	2.7	260	140	Satisfactory
20	Karunthattankudi	R	6.2	<2	140	320	Satisfactory
21	Komarapalayam	W	6.8	<2	140	390	Satisfactory
22	Urrachikottai	R	6.2	<2	43	120	Satisfactory
23	Chirampalayam	R	6.5	<2	92	260	Satisfactory
24	Pugalur	R	6.7	<2	78	210	Satisfactory
25	Pettavaithalai	R	6.2	<2	120	280	Satisfactory
26	Kumbakonam	R	7.4	<2	40	120	Satisfactory
27	Mayiladurai	R	6.3	<2	11	25	Satisfactory
28	Sathiyamanagalam	R	6.7	<2	27	79	Satisfactory
29	Kalingalrayan Canal (B5)	R	6.9	<2	110	33	Satisfactory
30	Kalingalrayan Canal (B10)	R	6.5	<2	32	94	Satisfactory
31	Thirumanimuthar	L	5.1	2.4	21	48	Satisfactory
32	Edappadi	R		No	Flow		
33	Thulukkanur	R	6.4	<2	8	4	Satisfactory
34	Papanasam/ Near Madura Coats	L	6.7	3.0	2	6	Satisfactory
35	Cheranmadevi / Sunpaper Mill	L	6.8	3.2	6	20	Satisfactory
36	Kokirakulam / Tirunelveli Collectorate	R	5.7	5.5	8	24	Non satisfactory
37	Murapanadu	R	5.9	3.2	49	140	Satisfactory
38	Thiruvaidamarudur	R	5.0	2.9	6	14	Satisfactory
39	Ambasamudram	R	7.2	3.5	4	7	Non satisfactory
40	Authoor	R	6.8	2.1	14	49	Satisfactory
41	Eral	R	4.3	3.2	20	58	Satisfactory
42	Kallidai Kurichi	R	6.6	3.6	4	12	Non satisfactory
43	Srivaikuntam	R	7.0	2.5	38	120	Satisfactory
44	Vellakovil	R	6.2	2.5	7	25	Satisfactory
45	Sivalaperi	R	6.3	<2	12	38	Satisfactory
46	Vaigai	R	6.3	2.0	2	4	Satisfactory
47	Palar	R		No	Flow		
48	Udhagamandalam	R	5.5	4.2	230	580	Non satisfactory
49	Kodaikanal	R	6.5	2.3	63	84	Satisfactory
50	Yercaud	R	6.7	<2	120	280	Satisfactory
51	Veeranam	R	6.4	2.1	130	250	Satisfactory
52	Poondi	R	5.8	2.0	<1.8	<1.8	Satisfactory
53	Red Hills	R	5.7	2.0	<1.8	310	Satisfactory
54	Porur	R	6.0	2.0	<1.8	260	Satisfactory
55	Pulicat	R	6.5	2.0	<1.8	130	Satisfactory

A Water Quality Index (WQI) is a means by which Water Quality data is summarized for reporting to the public in a consistent manner. It is similar to the UV Index or an Air Quality Index and it tells us, in simple terms what the quality of drinking water is from drinking water supply and the results are published as Satisfactory or Non satisfactory.

WATER QUALITY BULLETIN - NOVEMBER - 2019

Sl.No	Point of collection	Type of River /Lake	DO	BOD	Fecal Coliform	Total Coliform	Water quality index (WQI)
1	Mettur	R	6.5	<2	33	110	Satisfactory
2	Pallipalayam	L	6.6	<2	61	140	Satisfactory
3	Musiri borewell	L		No	Sampling		
4	Musiri ferrygate	L	6.3	<2	78	260	Satisfactory
5	Bathira kalamman koil	L	7.2	<2	32	94	Satisfactory
6	Sirumugai	L	6.2	<2	31	84	Satisfactory
7	Bhavani sagar	R	6.6	<2	21	63	Satisfactory
8	Bhavani	R	6.2	<2	140	390	Satisfactory
9	R.N. Pudur	R	6.7	<2	26	94	Satisfactory
10	Vairapalayam	R	6.6	<2	27	110	Satisfactory
11	P. Velur	R	6.1	<2	49	130	Satisfactory
12	Mohanur	R	6.3	<2	46	140	Satisfactory
13	Madathukulam	R	4.7	3.4	17	39	Satisfactory
14	Thirumukkudal	R	6.3	<2	83	210	Satisfactory
15	Trichy U/S	R	6.1	<2	260	700	Satisfactory
16	Trichy D/S	R	5.2	2.4	330	1110	Satisfactory
17	Grand Anaicut	R	6.1	<2	91	250	Satisfactory
18	Coleroon	R	4.9	2.9	26	70	Satisfactory
19	Pitchavaram	R	5.1	2.2	79	210	Satisfactory
20	Karunthattankudi	R	5.9	<2	140	390	Satisfactory
21	Komarapalayam	W	6.4	<2	210	430	Satisfactory
22	Urrachikottai	R	6.5	<2	21	58	Satisfactory
23	Chirampalayam	R	6.5	<2	9	41	Satisfactory
24	Pugalur	R	6.2	<2	78	200	Satisfactory
25	Pettavaithalai	R	6.0	<2	170	390	Satisfactory
26	Kumbakonam	R	5.3	2.2	170	410	Satisfactory
27	Mayiladurai	R		No	Sampling		
28	Sathiyamanagalam	R	6.5	<2	26	70	Satisfactory
29	Kalingalrayan Canal (B5)	R	6.2	<2	46	140	Satisfactory
30	Kalingalrayan Canal (B10)	R	6.1	<2	38	120	Satisfactory
31	Thirumanimuthar	L	5.7	<2	11	31	Satisfactory
32	Edappadi	R		No	Sampling		
33	Thulukkanur	R	6.1	<2	<1.8	6	Satisfactory
34	Papanasam/ Near Madura Coats	L	7.5	<2	2	6	Satisfactory
35	Cheranmadevi / Sunpaper Mill	L	7.3	<2	6.8	25	Satisfactory
36	Kokirakulam / Tirunelveli Collectorate	R	6.5	<2	20	58	Satisfactory
37	Murapanadu	R	7.3	<2	6.1	20	Satisfactory
38	Thiruvaidaimarudur	R	7.7	<2	17	17	Satisfactory
39	Ambasamudram	R	7.3	<2	2	9	Satisfactory
40	Authoor	R	6.7	<2	2	9	Satisfactory
41	Eral	R	7.4	<2	7	12	Satisfactory
42	Kallidai Kurichi	R	7.4	<2	4	12	Satisfactory
43	Srivaikuntam	R	6.0	<2	12	38	Satisfactory
44	Vellakovil	R	6.7	<2	8.1	24	Satisfactory
45	Sivalaperi	R	6.8	2.2	5.1	14	Satisfactory
46	Vaigai	R		No	Flow		
47	Palar	R	6.7	2.0	<1.8	<1.8	Satisfactory
48	Udhagamandalam	R	4.7	6.6	210	430	Non satisfactory
49	Kodaikanal	R	6.4	2.6	49	79	Satisfactory
50	Yercaud	R	6.8	2.3	79	240	Satisfactory
51	Veeranam	R	6.2	<2	63	220	Satisfactory
52	Poondi	R	6.5	2.0	<1.8	<1.8	Satisfactory
53	Red Hills	R	5.5	2.0	<1.8	170	Satisfactory
54	Porur	R	6.4	2.0	<1.8	<1.8	Satisfactory
55	Pulicat	R	5.6	2.0	<1.8	93	Satisfactory

A Water Quality Index (WQI) is a means by which Water Quality data is summarized for reporting to the public in a consistent manner. It is similar to the UV Index or an Air Quality Index and it tells us, in simple terms what the quality of drinking water is from drinking water supply and the results are published as Satisfactory or Non satisfactory.

WATER QUALITY BULLETIN - DECEMBER - 2019

Sl.No	Point of collection	Type of River /Lake	DO	BOD	Fecal Coliform	Total Coliform	Water quality index(WQI)
1	Mettur	R	6.0	<2	32	120	Satisfactory
2	Pallipalayam	L	7.0	<2	68	210	Satisfactory
3	Musiri borewell	L		No	Flow		
4	Musiri ferrygate	L	6.7	<2	78	220	Satisfactory
5	Bathira kalamman koil	L	6.7	<2	33	110	Satisfactory
6	Sirumugai	L	4.8	<2	70	210	Satisfactory
7	Bhavani sagar	R	6.1	<2	22	70	Satisfactory
8	Bhavani	R	7.3	<2	21	94	Satisfactory
9	R.N. Pudur	R	6.9	<2	31	110	Satisfactory
10	Vairapalayam	R	6.8	<2	31	84	Satisfactory
11	P. Velur	R	7.1	<2	31	94	Satisfactory
12	Mohanur	R	5.9	<2	140	350	Satisfactory
13	Madathukulam	R	4.7	2.1	21	48	Satisfactory
14	Thirumukkudal	R	6.3	<2	170	390	Satisfactory
15	Trichy U/S	R	6.3	<2	46	110	Satisfactory
16	Trichy D/S	R	5.9	2.4	63	150	Satisfactory
17	Grand Anaicut	R	5.6	3.0	93	270	Satisfactory
18	Coleroon	R	5.2	2.1	170	430	Satisfactory
19	Pitchavaram	R	6.8	<2	94	280	Satisfactory
20	Karunthattankudi	R	5.6	2.5	230	490	Satisfactory
21	Komarapalayam	W	6.8	<2	170	390	Satisfactory
22	Urrachikottai	R	7.3	<2	21	63	Satisfactory
23	Chirampalayam	R	7.2	<2	94	220	Satisfactory
24	Pugalur	R	6.7	<2	68	220	Satisfactory
25	Pettavaithalai	R	6.5	<2	140	330	Satisfactory
26	Kumbakonam	R	5.7	2.4	170	390	Satisfactory
27	Mayiladurai	R		No	Flow		
28	Sathiyamanagalam	R	7.1	<2	31	84	Satisfactory
29	Kalingalayan Canal (B5)	R	7.0	<2	33	110	Satisfactory
30	Kalingalayan Canal (B10)	R	6.5	<2	70	170	Satisfactory
31	Thirumanimuthar	L	6.8	<2	12	38	Satisfactory
32	Edappadi	R		No	Flow		
33	Thulukkanur	R	6.9	<2	<1.8	4	Satisfactory
34	Papanasam/ Near Madura Coats	L	8.0	2.4	4	10	Satisfactory
35	Cheranmadevi / Sunpaper Mill	L	7.2	2.4	41	120	Satisfactory
36	Kokirakulam / Tirunelveli Collectorate	R	7.4	2.5	63	170	Satisfactory
37	Murapanadu	R	7.5	2.5	23	63	Satisfactory
38	Thiruvidaimarudur	R	7.9	2.6	13	47	Satisfactory
39	Ambasamudram	R	8.2	2.3	6	14	Satisfactory
40	Authoor	R	7.5	2.1	33	94	Satisfactory
41	Eral	R	7.8	2.5	84	140	Satisfactory
42	Kallidai Kurichi	R	8.0	2.5	13	38	Satisfactory
43	Srivaikuntam	R	6.5	2.4	70	210	Satisfactory
44	Vellakovil	R	7.0	2.3	22	70	Satisfactory
45	Sivalaperi	R	6.0	2.5	70	210	Satisfactory
46	Vaigai	R		No	Flow		
47	Palar	R		No	Flow		
48	Udhagamandalam	R	6.8	<2	170	390	Satisfactory
49	Kodaikanal	R					
50	Yercaud	R	6.8	2.4	120	260	Satisfactory
51	Veeranam	R	Nil	12.0	220	540	Satisfactory
52	Poondi	R	6.7	2.0	<1.8	78	Satisfactory
53	Red Hills	R	6.5	2.0	<1.8	92	Satisfactory
54	Porur	R	6.5	2.0	<1.8	61	Satisfactory
55	Pulicat	R	6.4	2.0	<1.8	68	Satisfactory

A Water Quality Index (WQI) is a means by which Water Quality data is summarized for reporting to the public in a consistent manner. It is similar to the UV Index or an Air Quality Index and it tells us, in simple terms what the quality of drinking water is from drinking water supply and the results are published as Satisfactory or Non satisfactory.