

Air Quality Index, Nagercoil, January 2023											
Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	04.01.2023	72	Satisfactory	1	02.01.2023	87	Satisfactory	1	03.01.2023	95	Satisfactory
2	07.01.2023	81	Satisfactory	2	05.01.2023	99	Satisfactory	2	06.01.2023	95	Satisfactory
3	11.01.2023	96	Satisfactory	3	09.01.2023	95	Satisfactory	3	10.01.2023	97	Satisfactory
4	14.01.2023	67	Satisfactory	4	12.01.2023	95	Satisfactory	4	13.01.2023	86	Satisfactory
5	18.01.2023	73	Satisfactory	5	16.01.2023	98	Satisfactory	5	17.01.2023	79	Satisfactory
6	21.01.2023	98	Satisfactory	6	19.01.2023	90	Satisfactory	6	20.01.2023	99	Satisfactory
7	25.01.2023	59	Satisfactory	7	23.01.2023	94	Satisfactory	7	24.01.2023	66	Satisfactory
8	28.01.2023	58	Satisfactory	8	30.01.2023	97	Satisfactory	8	27.01.2023	94	Satisfactory
								9	31.01.2023	93	Satisfactory

Air Quality Index, Nagercoil, February 2023											
Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.02.2023	77	Satisfactory	1	02.02.2023	50	Good	1	03.02.2023	23	Good
2	04.02.2023	26	Good	2	06.02.2023	33	Good	2	07.02.2023	41	Good
3	08.02.2023	27	Good	3	09.02.2023	31	Good	3	10.02.2023	42	Good
4	11.02.2023	35	Good	4	13.02.2023	47	Good	4	14.02.2023	45	Good
5	15.02.2023	49	Good	5	16.02.2023	42	Good	5	17.02.2023	49	Good
6	18.02.2023	34	Good	6	20.02.2023	33	Good	6	21.02.2023	53	Satisfactory
7	22.03.2023	60	Satisfactory	7	23.02.2023	77	Satisfactory	7	24.02.2023	56	Satisfactory
8	25.02.2023	41	Good	8	27.02.2023	60	Satisfactory	8	28.02.2023	73	Satisfactory

Air Quality Index, Nagercoil, March 2023

Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.03.2023	31	Good	1	02.03.2023	78	Satisfactory	1	03.03.2023	44	Good
2	04.03.2023	42	Good	2	06.03.2023	73	Satisfactory	2	07.03.2023	68	Satisfactory
3	11.03.2023	49	Good	3	09.03.2023	62	Satisfactory	3	10.03.2023	66	Satisfactory
4	15.03.2023	83	Satisfactory	4	13.03.2023	114	Moderate	4	14.03.2023	97	Satisfactory
5	18.03.2023	40	Good	5	16.03.2023	91	Satisfactory	5	17.03.2023	61	Satisfactory
6	22.03.2023	56	Satisfactory	6	20.03.2023	45	Good	6	21.03.2023	49	Good
7	25.03.2023	54	Satisfactory	7	23.03.2023	51	Satisfactory	7	24.03.2023	24	Good
8	29.03.2023	54	Satisfactory	8	27.03.2023	46	Good	8	28.03.2023	60	Satisfactory
				9	30.03.2023	66	Satisfactory	9	31.03.2023	45	Good

Air Quality Index, Nagercoil, April 2023											
Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.04.2023	33	Good	1	03.04.2023	63	Satisfactory	1	11.04.2023	43	Good
2	05.04.2023	31	Good	2	06.04.2023	52	Satisfactory	2	18.04.2023	51	Satisfactory
3	08.04.2023	22	Good	3	10.04.2023	78	Satisfactory	3	21.04.2023	46	Good
4	12.04.2023	34	Good	4	13.04.2023	71	Moderate	4	25.04.2023	78	Satisfactory
5	15.04.2023	44	Good	5	17.04.2023	68	Satisfactory	5	28.04.2023	64	Satisfactory
6	19.04.2023	41	Good	6	20.04.2023	65	Satisfactory				
7	26.04.2023	41	Good	7	24.04.2023	91	Satisfactory				
8	29.04.2023	45	Good	8	27.04.2023	76	Satisfactory				

Air Quality Index, Nagercoil, May 2023											
Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.05.2023	21	Good	1	01.05.2023	68	Satisfactory	1	02.05.2023	24	Good
2	06.05.2023	18	Good	2	04.05.2023	76	Satisfactory	2	09.05.2023	36	Good
3	10.05.2023	35	Good	3	08.05.2023	24	Good	3	12.05.2023	38	Good
4	13.05.2023	21	Good	4	11.05.2023	19	Good	4	16.05.2023	66	Satisfactory
5	17.05.2023	56	Satisfactory	5	15.05.2023	53	Satisfactory	5	30.05.2023	73	Satisfactory
6	20.05.2023	23	Good	6	18.05.2023	68	Satisfactory				
7	24.05.2023	24	Good	7	22.05.2023	76	Satisfactory				
8	27.05.2023	26	Good	8	25.05.2023	24	Good				
9	31.05.2023	21	Good	9	29.05.2023	19	Good				

Air Quality Index, Nagercoil, August 2023

Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type: Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.08.2023	66	Satisfactory	1	03.08.2023	42	Good	1	01.08.2023	54	Satisfactory
2	05.08.2023	63	Satisfactory	2	07.08.2023	47	Good	2	04.08.2023	57	Satisfactory
3	09.08.2023	68	Satisfactory	3	10.08.2023	44	Good	3	08.08.2023	58	Satisfactory
4	12.08.2023	65	Satisfactory	4	14.08.2023	43	Good	4	11.08.2023	56	Satisfactory
5	16.08.2023	62	Satisfactory	5	17.08.2023	39	Good	5	18.08.2023	54	Satisfactory
6	19.08.2023	65	Satisfactory	6	21.08.2023	42	Good	6	21.08.2023	51	Satisfactory
7	23.08.2023	67	Satisfactory	7	24.08.2023	45	Good	7	25.08.2023	52	Satisfactory
8	26.08.2023	65	Satisfactory	8	28.08.2023	47	Good	8	29.08.2023	54	Satisfactory
9	30.08.2023	69	Satisfactory	9	31.08.2023	48	Good				

Air Quality Index, Nagercoil, September 2023											
Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.09.2023	23	Good	1	04.09.2023	16	Good	1	01.09.2023	22	Good
2	06.09.2023	20	Good	2	07.09.2023	21	Good	2	05.09.2023	23	Good
3	09.09.2023	19	Good	3	11.09.2023	19	Good	3	08.09.2023	21	Good
4	13.09.2023	25	Good	4	14.09.2023	17	Good	4	12.09.2023	23	Good
5	16.09.2023	24	Good	5	18.09.2023	21	Good	5	15.09.2023	24	Good
6	20.09.2023	22	Good	6	21.09.2023	20	Good	6	19.09.2023	23	Good
7	23.09.2023	26	Good	7	25.09.2023	22	Good	7	22.09.2023	21	Good
8	27.09.2023	25	Good	8	28.09.2023	18	Good	8	26.09.2023	24	Good
9	30.09.2023	23	Good					9	29.09.2023	23	Good

Air Quality Index, Nagercoil, October 2023											
Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	04.10.2023	56	Satisfactory	1	02.10.2023	38	Good	1	03.10.2023	50	Good
2	07.10.2023	53	Satisfactory	2	05.10.2023	44	Good	2	06.10.2023	53	Satisfactory
3	11.10.2023	59	Satisfactory	3	09.10.2023	48	Good	3	10.10.2023	47	Good
4	14.10.2023	57	Satisfactory	4	12.10.2023	45	Good	4	13.10.2023	55	Satisfactory
5	18.10.2023	58	Satisfactory	5	16.10.2023	43	Good	5	17.10.2023	52	Satisfactory
6	21.10.2023	62	Satisfactory	6	19.10.2023	52	Satisfactory	6	20.10.2023	50	Good
7	25.10.2023	51	Satisfactory	7	23.10.2023	46	Good	7	24.10.2024	56	Satisfactory
8	28.10.2023	55	Satisfactory	8	26.10.2023	55	Satisfactory	8	27.10.2023	58	Satisfactory
				9	30.10.2023	44	Good	9	31.10.2023	57	Satisfactory

Air Quality Index, Nagercoil, November 2023

Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	04.10.2023	56	Satisfactory	1	02.10.2023	38	Good	1	03.10.2023	50	Good
2	07.10.2023	53	Satisfactory	2	05.10.2023	44	Good	2	06.10.2023	53	Satisfactory
3	11.10.2023	59	Satisfactory	3	09.10.2023	48	Good	3	10.10.2023	47	Good
4	14.10.2023	57	Satisfactory	4	12.10.2023	45	Good	4	13.10.2023	55	Satisfactory
5	18.10.2023	58	Satisfactory	5	16.10.2023	43	Good	5	17.10.2023	52	Satisfactory
6	21.10.2023	62	Satisfactory	6	19.10.2023	52	Satisfactory	6	20.10.2023	50	Good
7	25.10.2023	51	Satisfactory	7	23.10.2023	46	Good	7	24.10.2024	56	Satisfactory
8	28.10.2023	55	Satisfactory	8	26.10.2023	55	Satisfactory	8	27.10.2023	58	Satisfactory
				9	30.10.2023	44	Good	9	31.10.2023	57	Satisfactory

Air Quality Index, Nagercoil, December 2023

Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.12.2023	58	Satisfactory	1	04.12.2023	47	Good	1	01.12.2023	53	Satisfactory
2	06.12.2023	62	Satisfactory	2	07.12.2023	50	Good	2	05.12.2023	57	Satisfactory
3	09.12.2023	64	Satisfactory	3	11.12.2023	52	Satisfactory	3	08.12.2023	60	Satisfactory
4	13.12.2023	57	Satisfactory	4	14.12.2023	43	Good	4	12.12.2023	49	Good
5	16.12.2023	61	Satisfactory	5	18.12.2023	49	Good	5	15.12.2023	53	Satisfactory
6	20.12.2023	64	Satisfactory	6	21.12.2023	46	Good	6	19.12.2023	57	Satisfactory
7	23.12.2023	62	Satisfactory	7	25.12.2023	52	Satisfactory	7	22.12.2023	53	Satisfactory
8	27.12.2023	69	Satisfactory	8	28.12.2023	44	Good	8	26.12.2023	59	Satisfactory
9	30.12.2023	58	Satisfactory					9	29.12.2023	51	Satisfactory