

**DRAFT EIA & EMP FOR
PROPOSED ROUGH STONE AND GRAVEL QUARRY
CATEGORY – B1**

(Public Hearing Upgraded after Terms of Reference (ToR) as per the provisions
of
EIA Notification 2006 & amendments thereof)

ToR Identification No. TO24B0108TN5227548N, dated 31.05.2024

PROPOSED QUARRY LEASE DETAILS	
SURVEY NOS	171/1A AND 171/1B
VILLAGE	KARASANUR
TALUK	VANUR
DISTRICT	VILUPPURAM
EXTENT	2.02.5 HA
PROPOSED PRODUCTION QUANTITY FOR FIVE YEARS	ROUGH STONE : 2,31,505 m ³ GRAVEL : 33,696 m ³
LAND	CONSENT PATTA LAND

(Sector No. 1(a) Sector No.1 as per NABET)

Category of the Project: B1 Cluster Mining, Total Cluster Area – 9.02.5 Ha
Baseline Monitoring Period – March 2024 to May 2024

APPLICANT

TMT.K. RAJAMANI

W/O. KUPPUSAMY

**NO.168, METTU STREET, KARASANUR VILLAGE,
VANUR TALUK, VILUPPURAM-DISTRICT**

ORGANIZATION

M/s. GLOBAL MINING SOLUTIONS

(NABET ACCREDITED & ISO 9001 CERTIFIED CONSULTANT)

**PLOT NO. 6, SF NO. 13/2, A2, VS CITY, RC CHETTYPATTY,
KOTTAMETTUPATTY, OMALUR, SALEM, TAMIL NADU – 636 455**

NABET ACCREDITATION NO – NABET/EIA/2326/IA 0110

CONTACT: 97502 23535, 94446 54520

Email: infoglobalmining@gmail.com, globalminingsolutionsaleam@gmail.com

AUGUST - 2024




AMENDMENT PAGE

SL	Page No.	Section / Clause / Para / Line (as Applicable)	Date of Amendment	Amendment Made	Reasons of amendment	Signature of Person Authorizing Amendment
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						

ACKNOWLEDGEMENT

M/s. Global Mining Solutions, Salem is very much thankful Tmt.K.Rajamani, Lessee for the confidence and trust placed on the organization for carrying out Environmental Impact Assessment (EIA) study for the proposed Rough Stone and Gravel quarry over a lease extent of 2.02.5Ha, & Cluster extent of 9.02.5 Ha., located at Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State and formulating the Environmental Management Plan (EMP). We also gratefully acknowledge the cooperation and assistance provided by concerned government authorities for collection of secondary information for the preparation of Draft EIA/EMP report. Our sincere thanks to the local people of Karasanur Village and the nearby villages for their whole hearted cooperation and constant involvement during the entire field study without which the study would not have been possible.

For: M/s. Global Mining Solutions


(M. Prabu)

Managing Director

UNDERTAKING

In line with MoEF OM No. J – 11013/41/2006-IA.II (I) dated 5th October 2011, we hereby give our undertaking for owning the content and information in the EIA/EMP report submitted for EC of the proposed Rough Stone and Gravel quarry over a lease extent of 2.02.5Ha, & Cluster extent of 9.02.5 Ha, located at Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State.

For: M/s. Global Mining Solutions



Name: Manikandan

EIA Coordinator – Mining

UNDERTAKING

In Line with OM no. J-11013/41/2006-IA.II (1) dated 4th Aug 2009 and its Amendments, we hereby confirm that all Terms of Reference issued by Ministry of Environment, Forest and Climate Change vide ToR Identification No. TO24B0108TN5227548N, dated 31.05.2024 of Draft EIA/EMP report for the proposed Stone Quarry over a lease extent of 2.02.5., & Cluster extent of 9.02.5 Ha., located at Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State for the production of 2,31,505 m³ of Rough Stone and 33,696 m³ of Gravel formation from the proposed lease area and the details has been complied in the Draft EIA/EMP report is factually correct.


The EIA/EMP report has been prepared by M/s. Global Mining Solutions (GMS), Salem. GMS is a NABET accredited consultant for preparation of EIA/EMP report of Mining of Minerals (Opencast only) vide certificate No. NABET/EIA/2326/IA 0110, valid till 04.01.2026.



For: M/s. Global Mining Solutions



Name: Manikandan

EIA Coordinator – Mining

 **QUALITY COUNCIL OF INDIA**
Creating an Ecosystem for Quality

 **National Accreditation Board for Education and Training** 

Certificate of Accreditation


Global Mining Solutions
Plot No - 6 SF No 13/2 A2, VS City, RC Chettypatty,
Kottamettupatty, Omalur, Salem, Tamil Nadu-636455


*The organization is accredited as **Category-B** under the QCI-NABET Scheme for Accreditation of EIA Consultant Organizations, Version 3: for preparing EIA-EMP reports in the following Sectors –*

S. No	Sector Description	Sector (as per)		Cat.
		NABET	MoEFCC	
1	Mining of minerals-opencast mining only	1	1 (a) (i)	A

Note: Names of approved EIA Coordinators and Functional Area Experts are mentioned in IAAC minutes dated February 10, 2023, posted on the QCI-NABET website.

The Accreditation shall remain in force subject to continued compliance with the terms and conditions mentioned in QCI-NABET's letter of accreditation bearing no. QCI/NABET/ENV/ACO/23/2724 dated March 31, 2023. The accreditation needs to be renewed before the expiry date by Global Mining Solutions, Salem following the due process of assessment.



 **Sr. Director, NABET**
Date: March 31, 2023

Certificate No.
NABET/EIA/2326/IA 0110

Valid up to
January 4, 2026

For the updated List of Accredited EIA Consultant Organizations with approved Sectors please refer to the QCI-NABET website.

Declaration by Experts

Declaration by Experts contributing to the proposed Stone Quarry over a lease extent of 2.02.5 Ha & Cluster extent of 9.02.5 Ha, located at Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State.

I, hereby, certify that I was a part of the EIA team that developed the above EIA.

EIA Coordinator Name: M. Manikandan


Signature & Date

Period of involvement: March 2024 to May 2024.

Contact information:







M/s Global Mining Solutions

Plot No.6, SF No. 13/2, A2, VS City, RC Chettypatty,

Kottamettupatty, Omalur,

Salem, Tamil Nadu – 636 455

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

S. No.	Functional areas	Name of the expert/s	Involvement (period and task**)	Signature and Date
1	AP	Dhanalakshmi Ramanathan	Assessment of existing air quality, Impact of the project on ambient air and suggested mitigation measures for air pollution. <u>Period: March 2024 to May 2024.</u>	
2	WP	Abirami Kaliaperumal	Assessment of existing water quality, impact of the project on surface and ground water quality, suggested mitigation measures for minimizing the impact. <u>Period: March 2024 to May 2024.</u>	
3	SHW	Ramadoss N	Assessment of waste generated from the project, suggested waste management practices. <u>Period: March 2024 to May 2024.</u>	
4	SE	Sarasvathy K	Baseline SE studies. Data compilation and assessment. Impact of the project on SE status of the area. Formulation of CER plan. <u>Period: March 2024 to May 2024.</u>	
5	EB	Saravanan S	Baseline data collection of related to ecology of the area. <u>Period: March 2024 to May 2024.</u>	
6	HG	Ravinthiran N	Hydrogeological feature of the area. Ground water depth and impact of project on ground water of the area. <u>Period: March 2024 to May 2024.</u>	

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

7	AQ	Srilatha Thiruveedhula	Air quality modeling utilizing the area source model. Predication of the ground level concentration of the dust. Suggesting suitable mitigation measures. <u>Period: March 2024 to May 2024.</u>	T. Srilatha
8	NV	Dhanalakshmi Ramanathan	Ambient noise study of the area. Incremental noise generation due to quarry operation and impact of the noise due to the project. <u>Period: March 2024 to May 2024.</u>	R. Dhananjay
9	LU	Dhanalakshmi Ramanathan	Preparation of land use map based on satellite imagery. Land use classification and analysis. Impact prediction of the project on the surrounding land environment. <u>Period: March 2024 to May 2024.</u>	R. Dhananjay
10	RH	S.V. Prashant	Identification of the Risk related to the mining activities. Preparation of emergency disaster management plan. Plan for supply of safety equipment for the worker. <u>Period: March 2024 to May 2024.</u>	S. Prashant
11	SC	Shisupal Sing	Soil monitoring, secondary data collection on soil type, soil management practices, utilization of topsoil. <u>Period: March 2024 to May 2024.</u>	Shisupal Sing
12	GEO	Valliappan Meyyappan	Geological map, stability of quarry and dump, management plan for mine stability, after use of mining quarry and geological feature of the area. <u>Period: March 2024 to May 2024.</u>	Valliappan

EIA CONTENT

CHAPTER NO	TITLE	PAGE NO
1	INTRODUCTION	45
1.1	PURPOSE OF THE REPORT	45
1.2	IDENTIFICATION OF PROJECT AND PROJECT PROPONENT	47
1.3	BRIEF DESCRIPTION OF NATURE, SIZE, LOCATION OF THE PROJECT AND ITS IMPORTANCE TO THE COUNTRY, REGION	49
1.4	SCOPE OF THE STUDY -DETAILS OF REGULATORY SCOPING CARRIED OUT (AS PER TERMS OF REFERENCE):	50
2	PROJECT DESCRIPTION	53
2.1	TYPE OF PROJECT	53
2.2	NEED FOR THE PROJECT	55
2.3	LOCATION (MAPS SHOWING GENERAL LOCATION, SPECIFIC LOCATION, PROJECT BOUNDARY & PROJECT SITE LAYOUT):	55
2.4	SIZE OR MAGNITUDE OF OPERATION(INCL.ASSOCIATED ACTIVITIES REQUIRED BY OR FOR THE PROJECT)	62
2.5	PROPOSED SCHEDULE FOR APPROVAL & IMPLEMENTATION	63
2.6	TECHNOLOGY & PROCESS DESCRIPTION	64
2.7	PROJECT DESCRIPTION INCLUDING DRAWING SHOWING PROJECT LAY OUT COMPONENTS OF PROJECT ETC., SCHEMATIC REPRESENTATION OF THE FEASIBILITY DRAWING WHICH GIVE INFORMATION IMPORTANT FOR EIA PURPOSE	69
2.8	DESCRIPTION OF MITIGATION MEASURES INCORPORATED INTO THE PROJECT TO MEET ENVIRONMENTAL STANDARDS ENVIRONMENTAL OPERATING CONDITIONS, OR OTHER EIA REQUIREMENTS (AS REQUIRED BY THE SCOPE)	76
2.9	ASSESSMENT OF NEW & TESTED TECHNOLOGY FOR THE RISK OF TECHNOLOGICAL FAILURE	79
3	DESCRIPTION OF THE ENVIRONMENT	80
3.1	STUDY AREA, PERIOD COMPONENTS AND METHODOLOGY	80
3.2	ESTABLISHMENT OF BASELINE FOR VALUED ENVIRONMENTAL COMPONENTS:	83
3.3	BASE MAP OF ALL ENVIRONMENTAL COMPONENTS	85
4	ANTICIPATED ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES	130
4.1	DETAILS OF INVESTIGATED ENVIRONMENTAL IMPACTS DUE TO PROJECT LOCATION POSSIBLE ACCIDENTS, PROJECT DESIGN, PROJECT CONSTRUCTION, REGULAR OPERATIONS FINAL DECOMMISSIONING OR REHABILITATION OF A COMPLETE PROJECT.	131
4.2	MEASURES FOR MINIMIZING AND /OR OFFSETTING ADVERSE IMPACTS IDENTIFIED	132

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

4.3	IRREVERSIBLE AND IRRETRIEVABLE COMMITMENTS OF ENVIRONMENTAL COMPONENTS	137
4.4	ASSESSMENT OF SIGNIFICANCE OF IMPACTS (CRITERIA FOR DETERMINING SIGNIFICANCE, ASSIGNING SIGNIFICANCE).	150
4.5	MITIGATION MEASURES	151
5	ANALYSIS OF ALTERNATIVES (TECHNOLOGY & SITES)	156
5.1	DESCRIPTION OF EACH ALTERNATIVE	156
5.2	SUMMARY OF ADVERSE IMPACTS OF EACH ALTERNATIVE	156
5.3	MITIGATION MEASURES PROPOSED FOR EACH ALTERNATIVE	156
5.4	SELECTION OF ALTERNATIVE	156
6	ENVIRONMENTAL MONITORING PROGRAMME	157
6.1	TECHNICAL ASPECTS OF THE MONITORING THE EFFECTIVENESS OF MITIGATION MEASURES (INCL MEASUREMENTS, METHODOLOGIES, FREQUENCY LOCATION DATA ANALYSIS, REPORTING SCHEDULES EMERGENCY PROCEDURES DETAILED BUDGET AND PROCUREMENT SCHEDULES)	157
7	ADDITIONAL STUDIES	161
7.1	PUBLIC CONSULTATION	161
7.2	RISK ASSESSMENT & MANAGEMENT	161
7.3	SOCIAL IMPACT ASSESSMENT (R & R) ACTION PLAN	163
8	PROJECT BENEFITS	175
8.1	IMPROVEMENTS IN THE PHYSICAL INFRASTRUCTURE	175
8.2	IMPROVEMENTS IN THE SOCIAL INFRASTRUCTURE	176
8.3	EMPLOYMENT POTENTIAL: SKILLED, SEMI-SKILLED & UN-SKILLED	176
8.4	OTHER TANGIBLE BENEFITS	176
9	ENVIRONMENTAL COST BENEFIT ANALYSIS	177
10	ENVIRONMENTAL MANAGEMENT PLAN	178
10.1	DESCRIPTION OF THE ADMINISTRATIVE ASPECTS OF ENSURING OF ENSURING THAT MITIGATIVE MEASURES ARE IMPLEMENTED AND THEIR EFFECTIVENESS MONITORED AFTER APPROVAL OF THE EIA	178
11	SUMMARY AND CONCLUSIONS	185
11.1	OVER ALL JUSTIFICATION FOR IMPLEMENTATION OF THE PROJECT	185
11.2	EXPLANATION OF HOW ADVERSE EFFECTS HAVE BEEN MITIGATED	189
12	DISCLOSURE OF CONSULTANTS ENGAGED	203

FIGURE LIST

Figure No	Title	Page No
1.1	SATELLITE IMAGE SHOWING CLUSTER QUARRIES	47
2.1	LOCATION MAP	56
2.2	GOOGLE IMAGE SHOWING PROJECT SITE	57
2.3	SURFACE PLAN OF THE PROJECT AREA	57
2.4	GEOLOGY MAP OF PROJECT AREA	58
2.5	TOPO MAP SHOWING EXISTING SITE FEATURES	60
2.6	PROJECT SITE PHOTOGRAPHS	61
2.7	WATER BALANCE DIAGRAM	64
2.8	REGIONAL EOLOGY MAP - 10 Km RADIUS FROM PROJECT AREA	68
2.9	BLASTING PATTERN	70
2.10	FLOW CHART OF THE QUARRY OPERATION	71
2.11	CONCEPTUAL PLAN	75
3.1	ENVIRONMENTAL SETTING OF THE STUDY AREA	82
3.2	BASE MAP SHOWING 50M INTERVAL FOR 1KM RADIUS FROM THE LEASE AREA	85
3.2a	SATELLITE MAP OF THE PROJECT AREA (10 KM RADIUS)	86
3.3	SEISMIC MAP OF INDIA	88
3.4	WIND ROSE PLOT DURING MARCH TO MAY 2024 WINDROSE FLOWING FROM	89
3.5	BASE MAP OF AMBIENT AIR MONITORING LOCATIONS	91
3.6	AMBIENT AIR QUALITY DATA A1 - MINE LEASE AREA	93
3.7	AMBIENT AIR QUALITY DATA A2 - ERAIYUR VILLAGE	93
3.8	AMBIENT AIR QUALITY DATA A3 - THOLLAMUR VILLAGE	94
3.9	AAQ DATA A4 - PARANGAI VILLAGE	94
3.10	AMBIENT AIR QUALITY DATA A5 - KUNNAM VILLAGE	95
3.11	AMBIENT AIR QUALITY DATA A6 - PERUMBAKKAM VILLAGE	95
3.12	BASE MAP OF GROUND WATER SAMPLING LOCATIONS	98
3.12a	BASE MAP OF SURFACE WATER SAMPLING LOCATIONS	99
3.13	VALUES OF FEW COMMON PARAMETERS IN WATER ANALYSIS	102
3.14	BASE MAP OF NOISE MONITORING LOCATIONS	103
3.15	DAY AND NIGHT EQUIVALENT VALUES IN 6 LOCATIONS	104
3.16	BASE MAP OF SOIL SAMPLING LOCATIONS	105
3.17	REMOTE SENSING SATELLITE IMAGE	109
3.18	LAND USE/LAND COVER MAP OF THE STUDY AREA	112
3.19	VILLAGE MAP OF THE STUDY AREA	116

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

3.20	GENDER-WISE POPULATION DISTRIBUTION	119
3.21	GENDER WISE LITERACY DISTRIBUTION	119
3.22	OCCUPATIONAL STRUCTURE WITHIN BUFFER ZONE	120
3.23	10 KILOMETER RADIUS OF THE DRAINAGE MAP	122
3.24	10 KILOMETER RADIUS OF THE GEOLOGY MAP	124
3.25	10 KM RADIUS OF THE STUDY AREA GEOMORPHOLOGY MAP	125
3.26	10 KM RADIUS OF THE STUDY AREA SOIL TYPE MAP	126
3.27	NON-MONSOON WATER LEVEL MAP OF THE STUDY AREA	127
3.28	MONSOON WATER LEVEL MAP OF THE STUDY AREA	128
4.1	WATER BALANCE DIAGRAM	135
4.2	ISOPLETH OF GLC PREDICTION FOR PM2.5	144
4.3	ISOPLETH OF GLC PREDICTION FOR PM10	145
4.4	ISOPLETH OF GLC PREDICTION –CUMULATIVE FOR PM2.5	146
4.5	ISOPLETH OF GLC PREDICTION –CUMULATIVE FOR PM10	147
7.1	ISOPLETH OF GLC PREDICTION FOR PM2.5	167
7.2	ISOPLETH OF GLC PREDICTION FOR PM10	168
7.3	ISOPLETH OF GLC PREDICTION –CUMULATIVE FOR PM2.5	169
7.4	ISOPLETH OF GLC PREDICTION –CUMULATIVE FOR PM10	170
10.1	ORGANIZATION CHART	182

TABLE LIST

Table No	Title	Page No
1.1	CLUSTER MINES DETAILS	45
1.2	PROPOSED PROJECT DETAILS	49
2.1	500M RADIUS CLUSTER MINES DETAILS	53
2.1.a	SALIENT FEATURES OF THE PROJECT	55
2.2	CO-ORDINATES OF THE PROJECT SITE	56
2.3	CURRENT LAND USE PATTERN	59
2.4	LAND USE AT MINE CLOSURE STAGE	59
2.5	STATUS OF STATUTORY CLEARANCES, PERMISSIONS, NOC, CONSENTS	62
2.6	PROPOSED SCHEDULE FOR APPROVAL	63
2.7	WATER REQUIREMENT	65
2.8	MACHINERIES INVOLVED IN THE PROJECT	66
2.9	MINING DETAILS	71
2.10	SUMMARY OF PRODUCTION FOR 5 YEARS	73
2.11	ULTIMATE PIT DIMENSION	75
2.12	LAND USE AT MINE CLOSURE STAGE	75
3.1	DESCRIPTION OF THE LEASE AREA	80
3.2	RAINFALL DATA	87
3.3	DETAILS OF AMBIENT AIR QUALITY MONITORING LOCATIONS	91
3.4	RESULTS OF AIR SAMPLING ANALYSIS IN 6 LOCATIONS	92
3.5	WATER SAMPLING LOCATIONS	97
3.6	Surface Water Analysis Results	100
3.7	RESULTS OF GROUND WATER SAMPLING ANALYSIS IN 6 LOCATIONS	101
3.8	NOISE MONITORING RESULTS	103
3.9	RESULTS OF SOIL SAMPLE ANALYSIS	105
3.10	FLORA IN CORE ZONE	106
3.11	FLORA IN BUFFER ZONE	107
3.12	FAUNA IN BUFFER ZONE	108
3.13	MAJOR LAND USE UNITS OF THE STUDY AREA	111
3.14	MAJOR LAND USE UNITS OF THE STUDY AREA IN PERCENTAGE	115

3.15	VILLAGE DETAILS IN STUDY AREA	117
3.16	POPULATION PROFILE OF THE STUDY AREA	118
3.17	EDUCATIONAL INFRASTRUCTURE	120
3.18	MEDICAL INFRASTRUCTURE	121
3.19	OTHER INFRASTRUCTURE	121
4.1	GROUND WATER LEVEL STATUS IN VILUPURAM DISTRICT	136
4.2	IMPACTS AND MITIGATION MEASURES FOR FAUNA	137
4.3	CONCENTRATIONS OF PM2.5 AFTER PROJECT IMPLEMENTATION	148
4.3a	CLUSTER CONCENTRATIONS OF PM2.5 AFTER PROJECT IMPLEMENTATION	148
4.3b	CONCENTRATIONS OF PM10 AFTER PROJECT IMPLEMENTATION	148
4.3c	CLUSTER CONCENTRATIONS OF PM10 AFTER PROJECT IMPLEMENTATION	149
4.4	NOISE LEVELS IN MONITORING LOCATIONS	150
4.5	IMPACTS ON HUMANS DUE TO VARIOUS MINING ACTIVITIES	153
6.1	ENVIRONMENTAL MONITORING SCHEDULE	158
6.2	IMPORTANT RECORDS TO BE MAINTAINED BY PP	160
6.3	ENVIRONMENTAL MANAGEMENT PLAN BUDGET	160
7.1	HAZARDS AND PRECAUTIONARY MEASURES	162
7.2	500M RADIUS CLUSTER MINES DETAILS (AS PER 500M CERTIFICATE)	163
7.3	CONCENTRATIONS OF PM2.5 AFTER PROJECT IMPLEMENTATION	171
7.4	CLUSTER CONCENTRATIONS OF PM2.5 AFTER PROJECT IMPLEMENTATION	171
7.5	CONCENTRATIONS OF PM10 AFTER PROJECT IMPLEMENTATION	171
7.5a	Cluster Concentrations of PM10 after Project Implementation	172
7.6	IMPACT ON TRAFFIC	173
10.1	ENVIRONMENTAL MANAGEMENT PLAN	179
10.2	ENVIRONMENTAL MANAGEMENT PLAN BUDGET	183
11.1	DESCRIPTION OF THE LEASE AREA	188
11.2	DETAILS OF AMBIENT AIR QUALITY MONITORING LOCATIONS	189
11.3	RESULTS OF GROUND WATER SAMPLING ANALYSIS IN 6 LOCATIONS	191
11.4	NOISE MONITORING RESULTS	192
11.5	RESULTS OF SOIL SAMPLE ANALYSIS	192
11.6	MAJOR LAND USE UNITS OF THE STUDY AREA IN PERCENTAGE	193

LIST OF ANNEXURES

S. No	Contents	Annexure No
1	Terms of Reference (tor)	1
2	Precise area communication letter	2
3	Approved Mining Plan with Plates	3
4	500-meter radius letter	4
5	Vao certificate	5
6	Land document	6
7	District survey report	7
8	Monitoring report	8
9	Lab nabl certificate	9
10	Structures located within 500m radius of the project	10
11	10km Map showing forest and sanctuaries	11
12	Affidavit	12
13	AD/DD mines letter	13
14	CER Letter	14

COMPLIANCE TO TERMS OF REFERENCE

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

S.No	ToR Points	Reply	Pg. No
Cluster Management Committee			
1	Cluster management committee shall be framed which must include all the proponents in the cluster as members including the existing as well as proposed quarry	There are six quarries within a 500-metre radius. The proponent will take the initiative to form a cluster management committee once environmental clearance is obtained for this quarry as well as the other proposed quarry.	-
2	The members must coordinate among themselves for the effective implementation of EMP as committed including Green Belt Development, Water sprinkling, tree plantation, blasting etc.,	Agreed. Will be complied.	-
3	The List of members of the committee formed shall be submitted to AD/Mines before the execution of mining lease and the same shall be updated every year to the AD/Mines.	Agreed. The list of members of the committee formed will be submitted to AD/mines after obtaining Environmental Clearance.	-
4	Detailed Operational Plan must be submitted which must include the blasting frequency with respect to the nearby quarry situated in the cluster, the usage of haul roads by the individual quarry in the form of route map and network.	Agreed. Details of the Operation plan for cluster mining operations will be submitted once we get environmental clearance for all quarries proposed in the cluster area.	-
5	The committee shall deliberate on risk management plan pertaining to the cluster in a holistic manner especially during natural calamities like intense rain and the mitigation measures considering the inundation of the cluster and evacuation plan.	Risk management plan for the individual quarry is given in this report. As far as cluster working condition is concerned, once the committee is formed, risk management as a cluster including inundation of clusters and the evacuation plan will be elaborated and the same will be submitted to the EIA.	-
6	The Cluster Management Committee shall form Environmental Policy to practice sustainable mining in a scientific and systematic manner in accordance with the law. The role played by the committee in implementing the environmental policy devised shall be given in detail.	Environmental policy for the cluster will be framed by the cluster management committee and the policy will be in accordance with EPA Act, 1986 and its amendments, guidelines by MoEF&CC/SEIAA and other regulatory bodies. This policy will be displayed in the quarry.	-

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

7	The committee shall furnish action plan regarding the restoration strategy with respect to the individual quarry falling under the cluster in a holistic manner.	Agreed. It will be complied as mentioned in the Point No.4	-
8	The committee shall furnish the Emergency Management plan within the cluster.	Agreed. It will be complied as mentioned in the Point No.4.	-
9	The committee shall deliberate on the health of the workers/staff involved in the mining as well as the health of the public.	Agreed. It will be complied as mentioned in the Point No.4.	-
10	The committee shall furnish an action plan to achieve sustainable development goals with reference to water, sanitation & safety.	Agreed. It will be complied as mentioned in the Point No.4.	-
11	The committee shall furnish the fire safety and evacuation plan in the case of fire accidents.	Agreed. It will be complied as mentioned in the Point No.4.	-
Impact study of mining			
12	Detailed study shall be carried out in regard to impact of mining around the proposed mine lease area covering the entire mine lease period as per precise area communication order issued from reputed research institutions on the following,		-
a	Soil health & soil biological, physical land chemical features	Complied. The details are given in Chapter 3 of the Draft EIA report.	104
b	Climate change leading to Droughts, Floods etc.	The proposed quarry is a very small-scale Opencast-Mechanized mining method and the anticipated impacts to the climate change, droughts, floods, etc. will be very marginal.	-
c	Pollution leading to release of Greenhouse gases (GHG), rise in Temperature, & Livelihood of the local people	Considering that the quantum of production is less, only 1 excavator, 3 tippers will be engaged. These equipment's will be properly and regularly maintained. Besides, regular vehicular emission tests will be done for the transport vehicles to ensure minimal impact due to carbon emissions. To further mediate the carbon emissions, a good greenbelt and plantation plan has been planned wherein 1300 number of plants will be planted in and around the lease area.	72

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

d	Possibilities of water contamination and impact on aquatic ecosystem health	<p>The total water requirement is 4.2 KLD. It will be outsourced from the nearby villages. So, no impact in the project area due to water usage.</p> <p>The wastewater generation in the form of runoff water during rainy season will be collected in the bottom quarry through proper drainage pattern and the collected water will be used for plantation and dust separation during dry season. However, there is no wastewater discharge from this quarry is being anticipated. So, possibilities of water contamination and impact on aquatic ecosystem health is not envisaged.</p>	-
e	Agriculture, Forestry & Traditional practices	<p>There are no forest area and traditional practices within the project area. However, there are some agricultural lands around the project site. It may be affected due to the quarry operation as such dust particles sedimentation in the agricultural land. It will be controlled at the source level by proper dust separation as such wet drilling, controlled blasting and water sprinkling on the project roads and project surrounding roads. As per Air Quality Modelling the impact of the air quality limited to 0.5km radius. So, there is no impact for the Agriculture, Forestry & Traditional practices located within 10km radius.</p>	-
f	Hydrothermal/Geothermal effect due to destruction in the Environment	<p>The proposed quarry operation is Opencast-Mechanized operation with drilling, blasting, excavation, loading and transportation. So, the effect of Hydrothermal/Geothermal is not envisaged.</p>	-

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

g	Bio-geochemical processes and its foot prints including environmental stress	This is a simple mining operation, so bio-geochemical processes are not envisaged.	-
h	Sediment geochemistry in the surface streams	There is Sangarabarani River is located at a distance of 4.71 km in South direction of lease area. Due to mining operation, there may be minimum impact to the said water bodies due to dust sedimentation. It will be controlled by wet drilling, water sprinkling and plantation.	-
Agriculture & Agro-Biodiversity			
13	Impact on surrounding agricultural fields around the proposed mining Area.	Agreed. It is described in the point no. 12 (e) of this ToR Compliance Annexure-I	-
14	Impact on soil flora & vegetation around the project site.	Complied. The details are given in Chapter 3.	106
15	Details of type of vegetations including no. of trees & shrubs within the proposed mining area and. If so, transplantation of such vegetations all along the boundary of the proposed mining area shall committed mentioned in EMP.	Complied. The details are given in Chapter 3.	106
16	The Environmental Impact Assessment should study the biodiversity, the natural ecosystem, the soil micro flora, fauna and soil seed banks and suggest measures to maintain the natural Ecosystem.	Complied. The details are given in Chapter 3.	106
17	Action should specifically suggest for sustainable management of the area and restoration of ecosystem for flow of goods and services.	The detailed action plan has been described in the EMP (Chapter 10) for the sustainable management for the project area and its surroundings.	178
18	The project proponent shall study and furnish the impact of project on plantations in adjoining patta lands, Horticulture, Agriculture and livestock.	Complied. The details are given in Chapter 11.	-
Forests			
19	The project proponent shall detailed study on impact of mining on Reserve Forests free ranging wildlife.	Oussudu Lake Birds Sanctuary – 12.4km (SE) and no other reserved forest located in the buffer zone. The fauna commonly found in the core and buffer zone is given in Chapter 3.	80

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

20	The Environmental Impact Assessment should study impact on forest, vegetation, endemic, vulnerable and endangered indigenous flora and fauna.	Complied. The details are given in Chapter 3.	80
21	The Environmental Impact Assessment should study impact on standing trees and the existing trees should be numbered and action suggested for protection.	Not Applicable. This is a dry barren land.	-
22	The Environmental Impact Assessment should study impact on protected areas, Reserve Forests, National Parks, Corridors and Wildlife pathways, near project site.	Oussudu Lake Birds Sanctuary – 12.4km (SE)and no other reserved forest located in the buffer zone. There is no, National Parks, Corridors and Wildlife pathways.	-
Water Environment			
23	Hydro-geological study considering the contour map of the water table detailing the number of ground water pumping & open wells, and surface water bodies such as rivers, tanks, canals, ponds etc. within 1 km (radius) so as to assess the impacts on the nearby waterbodies due to mining activity. Based on actual monitored data, it may clearly be shown whether working will intersect groundwater. Necessary data and documentation in this regard may be provided, covering the entire mine lease period.	The hydrogeological study from a reputed institute is in progress; however, the final EIA submission report will be incorporated into Chapter 3.	96
24	Erosion Control measures.	There is no waste generation (OB) in this quarry has been envisaged. However, there may be erosion due to rainy season and that is limited within quarry area. The control measures are explained in Chapter 8.	134
25	Detailed study shall be carried out in regard to impact of mining around the proposed mine lease area on the nearby Villages, Water-bodies/ Rivers, & any ecological fragile areas.	Complied. The details are incorporated in Chapter 3.	96
26	The project proponent shall study impact on fish habitats and the food WEB/ food chain in the water body and Reservoir.	Not applicable.	-

27	The project proponent shall study and furnish the details on potential fragmentation impact on natural environment, by the activities.	Fragmentation impact on environment may be due to drilling and blasting. The anticipated impacts and mitigation measures are discussed in Chapter 4.	152
28	The project proponent shall study and furnish the impact on aquatic plants and animals in water bodies and possible scars on the landscape, damages to nearby caves, heritage site, and archaeological sites possible land form changes visual and aesthetic impacts.	An ecological and biodiversity study has been conducted and the same is incorporated in the Chapter 4 of the Draft EIA/EMP report. However, there is no any features mentioned in this condition within the M.L area. However, the impacts anticipated with respect to the environment of the project area is very negligible and it will be minimized within the project area. The details are described in Chapter 10.	138 & 180
29	The Terms of Reference should specifically study impact on soil health, soil erosion, the soil physical, chemical components and microbial components.	Agreed.	-
30	The Environmental Impact Assessment should study on wetlands, water bodies, rivers streams, lakes and farmer sites.	Complied. The details are described in Chapter 3.	188
Energy			
31	The measures taken to control Noise, Air, Water, Dust Control and steps adopted to efficiently utilize the Energy shall be furnished.	Complied. The details are described in Chapter 4.	137
Climate Change			
32	The Environmental Impact Assessment shall study in detail the carbon emission and also suggest the measures to mitigate carbon emission including development of carbon sinks and temperature reduction including control of other emission and climate mitigation activities.	Complied. The details are described in Chapter 4.	142
33	The Environmental Impact Assessment should study impact on climate change, temperature rise, pollution and above soil & below soil carbon stock.	Complied. The details are described in Chapter 4.	133

Mine Closure Plan			
34	Detailed Mine Closure Plan covering the entire mine lease period as per precise area communication order issued.	Complied. Mine Closure Plan has been incorporated in the approved Mining Plan and the same is incorporated in the Chapter 7.	174
EMP			
35	Detailed Environment Management Plan along with adaptation, mitigation & remedial strategies covering the entire mine lease period as per precise area communication order issued.	Complied. The details are described in Chapter 10.	180
36	The Environmental Impact Assessment should hold detailed study on EMP with budget for Green belt development and mine closure plan including disaster management plan.	Complied. The details are described in Chapter 10.	183 & 184
Risk Assessment			
37	To furnish risk assessment and management plan including anticipated vulnerabilities during operational and post operational phases of Mining.	Complied. The details are described in Chapter 7.	161
Disaster Management Plan			
38	To furnish disaster management plan and disaster mitigation measures in regard to all aspects to avoid/reduce vulnerability to hazards & to cope with disaster/untoward accidents in & around the proposed mine lease area due to the proposed method of mining activity & its related activities covering the entire mine lease period as per precise area communication order issued.	Complied. The details are described in Chapter 7.	174SS
Others			
39	The project proponent shall furnish VAO certificate with reference to 300m radius regard to approved habitations, schools, Archaeological sites, Structures, railway lines, roads, water bodies such as streams, odai, vaari, canal, channel, river, lake pond, tank etc.	-	-

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

40	As per the MoEF& CC office memorandum F.NO.22-65/2017-1A.11I dated: 30.09.2020 and 20.10.2020 the proponent shall address the concerns raised during the public consultation and all the activities proposed shall be part of the Environment Management Plan.	Noted. It will be complied in the Final EIA/EMP report.	-
41	The project proponent shall study and furnish the possible pollution due to plastic and microplastic on the environment. The ecological risks and impacts of plastic & microplastics on aquatic environment and fresh water systems due to activities, contemplated during mining may be investigated and reported.	Nil	-
2. Mining Conditions - Site Specific			
2.1	The PP shall obtain NOC from TANGEDCO for the HT line located at a distance of 175m, 240m, 415m from the boundary of the quarry site in order to carry out said mining activity	It will be complied.	
2.2	The proponent is requested to carry out a survey and enumerate on the structures located within the radius of (i) 50 m, (ii) 100 m, (iii) 200 m and (iv) 300 m (v) 500m shall be enumerated with details such as dwelling houses with number of occupants, whether it belongs to the owner (or) not, places of worship, industries, factories, sheds, etc with indicating the owner of the building, nature of construction, age of the building, number of residents, their profession and income, etc	Complied. The Details are given as Annexure.	Complied. Enclosed as Annexure 5
2.3	The Plan and Sections of the Development & Production Plan prepared for the proposed quarry in the Mining Plan shall be changed accordingly to satisfy the legal provisions on 'Bench Geometry' as stipulated in the MMR 1961	Complied.	Complied. Enclosed as Annexure -3

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

2.4	The PP shall furnish the authentic details on the tank existing at a distance of 175 m during the EIA appraisal.	Details included in the hydrogeological study from a reputed institute is in progress; however, the final EIA submission report will be incorporated.	-
3	SEAC Standard Condition		
3.1	Terms of Reference		
1	<p>In the case of existing/operation mines, a letter obtained from the concerned AD (Mines) shall be submitted and it shall include the following:</p> <ul style="list-style-type: none"> (i) Original pit dimension (ii) Quantity achieved Vs EC Approved Quantity (iii) Balance Quantity as per Mineable Reserve calculated (iv) Mined out Depth as on date Vs EC Permitted depth (v) Details of illegal/illicit mining (vi) Violation in the quarry during the past working (vii) Quantity of material mined out outside the lining lease area (viii) Condition of Safety zone/benches (ix) Revised/Modified Mining Plan showing the benches of not exceeding 6m height and ultimate depth of not exceeding 50m. 	<p>This is an existing quarry.</p> <p>Original pit dimension: letter issued by Geology and Mining, Viluppuram vide Rc.No. A/G&M/82/2024 dated 15.03.2024, the depth of the Existing pit is 8m BGL.</p>	-
2	Details of habitations around the proposed mining area and latest VAO Certificate regarding the location of habitations within 300m radius from the periphery of the site.	Complied.	Complied. Enclosed as Annexure 5
3	The PP shall submit a detailed hydrogeological report indicating the impact of proposed quarrying operations on the water bodies like lake, water tanks, etc are located within 1 km of the proposed quarry.	The study is under progress. It will be incorporated in the final EIA & EMP.	-

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

4	The Project Proponent shall carry out Bio-diversity study through reputed institution and the same shall be included in the EIA report.	Complied. The biodiversity report of the study area to be incorporated at the time of final EIA submission.	106
5	The DFO letter stating that the proximity distance of Reserve Forests, Protected Areas, Sanctuaries. Tiger reserve etc. upto a radius of 25 km from the proposed site.	The DFO letter stating that the proximity distance of RF & PF to be incorporated at the time of final EIA submission.	-
6	In case of proposed lease in an existing (or old) quarry where the benches are not formed(or) partially formed as per the approved Mining Plan, the Project Proponent (PP) shall the PP shall carry out the scientific studies to assess the slope stability of the working benches to be constructed and existing quarry wall, by involving any one of the reputed Research and Academic institutions-CSIR Central Institute of Mining & Fuel Research/Dhanbad, NIRM/ Bangalore, Division of Geotechnical Engineering-IIT-Madras, NIT-Dept of Mining Engg, Suratkal and Anna University Chennai-CEG Campus. The PP shall submit a copy of the aforesaid report indicating the stability status of the quarry wall and possible mitigation measures during the time of appraisal for obtaining the EC.	-	-
7	However, in case of the fresh/virgin quarries, the project shall submit a conceptual 'Slope Stability Plan' for the proposed quarry during the appraisal while obtaining the EC, when the depth of the working is extended beyond 30m below ground level.	It will be complied at the timing of EC appraisal.	-
8	The PP shall furnish the affidavit stating that the blasting operation in the proposed quarry is carried out by the statutory competent person as per the MMR 1961 such as blaster, mining mate, mine foreman, II/I Class mines manager appointed by the proponent	Proponent undertaking agreement enclosed	-

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

9	The PP shall present a conceptual design for carrying out only controlled blasting operation involving line drilling and muffle blasting in the proposed quarry such that the blast induced ground vibrations are controlled as well as no fly rock travel beyond 30 m from the blast site	Agreed. Will be complied.	-
10	The EIA Coordinators shall obtain and furnish the details of quarry/quarries operated by the proponent in the past, either in the same location or elsewhere in the State with video and photographic evidences.	The details to be incorporated at the time of final EIA Submission.	-
11	If the proponent has already carried out the mining activity in the proposed mining lease area after 15.01.2016, then the proponent shall furnish the following details from AD/DD, mines	This is an existing quarry. Enclosed AD/DD mines details as Annexure-13.	-
12	What was the period of the operation and stoppage of the earlier mines with last work permit issued by the AD/DD mines?	This is an existing quarry. Enclosed AD/DD mines details as Annexure-13.	-
13	Quantity of minerals mined out. <ul style="list-style-type: none"> • Highest production achieved in any one year. • Detail of approved depth of mining. • Actual depth of the mining achieved earlier. • Name of the person already mined in that leases area. • If EC and CTO already obtained, the copy of the same shall be submitted. • Whether the mining was carried out as per the approved mine plan (or EC if issued) with stipulated benches 	This is an existing quarry. Enclosed AD/DD mines details as Annexure-13.	-
14	All corner coordinates of the mine lease area, superimposed on a High-Resolution Imagery/Topo sheet, topographic sheet, geomorphology, lithology and geology of the mining lease area should be provided. Such an Imagery of the proposed area	Project coordinates superimposed in satellite imagery and given as Figure No - 2.1 in Chapter - 2. The geology and geomorphology map are provided in Figure No.3.23, 3.24 Chapter 3.	53 &124

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

	should clearly show the land use and other ecological features of the study area (core and buffer zone).	The Lithology map and Soil map are provided under Figure No. 3.25, Chapter-3. The 10km Radius Index plan showing buffer zone is given in Figure No.3.1 & Figure 3.2 in Chapter - 3.	
15	The PP shall carry out Drone video survey covering the cluster, green belt, fencing etc.,	This is an existing quarry. Drone survey cluster, greenbelt, fencing details provided at the time of final EIA Submission.	-
16	The proponent shall furnish photographs of adequate fencing, greenbelt along the periphery including replantation of existing trees & safety distance between the adjacent quarries & water bodies nearby provided as per the approved mining plan	There are no trees within ML area. Fencing and plantations are under process. Greenbelt / Plantation will be carried out in the safety zone to enhance the vegetative growth and aesthetic in the safety zone area. In the post mining stage, an area of 2.02.5 Ha will be under greenbelt and plantation.	-
17	The Project Proponent shall provide the details of mineral reserves and mineable reserves, planned production capacity, proposed working methodology with justifications, the anticipated impacts of the mining operations on the surrounding, environment and the remedial measures for the same.	The geological reserves are estimated to be rough stone 7,77,298 m ³ and Gravel 45,518 m ³ . The mineable reserves of rough stone 2,31,505 m ³ and Gravel 33,696 m ³	49
18	The Project Proponent shall provide the Organization chart indicating the appointment of various statutory officials and other competent persons to be appointed as per the provisions of Mines Act'1952 and the MMR" 1961 for carrying out the quarrying operations scientifically and systematically in order to ensure safety and to protect the environment.	Complied. Please refer Fig. 10.1	182
19	The Project Proponent shall conduct the Hydro-geological study considering the contour map of the water table detailing the number of ground water pumping & open wells,	The hydrogeological study from a reputed institute is in progress; however, the final EIA submission report will be incorporated into Chapter 7.	173

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

	and surface water bodies such as rivers, tanks, canals, ponds etc. within 1 km (radius) along with the collected water level data for both monsoon and non-monsoon seasons from the PWD/TWAD so as to assess the impacts on the wells due to mining activity. Based on actual monitoring data, it may clearly be shown whether working all intersect ground water. Necessary data and documentation in this regard may be provided.		
20	The proponent shall furnish the baseline data for the environmental and ecological parameters with regard to surface water/ground water quality, air quality, soil quality & flora/fauna including traffic/vehicular movement study.	The baseline data for all environments is collected for the Summer season (March to May 2024).	90
21	The Proponent shall carry out the cumulative impact study due to mining operations carried out in the quarry specifically with reference to the specific environment in terms of air pollution, water pollution, & health impacts. Accordingly, the Environment Management plan should be prepared keeping the concerned quarry and the surrounding habitations in the mind.	Detailed cumulative impact study has been carried and the same is incorporated in the Chapter 4. Accordingly, a detailed Environment Management Plan is prepared considering air, water, noise and soil environment and the details are given in Chapter 7.	148 & 172
22	Rain water harvesting management with recharging details along with water balance (both monsoon & non-monsoon) be submitted.	Rain water harvesting Plan is given in chapter 4.	133
23	Land use of the study area delineating forest area, agricultural land, grazing land. Wildlife sanctuary, national park, migratory routes of fauna, water bodies, human settlements and other ecological features should be indicated. Land use plan of the mine lease area should be prepared to encompass preoperational, operational and post operational phases and submitted. Impact, if any, of change of land use should be given.	Satellite imagery has been used to study the lease area and the details of land use is given in Chapter 3.	86

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

24	Details of the land for storage of Overburden/Waste Dumps (or) Rejects outside the mine lease, such as extent of land area distance from mine lease, its land use, R&R issues, if any, should be provided.	Not applicable. There is no generation of the OB & waste.	-
25	Proximity to Areas declared as 'Critically Polluted'(or) the Project areas which attracts the court restrictions for mining operations, should also be indicated and where so required, clearance certifications from the prescribed Authorities, such as the TNPCB (or) Dept. of Geology and Mining should be secured and furnished to the effect that the proposed mining activities could be considered.	No proximity to Critically polluted areas.	-
26	Description of water conservation measures proposed to be adopted in the Project should be given. Details of rainwater harvesting proposed in the Project, if any, should be provided.	The impact of the mining operations due to this quarry on water environment is studied and mitigation measures are proposed. Rain water harvesting plan is given Chapter 4.	134
27	Impact on local transport infrastructure due to the Project should be indicated	Since the production is very less, only few trucks of 5/10T will be used for transport. The effect of transport on local transport will be negligible.	-
28	A tree survey shall be carried out (Nos. name of species, age, diameter, etc) both within the mining lease applied area & 300m buffer zone and its management during mining activity	There are no trees within 300m buffer zone of the project area.	-
29	A detailed mine closure plan for the proposed project shall be included in EIA/EMP report which should be site-specific	Detailed mine closure plan is given in Chapter 7.	174
30	As part of the study of flora and fauna around the vicinity of the proposed site, the EIA Coordinator shall strive to educate the local students on the importance of preserving local flora and fauna by involving them in the study, where ever possible	Accepted. It will be done.	-

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

31	<p>The purpose of green belt around the project is to capture the fugitive emissions, carbon sequestration and to attenuate the noise generated, in addition to improving the aesthetics. A wide range of indigenous plant species should be planted as given in the appendix – I in consultation with the DFO, State Agriculture University and local school/college authorities. The plant species with dense/moderate canopy of native origin should be chosen. Species of small/medium/tall trees alternating with shrubs should be planted in a mixed manner.</p>	<p>Green belt is proposed in an area of 0.40.5 ha. Green belt development plan provided.</p>	196
32	<p>Taller/one year old saplings raised in appropriate size of bags; preferably eco-friendly bags should be planted as per the advice of local forest authorities/botanist/horticulturist with regard to site-specific choices. The proponent shall earmark the green belt area with GPS coordinates all along the boundary of the project site with at least 3 m wide and in between blocks in an organized manner</p>	<p>Accepted. The photographs showing green belt will be provided once it is completed.</p>	-
33	<p>A Disaster management Plan shall be prepared and included in the EIA/EMP Report for the complete life of the proposed quarry (or) till the end of the lease period.</p>	<p>A disaster management plan is prepared and the details are given in Chapter 7.</p>	161
34	<p>A risk assessment and Management plan shall be prepared and included in the EIA/EMP report for the complete life of the proposed quarry or till the end of the lease period</p>	<p>Risk assessment and its management is given in Chapter 7.</p>	161
35	<p>Occupational Health impacts of the Project should be anticipated and the proposed preventive measures spelt out in detail. Details of pre-placement medical examination and periodical medical examination schedules should be incorporated in the EMP. The project specific occupational health mitigation measures with required facilities proposed in the mining area may be detailed.</p>	<p>Occupational Health Impacts of the project and preventive measures are detailed under Chapter 4.</p>	153

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

36	Public health implications of the Project and related activities for the population in the impact zone should be systematically evaluated and the proposed remedial measures should be detailed along with budgetary allocations.	No major impact on public health will be there since the villages are located more than 1km from the lease area. Details of CER and CSR are discussed under Chapter No. 8	-
37	The Socio-economic studies should be carried out within a 5km buffer zone from the mining activity. Measures of socio-economic significance and influence to the local community proposed to be provided by the Project Proponent should be indicated. As far as possible, quantitative dimensions may be given with time frames for implementation.	Socio economic study is conducted both by visits and secondary data collection. Details are given in Chapter 3	116
38	Details of litigation pending against the project, if any, with direction /order passed by any Court of law against the Project should be given.	No litigation is pending	-
39	Benefits of the Project if the Project is implemented should be spelt out. The benefits of the Project shall clearly indicate environmental, social, economic, employment potential, etc.	Benefits of the project is given in Chapter 8	175
40	If any quarrying operations were carried out in the proposed quarrying site for which now EC is sought, the project proponent shall furnish the detailed compliance to EC conditions given in the previous EC with the site photographs which shall duly be certified by MoEF & CC, Regional Office, Chennai or the concerned DEE/TNPCB.	This is an existing quarry. Enclosed AD/DD mines details enclosed as Annexure-13 .	-
41	The PP shall prepare the EMP for the entire life of mine and also furnish the sworn affidavit stating to abide the EMP for the entire life of mine.	-	-
42	Concealing any factual information or submission of false/fabricated data and failure to comply with any of the condition mentioned above may result in withdrawal of this Terms of Conditions besides attracting penal provisions in the Environment (Protection) Act, 1986	Agreed	-

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

Standard Terms of Reference for (Mining of minerals)			
1.1	An EIA-EMP Report shall be prepared for peak capacity (.....MTPA) operation in an ML/project area of.....ha based on the generic structure specified in Appendix III of the EIA Notification, 2006.	Complied.	-
1.2	An EIA-EMP Report would be prepared for peak capacity operation to cover the impacts and environment management plan for the project specific activities on the environment of the region, and the environmental quality encompassing air, water, land, biotic community, etc. through collection of data and information, generation of data on impacts including prediction modeling for... MTPA of mineral production based on approved project/Mining Plan for... MTPA. Baseline data collection can be for any season (three months) except monsoon.	Anticipated Environmental Impacts and Mitigation Measures is given in Chapter 4.	130
1.3	Proper KML file with pin drop and coordinate of mine at 500-1000 m interval be provided.	Agreed	-
1.4	A Study area map of the core zone (project area) and 10 km area of the buffer zone (1: 50,000 scale) clearly delineating the major topographical features such as the land use, surface drainage pattern including rivers/streams/nullahs/canals, locations of human habitations, major constructions including railways, roads, pipelines, major industries, mines, and other polluting sources. In case of ecologically sensitive areas such as Biosphere Reserves/National Parks/WL Sanctuaries/ Elephant Reserves, forests (Reserved/Protected), migratory corridors of fauna, and areas where endangered fauna and plants of medicinal and economic importance found in the 15 km study area should be given. The above details to be furnished in tabular form also	Land Use Pattern of 10 km Radial Buffer Area of Project Site is given page chapter-3.	112

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

1.5	Map showing the core zone delineating the agricultural land (irrigated and un-irrigated, uncultivable land as defined in the revenue records, forest areas (as per records), along with other physical features such as water bodies, etc should be furnished.	Land Use Pattern of 10 km Radial Buffer Area of Project Site is given page chapter-3.	112
1.6	A contour map showing the area drainage of the core zone and 25 km of the study area (where the water courses of the core zone ultimately join the major rivers/streams outside the lease/project area) should also be clearly indicated in the separate map.	Contour map, Physiography and Drainage is given Chapter-3.	127
1.7	Catchment area with its drainage map of 25 km area within and outside the mine shall be provided with names, details of rivers/ riverlet system and its respective order. The map should clearly indicate drainage pattern of the catchment area with basin of major rivers. Diversion of drains/ river need elaboration in form of length, quantity and quality of water to be diverted	Drainage map is given Chapter-3.	122
1.8	Details of mineral reserves, geological status of the study area and the seams to be worked, ultimate working depth and progressive stage-wise working scheme until the end of mine life should be provided on the basis of the approved rated capacity and calendar plans of production from the approved Mining Plan. Geological maps and sections should be included. The Progressive mine development and Conceptual Final Mine Closure Plan should also be shown in figures. Details of mine plan and mine closure plan approval of Competent Authority should be furnished for green field and expansion projects.	Mineral reserves, geological status of the study area is given chapter-2.	73
1.9	Details of mining methods, technology, equipment to be used, etc., rationale for selection of specified technology and equipment proposed to be used vis-à-vis the potential impacts should be provided.	Method of mining Details is Given Chapter-2.	71

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

1.10	Impact of mining on hydrology, modification of natural drainage, diversion and channeling of the existing rivers/water courses flowing through the ML and adjoining the lease/project and the impact on the existing users and impacts of mining operations thereon.	Details given chapter-11	197
1.11	A detailed Site plan of the mine showing the proposed break-up of the land for mining operations such as the quarry area, OB dumps, green belt, safety zone, buildings, infrastructure, Stockyard, township/colony (within and adjacent to the ML), undisturbed area -if any, and landscape features such as existing roads, drains/natural water bodies to be left undisturbed along with any natural drainage adjoining the lease /project areas, and modification of thereof in terms of construction of embankments/bunds, proposed diversion/re-channeling of the water courses, etc., approach roads, major haul roads, etc should be indicated.	Land Use Pattern of 10 km Radial Buffer Area of Project Site is given page chapter-3.	116
1.12	Original land use (agricultural land/forestland/grazing land/wasteland/water bodies) of the area should be provided as per the tables given below. Impacts of project, if any on the land use, in particular, agricultural land/forestland/grazing land/water bodies falling within the lease/project and acquired for mining operations should be analyzed. Extent of area under surface rights and under mining rights should be specified. Area under Surface Rights Area under Surface Area Under Mining Rights(ha) S.N ML/Project Land use Rights(ha) (ha) Area under Both (ha) 1 Agricultural land 2 Forest Land 3 Grazing Land 4 Settlements 5 Others (specify) S.N. Details Area (ha) 1 Buildings 2 Infrastructur 3. Roads 4 Others (specify) Total	Land Use Pattern of 10 km Radial Buffer Area of Project Site is given page chapter-3.	116

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

1.13	Study on the existing flora and fauna in the study area (10km) should be carried out by an institution of relevant discipline. The list of flora and fauna duly authenticated separately for the core and study area and a statement clearly specifying whether the study area forms a part of the migratory corridor of any endangered fauna should be given. If the study area has endangered flora and fauna, or if the area is occasionally visited or used as a habitat by Schedule-I species, or if the project falls within 15 km of an ecologically sensitive area, or used as a migratory corridor then a Comprehensive Conservation Plan along with the appropriate budgetary provision should be prepared and submitted with EIA-EMP Report; and comments/observation from the CWLW of the State Govt. should also be obtained and furnished.	Flora & fauna of 10 km Radial Buffer Area of Project Site is given page chapter-3.	80-82
1.14	One-season (other than monsoon) primary baseline data on environmental quality - air (PM10, PM2.5, SOx, NOx and heavy metals such as Hg, Pb, Cr, As, etc), noise, water (surface and groundwater), soil - along with one-season met data coinciding with the same season for AAQ collection period should be provided. The detail of NABL/ MoEF&CC certification of the respective laboratory and NABET accreditation of the consultant to be provided.	Details given under description of the environment chapter-4.	148
1.15	Map (1: 50, 000 scale) of the study area (core and buffer zone) showing the location of various sampling stations superimposed with location of habitats, other industries/mines, polluting sources, should be provided. The number and location of the sampling stations in both core and buffer zones should be selected on the basis of size of lease/project area, the proposed impacts in the	Details given under description of the environment chapter-3.	85

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

	downwind (air)/downstream (surface water)/groundwater regime (based on flow). One station should be in the upwind/upstream/non-impact/non-polluting area as a control station. The monitoring should be as per CPCB guidelines and parameters for water testing for both ground water and surface water as per ISI standards and CPCB classification wherever applicable. Observed values should be provided along with the specified standards.		
1.16	For proper baseline air quality assessment, Wind rose pattern in the area should be reviewed and accordingly location of AAQMS shall be planned by the collection of air quality data by adequate monitoring stations in the downwind areas. Monitoring location for collecting baseline data should cover overall the 10 km buffer zone i.e. dispersed in 10 km buffer area. In case of expansion, the displayed data of CAAQMS and its comparison with the monitoring data to be provided	Details given under description of the environment chapter-3.	85
1.17	A detailed traffic study along with presence of habitation in 100 mts distance from both side of road, the impact on the air quality with its proper measures and plan of action with timeline for widening of road. The project will increase the no. of vehicle along the road which will indirectly contribute to carbon emission so what will be the compensatory action plan should be clearly spell out in EIA/ EMP report	Details given under chapter-7.	173
1.18	The socio-economic study to conducted with actual survey report and a comparative assessment to be provided from the census data should be provided in EIA/ EMP report also occupational status & economic status of the study area and what economically project will contribute should be clearly mention. The study should also include the status of infrastructural	Socioeconomic Environment Details Given Chapter-3.	106

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

	facilities and amenities present in the study area and a comparative assessment with census data to be provided and to link it with the initialization and quantification of need based survey for CSR activities to be followed.		
1.19	The Ecology and biodiversity study should also indicate the likely impact of change in forest area for surface infrastructural development or mining activity in relation to the climate change of that area and what will be the compensatory measure to be adopted by PP to minimize the impact of forest diversion.	Biological Environment Details Given Chapter-3.	106
1.20	Baseline data on the health of the population in the impact zone and measures for occupational health and safety of the personnel and manpower for the mine should be submitted.	Health Details Given Chapter-3.	112
1.21	Impact of proposed project/activity on hydrological regime of the area shall be assessed and report be submitted. Hydrological studies as per GEC 2015 guidelines to be prepared and submitted	The hydrogeological study from a reputed institute is in progress; however, the final EIA submission report will be incorporated into Chapter 7.	173
1.22	Impact of mining and water abstraction from the mine on the hydrogeology and groundwater regime within the core zone and 10 km buffer zone including long-term monitoring measures should be provided. Details of rainwater harvesting and measures for recharge of groundwater should be reflected in case there is a declining trend of groundwater availability and/or if the area falls within dark/grey zone.	Abstraction from the mine on the hydrogeology and groundwater regime details is given chapter-3	173
1.23	Study on land subsidence including modeling for prediction, mitigation/prevention of subsidence, continuous monitoring measures, and safety issues should be carried out.	Land subsidence is given chapter-4	130

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

1.24	Detailed water balance should be provided. The break up of water requirement as per different activities in the mining operations, including use of water for sand stowing should be given separately. Source of water for use in mine, sanction of the Competent Authority in the State Govt. and impacts vis-à-vis the competing users should be provided.	Impact due to Water use in Mines and water balance given chapter-4.	137
1.25	PP shall submit design details of all Air Pollution control equipment (APCEs) to be implemented as part of Environment Management Plan vis-à-vis reduction in concentration of emission for each APCEs	Air Pollution control equipment (APCEs) to be implemented as part of Environment Management Plan details given chapter-10	180
1.26	PP to evaluate the greenhouse emission gases from the mine operation and corresponding carbon absorption plan.	greenhouse emission gases details given chapter-10	180
1.27	Site specific Impact assessment with its mitigation measures, Risk Assessment and Disaster Preparedness and Management Plan should be provided.	Impact assessment with its mitigation measures, Risk Assessment and Disaster Preparedness and Management Plan given chapter-7.	161
1.28	Impact of choice of mining method, technology, selected use of machinery and impact on air quality, mineral transportation, handling & storage/stockyard, etc, Impact of blasting, noise and vibrations should be provided.	Mining method, technology details given chapter-1.	71
1.29	Impacts of mineral transportation within the mining area and outside the lease/project along with flow-chart indicating the specific areas generating fugitive emissions should be provided. Impacts of transportation, handling, transfer of mineral and waste on air quality, generation of effluents from workshop etc, management plan for maintenance of HEMM and other machinery/equipment should be given. Details of various facilities such as rest areas and canteen for workers and effluents/pollution load emanating from these activities should also be provided.	Mineral transportation details given chapter-2.	71

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

1.30	Details of various facilities to be provided to the workers in terms of parking, rest areas and canteen, and effluents/pollution load resulting from these activities should also be given.	Parking, rest areas and canteen, and effluents/pollution load details given chapter -4	153
1.31	The number and efficiency of mobile/static water jet, Fog cannon sprinkling system along the main mineral transportation road inside the mine, approach roads to the mine/stockyard/siding, and also the frequency of their use in impacting air quality should be provided.	PP will provide mobile water tankers with a cost of 1.0 lakhs under EMP.	135
1.32	Conceptual Final Mine Closure Plan and post mining land use and restoration of land/habitat to the pre- mining status should be provided. A Plan for the ecological restoration of the mined out area and post mining land use should be prepared with detailed cost provisions. Impact and management of wastes and issues of re-handling (wherever applicable) and backfilling and progressive mine closure and reclamation should be furnished.	Final Mine Closure Plan and post mining land use details given in chapter-7	174
1.33	Adequate greenbelt nearby areas, mineral stock yard and transportation area of mineral shall be provided with details of species selected and survival rate Greenbelt development should be undertaken particularly around the transport route.	Agreed	-
1.34	Cost of EMP (capital and recurring) should be included in the project cost and for progressive and final mine closure plan.	EMP cost details given chapter-10	183-184
1.35	Details of R&R. Detailed project specific R&R Plan with data on the existing socio- economic status of the population (including tribals, SC/ST, BPL families) found in the study area and broad plan for resettlement of the displaced population, site for the resettlement colony, alternate livelihood concerns/employment for the displaced people, civic and housing amenities being offered, etc and costs along with the schedule of the implementation of the R&R Plan should be given.	Not applicable.	-

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

1.36	CSR Plan along with details of villages and specific budgetary provisions (capital and recurring) for specific activities over the life of the project should be given.	CSR details given chapter-11	187
1.37	Corporate Environment Responsibility:	CSR details given chapter-11	187
1.38	a) The Company must have a well laid down Environment Policy approved by the Board of Directors.	Environment policy details given chapter- 10.	182
1.39	b) The Environment Policy must prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions.	Environment policy details given chapter- 10.	182
1.40	c) The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions must be furnished.	-	-
1.41	d) To have proper checks and balances, the company should have a well laid down system of reporting of non-compliances/violations of environmental norms to the Board of Directors of the company and/or shareholders or stakeholders at large.	-	-
1.42	e) Environment Managment Cell and its responsibilities to be clearly spell out in EIA/ EMP report	EMP cell details given Chapter-12	203
1.43	f) In built mechanism of self-monitoring of compliance of environmental regulations should be indicated.	Agreed	-
1.44	Status of any litigations/ court cases filed/pending on the project should be provided	Nil	
1.45	PP shall submit clarification from DFO that mine does not fall under corridors of any National Park and Wildlife Sanctuary with certified map showing distance of nearest sanctuary.	Noted	-

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

1.46	Copy of clearances/approvals such as Forestry clearances, Mining Plan Approval, mine closer plan approval. NOC from Flood and Irrigation Dept. (if req.), etc. wherever applicable.	Noted	-
1.47	Details on the Forest Clearance should be given as per the format given: Total ML Total Project Area Forest (ha) land (ha) Date of FC Extent of Forest Land Balance area for which FC is yet to be obtained Status of appl for diversion of forest land If more than one provides details of each FC	Noted	-
1.48	In case of expansion of the proposal, the status of the work done as per mining plan and approved mine closure plan shall be detailed in EIA/EMP report	Noted	-
1.49	Details on Public Hearing should cover the information relating to notices issued in the newspaper, proceedings/minutes of Public Hearing, the points raised by the general public and commitments made by the proponent and the time bound action proposed with budgets in suitable time frame. These details should be presented in a tabular form. If the Public Hearing is in the regional language, an authenticated English Translation of the same should be provided.	Noted	-
1.50	PP shall carry out survey through drone highlighting the ground reality for atleast 10 minutes	Noted	-
1.51	Detailed Chronology of the project starting from the first lease deed allotted/Block allotment/ Land acquired to its No. of renewals, CTO /CTE with details of no. renewals, previous EC(s) granted details and its compliance details, NOC details from various Govt bodies like Forest NOC(s), CGWA permissions, Power permissions, etc as per the requisites respectively to be furnished in tabular form	Noted	-

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

1.52	The first page of the EIA/ EMP report must mention the peak capacity production, area, detail of PP, Consultant (NABET accreditation) and Laboratory (NABL / MoEF & CC certification)	Noted	-
1.53	The compliances of ToR must be properly cited with respective chapter section and page no in tabular form and also mention sequence of the respective ToR complied within the EIA-EMP report in all the chapter,s section	Noted	-

CHAPTER 1

INTRODUCTION

1.1 PURPOSE OF THE REPORT

Environmental Impact Assessment (EIA) as a tool used to identify the environmental, social and economic impacts of a project prior to decision-making. It aims to predict environmental impacts at an early stage in project planning and design, find ways and means to reduce adverse impacts, shape projects to suit the local environment and present the predictions and options to decision-makers.

Tmt. K. Rajamani, W/o. Kuppusamy, Lessee, has obtained Precise Area communication letter from the Assistant Director, Department of Geology and Mining, Viluppuram to quarry out 2,31,505 m³ of Rough Stone and 33,696 m³ of Gravel. Over an extent of 2.02.5 Ha., located at the Survey No. 171/1A and 171/1B of Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State. Hence, this proposed quarry falls under the cluster situation due to the following proposed, existing and abandoned quarries located within 500m radius. The details are given below.

Table 1.1 Cluster Mines Details


Sl. No	Name and address	Village and Taluk	S.F.Nos.	Extent (in Ha)	Period of lease
Abandoned Quarries					
1	V.Sadaiyappan, No.18, Amal Nagar, West Tambaram, Chennai-600045.	Thollamur Village, Vanur Taluk	1/3A, 12/3, 12/5B1	3.57.0	16.08.2018 to 15.08.2023
2	K.Gnanasekaran, S/o. Kannadi Gounder, Mettu Street, Karasanur Village, Vanur Taluk, Viluppuram	Thollamur Village, Vanur Taluk	12/4, 12/5A	1.24.5	24.09.2017 to 23.09.2022
3	K.Balamurugan, S/o. Kuppusamy, Karasanur Post, Vanur Taluk, Viluppuram	Thollamur Village, Vanur Taluk	11/4A2, 15/2, 15/3A, 15/3B, 15/4	2.12.0	27.08.2018 to 26.08.2023
4	S.Nanthini, W/o.Sankar, No.14, 3 rd Street, Jayapuram, Tindivanam Taluk, Viluppuram	Thollamur Village, Vanur Taluk	11/5A, 11/6, 11/7, 16/2, 16/3, 16/4, 16/5, 16/6, 16/7, 16/8B, 16/9, 16/10	3.32.5	31.12.2015 to 30.12.2020

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

5	V.Sankar, S/o.Vivekanandan, No.14, Jayapuram Colony, Tindivanam Taluk Viluppuram	Thollamur Village, Vanur Taluk	2/1, 2/2, 2/3, 2/4, 2/5, 3/1, 3/2, 3/3, 3/4, 3/5, 3/6, 3/7	3.66.5	20.09.2016 to 19.09.2021
Existing Quarries					
1	I.Justin Prabu, S/o.Iyyadurai, No.1/56, D9, Church Street, Christopher Nagar, Peruvilai,Kanniyakumari	Karasanur Village, Vanur Taluk	43/4A, 43/4B, 43/4C, 43/5, 43/6, 44/6	3.67.5	03.06.2022 to 02.06.2032
Proposed Quarry					
1	Tmt.K. Rajamani, W/o. Kuppusamy, No.168, Mettu Street, Karasanur Village, Vanur Taluk, Viluppuram	Karasanur & Vanu	171/1A, 171/1B	2.02.5	Under Proposed Quarry
2	G.Arjunan, S/o.Govindasamy, No.63, Throwpathi Amman Kovil Street, Thiruvakkarai, Vanur Taluk,	Thollamur, Vanur	11/5A, 11/6, 11/7, 16/2, 16/3, 16/4, 16/5, 16/6, 16/7, 16/8B, 16/9, 16/10	3.32.5	Proposed Quarry
Existing Quarries – (Granite)					
1	M/s. Kattima, No.18, Sulaiman Jakkariya avenue casa major road, Egmore, Chennai - 8	Thollamur, Vanur Taluk	169/7A, 169/8, 170/1	1.76.5	11.08.2008 to 10.08.2028 Non-Operation From 2017
2	Shanthakumari, W/o. (Late) Selvaraj, No.139, Gopalapuram, Marakanam Road, Tindivanam	Karasanur Village, Vanur Taluk	49/6, 49/7, 50/1, 50/2, 169/3	1.00.0	04.06.2010 to 03.06.2030 Non-Operation From 2017
3	M/s. Aswani Enterprises, No.49A, Jayapuram Colony, Tindivanam	Karasanur Village, Vanur Taluk	169/9, 169/10, 169/12, 172/1 (P)	1.38.5	08.02.2010 to 07.02.2030 Non-Operation From 2017

As per EIA notification, 2006 and its subsequent amendments the proposed Tmt.K. Rajamani, W/o. Kuppusamy Rough Stone & Gravel Quarry, cluster is falls under Schedule 1(a) Mining of Minerals. It is further classified under Category B1 due to the overall extent of cluster area is 9.02.5 Ha which is >5 Ha. Satellite image of Quarries in Cluster is shown in Fig 1.1.

Figure.1.1 Satellite Image showing cluster quarries



The ToR for preparation of EIA/EMP was approved vide ToR Identification No. TO24B0108TN5227548N, dated 31.05.2024. This report has been prepared in line with the approved TOR for production of maximum excavation of 2,31,505 m³ of Rough Stone and 33,696 m³ of Gravel for a period of five years.

1.2 IDENTIFICATION OF PROJECT & PROJECT PROPONENT

The proposed project is for mining of Rough Stone and gravel (under cluster) from the S.F.No.171/1A and 171/1B over an extent of 2.02.5 Ha in Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State. As per EIA notification, 2006 and its subsequent amendments the project comes under Schedule 1 (a) under Category B1 (Lease area >5 to 250 Ha). The proposed project details are given below.

(a) Proposed project details

Sl. No.	Description	Status/Remarks
1.	Sector	Non-coal mining
2.	Category of the project	B1
3.	Proposed mineral	Rough Stone & Gravel quarry
4.	Type of Lease	New Project
5.	Extent of the lease	2.02.5 Ha
6.	Proposed depth of mining	43m BGL
7.	Method of mining	Opencast-Mechanized
8.	Proposed lease period	5 Years
9.	Proposed Environmental Clearance	5 Years
10.	Proposed production quantity for five years	Rough Stone: 2,31,505 m ³ Gravel: 33,696 m ³

(b) Profile of the project proponent

The proposed lessee Tmt.K.Rajamani, W/o. Kuppusamy is an individual with sound experience in the identification of quarry, operation and marketing in the field of Rough Stone and gravel quarry. The proposed land is patta land registered in the name of Thiru.Ganesan vide patta no.1668, the applicant has obtained consent from the pattadar, please refer **Annexure no -6**.

(c) Project proponent details

Name of the proponent : Tmt.K.Rajamani
 Status of the Proponent : Individual
 Address : Tmt.K.Rajamani,W/o. Kuppusamy,
 No.168, Mettu Street, Karasanur Village,
 Vanur Taluk, Viluppuram-TN

1.3 BRIEF DESCRIPTION OF NATURE, SIZE, LOCATION OF THE PROJECT AND ITS IMPORTANCE TO THE COUNTRY, REGION:

The proposed quarrying operation Opencast-Mechanized method with 5m bench height, 5m bench width and overall bench slope is less than 56°. The quarry operation involves shallow jackhammer drilling, slurry blasting, excavation, loading and transportation.

1.3.1 SIZE AND LOCATION OF THE PROJECT

(a) Size of the project

Table1.2 Proposed project details		
Sl. No.	Feature	Description
1	Type of land	Consent Patta land
2	Extent of lease area	2.02.5 Ha
3	Type of lease	New Project
4	Geological Resource	Rough Stone - 7,77,298 m ³ Gravel - 45,518 m ³
5	Mineable Resource	Rough Stone - 2,31,505 m ³ Gravel - 33,696 m ³
6	Proposed production quantity for five years	Rough Stone - 2,31,505 m ³ Gravel - 33,696 m ³
6	Proposed depth of mining	43m BGL

Location of the project

The proposed project site is located in Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State and its Latitude 12°03'43.84"N to 12°03'48.73"N and Longitude: 79°40'10.09"E to 79°40'16.85"E with Survey of India Topo Sheet No. 57-P/12.

1.3.2 IMPORTANCE OF THE PROJECT TO THE COUNTRY AND REGION

There is an increasing demand for rough stone in India and other countries. Since the construction industry is rapidly growing now, there is an increasing demand for rough stone. Thus, this project will contribute not only to the demand of Rough Stone, but also provide employment opportunities to the nearby villages.

1.4 SCOPE OF THE STUDY -DETAILS OF REGULATORY SCOPING CARRIED OUT (AS PER TERMS OF REFERENCE):

Any mining project may cause environmental impacts near the project site during its operation. The type and intensity of impacts on various components of the environment may vary depending on the nature of the project, as well as its geographical location. The net impacts of the project can be quantified through Environment Impact Assessment (EIA) studies on Physical, Biological and Socio-economic environment. The EIA studies give a basis for preparing an Environmental Management Plan (EMP) to conserve the environment of the area.

For the purpose of preparing EIA/EMP the SEIAA, Tamil Nadu has issued a Terms of Reference ToR Identification No. TO24B0108TN5227548N, dated 31.05.2024 in accordance with the provisions of EIA Notification 2006 and its subsequent amendments. This EIA study includes both Core and Buffer zone i.e., the lease area and 10km radius of the project area respectively. This EIA report prepared based on the data generated from the summer season 2024 (March 2024 to May 2024) and all individual components of environment are described in detail. An in-depth analysis of available information has been made for working out an effective Environmental Management Plan.

1.4.1 PRESENT STUDY

The Project Proponent has assigned M/s. Global Mining Solutions, Salem for conducting Environment Impact Assessment / Environmental Management Plan (EIA/EMP) for this project. The Environmental Impact Assessment and Environmental Management Plan of this cluster quarry addressing all the environmental related impacts and mitigation measures. The EMP report is based on the data generated from March 2024 to May 2024 by M/s. Shrient Analytical & Research Labs Private Limited, Chennai and the data generated by the FAE of the M/s. Global Mining Solutions, Salem. The study evaluates the prevailing baseline environmental conditions. The objectives of the present study are given below.

- ✚ To prepare the present baseline scenario through primary field monitoring and secondary data for different environmental descriptors such as air, water, noise, traffic, biodiversity, socio-economic etc.
- ✚ To identify the activities of mining that have bearing on the environment
- ✚ To Assess the impact of proposed project activity
- ✚ To suggest preventive mitigation measures
- ✚ To prepare an Environmental Management Plan (EMP) including environmental monitoring.
- ✚ To Prepare Disaster Management Plan.

1.4.2 STATUS OF LITIGATIONS

This is a Rough Stone and Gravel Quarry project. There is no litigation/court case pending against this project.

a. Precise Area Communication:

The Project Proponent has obtained Precise Area Communication from the Assistant Director, Department of Geology and Mining, Viluppuram vide Rc.No. A/G&M/82/2024 dated 13.03.2024. The letter copy enclosed as **Annexure – 2.**

b. Mining Plan Approval Letter:

The project proponent has prepared mining plan under rule 19(1) 41 & 42 of Tamil Nadu Minor Mineral Concession Rules, 1959 and the same has been approved by the Assistant Director, Dept. of Geology & Mining, Viluppuram vide Rc.No. A/G&M/82/2024 dated 15.03.2024. The approval letter along with approved plan is enclosed as **Annexure – 3.**

c. 500m radius quarry features:

The project proponent has obtained an official letter from the Assistant Director, Department of Geology and Mining, Viluppuram vide Rc.No. A/G&M/82/2024 dated 15.03.2024. The letter copy enclosed as **Annexure – 4.**

d. Project Proponent undertaking affidavit:

The project proponent has issued an affidavit under in matter of Common Cause vs Union of India & Ors. The Affidavit copy is enclosed as **Annexure – 12.**

e. Land document of the proposed lease area:

It is patta land registered in the name of Thiru. Ganesan vide patta no.1668, the applicant Tmt. K. Rajamani has obtained consent from the pattadar are enclosed as **Annexure-6.**

CHAPTER 2

PROJECT DESCRIPTION

2.1 TYPE OF PROJECT

The type of the project is Rough Stone and Gravel Quarry with Opencast-Mechanized mining method to excavate Rough Stone and Gravel within the proposed Mine Lease area with drilling, blasting, loading and transportation. This project is located at S.F. No. 171/1A and 171/1B over an extent of 2.02.5 Ha in Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State.

As per EIA notification, 2006 and its subsequent amendments the project comes under Schedule 1 (a) under Category B1 (Lease area >5 to 250 Ha), considering cluster situation and the total cluster area is 9.02.5 Ha. The details of mines located in the cluster area is certified by Assistant Director, Dept. of Geology & Mining, Viluppuram vide Rc.No. A/G&M/82/2024 dated 15.03.2024.

Table 2.1 500m Radius Cluster Mines Details

Sl. No	Name and address	Village and Taluk	S.F.Nos.	Extent (in Ha)	Period of lease
Abandoned Quarries					
1	V.Sadaiyappan, No.18, Amal Nagar, West Tambaram, Chennai-600045.	Thollamur Village, Vanur Taluk	1/3A, 12/3, 12/5B1	3.57.0	16.08.2018 to 15.08.2023
2	K.Gnanasekaran, S/o. Kannadi Gounder, Mettu Street, Karasanur Village, Vanur Taluk, Viluppuram	Thollamur Village, Vanur Taluk	12/4, 12/5A	1.24.5	24.09.2017 to 23.09.2022
3	K.Balamurugan, S/o. Kuppusamy, Karasanur Post, Vanur Taluk, Viluppuram	Thollamur Village, Vanur Taluk	11/4A2, 15/2, 15/3A, 15/3B, 15/4	2.12.0	27.08.2018 to 26.08.2023
4	S.Nanthini, W/o.Sankar, No.14, 3 rd Street, Jayapuram, Tindivanam Taluk, Viluppuram	Thollamur Village, Vanur Taluk	11/5A, 11/6, 11/7, 16/2, 16/3, 16/4, 16/5, 16/6, 16/7, 16/8B, 16/9, 16/10	3.32.5	31.12.2015 to 30.12.2020

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

5	V.Sankar, S/o.Vivekanandan, No.14, Jayapuram Colony, Tindivanam Taluk Viluppuram	Thollamur Village, Vanur Taluk	2/1, 2/2, 2/3, 2/4, 2/5, 3/1, 3/2, 3/3, 3/4, 3/5, 3/6, 3/7	3.66.5	20.09.2016 to 19.09.2021
Existing Quarries					
1	I.Justin Prabu, S/o.Iyyadurai, No.1/56, D9, Church Street, Christopher Nagar, Peruvilai,Kanniyakumari	Karasanur Village, Vanur Taluk	43/4A, 43/4B, 43/4C, 43/5, 43/6, 44/6	3.67.5	03.06.2022 to 02.06.2032
Proposed Quarry					
1	Tmt.K. Rajamani, W/o. Kuppusamy, No.168, Mettu Street, Karasanur Village, Vanur Taluk, Viluppuram	Karasanur & Vanu	171/1A, 171/1B	2.02.5	Under Proposed Quarry
2	G.Arjunan, S/o.Govindasamy, No.63, Throwpathi Amman Kovil Street, Thiruvakkarai, Vanur Taluk,	Thollamur, Vanur	11/5A, 11/6, 11/7, 16/2, 16/3, 16/4, 16/5, 16/6, 16/7, 16/8B, 16/9, 16/10	3.32.5	Proposed Quarry
Existing Quarries - (Granite)					
1	M/s. Kattima, No.18, Sulaiman Jakkariya avenue casa major road, Egmore, Chennai - 8	Thollamur, Vanur Taluk	169/7A, 169/8, 170/1	1.76.5	11.08.2008 to 10.08.2028 Non-Operation From 2017
2	Shanthakumari, W/o. (Late) Selvaraj, No.139, Gopalapuram, Marakanam Road, Tindivanam	Karasanur Village, Vanur Taluk	49/6, 49/7, 50/1, 50/2, 169/3	1.00.0	04.06.2010 to 03.06.2030 Non-Operation From 2017
3	M/s. Aswani Enterprises, No.49A, Jayapuram Colony, Tindivanam	Karasanur Village, Vanur Taluk	169/9, 169/10, 169/12, 172/1 (P)	1.38.5	08.02.2010 to 07.02.2030 Non-Operation From 2017

The proposed production is 2,31,505 m³ of Rough Stone and 33,696 m³ of Gravel by open cast mechanized mining method.

2.2 NEED FOR THE PROJECT

The salient features of the proposed Rough Stone and Gravel quarry of Tmt.K.Rajamani, W/o. Kuppusamy.

Table 2.1a Salient features of the project		
S.No.	Type of Detail	Description
1	Sector	1(a) Non coal mining
2	Fresh/Existing project	New Project
3	Category	B1
4	Nature of mineral	Minor Mineral
5	Life of the mine	5 years
6	Production Quantity for five years	Rough Stone - 2,31,505 m ³ Gravel - 33,696 m ³
7	Waste generation and management	Nil
8	Bench height and width	Proposed bench height & width is 5.0m respectively and number of proposed benches is 9 Nos (1+8).
9	Ultimate pit depth	43 m BGL
10	End use	The excavated Rough Stone and Gravel is used for construction industries for Government & Public sector projects besides catering domestic housing and infrastructure projects in and around the district.

2.3 LOCATION (MAPS SHOWING GENERAL LOCATION, SPECIFIC LOCATION, PROJECT BOUNDARY & PROJECT SITE LAYOUT):

This project site is located in Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State. The Nearest Railway line is Viluppuram – Chennai line which is about 12.2 km on south eastern side of the area. The National Highway (NH-32) Thindivanam – Thoothukudi is about 8.0 Km on north west side of the area. The State Highway (SH-136) Vellemedupettai – Puducheery about 0.5 Km on North east side of the area. The general location is given in Figure 2.1. The specific location is given in Figure 2.2.

FIGURE 2.1 LOCATION MAP




Table 2.2 Co-Ordinates of the Project Site


C or	Co- ordinates		Distance between the corners
	Latitude	Longitude	
1	12° 03' 44.50"N	79° 40' 10.09"E	1-2=134.8m
2	12° 03' 48.73"N	79° 40' 11.27"E	2-3=179.4m
3	12° 03' 46.76"N	79° 40' 16.85"E	3-4=9.6m
4	12° 03' 46.47"N	79° 40' 16.73"E	4-5=89.0m
5	12° 03' 43.84"N	79° 40' 15.50"E	5-6=5.8m
6	12° 03' 43.88"N	79° 40' 15.32"E	6-7=50.4m
7	12° 03' 43.99"N	79° 40' 13.56"E	7-1=106.0m

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

FIGURE 2.2 GOOGLE IMAGE SHOWING PROJECT SITE




FIGURE 2.3 SURFACE PLAN PROJECT SITE



DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

FIGURE - 2.4 GEOLOGY MAP OF PROJECT AREA



2.3.1 PROJECT SITE LAYOUT

The proposed Mine Lease area is Consent Patta Land and the Land use pattern of the project site is given below Table 2.5.

Table 2.3 Current Land Use Pattern			
S. No.	Land Use	Present Area (Hect)	Area in use during the quarrying period (Hect)
1	Quarrying Pit	0.10.6	1.59.0
2	Infrastructure	Nil	0.01.0
3	Roads	0.01.0	0.02.0
4	Green Belt	Nil	0.40.5
5	Unutilized	1.90.9	Nil
	Total	2.02.5	2.02.5

2.3.2 LAND USE AT MINE CLOSURE STAGE


Table 2.4 Land Use at Mine Closure Stage		
S. No.	Land Use	Area in use during the quarrying period (Hect)
1	Area left for water body	1.59.0
2	Green Belt	0.40.5
3	Remaining area	0.03.0
	Total	2.02.5

2.3.3 SALIENT FEATURES OF THE LEASE AREA

Sr.No	Salient Features	Description
1	Nearest Roadway	<ul style="list-style-type: none"> • There is an existing road from the area leads to Thollamur village road on eastern side of the area. • The Nearest Railway line is Viluppuram – Chennai line which is about 12.2km on south eastern side of the area. • National Highway (NH-32) Thindivanam – Thoothukudi 8.0km on north west side of the area. • The State Highway (SH-136) Vellemedupettai – Puducheery is about 10.5 Km on North eastern side of the area.
2	Nearest Village	Karasanur Village - 450m - N
3	Nearest Railway station	Perani - 13.5m – NW
4	Nearest Airport	Puducheery – 19.0km – SE

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

Figure 2.5 Topo Map showing existing site features



2.6 PROJECT SITE PHOTOGRAPHS



2.4 SIZE OR MAGNITUDE OF OPERATION(INCL.ASSOCIATED ACTIVITIES REQUIRED BY OR FOR THE PROJECT):

The proposed production is rough stone 2,31,505 m³ and 33,696 m³ Gravel by Opencast Mechanized mining method. Available Geological Resources of Rough stone 7,77,298 m³ and Gravel 45,518 m³. Cost of the project is Rs. 286 lakhs including land cost. Capital cost for EMP is Rs. 57.57 lakhs and recurring cost for the EMP is Rs. 27.83 Lakh/Annum.

2.4.1 STATUS OF STATUTORY CLEARANCES, PERMISSIONS, NO OBJECTION CERTIFICATES, CONSENTS:

The mining project will be implemented after getting all the Statutory Clearances, Permissions, No Objection Certificates, consents etc. which are required/necessary for this project under various Acts, Rules and Regulations is as given in table below:

Table - 2.5 Status of Statutory Clearances, Permissions, NOC, Consents

S.No	Particular	Status
1	Mining Plan Approval Status	The project proponent has prepared mining plan under rule 19(1) 41 & 42 of Tamil Nadu Minor Mineral Concession Rules, 1959 and the same has been approved by the Assistant Director, Dept. of Geology & Mining, Viluppuram vide Rc.No. A/G&M/82/2024 dated 15.03.2024.
2	Environment Clearance Status	ToR Letter Received vide file no TO24B0108TN5227548N, dated 31.05.2024.
3	Grant of Consent to Establish (CTE)	After 30 days from grant of EC (Duration as per TNPCB)
4	Grant of Consent to Operate (CTO)	After 30 days from grant of EC (Duration as per TNPCB)

2.5 PROPOSED SCHEDULE FOR APPROVAL & IMPLEMENTATION

Proposed schedule for approval of the proposed mining project is given as under:

Table - 2.6 Proposed Schedule for Approval

S.N	Activity Description	Oct 2024	Nov 2024	Dec 2024	Jan 2025
1	Submission of Final EIA/EMP Report to SEIAA-TN				
2	Consideration for EC by SEAC				
3	Recommendation of SEAC to SEIAA				
4	Grant of EC by SEIAA				

Proposed schedule has been prepared as per EIA Notification, 2006

Note: Application was submitted to Parivesh Portal on 03.04.2024, ToR was granted on 31.05.2024. Baseline data Collection during Summer Season (March to May 2024). After obtaining EC from SEIAA-TN, CTE and CTO under section 21 of the Air (Prevention and Control Act) 1981 and section 25/26 Water (Prevention and Control of Pollution Act) 1974 will be obtained from Tamil Nadu State Pollution Control Board (TNPCB).

2.5.1 IMPLEMENTATION

Implementation of the proposed mining project will be done in accordance with the existing Acts and Rules applicable on mining operations as well as in accordance with any Act/Rule/Guidelines issued by Central or State Government from time to time and as per Mining Plan and Progressive Mine Closure Plan approved by Assistant Director, Dept. of Geology & Mining, Viluppuram vide Rc.No. A/G&M/82/2024 dated 15.03.2024.

2.6 TECHNOLOGY & PROCESS DESCRIPTION

2.6.1 BASIC REQUIREMENTS FOR THE PROJECT

The project requirements such as water, power, man-power, fuel, machinery with source of supply is described in the sections below.

2.6.2 WATER REQUIREMENTS

In the proposed mines water will be mainly used for domestic purpose, dust suppression & plantation. Total water requirement for the project is 4.2 KLD which will be sourced from outside agencies. Negligible sewage of 1.0 KLD will be generated, for which a septic tank with soak pit will be set up. The water balance diagram is given below.

FIG 2.7 WATER BALANCE DIAGRAM




Table - 2.7 Water Requirement

S. No	Particular	Water Requirement (KLD)
1	Dust suppression	2.0
2	Drinking/Domestic	0.8
3	Greenbelt/Plantation	1.4
Total		4.2

2.6.3 POWER REQUIREMENT

Total Fuel requirement is 190.82 KL for entire life of the project. Power will be used only in the office building

2.6.4 MAN POWER REQUIREMENT

Total Manpower requirement will be 26 persons which out of which 10 persons (Mines manager, Foreman, Mining Mate, etc.,) and other are drivers and workman's categories. Beside this, 16 workmen will be drivers and workmen. Preference will be given to the locals as per their eligibility.

S.No	Description	Employment potential
1	Mines Manager	1 No.
2	Foreman / Mate	2 Nos.
3	Operator	7 Nos.
4	Mechanic	1 No.
5	Driver	3 Nos.
6	Labours	12 Nos
Total		26 Nos

2.6.5 EXTENT OF MECHANIZATION

Table 2.8 Machineries involved in the project				
S.No.	Particulars	capacity	Motive Power	Nos
1.	Jack hammer	32mm dia	Compressed air	5
2.	Compressor	1 psi	Diesel drive	2
3.	Excavator with Bucket and Rock Breaker	0.90 m ³	Diesel drive	1
4.	Tippers	5/10 Ts	Diesel drive	3

Source: Approved Mining Plan

Note: The mining equipment's of the above capacities are adequate for total material handling requirements for the proposed production of Rough stone in the ML area.

2.6.6 GEOLOGY AND TOPOGRAPHY

Topography

The mine lease area of 2.02.5 Ha is covered in the Survey of India Toposheet 57 P/12 and is bounded by Latitude: 12°03'43.84"N to 12°03'48.73"N and Longitude: 79°40'10.09"E to 79°40'16.85"E. No major river is found nearby the lease applied area. Water table is found at a depth of 66m. Temperature of the area is reported to be 18°C to a maximum of 42°C during summer. Rainfall of this area is about 800 mm to 900 mm during the both NE & SW monsoons.

The topo map showing the lease area of the proposed quarry is given in Figure 2.1 and Satellite map showing proposed lease area is given in Figure 2.2.


The elevation of the proposed quarry is 84m (maximum) from MSL. There is no forest land in the mine lease area. The project site is dry land which is not fit for any cropping.

2.6.7 Regional Geology

Vilupuram District is mostly underlain by the Archaean crystalline and metamorphic complex. The geology of the district is complicated due to recurring tectonic and magmatic activities occurred during. Pre-Cambrian period. Hornblende Biotite Gneisses are the oldest rocks the district. It is very fissile and present widely in plains. The gneisses are highly weathered upto 30 m at some places.

The Charnockites are coarse grained, massive and foliated at places and their colour is bluish dark to grey. They are the second largest rock type present in the district. They are massive and less weathered than the gneisses. They exhibit 2 to 3 distinct set of joints and most of them are vertical with steep dips. Iron ore deposits associated with quartz feldspathic gneiss and garnetiferous quartz gneisses are present in some areas. These rocks are highly folded and jointed and less weathered. Quartzite and crystalline lime stones are exposed in patches in north and central parts of the district. The thickness of these bands varies from a few meters to ten meters and the length extends to few kilometres. Numerous lenses of dunite with magnesite veins of various dimension are exposed within gneiss. There are number of basic dykes present in the study area. Granites are found in some parts of the district. They are massive and jointed poorly. Thin veneer of alluvium is found along the course of the Vada Pennaiyaru. However, alluvium of few meters thickness is found near the junction of river Vada Pennaiyaru. Several faults and shears are occurring mostly with north east-southwest trend. They are expected to influence the course of groundwater movement, its storage and developmental potentials in the district. Regional Geology map for the 10 Km radius from the proposed project site is given as Figure 2.6.

FIGURE 2.8 REGIONAL GEOLOGY MAP - 10 Km RADIUS FROM PROJECT AREA



2.6.8 Local Geology

Geological Resources

The area is underlain by the wide range of metamorphic rocks of peninsular gneissic complex. These rocks are extensively weathered and overlain by the recent valley fills and alluvium at places. The geological formations found in the district are Archaean rocks like Gneisses, Granites, Charnockites basic granulites and calc-gneisses. The younger formations are Quartz veins and pegmatite.

The rock type noticed in the area for lease is Charnockite which contains mostly Quartz and Feldspar with some ferromagnesian minerals. The Charnockite is part of peninsular Gneisses, a high-grade metamorphic rock. The strike of the Charnockite formation is N45°E – S45°W with dipping towards SE80°.

The general geological succession of the area is given as under.

<u>AGE</u>	-	<u>ROCK TYPE</u>
Recent	-	Gravelly soil Unconformity
Archaean	-	Dolerite dyke Charnockite. Peninsular Gneissic complex And Calc Gneiss

2.7 PROJECT DESCRIPTION INCLUDING DRAWING SHOWING PROJECT LAY OUT COMPONENTS OF PROJECT ETC., SCHEMATIC REPRESENTATION OF THE FEASIBILITY DRAWING WHICH GIVE INFORMATION IMPORTANT For EIA PURPOSE.

2.7.1 PROCESS DESCRIPTION

PROPOSED METHOD OF MINING

Opencast-Mechanized method with 5.0 m height 5.0m width and overall, 56° slope of the bench. It is proposed to excavate 2,31,505 m³ of Rough Stone and 33,696 m³ Gravel. No wastage is envisaged as the entire material available is Rough Stone and Gravel only.

TIMING

Mining will be done on single shift basis. Timing will be 8 hours from 8 AM to 1 Noon and 2 PM to 5 PM. Lunch time will be provided between 1 Noon and 2 PM. Timing may be variable from season to season depending upon the sunrise and sunset. Weekly one day will be declared as holiday.

BENCH GEOMETRY

Height (max) and Width (max) of the benches will be maintained as 5m each and overall slope angle will be at around 56° with the horizontal.


DEVELOPMENT OF MINING FACES

The proposed mining method is Opencast Mechanized mining. Site preparation as such bush cleaning, approach road, office and sanitary facilities will be done after obtaining all the statutory clearances as such Environmental Clearance, Consent to Operate, Lease Deed, etc., Once site is ready will start the quarrying operation and it is anticipated in the month of March 2025.

DRILLING & BLASTING

Drilling will be done upto maximum depth of 43m BGL (Drilling diameter will be 32 mm). Jackhammer will be used for drilling with water spray. Powder factor of explosives for breaking such hard rock shall be in the order of 6 Tonnes per Kg of explosives and dia 32 mm explosive is proposed to be used for shattering and heaving effect for removal of Rough Stone and Gravel. The proposed blasting pattern is given as **Figure 2.9**.

FIGURE 2.9 BLASTING PATTERN



LOADING & TRANSPORTATION OF ROUGH STONE AND GRAVEL

Hydraulic excavator will be used for lifting and loading of the rough stone and Gravel. This excavator in combination with Tippers (5/10T) capacity of 3 nos will be used.

FIGURE 2.10 FLOW CHART OF THE QUARRY OPERATION




TABLE - 2.9 MINING DETAILS

S.No	Description	Details	Remarks
1.	Method of Mining	Opencast method of mechanized mining with 5.0 m height 5.0 m width and overall 56° slope of the bench. Hydraulic excavator will be used for the excavation and 5/10T tippers will be used for the Hauling.	Excavator – 1 No Tippers - 3 Nos.
2.	Mineral Use	The excavated Rough Stone and Gravel, will be used for construction industries for Government & Public sector projects besides catering domestic housing and infrastructure projects in and around the district	-
3.	Proposed Depth	43m BGL	Water table in the area is around 66m BGL

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

4.	Proposed Production quantity	2,31,505m ³ of Rough Stone 33,696m ³ of Gravel	Five years
5.	Existing pit dimension	This proposed Mine Lease area already mined by Thiru. V.Lakshminarayanan lessee from 22.08.2011 to 21.08.2016, There is one numbers of existing pit with in Mine Lease area and the height of the quarry is 8m respectively.	
		PIT NO	Length in (m)
		PIT 1	53
		Width in (m)	20
		Depth in (m)	8 (BGL)
5.	Safety Zone	Out of 2.02.5 Ha, 0.41.5 Ha will be maintained as safety zone during mining operation as well as at the conceptual stage of the project.	Around 1300 nos. of saplings will be planted in this safety
6.	Water requirement	4.2 KLD	Procured from the outside watervendors
7.	Energy requirement	1,90,820 liters of HSD (Entire Project Life)	All the equipment will be diesel operated. No electricity is needed for mining operation
8.	Manpower	26 Nos	
9.	Shift	General Shift	8.00 AM – 5.00 PM
10.	Project Cost	71.65 Lakhs	(Including Fixed Asset + Operational & EMP cost)
11.	EMP Cost	286 Lakhs	-
12.	CER Cost	As per MOEF & CC Notification CER cost is arrived for an amount of 1,43,300/- Lakhs @ 2% of the project cost. However, the project proponent has revised CER cost as 8.0 Lakhs.	The amount will be utilized for the development of nearby Government Schools.

2.7.2 YEAR WISE PRODUCTION & EXCAVATION DETAILS

Year wise Production of Rough stone and Gravel from the area will be upto maximum capacity. The recovery factor is up to 100% hence no waste expected to be generated. All excavated quantity is saleable. The summary of proposed development and production during the mine plan period is given in Table 2.8.

Table 2.10 Summary of production for 5 Years								
Year	Section	Bench	Length in (m)	Width in (m)	Depth in (m)	Volume in m ³	Gravel in m ³	Mineable reserve of Rough stone in m ³
I	XY-AB	I	16	58	3	2784	2784	
		II	12	54	5	3240		3240
		III	35	90	5	15750		15750
	XY-CD	I	35	92	3	9660	9660	
		II	35	83	5	14525		14525
		III	35	73	5	12775		12775
Total							12444	46290
II	XY-CD	I	60	92	3	16560	16560	
		II	60	83	5	24900		24900
		III	60	73	5	21900		21900
	Total							16560
III	XY-CD	I	17	92	3	4692	4692	
		II	12	83	5	4980		4980
		III	7	73	5	2555		2555
		IV	97	63	5	30555		30555
	XY-AB	IV	21	80	5	8400		8400
	Total							4692
IV	XY-AB	IV	9	80	5	3600		3600
		V	25	70	5	8750		8750
		VI	20	60	5	6000		6000
		VII	15	50	5	3750		3750
	XY-CD	V	92	53	5	24380		24380
	Total							
V	XY-CD	VI	87	43	5	18705		18705
		VII	82	33	5	13530		13530
		VIII	77	23	5	8855		8855
		IX	67	13	5	4355		4355
	Total							
Grand Total							33696	231505

2.7.3 CONCEPTUAL PERIOD


During conceptual stage the mined-out area will be converted into water reservoir and safety zone as well as upper benches will be used for plantation at the conceptual period. It will also serve the purpose as socio economic and corporate social responsibility of the lessee by way of supplying water for irrigation purpose or at will of the local people. This will help in ground water recharging as well. The conceptual plan and section of mine lease area is given in Figure 2.11. Ultimate extent and size of the quarry at the conceptual stage is given below as Table 2.9 and Land Use pattern is given as Table 2.10. The conceptual plan is given as Figure 2.11.

TABLE 2.11 Ultimate Pit Dimension			
Pit No.	Length (max) (m)	Width (Avg) (m)	Depth (max) (m)
I	159	100	43m BGL

TABLE 2.12 Land Use at Mine Closure Stage		
S. No.	Land Use	Area in use during the quarrying period (Ha)
1	Area left for water body	1.59.0
2	Green Belt	0.40.5
3	Remaining area	0.03.0
Total		2.02.5

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

FIGURE 2.11 CONCEPTUAL PLAN



2.8 DESCRIPTION OF MITIGATION MEASURES INCORPORATED INTO THE PROJECT TO MEET ENVIRONMENTAL STANDARDS ENVIRONMENTAL OPERATING CONDITIONS, OR OTHER EIA REQUIREMENTS (AS REQUIRED BY THE SCOPE)

The mitigation measures given in this section are for management of the emissions (particulate or gaseous), Noise pollution, wastewater & surface run-off generated from the mining operations to meet the environmental standards and environmental operating conditions are as follows:

2.8.1 AIR QUALITY MANAGEMENT

Drilling

Drilling machines are proposed to be equipped with wet drilling arrangements and cyclone dust collectors.

Blasting

- Controlled blasting is proposed to be adopted and optimum use of explosive energy will help in reducing the air pollution.
- Secondary blasting will be avoided.
- Rock breakers are proposed to be used for breaking over sized boulders in order to reduce the dust generation.
- Use of good quality of explosives having proper oxygen balance with regular monitoring.
- Ensuring proper stemming after charging of explosives. Proper stemming material will help in minimizing dust throw thereby lowering the spread of dust particles in ambient air pollution.
- Water spray on blasted muck pile before dozing/loading to control dust generation.

Loading & Transportation

- Water spray on haulage roads, access roads, operating benches and proper maintenance of haul roads.
- Development of green belt/plantation around mine boundary, roads and other places will be carried out to control the air pollution.
- Proper maintenance of the HEMMs & transportation vehicles will be done.
- Vehicular emissions will be kept under norms.
- Personal Protective Equipment like dust masks will be provided to all employees. ➤ Regular air quality monitoring will be carried out.
- Compliance of conditions laid by MoEF&CC and TNPCB to minimize environmental impacts

2.8.2 NOISE MANAGEMENT

Drilling

- Drilling with sharp drill bits to achieve optimum drilling performance and to reduce noise generation at source will be adopted.
- Personal protective equipments i.e. earplug in drilling & in high noise area shall be used.

Blasting

- As blasting will be done in accordance with standards prescribed by DGMS for controlled blasting; therefore, ground vibrations will not affect the structures in the vicinity of mine area.
- Explosives charge per hole and per delay will be maintained as per DGMS guidelines.
- Blasting will be carried out by use of non-electric detonators (NONEL) system and the impacts of noise generated due to blasting are momentary.
- Vibrations and noise generated by blasting will be monitored regularly

Transportation

- Adequate silencers in HEMMs will be provided to reduce generation of noise.
- Proper and regular maintenance, oiling and greasing of machines at regular intervals will be done to reduce generation of noise.
- All HEMMs will be equipped with acoustic a/c closed cabins for operators.
- The workers employed at HEMMs will be provided with protective equipment, earmuffs and earplugs as protective measures from the high noise level generated at the mine site and wherever required.
- Development of green belt & plantation around the mining activity and other areas, will be carried out.
- Regular monitoring of noise will be carried out.

2.8.3 WATER MANAGEMENT

Waste Water

Septic Tanks and soak pits will be provided for the disposal of effluent generated from mine office.

Surface Run-off

- Garland drains are proposed to be constructed around the temporary overburden soil dump to channelize the runoff water from dumps and also around the active pit to restrict rainy water from entering in to the working pit.
- Rain water falling directly into the mine pits will be stored and used for plantation & dust suppression.
- Regular monitoring of water quality will be carried out

GREENBELT/ PLANTATION

The mine lease area is devoid of major plantation. Shrubs and bushes are majorly found within the lease area. The proponent has planned to develop green belt in an area of 0.40.5 Ha. Trees like Pungai, Vagai, Vembu, Manjal konrai, Naval, Puvarasu, etc., will be planted around the mine lease area. A total of 1300 trees are planned to be planted. Spacing will be 3m x 3m.

2.9 ASSESSMENT OF NEW & TESTED TECHNOLOGY FOR THE RISK OF TECHNOLOGICAL FAILURE:

From the nature and extent of the deposit, the reserves and the quality have been proved with adequate degree of reliability. Considering the type of mineralization, opencast mechanized method is the most feasible method for mining in the proposed mine lease. It is also a matter of fact that the mining machineries are upgrading with time and therefore the project proponent would act fast to adopt more advanced equipment and automation for safe and environment friendly mining technology in the years to come.

CHAPTER -3

DESCRIPTION OF THE ENVIRONMENT

3.1. STUDY AREA, PERIOD COMPONENTS AND METHODOLOGY

The project area is located in Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State over an extent of 2.02.5 Ha, The project area is considered as Core zone and the area in the surrounding 10km radius is considered as Buffer Zone. The baseline environmental monitoring was conducted by Shrient Analytical & Research Labs Private Limited, Chennai it is an NABL and MOEF recognized laboratory for various components of environment, viz. Air, Noise, Water, Land was carried out during Summer Season i.e. March 2024 to May 2024 in the study area covering 10 km radial distance from the rough stone and Gravel mine. Other environmental data on flora and fauna, land-use pattern, forest etc. were also generated through field surveys and secondary information collected from different State Govt. departments. Sampling methods and analysis. Socio-economic survey was conducted, through interaction with the people, sarpanch and medical officers by floating questionnaires and collection of information are supported by census data for demographic structures, amenities, and infrastructure availability within the study area. Baseline values for various environmental components are discussed in this Chapter.


ENVIRONMENTAL SETTING OF THE STUDY AREA

Table 3.1 Description of the lease area				
S.No.	Areas	Distance from project site		
1	Areas protected under international conventions, national or local legislation for their ecological, landscape, cultural or other related value	Nil within 15km radius		
2	Areas which are important or sensitive for ecological reasons			
A	Wetlands, water courses or other water bodies,	Water bodies	Distance	Direction
		Small Kulam	70 m	E
		Tank	840m	N
		Vidur Canal	1.5 km	SW

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

		Varaha nadi	4.3 km	SW
		Suttukanni Vaykkal	5.5 km	SE
		Vidur Dam	7.7 km	W
B	Coastal zone, biospheres,	Nil within 10km radius		
C	Mountains, forests	Nil within 10km Radius Oussudu Lake Birds Sanctuary - 12.4km (SE)		
3	Areas used by protected, important or sensitive species of flora or fauna for breeding, nesting, foraging, resting, overwintering, migration	Nil within 15km radius		
4	Inland, coastal, marine or underground waters	Nil within 15km radius		
5	State, National boundaries	Nil within 15km radius		
6	Routes or facilities used by the public for access to recreation or other tourist, pilgrim areas	Nil within 15km radius		
7	Defense installations	Nil within 15km radius		
8	Densely populated or built-up area	Eraiyyur (1.7km - SW)		
9	Areas occupied by sensitive man-made land uses (hospitals, schools, places of worship, community facilities)	Eraiyyur (1.7km - SW)		
10	Areas containing important, high quality or scarce resources (ground water resources, surface resources, forestry, agriculture, fisheries, tourism, minerals)	Nil		
11	Areas already subjected to pollution or environmental damage. (those where existing legal environmental standards are exceeded)	Nil		
12	Areas susceptible to natural hazard which could cause the project to present environmental problems (earth quakes, subsidence, landslides, erosion, flooding or extreme or adverse climatic conditions) similar effects	No. The area is not prone to earthquakes, floods, etc.		

FIG 3.1 ENVIRONMENTAL SETTING OF THE STUDY AREA



STUDY PERIOD

The relevant information and data (both primary and secondary) were collected in core as well as buffer zone (10 km distance from the mine boundary) during Summer Season (March., to May., 2024) in accordance with the guidelines for preparation of EIA studies in order to assess the impact of the mine site within the 10 Km study area on existing physical, biological and social environment.

3.2 ESTABLISHMENT OF BASELINE FOR VALUED ENVIRONMENTAL COMPONENTS:

Information on the following components/parameters were collected to understand the existing scenario of the core and buffer area:

- ✚ Meteorological environment
- ✚ Air environment
- ✚ Water environment
- ✚ Noise environment
- ✚ Soil environment
- ✚ Biological environment
- ✚ Land use & Land cover
- ✚ Socio economic environment
- ✚ Hydrogeology

BASELINE DATA COLLECTION

Baseline environment data on various components of the environment in the study area were collected during Summer Season (March., to May., 2024) to assess the present scenario of the area. Details are given in the table given below.

Baseline data collection During Post Monsoon Season (March., to May., 2024)

Sr.No	Environmental Component	Primary data		
		Parameters	Frequency	Monitoring/ Sampling locations
1	Land	Agriculture, Habitation, Industry, Stony waste/ Quarries, Forest area, Plantation/ Vegetation, Open scrub, Water bodies etc.	Once in a Season	10 km radius study area
2	Meteorology	Temperature, Relative Humidity, Wind Speed, Wind Direction.	Hourly	1
3	Air	PM10, PM2.5, SO ₂ , NO ₂ , CO & PAH	twice a week (24 hourly)	6
4	Noise	Equivalent noise levels in Leq in dB (A)	Once in a season (day & night time)	6

5	Water	Parameters as per IS 10500 - 2012	Once in a season	
A	Surface Water	Parameters as per IS 10500 - 2012	Once in a season	2
B	Ground Water	Parameters As per IS 2720/USDA	Once in a season	6
6	Soil	Parameters As per IS 2720/USDA	Once in a season	6
7	Biological Environment	Flora and Fauna	Once in a season	Study Area
8	Socio-Economic Environment	Socio-Economic Environment	Once in a season	Study Area

INSTRUMENTS USED FOR ENVIRONMENTAL BASELINE DATA COLLECTION

The following instruments were used at the site for environmental baseline data collection work.

- Respirable Dust Sampler with attachment for gaseous Pollutants, Envirotech APM 460.
- Fine Particulate Matter (FPS) Sampler APM 550
- Sound Level Meter Model Envirotech SLM - 100
- Digital D.O. Meter Model - 831 E (CPCB Kit)
- Weather Monitoring Station Model Enviro WM 271
- Water Level Indicator and
- Global Positioning System (GPS) Apart from collecting samples of air, water, noise and soil from representative sampling points given in proceeding sections, the data on land use, vegetation and agricultural crops were also collected by the field team through interaction with a large number of local inhabitants of the study area and different Government departments/agencies. This provided an excellent opportunity to the members of the field team for obtaining clear scenario of the existing environment of the study area.

3.3. BASE MAP OF ALL ENVIRONMENTAL COMPONENTS

(ENUMERATION OF THE STRUCTURES LOCATED WITHIN 1.0 KM RADIUS FROM THE PROPOSED QUARRY SITE)

A site survey has been conducted to identify and list structures located within a 1 Km radius from the proposed Quarry and are detailed below. There are permanent structures within a 1 km radius from the project site. The PP has obtained a letter from Village Administrative Office (VAO), Karasanur stating that there are no structures situated within 1 Km radius.

FIG 3.2 BASE MAP SHOWING 50M INTERVAL FOR 1KM RADIUS FROM THE LEASE AREA





FIGURE - 3.2a SATELLITE MAP OF THE PROJECT AREA (10 KM RADIUS)



3.3.1 METEOROLOGICAL ENVIRONMENT

Meteorological conditions prevailing in the buffer zone is given below

Climate

The climate of Viluppuram District is tropical. The period from the weather is pleasant during the period from November to January. The normal temperature varies between 18°C to a maximum of 42°C during summer, whereas the hottest climate experiences from March to May with mercury reaching 38.5°C at the highest.

Rainfall

Viluppuram district generally experiences hot and humid climate conditions. The district receives rain under the influence of both southwest and northeast monsoons. Most of the precipitation occurs in the form of cyclonic storm caused due to depressions in Bay of Bengal chiefly during NE monsoon period. The SW monsoon is highly erratic and summer rains are negligible. Rainfall of this area is about 800 mm to 900 mm during the both NE & SW monsoons. The excess rainfall is 192% (Source: Mausam.imd.gov.in)

Rainfall received from 2017 to 2021 is given below.

Table 3.2 Rainfall data					
Actual Rainfall in mm					Normal rainfall in mm
2017	2018	2019	2020	2021	
1231.8	750.3	1022.6	1077	1521.2	980

Relative Humidity

The relative humidity, in general around the year is between 55 and 65% in most parts of the district, except during the north-east monsoon season when it is over 65%. However, the coastal areas will be comparatively more humid.

Seismic information

The study area falls in Zone II, which comes under the least active zone. The seismic map of India is given as Fig 3.2.

FIG 3.3 SEISMIC MAP OF INDIA






FIG 3.4 WIND ROSE PLOT DURING MARCH TO MAY 2024
WINDROSE FLOWING FROM



WINDROSE FLOWING TOWARDS



Meteorological data of the project area

The meteorological data collected in the study area from March 2024 to May 2024 which includes Temperature, Wind speed, Wind direction and Relative humidity. The predominant wind blows from West. The temperature of the area is reported to be 24.4°C and 27.1°C during summer.

3.3.2 AMBIENT AIR MONITORING DATA

Ambient air quality monitoring has been carried out in 6 locations. One in the core zone and remaining five locations in the buffer zone areas. Monitoring locations have been chosen such that the measurement represents the overall air condition prevailing in the area. The study area represents mostly rural environment with stone mining quarries & crushers.

The regional climatologically data, was used as a guideline to know the predominant wind direction during study period. The locations were identified keeping in view predominant wind directions prevailing during study period, sensitive receptors, human settlements, and mining activities around.


The levels of Respirable Particulate Matter (PM10), Fine Particulates (PM2.5), Sulphur Dioxide (SO₂) and Oxides of Nitrogen (NO_x) were monitored for establishing the baseline status. PM10 were sampled with the help of Respirable Dust Samplers on filter papers and SO₂ & NO_x were absorbed in the respective absorption media in the impingers attached to RD samplers and analyzed Spectro-photometrically. PM2.5 was monitored with the help of Fine Particulate Samplers. The monitoring locations for ambient air study are given in Table – 3.3 and Figure 3.5 below.

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

Table 3.3: Details Of Ambient Air Quality Monitoring Locations

S. No.	Station Code	Locations	Distance & Direction	Coordinates
1	AAQ 1	Project site	Core Zone	12°03'43.84"N 79°40'10.09"E
2	AAQ 2	Eraiyyur	1.5km, SW	12°03'29.19"N 79°39'21.37"E
3	AAQ 3	Thollamur	1.6km, SE	12°02'55.19"N 79°40'38.04"E
4	AAQ 4	Parangai	2.65 Km, W	12°03'29.88"N 79°41'39.58"E
5	AAQ 5	Kunnam	3.0 Km, N	12°05'21.59"N 79°40'42.34"E
6	AAQ6	Perumbakkam	2.3 Km, NW	12°04'46.09"N 79°39'23.82"E

FIG 3.5 BASE MAP OF AMBIENT AIR MONITORING LOCATIONS



The concentrations of various air pollutants at the 6 locations are given below. For all the components in the table, the unit are in $\mu\text{g}/\text{m}^3$.

Table.3.4 Results of Air sampling Analysis in 6 locations

Station ID	Min	Max	Avg.
Particulate matter PM₁₀ - (µg/m³)			
AAQ-1	60.9	74.8	67.85
AAQ-2	46.3	56.4	51.35
AAQ-3	50.8	62.7	56.75
AAQ-4	56.7	59.1	57.9
AAQ-5	47.3	58.7	53
AAQ-6	46.9	55.1	51
CPCB NAAQS 2009 for PM₁₀ - 100 µg/m³			
Particulate matter PM_{2.5} (µg/m³)			
AAQ-1	29.2	35.9	32.55
AAQ-2	20.8	25.4	23.1
AAQ-3	23.6	30.1	26.85
AAQ-4	23.5	30.8	27.15
AAQ-5	21.8	27.1	24.45
AAQ-6	21.6	27.0	24.3
CPCB NAAQS 2009 for PM_{2.5} - 60 µg/m³			
Sulphur Di-oxide as SO₂ (µg/m³)			
AAQ-1	7.1	8.5	7.8
AAQ-2	5.5	7.8	6.65
AAQ-3	6.2	7.7	6.95
AAQ-4	7.5	9.4	8.45
AAQ-5	8.1	10.5	9.3
AAQ-6	7.9	10.4	9.15
CPCB NAAQS 2009 for SO₂ - 80 µg/m³			
Oxide of Nitrogen as NO₂ (µg/m³)			
AAQ-1	11	15.6	26.6
AAQ-2	9.6	11.9	21.5
AAQ-3	9.2	11.2	20.4
AAQ-4	8.8	11.7	20.5
AAQ-5	10.6	13.5	24.1
AAQ-6	8.4	11.3	19.7
CPCB NAAQS 2009 for NO₂ - 80 µg/m³			

The results are summarized in graph and given as below Fig. 3.5

FIG 3.6 AMBIENT AIR QUALITY DATA A1 - MINE LEASE AREA




FIG 3.7 AMBIENT AIR QUALITY DATA A2 - ERAIYUR VILLAGE




FIG 3.8 AMBIENT AIR QUALITY DATA A3 - THOLLAMUR VILLAGE




FIG 3.9 AAQ DATA A4 - PARANGAI VILLAGE




FIG 3.10 AMBIENT AIR QUALITY DATA A5 - KUNNAM VILLAGE





FIG 3.11 AMBIENT AIR QUALITY DATA A6 - PERUMBAKKAM VILLAGE



From the above results, it is observed that the ambient air quality with respect to PM₁₀, PM_{2.5}, SO₂, and NO₂ at all the monitoring locations was within the permissible limits specified by CPCB.

3.3.3 WATER ENVIRONMENT

Assessment of baseline data on water environment includes:

- Identification of water resources
- Collection of water samples
- Analyzing water samples collected for physico-chemical parameters as per standards.

Surface Water

There is Sangarabarani River is located at a distance of 4.71 km in South direction of lease area. The rainfall over the area is moderate, the rainwater storage in open wells, trenches is in practice over the area and the stored water acts as source of freshwater. The prevailing status of surface water quality has been assessed during the study period. Surface water quality locations and results are provided in Table 3-14 and Figure 3.11.

Ground Water

The rainfall is the main source for the availability of water both in surface and sub-surface. The quantum of rainfall varies every year depending upon the monsoon. However, the extraction of surface and sub-surface water is increasing year by year. It leads to environmental impact on the water sources like depletion of water level, deterioration of water quality. It makes the demand for the quantification of available water and also its quality for various purposes like agriculture, industries, drinking and domestic purposes. Total six (06) ground water monitoring locations were identified for assessment in different villages around the project site based on the usage of sub surface water by the settlements/ villages in the study area. The groundwater results are compared with the acceptable and permissible water quality standards as per IS: 10500 (2012) for drinking water. Groundwater quality monitoring locations and results are given in Table 3.5 and Figure 3.11.

Sampling Locations

Two (2) surface water samples and six (6) ground water samples were collected from the study area and were analyzed for physio-chemical, heavy metals and bacteriological parameters in order to assess the effect of mining and other activities on water bodies. The samples were analyzed as per the procedures specified by CPCB, IS-10500:2012. The water sampling locations are given in Table 3.5 and shown as Figure 3.11.

The monitoring locations were selected based on:


- Location of the major water bodies
- Location of project site,
- Likely areas that can represent baseline conditions

Water bodies nearby

Table 3.5 Water Sampling Locations

S.NO	Location Code	Monitoring Locations	Latitude and longitude
Surface Water			
1	SW1	Sangarabarani River (Up- stream)	12°01'08.19"N 79°37'43.04"E
2	SW2	Sangarabarani River (Downstream)	12°00'46.62"N 79°39'29.87"E
Ground Water			
1	GW1	Project site	12°03'43.84"N 79°40'10.09"E
2	GW2	Eraiyr	12°03'29.19"N 79°39'21.37"E
3	GW3	Thollamur	12°02'55.19"N 79°40'38.04"E
4	GW4	Parangai	12°03'29.88"N 79°41'39.58"E
5	GW5	Kunnam	12°05'21.59"N 79°40'42.34"E
6	GW6	Perumbakkam	12°04'46.09"N 79°39'23.82"E

FIG 3.12 BASE MAP OF GROUND WATER SAMPLING LOCATIONS



DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

FIG 3.12a BASE MAP OF SURFACE WATER SAMPLING LOCATIONS




Table 3.6 Surface Water Analysis Results


Sr.No	Parameter	Unit	SW1	SW2	Surface water standards (IS 2296 Class-A)
1	Odour	-	Agreeable	Agreeable	-
2	Turbidity	NTU	<1.0	<1.0	1
3	pH at 25 °C	-	7.53	6.99	6.5-8.5
4	Electrical Conductivity	µs/cm	1012	129.5	-
5	Total Dissolved Solids	mg/l	610	76.0	500
6	Total hardness as CaCO ₃	mg/l	261	27.7	-
7	Calcium as Ca	mg/l	42.8	4.75	300
8	Magnesium as Mg	mg/l	37.1	3.80	-
9	Calcium as CaCO ₃	mg/l	101	11.9	-
10	Magnesium as CaCO ₃	mg/l	154	15.8	-
11	Total alkalinity as CaCO ₃	mg/l	263	36.4	-
12	Chloride as Cl ⁻	mg/l	183	16.1	-
13	Free Residual chlorine as Cl ⁻	mg/l	BDL (D.L - 0.2)	BDL (D.L - 0.2)	250
14	Sulphates as SO ₄ ²⁻	mg/l	120	15.2	400
15	Iron as Fe	mg/l	0.12	0.09	1.0
16	Nitrate as NO ₃	mg/l	3.42	1.56	20
17	Fluoride as F	mg/l	0.36	0.14	1.5
18	Manganese as Mn	mg/l	BDL (D.L - 0.05)	BDL (D.L - 0.05)	0.5
19	COD	mg/l	BDL (D.L - 2.0)	BDL (D.L - 2.0)	-
20	BOD	mg/l	BDL (D.L - 4.0)	BDL (D.L - 4.0)	-
21	TSS	mg/l	BDL (D.L - 2.0)	BDL (D.L - 2.0)	-
22	DO	mg/l	6.1	6.3	-

The samples were analyzed by Shrient Analytical & Research Labs Private Limited; Chennai and the results are summarized below.

Table 3.7 Results of Ground Water sampling Analysis in 6 locations							Specification/ Limit (As per IS:10500: 2012)	
	W1	W2	W3	W4	W5	W6	Desirab le	Permissib le
Odour	AGREEABLE	AGREEABLE	AGREEABLE	AGREEABLE	Agreeable	AGREEABLE	Agreeabl e	Agreeable
Turbidity	<1	<1	<1	<1	<1	<1	Agreeabl e	Agreeable
pH at 25 °C	6.79	6.70	6.99	7.22	7.09	6.87	6.5 - 8.5	No Relaxation
Electrical Conductivity	1650	1325	1789	696.9	1021	2503	1	5
Total Dissolved Solids	992	796	1075	420	615	1505	500	2000
Total hardness as CaCO3	455	519	479	166	404	493	1	15
Calcium as Ca	79.2	96.6	117	39.6	68.1	111	200	600
Magnesium as Mg	61.8	66.5	44.7	16.2	56.1	51.6	200	600
Calcium as CaCO3	198	242	293	99.0	170	278	75	200
Magnesium as CaCO3	257	277	186	67.3	234	215		
Total alkalinity as CaCO3	440	432	525	178	372	364		
Chloride as Cl-	243	210	312	144	169	600.17559	250	1000
Free Residual chlorine as Cl-	BDL (D.L - 0.2)	BDL (D.L - 0.2)	BDL (D.L - 0.2)	BDL (D.L - 0.2)	BDL (D.L - 0.2)	BDL (D.L - 0.2)	30	100
Sulphates as SO42-	189	105	238	76.5	82.4	357	45	No Relaxation
Iron as Fe	0.04	0.03	0.02	0.05	0.04	0.11	200	400
Nitrate as NO3	2.31	2.14	3.35	1.46	2.11	4.57	1	No Relaxation
Fluoride as F	0.46	0.47	0.55	0.25	0.33	0.62	0.1	0.3
Manganese as Mn	BDL (D.L - 0.05)	BDL (D.L - 0.05)	BDL (D.L - 0.05)	BDL (D.L - 0.05)	BDL (D.L - 0.05)	BDL(D.L- 0.05)	Not Specified	Not Specified

Some of the common parameters including EC, TDS, Total Hardness, Total Alkalinity, Chlorides and Sulphates in the 6 locations were plotted and the graph is provided below.

FIG 3.13 VALUES OF FEW COMMON PARAMETERS IN WATER ANALYSIS




All the values were found to be within the permissible limits.

3.3.4 NOISE MONITORING

Noise level monitoring was calculated using a noise level meter by NABL Accredited lab and the results are summarized below.

The noise monitoring locations are given in Fig 3.12

FIG 3.14 BASE MAP OF NOISE MONITORING LOCATIONS




The results are given in Table below.

Table 3.8 Noise monitoring results					
S. No	Location	Day equivalent	Night equivalent	Day equivalent limits by CPCB	Night equivalent limits by CPCB
1	Project site	53.0	43.8	75	70
2	Eraiyyur	52.1	41.7		
3	Thollamur	50.1	41.7		
4	Parangai	51.3	42.3		
5	Kunnam	47.8	42.6		
6	Perumbakkam	49.4	42.8		

The results are plotted as below.

FIG 3.15 DAY AND NIGHT EQUIVALENT VALUES IN 6 LOCATIONS




All the values are found to be within CPCB norms.

3.3.5 SOIL SAMPLING ANALYSIS

Soil samples have been collected from the mine lease area and 5 other locations from Eraiyur, Thollamur, Parangai, Kunnam and Perumbakkam Villages. The locations are shown in figure below.

FIG 3.16 BASE MAP OF SOIL SAMPLING LOCATIONS



The results are summarized in the table below.

Table 3.9 Results of Soil Sample Analysis								
S. No	Parameter	Unit	S1	S2	S3	S4	S5	S6
S. No	Parameter	Unit	Results	Results	Results	Results	Results	Results
1	pH at 25 °C	-	8.17	6.97	7.43	4.84	6.02	7.71
2	Electrical Conductivity	µmhos/cm	207.8	391.7	287.9	190.2	86.35	227.4
3	Dry matter content	%	79.20	80.77	81.10	95.48	90.65	86.10
4	Water Content	%	20.80	19.23	18.90	4.52	9.35	13.90
5	Organic Matter	%	0.42	0.54	0.25	0.72	0.47	0.89
6	Soil texture	-	SILTY CLAY	SILTY CLAY	CLAY	SILTY CLAY	SILTY CLAY	SILTY CLAY
7	Grain Size Distribution	%	2.70	2.86	5.10	4.26	5.74	4.67

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

	i. Sand							
8	ii. Silt	%	41.94	57.45	37.44	42.69	44.48	47.66
9	iii. Clay	%	55.37	39.69	57.46	53.05	49.78	47.66
10	Phosphorous as P	mg/kg	0.42	0.67	0.92	0.55	0.76	0.47
11	Sodium as Na	mg/kg	1015	825	793	604	1010	606
12	Potassium as K	mg/kg	515	339	384	234	649	234
13	Nitrogen and Nitrogenous Compounds	mg/kg	192	270	284	397	166	344
14	Total Soluble Sulphate	%	BDL(D.L. 0.02)	BDL(D.L. 0.02)	BDL(D.L. 0.02)	BDL(D.L. 0.02)	BDL(D.L. 0.02)	BDL(D.L. 0.02)
15	Porosity	%	22.5	23.4	32.1	28.9	30.4	20.8
16	Water Holding Capacity	Inches/foot	3.2	3.6	3.8	3.4	3.7	3.2

3.3.6 BIOLOGICAL ENVIRONMENT

The biological study of the area has been conducted in order to understand the ecological status of the existing flora and fauna to generate baseline information and evaluate the probable impacts on the biological environment. The details are given below.

Flora in the study area

We have conducted field survey during study period. The flora population in each quadrant is summed up for the total population in the study area. Also, data from the State Forest department is used.

Core Zone

During the field visit, it is observed that there are no national parks / Sanctuaries / forests in the 10km buffer area. The study area is devoid of any major plantations.

S.No.	Scientific name	Vernacular/English name	Type of flora
1	Calotropis gigantea	Erukku	Shrubs
2	Cassia auriculata	Aavarai	
3	Achyranthes aspera	Nayuruvi	

Buffer zone

Only common trees, shrubs, bushes, etc. are found. The list is given below.

Table 3.11 Flora in Buffer zone			
S.No.	Scientific name	Vernacular/English name	Type of flora
1	<i>Azadirachta indica</i>	Neem	Trees
2	<i>Carica papaya</i>	Papaya	
3	<i>Mangifera indica</i>	Mango	
4	<i>Acacia leucophloea</i>	Velamaram	
5	<i>Acacia nilotica</i>	Karu- velamaram	
6	<i>Moringa oleifera</i>	Murungai	
7	<i>Tamarindus indica</i>	Puli	
8	<i>Tectona grandis</i>	Theku	
9	<i>Manilkara zapota</i>	Sappota	
10	<i>Musa paradisiaca</i>	Valzhlai	
11	<i>Borassus flabelliformis</i>	Panna-maram	
12	<i>Ficus benghalensis</i>	Alamaram	
13	<i>Ficus religiosa</i>	Arasamaram	
14	<i>Phyllanthus emblica</i>	Nelli	
15	<i>Calotropis gigantea</i>	Yerukku	Shrubs
16	<i>Cassia auriculata</i>	Aavarai	
17	<i>Ricinus communis</i>	Aamanakku	
18	<i>Tecoma stans</i>	Arali	
19	<i>Aloe vera</i>	Kathalai	
20	<i>Catharanthus roseus</i>	Nithyakalyani	Herbs
21	<i>Acalypha indica</i>	Kuppaimeni	
22	<i>Coccinia grandis</i>	Kovai	Climbers
23	<i>Cissus quadrangularis</i>	Pirandai	
24	<i>Jasminum angustifolium</i>	malli	
25	<i>Ziziphus oenopia</i>	Ilandai	
26	<i>Cymbopogon</i>	Kanam	Grasses
27	<i>Cyperus rotundus</i>	Kora grass	
28	<i>Cynodon dactylon</i>	Arugu	

Fauna in the study area

There is no specific Fauna found within ML area. The buffer zone Fauna in the area is studied by direct observation method. Secondary data collected from Forest department and the same is used in this report. People in the nearby locality were also consulted. The commonly found fauna in the area are given below.

Table 3.12 Fauna in buffer zone

S.No.	Scientific name	Common name	Type of fauna	Schedule to which the species belong
1	Canis familiaris	Common dog	Mammals	IV
2	Felis catus domesticus	Domestic cat		IV
3	Golunda ellioti	Indian bush rat		IV
4	Funambus palmarum	Squirrel		IV
5	Lepus nigricollis	Indian hare		IV
6	Bos indicus	Domestic cow		IV
7	Common Crow	Corvus splendens	Birds	V
8	House Sparrow	Passer domesticus		IV
9	Common Myna	Acridotheres tristis		IV
10	Streptopelia chinensis	Pigeon		IV
11	Calotes versicolor	Lizard	Amphibia	IV
12	Ptyas mucosa	Snake		IV
13	Rana hexadactyla	Frog		IV

3.3.7 LAND USE

For Land-use and land cover study, sensing satellite data of NRSC Satellite imagery and GeoEYE has been used as per Figure No. 15. A land use map showing 10 Km radial distance. The geographical coordinates of the project are Latitude 12°03'43.84"N to 12°03'48.73"N and Longitude 79°40'10.09"E to 79°40'16.85"E.

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.




Figure No. 3.16: REMOTE SENSING SATELLITE IMAGE

Selection of remote sensing satellite image (RSI) is on the availability of cloud free data and interpretability of predominant landuse and land cover (LULC) category. The examination of satellite data showed that the region is always covered by clouds with lesser percentage during summer due to cluster habitation. But rained crops are cultivated during southwest monsoon and hence a data acquired during first onset of precipitation is preferred so as to delineate crop and fallow land parcels of agricultural category. Delineation of scrub land is also possible since land with scrub could be easily distinguished from crop vegetation and separated. This may be an arduous task during monsoon since the entire area would be witnessed with sudden sprout of lush natural vegetation, mostly *prosopis*, with first onset of precipitation.

Methodology Adopted for the Land Use Study

Present study involves micro level analysis of landuse pattern showing 10 km radius and changes in landuse pattern using satellite data. This necessitates a careful analysis of satellite data adopting a well-defined methodology.

To cater the requirement, a preliminary assessment of terrain using digital analysis helping to infer relationship between terrain and landuse has been carried out. Such an approach provides lucid understanding of landuse units and enhances the knowledge on the landuse pattern assisting in impact assessment.

The knowledge base thus generated is used to delineate various landuse units while carrying out interpretation of the satellite image. The derived landuse information is transformed into a GIS based spatial database using geo-referencing techniques. Besides, a limited but well focused field investigation also carried out and coordinates of significant landuse units using handheld GPS (Global Positioning System) are gathered to be used as control points for geo-referencing. Interpreted landuse units are verified in the field to carryout necessary corrections wherever is required before preparing final landuse map.

Using the image elements such as color, tone, texture, size, shape and associated elements various landuse units are delineated following the categorization and nomenclature adopted for the national level landuse classification system as recommended by National Remote Sensing Centre (NRSC), Department of Space, Government of India. Some of the landuse units that are identified in the study area are listed in **Table No. 3.13** given below.

Field Verification:

Field verification involved collection, verification and record of the different surface features that create specific spectral signatures / image expressions on FCC. In the study area, doubtful areas identified in course of interpretation of imagery is systematically listed and transferred on to the corresponding SOI topographical maps for ground verification. In addition to these, traverse routes were planned with reference to SOI topographical maps to verify interpreted LU/LC classes in such a manner that all the different classes are covered by at least 6 sampling areas, evenly

distributed in the area. Ground truth details involving LU/LC classes and other ancillary information about crop growth stage, exposed soils, landform, nature and type of land degradation are recorded and the different land use classes are taken the Land use map.

Table No.3.13: Major Land use Units of the Study Area

Sr. No.	1st level classification	2nd level classification
1	Built-Up Or Habitation	Residential
		Commercial / Industrial
2	Agriculture	Crop / Fallow Land
		Plantation
3	Water Bodies	Reservoir / Lake / Pond
		River
4	Vegetation Cover	Scrub
		Open Vegetation
		Close Vegetation
		Mangroves
5	Waste Land	Open Without Scrub
		Open With Scrub
6	Others	Mudflow
		Salt Pan
		Brick Manufacturing

Land Use Pattern of 10 km Radial Buffer Area of Project Site


The existing land use pattern and land cover distribution of the whole acquired block, have been studied from the satellite imagery and subsequent ground checking during the field surveys.

It mainly comprises of agricultural land with bi-annual crops of Kharif (Kharif: Jowar, Bajra, Cotton, etc. Season: July to October) and Rabi (Rabi: Wheat, Rai etc. Season: December to March). The presence of the agricultural land is followed by few dense settlements Karasanur village natural or man-made pond etc. The shortage of rainfall, availability of ground water at deeper level and other climatic condition do not support good agricultural productivity inspite of having enough land. There is no demarcated forest land within the study area, however, some scattered forest is found throughout the 10 km radius, especially along the periphery of the villages.

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

The general land use pattern of the core and buffer may be broadly classified into four major types – Buildup or habitation, Agriculture, Water Bodies, Waste land and Other categories. Under buildup or habitation category covered villages, town and infrastructure. Under agriculture category considered crop land/fallow land and plantation. Under the water body categories Reservoir/ lake, pond, River and stream. Under wasteland category considered land with scrub and land without scrub is interpreted. Lastly other category’s covered Mines area and forest are interpreted under this category. These categories are delineated from the selected satellite image using image elements such as color, tone, texture, size, shape and associated elements. The delineated land use units are transformed into a spatial database in GIS environment. Estimated for area and representation of each category in the study area. The total area of LULC in the study area is calculated as 318 sq. km and spatial distribution of various LULC categories within buffer area are discussed below. The 5km and 10km radius lands map is shown above. The details are given below.

FIG 3.18 LAND USE/LAND COVER MAP OF THE STUDY AREA



Land Use / Land Cover Classification classified into first level classification and second level classification and major land use/land cover classes were demarcated in the study area following Level II classification. A thematic map of 1:50,000 scale was generated incorporating these classified categories considering the area of the project.

Built-up / Settlements

Settlements in the study area are generally small to medium size in stature and area scattered. Vanur is the relatively larger settlements observed at the north part of the study area.

Interpretation of settlement from the satellite image is based upon the image elements such as color, tone, texture and association. It is delineated by their typical red color. Association with linear features such as roads reaffirmed the presence of delineation of settlements. The spatial extent of settlement is estimated as 23.02 sq. km representing 7.24 % of the study area and Industrial + Commercial area covers 1.09 sq. km with 0.34%.

Agricultural Land

Under the broad category of agriculture crop land, fallow land and plantation is delineated. Cultivation is mostly dependent upon river water for irrigational activities are good. River, Ponds and tanks in each village act as rainwater storage units and do support domestic requirement and even cultivation to some extent. Because of these conditions, minimal water requiring crops such as corn, sunflower, oil seeds, grams, millets and coriander are cultivated. Cultivation is the most predominant crop cultivated and even if it failed their stalks are used as fodder for cattle.

Crop and Fallow land are interpreted using their image elements such as light to green, smooth to medium tone, they are the second most predominant landuse category delineated in the buffer area. As explained earlier, cultivation mostly depends upon river, canal and rainfall and majority of the land parcels are tilled and ready for cultivation with even a scanty Canal. Hence, cropland is the predominant category estimated at 244.21 Sq.km representing 76.80 % of the buffer area.

Wasteland

The last category of the landuse units in the study area is “Wasteland” which denotes land parcels that could not be utilized for cultivation even after conservation measures – such as land with scrub, land without scrub area.

Next to agricultural area, natural vegetation such as land with scrub forms the predominant LULC category of the buffer area. Land with scrub is sparse and delineated as patches scattered in all the parts of the buffer area. The spatial pattern of scrub suggests it is closely associated with water courses. This category occupies land with scrub an area of 2.55 sq.km representing 0.80 % of the total core and buffer area.

Land without scrub, on the other hand is interpreted using brown to white color, medium tone and medium texture and is generally restricted around land covered with scrub and fallow land. They occur as small patches and very minimal area covering 0.95 sq.km representing 0.30 % of the buffer area.

Water bodies

Many Streams small and big water bodies are seen in the study area distributed all over the study area. They support the domestic water requirements and for cattle. At some places, they may also use for irrigation purpose and are very limited. Few dry stream courses are also seen in the study area. In the satellite image, water bodies are interpreted by their light blue to greyish blue color, smooth tone and smooth texture.


Most of the water bodies retain water for a shorter period after precipitation due to the soil constraint and hence go dry soon. Spatial extent of rivers, stream and water bodies is estimated at 29.36 sq.km and 9.23 %.

Mining area

Mining area seen in the study area distributed all over the study area. Major domestic income from mining business. Spatial extent of mining is estimated at 11.94 sq.km 3.75 %.

Table No. 3.14: Major Land Use Units of the Study Area in Percentage

S. No	1st Level Classification	Area in (sq.km)	Percentage (%)	2nd Level Classification	Area in (sq.km)	Percentage (%)
1	Built-up or habitation	24.11	7.58	Residential	23.02	7.24
				Commercial/Industrial	1.09	0.34
2	Agriculture	244.21	76.80	Crop/fallow land	244.21	76.80
3	Water bodies	34.24	10.77	Reservoir/Lake /Pond	29.36	9.23
				River/Stram	4.88	1.53
4	Waste Land	3.5	1.10	Open without scrub	0.95	0.30
				Open with scrub	2.55	0.80
5	Mines	11.94	3.75	Mines	11.94	3.75
Total		318	100		318	100



3.3.8 SOCIOECONOMIC ENVIRONMENT

The socio-economic environment of the study area is studied by conducting primary sites through site visits and conducting sample surveys. The secondary data obtained from Census 2011 is also used. The following data area collected from secondary data:


DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

- Demographic pattern.
- Health pattern
- Occupational structure.

DETAILS OF VILLAGES

The profile of the villages located in the study area is given in Fig 3.16 below.

FIG 3.19 VILLAGE MAP OF THE STUDY AREA



DETAILS OF VILLAGES

The project is located in Vanur Taluk, Viluppuram District. The total population is 136544 which comprise of 68658 males and 67886 females. There are 36 rural villages and one urban area in the study area. List of villages are given below.

Table 3.15 Village details in study area

S.No.	Village/Town Name	Radius	Taluk Name	District Name	
1	Murukkam	1-5km	Vanur	Vilupuram	
2	Sirunarur				
3	Perumbakkam				
4	Kilkoothapakkam				
5	Kunnam				
6	Semangalam				
7	Karasanur				
8	Kenippattu				
9	Eraiyyur				
10	Parangani				
11	Tollamur				
12	Nemili (V)				
13	Kondalamkuppam				
14	Tiruvaikkarai				
15	Kanniyam				Tindivanam
16	Vidur				
17	Aruvapakkam	6-10km	Vanur		
18	Kondamur				
19	Adanappattu				
20	Kiliyanur				
21	Siruvalur (Ten)				
22	Parikkalpattu				
23	Katrambakkam				
24	Olundiappattu				
25	Siruvai				
26	Idaiyapattu				
27	Ponnampundi				
28	Vanur				
29	Korakkeni				
30	V. Pudupakkam				
31	Elayandapattu				
32	Sengamedu				
33	Kilsithamur				
34	Kolliyankunam				
35	Kallakolathur				
36	Mailam				
37	Ariyankuppam				Tindivanam
38	Thenkulapakkam				
39	Kuralur				
40	Padirapuliyur				
41	Tennalapakkam				
42	Taludali				
43	Anganikuppam				

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

44	Ganapathipattu		Vikravandi	
45	Veliyanur			
46	Reddikuppam			
47	Pillaiyarkuppam			
48	Kayattur			
49	Kodukkur			
50	Radhapuram			
51	Maduraipakkam			
52	Kunichempet			
53	Manalipet			
54	Chettypet	Villianur	Pondicherry	
55	Mannadipet			
56	Kuppam			
57	Kodathur			
58	Suthukeny			
59	Pudukuppam			
60	Thethampakkam			

Table 3.16 Population profile of the study area		
Particulars	No of Population	Percentage (%)
A. Population break-up by Gender		
Male Population	68658	50
Female Population	67886	50
Total	136544	100
B. Population break-up by Caste		
Scheduled Caste	27410	60.15
Scheduled Tribes	26997	20.07
Others	82137	19.77
Total	136544	100
C. Literacy Level		
Male Literate Population	50003	37
Female Literate Population	39305	29
Male Illiterate	18655	14
Female Illiterate	28581	21
Total	136544	100
D. Occupational structure		
Main workers	50054	-
Marginal workers	15898	-
Total Workers	65952	48
Total non-workers	70592	52
Total	136544	100

The above table shows that the male and female population ratios are almost equal. Among the total population 20.07 % belong to Scheduled Tribes, 60.15 % are Scheduled Caste and the balance 19.77 % people belong to other castes. Among the total population 66 % of the people are literate. Among the total population, 14 % are literate males and 21 % are literate females. This shows that the male literates are higher than the female literates. The results are plotted in figures below.

FIG 3.20 GENDER-WISE POPULATION DISTRIBUTION




FIG 3.21 GENDER WISE LITERACY DISTRIBUTION





FIG 3.22 OCCUPATIONAL STRUCTURE WITHIN BUFFER ZONE



Infrastructure facilities in the study area

Education

Table 3.17 Educational infrastructure		
S. No.	Particulars	Available in village (Nos)
1	Govt. Primary School	Vanur - 23
2	Govt. Middle School	21
3	Govt. Secondary School	15
4	Govt. Senior Secondary School	12
5	Govt. Arts and Science Degree College	31
6	Govt. Engineering College	0
7	Govt. Medicine College	0
8	Govt. Management Institute	0
9	Govt. Polytechnic	0
10	Govt. Vocational Training School/ITI	0

In the study area, there are totally 23 Primary Schools functioning in these 21 urban area. Among them 22 villages have 7 primary school, 23 villages have 6 primary schools & 15 villages have more than 9 primary school.

Healthcare

In the study area, the following facilities are available.

Table 3.18 Medical Infrastructure		
S.No.	Particulars	Available in village (Nos)
1	Community Health Centre	8
2	Primary Health Centre	4
3	Primary Health Sub Centre	17
4	Maternity And Child Welfare Centre	14
5	TB Clinic	6
6	Hospital Allopathic	0

Other Infrastructure

The other infrastructure facilities available are given below.

Table 3.19 Other Infrastructure		
S.No.	Particulars	Available in village
1	Tap Water-Treated	30
2	Covered Well	10
3	Hand Pump	13
4	Tube Wells/Borehole	11
5	Post office	5
6	Public bus services	21
7	Commercial Bank	9
8	Cooperative bank	14

Sample Survey

The expert visited 5 villages in the study area namely Eraiyur, Thollamur, Parangai, Kunnam and Perumbakkam villages. Discussions were held with the people from nearby locality to study the social and economic conditions prevailing in the area. The expert also visited nearby hospitals, primary health centres and Thollamur. The following observations were made.

Primary schools are available in many villages. For hospital facilities, people in the locality have to go to hospital in Thollamur which is about 820m from the lease area. Major schools with higher secondary and senior secondary schools are located in Thollamur. The major Thollamur Union located in the area is Vilupuram. Facilities like petrol pump stations, ATM facility are available in Thollamur.


3.3.9 HYDROGEOLOGY OF THE STUDY AREA

Since there is Sangarabarani river is located at a distance 4.71 km in south west side of the proposed site, the hydrological and hydrogeological pattern of the study area is studied in detail using satellite imagery.

HYDROGEOLOGICAL STUDY

To assess the hydrogeological condition of the surrounding proposed mine lease area. The study area is located in Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State. is considered to understand the nature of the general hydrogeological conditions of the surrounding proposed mine lease area.

FIGURE 3. 22 10 KILOMETER RADIUS OF THE DRAINAGE MAP



PHYSIOGRAPHY AND DRAINAGE

Physiography: The area applied for quarry lease exhibits plain topography covered by rough stone and Gravel formation. The massive Charnockite formation is clearly visible right from the surface and gentle towards Southwestern side of the area, the altitude of the area is above 83 m (maximum) from MSL.

Drainage: The drainage pattern study reveals that from the proposed mine lease area with around 1 Km radius and 10 Km study observed in Figure 3.20. There is Sangarabarani river is located at a distance of 4.71 km in south west of the proposed site.


GEOLOGY, GEOMORPHOLOGY AND SOIL

Geology:

The Core and 10 Km buffered zone geological features (Figure 3.23) shows that the Vilupuram District is mostly underlain by the Archaean crystalline and metamorphic complex. The geology of the district is complicated due to recurring tectonic and magmatic activities occurred during Pre-Cambrian period. Hornblende Biotite Gneisses are the oldest rocks of the district. It is very fissile and present widely in plains. The gneisses are highly weathered upto 30 m at some places.


The Charnockites are coarse grained, massive and foliated at places and their colour is bluish dark to grey. They are the second largest rock type present in the district. They are massive and less weathered than the gneisses. They exhibit 2 to 3 distinct set of joints and most of them are vertical with steep dips. Iron ore deposits associated with quartz feldspathic gneiss and garnetiferous quartz gneisses are present in some areas. These rocks are highly folded and jointed and less weathered. Quartzite and crystalline lime stones are exposed in patches in north and central parts of the district. The thickness of these bands varies from a few metres to ten metres and the length extends to few kilometres. Numerous lenses of dunite with magnesite veins of various dimension are exposed within gneiss. There are number of basic dykes present in the study area. Granites are found in some parts of the district. They are massive and jointed poorly. Thin veneer of alluvium is found along the course of the Vada Pennaiyar. However, alluvium of few meters thickness is found near the junction of river Vada Pennaiyar. Several faults and shears are occurring mostly with north east-southwest trend. They are expected to influence the course of groundwater movement, its storage and developmental potentials in the district.

FIGURE 3. 23 10 KILOMETER RADIUS OF THE GEOLOGY MAP




Geomorphology: The Core and 10 Km buffered zone geomorphological features (Figure 3.24) shows that the district is pediment pediplain complex, younger and older flood plain, older deltaic plain along with low and moderately dissected denudation hills and valleys. The older deltaic plain and older flood plain occurs at southern parts of the district near Vilupuram, where younger coastal plain occurs at NE part of the district near Alumur. The low and moderately dissected denudational hills and valleys are present at west of Gangee and Odiyattur. The numerous lineaments are mostly tending in NE-SW direction while few are tending in NW-SE direction.

FIGURE 3. 24 10 KM RADIUS OF THE STUDY AREA GEOMORPHOLOGY MAP



Soil: The soil types in the study area are very deep, moderately well drained, calcareous clay soil develops over lowlands (Figure 3.25.). Study area mostly Calcareous black soil, Red loamy soil, clayey soil and Calcareous clayey soil (Figure 3.23.). Calcareous black soil (177.25 sq.km) was distributed over the study area. Red loamy soil is found in north, east, west and central part of the study area (108.43 sq.km). Clayey soil is found in north-western part of the study area (34.93 sq.km).

FIGURE 3.25 10 KM RADIUS OF THE STUDY AREA SOIL TYPE MAP



BELOW GROUND LEVEL (BGL)

Figure 3.26 & 3.27 shows the Non-Monsoon and Monsoon water level map of the study area.

FIGURE 3.26 NON-MONSOON WATER LEVEL MAP OF THE STUDY AREA





FIGURE 3.27 MONSOON WATER LEVEL MAP OF THE STUDY AREA



FIELD INVESTIGATION

The temporary seasonal streams water flow from center to outer most area. There is Sangarabarani river is located at a distance of 4.71 km in south west away from the area. The water is temporarily found only during the rainy season.

In this representation in the two seasons, the water level substantially gets fall-down in the non-monsoon season, because of the rainfall impact and it extended up to the Monsoon season. Some of the wells water level is shallow depth in both seasons. These dug wells are located nearby water bodies. So, clearly shows that surface water is impact in these wells.

The shallow depth of groundwater level in the monsoon season. It is interesting to note that the water level is increased because of heavy rainfall during the southwest and northeast monsoon. The groundwater table level is substantially increased in the monsoon season.

In the study area, the shallow aquifer is developed through dug wells and deeper aquifer through tube wells. The study has revealed that potential fractures are encountered at deeper levels. The water in the wells is available mainly monsoon and it reduces during non-monsoon demanding the groundwater. Bore wells are deep and it reflects that the yield is only better at deeper water levels.

Rain water collected in the tanks in the region acts as a good source of water during monsoon season. In order to increase the recharge, tanks, and percolation ponds may be provided with the recharge wells/recharge shafts penetrating this impervious layer to make it more effective in recharging the aquifer.

CHAPTER 4

ANTICIPATED ENVIRONMENTAL IMPACTS AND **MITIGATION MEASURES**

INTRODUCTION

This chapter deals with the various anticipated environmental impacts and mitigation measures of the proposed mining activity. The proposed method of mining is Opencast Mechanized and the quarry operation involves Shallow Jack Hammer Drilling, Blasting, Excavation, Formation of benches, Loading and Transportation of minerals. The above activities may affect the surrounding environment like removal of rock mass, Loss of flora and fauna of the area, surface water discharge, change in air and water quality, etc., If adequate measures are not taken for the proposed operations, it will cause the environmental degradation of the area and it will lead to affect to the ecosystem of the surrounding environment.

In order to maintain the existing environmental scenario of the proposed mine lease area it is mandatorily required to assess the present ecology and environment of the proposed mine lease area and buffer area of the project before starting mining operations. The various environmental impacts which are identified by the proposed quarrying activities have been discussed below and its subsequent paragraphs.

- ❖ Land Environment
- ❖ Soil Environment
- ❖ Water Environment
- ❖ Air Environment
- ❖ Noise Environment
- ❖ Biological Environment
- ❖ Socio Economic Environment

4.1 DETAILS OF INVESTIGATED ENVIRONMENTAL IMPACTS DUE TO PROJECT LOCATION POSSIBLE ACCIDENTS, PROJECT DESIGN, PROJECT CONSTRUCTION, REGULAR OPERATIONS FINAL DECOMMISSIONING OR REHABILITATION OF A COMPLETE PROJECT.

This is a proposed Rough Stone Quarry & Gravel Quarry of Tmt.K.Rajamani, W/o. Kuppusamy, at S.F. No. 171/1A and 171/1B over an extent of 2.02.5 ha in in Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State. The method of mining is Opencast mechanized with a bench width and height of 5m. It is proposed to excavate to 2,31,505 m³ of Rough Stone and 33,696 m³ gravel formation upto a depth of 43 m (BGL) for the period of five years. There is no stream/odai within the mine lease area.

The main anticipated impact on the Land Environment due to quarrying operation is change in Landscape, change in Land – use Pattern.

The entire mine lease area is Patta land. The project area of 2.02.5 ha boundary barrier except in eastern direction. It is proposed to be altered by effective quarrying operation such as excavation (1.59.0 Ha), Infrastructure (0.01.0), Road (0.02.0 Ha) and green belt will be developed in the safety zone of 0.40.5Ha. The ultimate depth of quarrying is proposed with maximum depth of 43 m BGL and will not intersect the ground water table.

4.2 MEASURES FOR MINIMIZING AND /OR OFFSETTING ADVERSE IMPACTS IDENTIFIED

Aspect	Impact	Mitigation measures																																																							
Topography	<p>The area exhibits plain region covered by rough stone and Gravel formation. Quarrying activity will lead to change in geological setting of the area i.e., Due to the quarrying activity in the mine lease area will leads to affect the aesthetic view on the environment. Further, due to the movement of heavy vehicles in and around the mine lease area will leads to affect the surrounding agricultural lands, ecology and biodiversity, human habitations due to the emissions from vehicles like SO₂, NO_x, PM₁₀, PM_{2.5}, etc., The existing land use pattern is given as under.</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-bottom: 10px;"> <thead> <tr> <th style="width: 30%;">Land Use</th> <th style="width: 20%;">Present Area (Hect)</th> <th style="width: 20%;">Area in use during the quarrying period (Hect)</th> </tr> </thead> <tbody> <tr> <td>Quarrying Pit</td> <td>0.10.6</td> <td>1.59.0</td> </tr> <tr> <td>Infrastructure</td> <td>Nil</td> <td>0.01.0</td> </tr> <tr> <td>Roads</td> <td>0.01.0</td> <td>0.02.0</td> </tr> <tr> <td>Green Belt</td> <td>Nil</td> <td>0.40.5</td> </tr> <tr> <td>Unutilized</td> <td>1.90.9</td> <td>Nil</td> </tr> <tr> <td>Total</td> <td>2.02.5</td> <td>2.02.5</td> </tr> </tbody> </table> <p>The ultimate pit dimension of the mine lease area is given below.</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-bottom: 10px;"> <tr> <td style="text-align: center;">Ultimate Pit dimension at the end of Mining plan Period</td> </tr> </table>	Land Use	Present Area (Hect)	Area in use during the quarrying period (Hect)	Quarrying Pit	0.10.6	1.59.0	Infrastructure	Nil	0.01.0	Roads	0.01.0	0.02.0	Green Belt	Nil	0.40.5	Unutilized	1.90.9	Nil	Total	2.02.5	2.02.5	Ultimate Pit dimension at the end of Mining plan Period	<p>The major impact due to this project on land environment is the change in land use. Mining activity will be carried out upto a depth of 43 m Below ground level. At the end of mining period, the quarried pit will act as a water reservoir to store the rain water. Land Use at the end of mine will be as follows.</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-bottom: 10px;"> <thead> <tr> <th style="width: 60%;">Land Use</th> <th style="width: 40%;">Area in use during the quarrying period (Hect)</th> </tr> </thead> <tbody> <tr> <td>Area left for water body</td> <td>1.59.0</td> </tr> <tr> <td>Green Belt</td> <td>0.40.5</td> </tr> <tr> <td>Remaining area</td> <td>0.03.0</td> </tr> <tr> <td>Total</td> <td>2.02.5</td> </tr> </tbody> </table> <p>At the mine closure stage 2.02.5 Ha of lease area will be left as sa harvesting pond. 0.40.5 Ha will be developed with green belt. Greenbelt shall be developed around the mine lease area and the details has been given below.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Year</th> <th style="width: 20%;">Species</th> <th style="width: 10%;">No. of trees</th> <th style="width: 15%;">Spacing</th> <th style="width: 15%;">Survival</th> </tr> </thead> <tbody> <tr> <td>I</td> <td rowspan="5" style="text-align: center;">Azadirachta indica</td> <td style="text-align: center;">1300</td> <td rowspan="5" style="text-align: center;">3m x 3m</td> <td rowspan="5" style="text-align: center;">80%</td> </tr> <tr> <td>II</td> <td style="text-align: center;">-</td> </tr> <tr> <td>III</td> <td style="text-align: center;">-</td> </tr> <tr> <td>IV</td> <td style="text-align: center;">-</td> </tr> <tr> <td>V</td> <td style="text-align: center;">-</td> </tr> <tr> <td colspan="2" style="text-align: center;">Total</td> <td style="text-align: center;">1300</td> <td></td> <td></td> </tr> </tbody> </table>	Land Use	Area in use during the quarrying period (Hect)	Area left for water body	1.59.0	Green Belt	0.40.5	Remaining area	0.03.0	Total	2.02.5	Year	Species	No. of trees	Spacing	Survival	I	Azadirachta indica	1300	3m x 3m	80%	II	-	III	-	IV	-	V	-	Total		1300		
		Land Use	Present Area (Hect)	Area in use during the quarrying period (Hect)																																																					
		Quarrying Pit	0.10.6	1.59.0																																																					
		Infrastructure	Nil	0.01.0																																																					
		Roads	0.01.0	0.02.0																																																					
		Green Belt	Nil	0.40.5																																																					
		Unutilized	1.90.9	Nil																																																					
		Total	2.02.5	2.02.5																																																					
		Ultimate Pit dimension at the end of Mining plan Period																																																							
		Land Use	Area in use during the quarrying period (Hect)																																																						
Area left for water body	1.59.0																																																								
Green Belt	0.40.5																																																								
Remaining area	0.03.0																																																								
Total	2.02.5																																																								
Year	Species	No. of trees	Spacing	Survival																																																					
I	Azadirachta indica	1300	3m x 3m	80%																																																					
II		-																																																							
III		-																																																							
IV		-																																																							
V		-																																																							
Total		1300																																																							

	Pit No.	Length (max) (m)	Width (Avg) (m)	Depth (max) (m)	
	I	159	100	43 m Below ground level	
	<p>If mining is not done systematically it will lead to the dumping failure in the mining area.</p>				<p>Due to the thick vegetation around the mine lease area and sprinkling of water around the haul roads the dust emissions arises from the vehicles will be controlled. At the end of mining period, fencing will be provided around the mine lease area to arrest the entry of public/cattle to the mining area. The rough stone and Gravel are proposed to quarry 5m bench height and 5m width with 56° slope and with conventional Opencast-Mechanized method. As per the approved mining plan a safety distance of 7.5m shall be provided. There is no overburden anticipated during the entire Rough Stone and Gravel quarrying operation. The excavated rough stone and Gravel will be directly loaded into tipper to the needy crusher/other buyers.</p>
Drainage	<p>Mine drainage is surface water or groundwater that drains from an active or abandoned mine. One of the adverse impacts of mine drainage is it will contaminate the ground water.</p>				<p>As per the approved mining plan the ultimate pit limit is 43m (BGL). The ground water table is reported as 66m. In the proposed mining plan only 43 m below ground level has been envisaged as workable depth for safe & economic quarrying for the entire lease period. Hence the quarrying operation may not affect the ground water.</p>
Soil Quality and Agriculture	<p>In monsoon seasons due to the excavation of minerals soil erosion and sediment deposition will occur in the nearby water bodies.</p>				<p>It is proposed to quarry upto a depth of 43m below ground level and the nearby water table is 66 m. So, the mining activity will not affect the ground water. To prevent the soil erosion during monsoon season, garland drain will be constructed with silt traps.</p>
Visual impact on surrounding environment	<p>Quarrying activities and rock extraction generally cause several environmental effects on the surrounding areas. The alteration of landscape due to activities like excavation, drilling or blasting, in particular, often generates a visual impact on the receptors set in the surroundings. Among these effects, the shape, extent, or chromatic contrast of the mining surface with the original land form may represent a huge loss of appeal for the growth of new urban settlements.</p>				<p>The reclamation of the post mined quarry surface is aimed at restoring the ecological balance taking into account geological parameters but also local flora and climate. Further the ultimate depth of mining is 43m. In the post mining stage, the quarried-out pit will be used for rainwater harvesting.</p>

4.2.1 SOLID WASTE GENERATION AND MANAGEMENT

The plastic waste generation is very negligible and it will be collected from the source level in specific dustbin and disposed through the municipal bins.

- Identification of solid waste generations
- Providing dustbins to collect with different color coding
- Creating awareness among the employees
- Developing common storage yards
- Disposal to the nearby municipal yards
- Record keeping
- Review once in quarter

4.2.2 WATER ENVIRONMENT

Impact on Surface Water Resources

There is no seasonal or perennial Odai within the M.L area. The drainage pattern of the region is plane to sub-dendritic. Surface run-off water of the M.L. area is drained through proposed drainage and collected in the bottom of the quarry and collected water will be used for same quarry operation as such for plantation & dust suppression.


The small pond is situated at a distance of 70 m in east direction and Sangarabarani river is located at a distance of 4.71 km in south west direction of the proposed ML area. Water table is found at a depth of 66m.

Since these water bodies are located outside the lease area and there is no discharge of effluent or any untreated water from the mines will be made into these water bodies, there is no major impact. The project proponent will restrict the mining operation only within the lease and no other work will be carried out outside the mining lease.

Impact due to Water use in Mines

In the proposed mines water will be mainly used for domestic purpose, dust suppression & plantation. Total water requirement for the project is 4.2 KLD which will be sourced from outside agencies. Negligible sewage of 1.0 KLD will be generated, for which a septic tank with soak pit will be set up. The water balance diagram is given below.

FIG 4.1 WATER BALANCE DIAGRAM



Impact on Ground Water

The mining activity is not likely to intersect ground water as the ground water table occurs at a depth of 66m. The mining will go up to the maximum depth of 43 m BGL. So, there will be no chance of intersecting the ground water table by the mining activity. So, the impact of mining on the ground water is not envisaged.

Mitigation measures

- Entire lease area will be provided with proper garland drains.
- Check wears will be provided to prevent solids from wash off.
- Construction of garland drains around freshly excavated so that flow of water with loose material is prevented.
- The mine water will be passed through the natural slopes and valleys and gets accumulated in the settling tank (Bottom pit)

Ground water environment in buffer zone

The scenario of ground water in Vilupuram District, Vanur Taluk is given below.

Table 4.1 Ground Water Level Status in Vilupuram District							
S. No.	Assessment Unit (Firka)	Net Annual Ground water availability	Existing gross ground water consumption for irrigation	Existing gross ground water consumption for domestic and industrial water supply	Existing gross ground water consumption for all uses	Stage of ground water development	Category
1	Vilupuram	148,771	141,402.85	5,010.48	146,413.34	98%	Over Exploited

Source:nwm.gov.in

It is planned to carryout appropriate rainwater harvesting schemes and artificial recharge schemes in the area.

4.2.3 VEGETATION

VEGETATION IN THE CORE ZONE

The mine lease area is devoid of major plantation. Shrubs and bushes are majorly found within the lease area. The proponent has planned to develop green belt in an area of 0.40.5 Ha. Trees like Pungai, Vagai, Vembu, Manjal konrai, Naval, Puvarasu, etc., will be planted around the mine lease area. A total of 1300 trees are planned to be planted. Spacing will be 3m x 3m.

FAUNA

There are no sanctuaries/national parks in the buffer zone of 10km study area. The commonly found fauna in the buffer zone are given in Chapter III. During mining activity the impacts and mitigation measures for Fauna are given in below table.

Table 4.2 Impacts and mitigation measures for Fauna		
S.No.	Impact	Mitigation measure
1	Fauna is affected due to noise and vibration.	Sirens will be blown before blasting in the mines. To reduce noise levels, plantation will be done. Blasting will be carried out only in the allotted time.
2	Dust generation due to mining activities	To reduce dust generation, mist sprayers will be used. During transportation, the material will be covered with tarpaulin. Water sprinkling will be done to reduce generation of pollutants.
3	Change in land use of the lease area	After the mine closure stage, the mine pit will be left as rain water collecting tank, which can attract bird population in the nearby areas.
4	Accidental falling of animals	To prevent entry of animals, the mine lease surrounding area will be properly fenced with barbed wire.

4.3 IRREVERSIBLE AND IRRETRIEVABLE COMMITMENTS OF ENVIRONMENTAL COMPONENTS.

4.3.1 IMPACT DUE TO MINING OPERATION

Impact prediction is a very important phenomenon in evaluating the environmentally potential adverse impacts for any proposed mine project. The impact prediction is always carried out under worst possible conditions so as to mitigate or to eliminate the environmental hazards. These predictions thus calculated are superimposed over the baseline data to calculate the net impact on the environment after the proposed mine Project comes into production.

4.3.2 IMPACT ON AIR ENVIRONMENT

The impacts on air environment from a mining activity depend on various factors like production capacity, machinery involved, operations and maintenance of various equipment's and vehicle. Apart from these, there will be other activities associated viz transportation of mineral and waste, stocking facilities and dump management within the mine lease area that may contribute to pollution.

4.3.3 Air Emissions

The impacts on air environment from a mining activity depend on various factors like production capacity, machinery involved, operations and maintenance of various equipments and vehicle. Apart from these, there will be other activities associated viz transportation of mineral and waste, stocking facilities and dump management within the mine lease area that may contribute to pollution.

4.3.4 Quantitative Estimation of Impacts on Air Environment

An attempt has been made to predict the incremental rise of various ground level concentrations above the baseline status in respect of air pollution due to proposed is 2,31,505 m³ of Rough Stone and 33,696 m³ gravel by the open-cast mechanised mining method.

The pollutants released into the atmosphere will disperse in the down wind direction and finally reach the ground at farther distance from the source. The concentration of ground level concentrations mainly depends upon the strength of the emission source and micrometeorology of the study area.

In order to estimate the ground level concentrations due to the emission from the proposed project, EPA approved Industrial Source Complex ISC AERMOD View Model has been employed.

The mathematical model used for predictions on air quality impact in the present study is ISC-AERMOD View-6.8.6. It is the next generation air dispersion model, which incorporates planetary boundary layer concepts.

The AERMOD is actually a modeling system with three separate components:

AERMOD (AERMIC Dispersion Model), AERMAP (AERMOD Terrain Preprocessor) and AERMET (AERMOD Meteorological Preprocessor).

Special features of AERMOD include its ability to treat the vertical inhomogeneity of the planetary boundary layer special treatment of surface releases, irregularly shaped area sources, a plume model for the convective boundary layer, limitation of vertical mixing in the stable boundary layer, and fixing the reflecting surface at the stack base.

The AERMET is the meteorological preprocessor for the AERMOD. Input data can come from hourly cloud cover observations, surface meteorological observations and twice-a-day upper air soundings. Output includes surface meteorological observations and parameters and vertical profiles of several atmospheric parameters.

The AERMAP is a terrain preprocessor designed to simplify and standardize the input of terrain data for the AERMOD. Input data include receptor terrain elevation data. Output includes, for each receptor, location and height scale, which are elevations used for the computation of airflow around hills.

Salient features of the AERMOD model are given hereunder:

- ❖ Excavation operations are considered as area sources.
- ❖ Transportation of material on haulage roads has been considered as line source

The predicted ground level concentrations for study period computed using AERMOD model are plotted as isopleths.

4.3.5 Sources of Dust Emission

The proposed mining is carried out by mechanized opencast method. The air borne particulate matter generated by ore handling operations, transportation and screening of ore is the main air pollutant. The emissions of sulphur dioxide (SO₂), Oxides of Nitrogen (NO_x) contributed by diesel operated excavation/loading equipment and vehicles plying on haul roads are marginal. Prediction of impacts on

air environment has been carried out taking into consideration proposed production and net increase in emissions. Based on the various operations involved in the production of minerals, the various emission sources has been identified as given below.

- a. Area sources.
- b. Line sources.

Extraction of mineral from mine, are considered as area sources. Transportation of material from mining benches to various end points are considered as line sources. The impact of above sources on air environment is discussed below:

The other sources of air pollution are the dust generated during the movement of tippers on the haul road. Water tankers with spraying arrangement will be used for regular water sprinkling on the haul roads to ensure effective dust suppression. The tippers are well maintained so that exhaust smoke does not contribute abnormal values of noxious gases and un-burnt hydrocarbons.

4.3.6 Emission Details

All the emissions discussed above are quantified for proposed maximum production of is 2,31,505 m³ of Rough Stone and 33,696 m³ gravel by the open-cast mechanised mining method. The existing air quality levels are covered in the baseline scenario. Excavation, loading and transportation through tippers are the major sources, which are of significance. Therefore, the emissions considered for modeling are from drilling blasting, excavation & transportation rough stone and Gravel.

The emissions are computed based on AP-42 emission factors. Operational hours, activity rate, wind speed and moisture content have been considered for estimation of emissions from point and area sources. For line source, apart from operational hours, activity rate, moisture, silt content and vehicle weight have been considered.

Predictions are carried out for the worst-case scenario of simultaneous operation of excavators (area sources) and tippers for transportation from mine pit to loading pit (line sources) over a distance of 500 m.

The number of working days has been taken at 300 days per year with 8 hours of operation/day, hence the concentrations predicted are considered to be the worst case. With control measures, the emissions have been taken at 30% of uncontrolled emissions for handling and 10% of uncontrolled emissions for transportation.

4.3.7 Meteorological Data

The meteorological data recorded continuously during the month of March 2024 – May 2024 on hourly basis on wind speed, wind direction and temperature has been processed to extract the 24- hourly mean meteorological data as per the guidelines of IMD and MoEF for application of AERMOD model. Stability classes computed for the mean hours is based on guidelines issued by CPCB on modeling. Mixing heights representative of the region have been taken from the available published literature.

4.3.8 Summary of Predicted Ground Level Concentrations

Ground level concentrations due to the mining activities have been estimated to know the incremental raise and extent of impact in the study area.

The maximum ground level concentration is estimated to be about 0.30 $\mu\text{g}/\text{m}^3$ of PM 2.5 & 1.61 $\mu\text{g}/\text{m}^3$ of PM10 within the mine area and surrounding cluster area 0.72 $\mu\text{g}/\text{m}^3$ of PM 2.5 & 3.46 $\mu\text{g}/\text{m}^3$ of PM10, where mining operations are being carried out. The impact of mining operations would be negligible beyond 0.5 km.

Figure – 4.1 represents the spatial distribution of the predicted ground level concentrations of PM₁₀ due to emissions from mine.

4.3.9 Emission sources & Quantification

Various point and non-point sources of emissions from Proposed Rough Stone and Gravel Quarry of Tmt.K. Rajamani, W/o. Kuppusamy (Total Material handling (Rough Stone & Gravel) is quantified and presented below:

Area Emissions – Total Material handling of Tmt.K. Rajamani, W/o. Kuppusamy (Rough Stone & Gravel).

Quantity, m ³	Rough Stone: 2,31,505 m ³ Gravel: 33,696 m ³
Operational Hours Per Year	2400
Activity Rate, t/hr.	55.77
Emission of dust, g/t.	0.17
Emission of dust, g /hr.	51.74693
Area of influence, m ²	625
Uncontrolled emission rate g/s/m ²	0.0000430228
Controlled emission rate, PM10 g/s/m ²	0.0000043022
Controlled emission rate, PM2.5 g/s/m ²	0.28681

Area Emissions – Total Material handling (Cluster Rough Stone & Gravel)

Quantity, m ³	Existing Quarries: <ul style="list-style-type: none"> • Thiru.Justin Prabu (3.67.0 Ha) - Rough Stone (2,41,671 m³) & Gravel quarry (26,588 m³). Proposed Quarries: <ul style="list-style-type: none"> • Thiru.G.Arjunan (2.10.5 Ha) - Rough Ston(5540 m³): & Gravel quarry (114764 m³).
Operational Hours Per Year	2400
Activity Rate, t/hr.	77.11
Emission of dust, g/t.	0.19
Emission of dust, g /hr.	59.51436
Area of influence, m ²	625
Uncontrolled emission rate g/s/m ²	0.00028302
Controlled emission rate, PM10 g/s/m ²	0.000283027
Controlled emission rate, PM2.5 g/s/m ²	0.00018868

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

Line Source – Transport of Rough Stone & Gravel from Pit to Boundary

Quantity, m³	Rough Stone: 2,31,505 m³ Gravel: 33,696 m³
Operational Hours Per Year	2400
Capacity of each Dumper (T)	10
Total No. of Tippers/ day	44.61
Lead length/trip, Km	0.8
Total VKT/day	35.68
Emission Kg/VKT	0.22
Total emission Kg/year	2,354.88
Uncontrolled emission rate g/s/m	321951
Controlled emission rate, PM10 g/s/m	0.32195
Controlled emission rate, PM2.5 g/s/m	0.15902

Line Source – Transport of Cluster Rough Stone & Gravel from Pit to Boundary

Quantity, m³	Existing Quarries: <ul style="list-style-type: none"> • Thiru.Justin Prabu (3.67.0 Ha) - Rough Stone (2,41,671 m³) & Gravel quarry (26,588 m³). Proposed Quarries: <ul style="list-style-type: none"> • Thiru.G.Arjunan (3.32.5 Ha) - Rough Ston(266415 m³): & Gravel quarry (114764 m³).
Operational Hours Per Year	2400
Capacity of each Dumper (T)	10
Total No. of Tippers/ day	61.69
Lead length/trip, Km	1.6
Total VKT/day	98.71
Emission Kg/VKT	0.22
Total emission Kg/Year	6514.9
Uncontrolled emission rate g/s/m	72545
Controlled emission rate, PM10 g/s/m	0.725458
Controlled emission rate, PM2.5 g/s/m	0.690183

Note: *Emission factor computed based on wind speed of 2 m/s, and moisture content of 10 %. + Emission factor computed based on silt content of 10 % and moisture content of 10 %

FIG 4.3 Isopleth of GLC Prediction for PM₁₀




FIG 4.4 Isopleth of GLC Prediction –Cumulative for PM_{2.5}





FIG 4.5 Isopleth of GLC Prediction –Cumulative for PM₁₀



PREDICTED AMBIENT AIR QUALITY:

The post project Concentrations of PM₁₀, PM_{2.5}, (GLC) (base line + incremental) after adopting necessary control measures is given in Table No - 4.3.

Table 4.3 Concentrations of PM2.5 after Project Implementation

SL. No	Location	Background Concentration	Predicted incremental Concentration	Post Project Concentration	Statutory Limits in $\mu\text{g}/\text{m}^3$
1	Project site	32.55	0.30	32.85	60
2	Eraiyr	23.10	0.27	23.37	
3	Thollamur	26.85	0.21	27.06	
4	Parangai	27.15	0.12	27.27	
5	Kunnam	24.45	0.09	24.54	
6	Perumbakkam	24.3	0.03	24.33	

Table 4.3a Cluster Concentrations of PM2.5 after Project Implementation

SL. No	Location	Background Concentration	Predicted incremental Concentration	Post Project Concentration	Statutory Limits in $\mu\text{g}/\text{m}^3$
1	Project site	35.12	0.72	35.84	60
2	Eraiyr	26.23	0.65	26.88	
3	Thollamur	29.41	0.43	29.84	
4	Parangai	28.17	0.22	28.39	
5	Kunnam	26.47	0.14	26.61	
6	Perumbakkam	27.87	0.07	27.94	

Table 4.3b Concentrations of PM10 after Project Implementation

SL. No	Location	Background Concentration	Predicted incremental Concentration	Post Project Concentration	Statutory Limits in $\mu\text{g}/\text{m}^3$
1	Project site	67.85	1.61	69.46	100
2	Eraiyr	51.35	1.45	52.8	
3	Thollamur	56.75	1.13	57.88	
4	Parangai	57.9	0.97	58.87	
5	Kunnam	53	0.48	53.48	
6	Perumbakkam	51	0.16	51.16	

Table 4.3c Cluster Concentrations of PM10 after Project Implementation

SL. No	Location	Background Concentration	Predicted incremental Concentration	Post Project Concentration	Statutory Limits in $\mu\text{g}/\text{m}^3$
1	Project site	70.52	3.46	73.98	100
2	Eraiyr	53.39	3.11	56.5	
3	Thollamur	58.46	2.42	60.88	
4	Parangai	59.58	2.08	51.66	
5	Kunnam	55.32	1.04	56.36	
6	Perumbakkam	53.41	0.69	54.1	

The above report seems that, even in the worst-case scenario, the resultant added concentrations with baseline figures show that the values of ambient air quality for PM_{10} are in the range of $51.16 \mu\text{g}/\text{m}^3$ to $69.46 \mu\text{g}/\text{m}^3$ and for $\text{PM}_{2.5}$ are in the range of $23.37 \mu\text{g}/\text{m}^3$ to $32.85 \mu\text{g}/\text{m}^3$ and PM_{10} are surrounding area range of $51.66 \mu\text{g}/\text{m}^3$ to $73.98 \mu\text{g}/\text{m}^3$ and for $\text{PM}_{2.5}$ are in the range of $26.61 \mu\text{g}/\text{m}^3$ to $35.84 \mu\text{g}/\text{m}^3$ which are within the statutory limits in each case. The mitigation measures undertaken in the mine for control of air pollution are given below.

- Wet drilling will be practiced in drilling operation.
- Water sprinkling will be done in haul roads & loading etc.
- The mines workers are provided with the dust masks.
- Three-layer plantation in the safety zone.

DG sets shall be periodically maintained as per manufacturer's specifications.

4.4 ASSESSMENT OF SIGNIFICANCE OF IMPACTS (CRITERIA FOR DETERMINING SIGNIFICANCE, ASSIGNING SIGNIFICANCE).

4.4.1 NOISE ENVIRONMENT

The main noise generating source during mining operation and related activities are drilling, excavation, loading and transportation. Intermittent noise is generated due to operation of diesel generator.

4.4.2 Likely Noise Levels in Lease Area due to mining activity

S.No.	Source Name	Noise Level in dB (A)
1	Diesel generator	90
2	Excavator Operation	86
3	Trucks movement	82
4	Drilling	96
5	Blasting	102

It is expected that the generated noise will be limited within the mine lease area and there will be no profound effect of noise on the buffer zone. The noise level will be maintained below the threshold limit by vigorous maintenance of the machineries. Wet drilling with dust extractor is being used to reduce the noise level during the mining operation.

Noise levels were measured in the lease area and in the nearby villages Eraiyur, Village, Thollamur Village, Parangai Village, Kunnam Village and Perumbakkam village the values are given below.

S. No.	Location	Distance and direction from Mine lease area	Day Equivalent (in dBA)	Night Equivalent (dBA)
1	Project site	Core Zone	53	43.8
2	Eraiyur	1.5km, SW	52.1	41.7
3	Thollamur	1.6km, SE	50.1	41.7
4	Parangai	2.65 Km, W	51.3	42.3
5	Kunnam	3.0 Km, N	47.8	42.6
6	Perumbakkam	2.3 Km, NW	49.4	42.8

The noise levels are within the MoEF & CC limits of 75 dB(A) in the working area and in the buffer areas, the values are below the limit of 70 dB(A). Since, the residential area norm has been considered for all five locations mentioned above, during mining operation mine lease area will be considered as industrial area/quarry area for which DGMS norms 85 dB(A)/CPCB guidelines 75 dB(A)

4.4.3 Impact of Noise due to mining

- ✚ Noise generation in mining is due to operation like drilling, blasting and transportation of minerals within and outside the lease area.
- ✚ As per DGMS (Directorate General of Mines Safety) limits, the acceptable noise level is 85 dB(A) for an exposure period of 8 hours.
- ✚ Exposure to loud noise can also cause high blood pressure, heart disease, sleep disturbances, and stress. Noise pollution also impacts the health and well-being of wildlife.
- ✚ Noise exceeding prescribed limits may cause impairment like abnormal loudness perception, tinnitus which causes a persistent high-pitched ringing in the ears, paracusis or distorted hearing.

4.5 MITIGATION MEASURES

4.5.1 Noise level control.

- ✚ As the distance between the source and receptor increases, the noise level decreases. Hence, there will be a natural attenuation.
- ✚ The proponent has planned to develop green belt in the periphery of the lease area which diminishes sound volume by dampening them.
- ✚ All the equipment/machinery/tippers involved will be properly maintained to control noise generation.
- ✚ Conducting regular health checkups for employees involved.
- ✚ Employees will be made to work on shifts to reduce their exposure time.
- ✚ Providing earplugs to all employees.
- ✚ Providing green walls/nets wherever possible.

By adopting these measures, the noise levels will be maintained well within MoEF & CC limits since the baseline value is low.

4.5.2 IMPACTS DUE TO VIBRATION

There will be negligible vibration of ground due to the following activities.

- ✦ Due to Blasting
- ✦ Due to Drilling
- ✦ Due to movement of machinery

Impacts

- ✦ Though vibration will be only felt by the people working inside the lease area it is usually undesired.
- ✦ Vibration may also cause flyrocks.
- ✦ It may frighten the birds and small insects in the lease area. However, it will be felt only for a short period.

Mitigation measures

- ✦ The DG set will be kept within the acoustic enclosure made by the stone blocks.
- ✦ Drills will be equipped with sharp bits and wet drilling will be adopted.
- ✦ A well planned green belt is proposed for the mining to reduce noise level.
- ✦ Proper warning system before blasting will be adopted and clearance of the area before blasting will be ensured.
- ✦ Regular maintenance of the machineries and vehicles to reduce the noise level.
- ✦ Use of ear muffs by the workers with occupational exposure to noise.
- ✦ Carrying out blasting on limited scale, only from 12:00 PM to 2:00 PM
- ✦ Control of fly rock and vibration by maintaining peak particle velocity within the standard as prescribed by the DGMS and MOEF & CC.
- ✦ Shallow depth jackhammer drilling and blasting is proposed to be carried out with minimum use of explosive.
- ✦ Supervising blasting by competent and statutory Foreman/ Mines Manager.

4.5.3 SOCIO ECONOMIC IMPACT

The lease area is Consented Patt land. The proponent has planned to spend INR 8,00,000 for CER activities.

4.5.4 OCCUPATIONAL HEALTH

Impacts on humans due to various mining activities

The occupational risk due to proposed mining may be due to drilling, blasting, excavation and transportation. A total of 26 workers will be engaged in the mining activity. Mining activity may cause various health problems to the mines workers as follows:

- Dust generated during excavation, drilling, stone cutting, sizing and transportation may cause health problems like Silicosis, Asthma, Tuberculosis and other respiratory lungs disorders.
- Heavy weight lifting by the workers may cause injuries to arms, legs and back.
- Noise generated during the mining activity may cause Noise Induced Hearing Loss (NIHL).

Table 4.5 Impacts on humans due to various mining activities		
S.No.	Type of activity	Impact
1	Dust generation due to drilling and blasting	Continuous exposure to dust causes Pneumonia, Tuberculosis, Rhematic arthritis and Segmental Vibration
2	Noise generation due to drilling and blasting	Short term impact will be lack of sleep, high blood pressure and heart ailments. Long term exposure may lead to partial or permanent deafness
3	Unexpected accidents	Risks include fly rocks, cracks or fissures due to improper mining methods

Mitigation measures

- The mines worker will be provided with dust mask to minimize the inhalation of the dust.
- Water sprinkling twice in a day is in practice on the haul roads, near excavation and roads to reduce the fugitive dust emission.
- Wet drilling and drilling with dust extractor will be practiced.
- Ear muffs will be supplied to the workers working in the noise prone area

- The mining site will be supplied with first aid facilities and the entire mines worker will have access to that.
- The mines workers will be well trained about the safety practices in the mining activities.
- As per Mines Rules, 1955, medical examination of employees at the initial stage and periodically, shall be done by a team of qualified medical officers provided by the project proponent.
- Regular medical checkup camps shall also be arranged for detection of occupational diseases and minor disease in the nearby rural population.
- Free checkup and medicine for treatment for their acute and chronic illness shall be provided by the lessee. Conducting periodical Medical Examination as per DGMS.
- Making all first aid kits available in mines office
- Keeping fire extinguisher in place
- Educating the employees about how to handle unexpected happenings
- Posting information containing emergency contact numbers in mines office
- By adopting all these measures, the safety of the employees working in the quarry will be ensured.

4.5.5 WASTE MANAGEMENT

Solid Waste

Since the entire mined out material will be utilized there will not be any solid waste generation from this project. However, the Solid waste (MSW) generated from administrative activities will be properly collected and disposed to Govt. Authorized yards / Re-cylers / Disposers.

Liquid Waste

There is no process effluent generation from this mine. Hence no liquid waste is generated. Domestic wastewater i.e 1.0 KLD will be discharged in soak pit via septic tank.

Hazardous Waste Management

In this project the following management practices will be followed:

In the quarrying operation, the source of hazardous waste is from machinery maintenance activities that are waste oil/ Waste lubricants / Used filters / Used Hydraulic hoses. The said hazardous waste are very negligible quantity, it will be properly collected in the source level, stored in impervious storage yards and disposed of as per the Hazardous waste (Trans-boundary Movement) Management Rules, 2016.

Plastic Waste

Single use plastics/ use and throwaway plastics will be banned in the site as directed by the Tamil Nadu Government vide GO(Ms)No.84 regarding ban on use of plastic products. The employees will be encouraged to use compostable material or reusable material.

CHAPTER 5

ANALYSIS OF ALTERNATIVES

5.1 DESCRIPTION OF EACH ALTERNATIVE

Analysis of alternative site helps in selection of best possible site for the project. On one hand it helps to closeness to the existing infrastructure and on other hand it also helps to minimize the impact of project on environment.

5.2 SUMMARY OF ADVERSE IMPACTS OF EACH ALTERNATIVE

The project proponent has prepared mining plan under rule 19(1) 41 & 42 of Tamil Nadu Minor Mineral Concession Rules, 1959 and the same has been approved by the Assistant Director, Dept. of Geology & Mining, Viluppuram vide Rc.No. A/G&M/82/2024 dated 15.03.2024.

- There is no forest land or other Eco-sensitive places.
- Proposed mine site is selected on the basis of occurrence of mineral for suitable end use.

Hence seeking alternative site is not required.

5.3 MITIGATION MEASURES PROPOSED FOR EACH ALTERNATIVE

The mining technology is mechanized Opencast in single-shift operation without any change in technology. The operation will be carried out as per DGMS norms. No alternate technology will be used. Details of the technology used are given in Chapter II.

5.4 SELECTION OF ALTERNATIVE

In case of Mining projects alternate site selection is not necessary as the mining is site specific and the area in which mining will be carried out has been adequately proved for presence of mineral. The deposit is also having good infrastructural facilities for access and development.

CHAPTER 6

ENVIRONMENTAL MONITORING PROGRAMME

6.1 TECHNICAL ASPECTS OF THE MONITORING THE EFFECTIVENESS OF MITIGATION MEASURES (INCL MEASUREMENTS, METHODOLOGIES, FREQUENCY LOCATION DATA ANALYSIS, REPORTING SCHEDULES EMERGENCY PROCEDURES DETAILED BUDGET AND PROCUREMENT SCHEDULES)

6.1.1 ENVIRONMENTAL MONITORING

Monitoring is done to measure the efficiency of control measures implemented. Regular monitoring of various environmental parameters like air, water, noise and soil environments is needed to assess the status of environment during the project operation.

A schedule is framed with timeline to monitor various parameters during the operation of the project. The schedule is framed based on MoEF& CC and Tamil Nadu State Pollution Control Board. In case the SEIAA/TNPCB/MoEF&CC or other statutory bodies demand monitoring of any additional parameter/factor, the same will also be done.

The proposed quarry is a small quarry. Hence the Mines-in-charge will be responsible for environmental related activities. After obtaining EC, the conditions mentioned in EC will be strictly followed. The Mines-in-charge will be responsible for implementing the conditions. EC compliance report will also be submitted periodically.

6.1.2 OBJECTIVES OF ENVIRONMENTAL MONITORING

The objectives of Environmental Monitoring are as follows.

- ✚ Monitoring and analysis of air and water samples
- ✚ Implementing the control and protective measures.
- ✚ Coordinating the environment related activities within the project as well as with outside agencies. Collecting statistics of health of workers and population of the surrounding villages. Green belt development etc.
- ✚ Monitoring the progress of implementation of Environmental Management Programme.

- ✚ Monitoring the noise generation in and around the project areas.
- ✚ Monitoring of wastewater treatment and disposal of solid waste.
- ✚ The laboratory will be suitably equipped for sampling/testing for various environmental pollutants.

6.1.3 ENVIRONMENTAL MONITORING SCHEDULE

To evaluate the effectiveness of Environmental Management Programme, regular monitoring of the important environmental parameters will be taken up. The frequency of monitoring different parameters is given in table 6.1.

Table 6.1 Environmental Monitoring Schedule			
Sl.No.	Description of Parameters	Parameters	Frequency
1	Air	Air Quality for SPM, PM-10, PM-2.5, SO ₂ and NO _x	24 hour average samples Once in a 3 month
2	Water	General, Physical, and chemical parameters	Once per season
3	Noise	L _{eq} , L _{max} , L _{min} , L _{eq} Day & L _{eq} Night dB(A)	8 hour average samples Once in a 3 month
4	Soil	Physical and Chemical characteristics	Once per season

6.1.4 LOCATION

Monitoring of the above-mentioned environmental parameters would be done at appropriate and sensitive areas. The exact location of monitoring is given as Figure – 3.4, 3.10, 3.12 & 3.14.

6.1.5 MEASUREMENT METHODOLOGY

(a) Ambient Air Quality

Ambient air quality will be monitored for SO₂, NO_x, PM₁₀ and PM_{2.5}. The instruments like high volume air samplers and Respirable dust samplers would be used for this purpose. These parameters will be monitored as mentioned in the monitoring schedule previously.

(b) Water Quality

Water quality analysis will be done quarterly and the monitored parameters include pH, Temperature, TDS, etc. as specified by SPCB from time to time.

(c) Noise Monitoring

Noise level will be monitored in working environment mainly noise producing sources over the boundary and around the mining area.

(d) Green Belt and Afforested Areas

Continuous vigilance and monitoring of green belt will be done for performance and survival rate of the saplings. Watch and ward personnel will properly guard the plantation. Provision will be made for fertilizers application and watering on schedule.

(e) Socio-Economics

Socio-economic of the core and buffer zone details elaborated in Chapter-3.

6.1.6 TECHNICAL ASPECTS OF MONITORING THE EFFECTIVENESS OF MITIGATION MEASURES

The above monitoring schedule will be followed periodically. After collection of the data, the mines-in-charge will analyze the data obtained. The data thus obtained will be incorporated in the EC Compliance report submitted to the Regional office, MoEF&CC. The measurement methodologies will be as per CPCB/BIS/MoEF&CC/DGMS norms.

6.1.7 EMERGENCY PROCEDURES

In case of any emergency due to environmental conditions, the mines in-charge will immediately report to the top-level management and the emergency response protocol will be implemented as per MoEF&CC/ SPCB / DGMS norms.

6.1.8 REPORTS TO BE GENERATED

The Project Proponent will maintain records of each test and its interpretation so as to formulate an adequate Environmental Management Plan. The set of records planned to be maintained by Project Proponent are given in below table 6.2.

Table 6.2 Important Records to be maintained by PP	
S.No.	Particulars
1	Monitoring results for Air, Water & Soil.
2	Records of slope failure, land erosion & drainage.
3	Plantation Records
4	Environmental and related standards/ norms
5	Records pertaining to statutory consents, approvals.
6	Periodic Medical examination (PME) records.
7	Complain register (Environmental pollution)
8	Records on water and electricity consumption
9	Periodic progress records.
10	Environmental Expenses Records

6.1.9 DETAILED BUDGET AND PROCUREMENT SCHEDULES

The budget planned for environmental monitoring is given below.

Table 6.3 - Environmental Management Plan Budget

Sl .No	Budget planned for	Capital Cost Amount (INR)	Recurring Cost/Annum Amount (INR)
1	Air Environment	10,10,000	6,67,000
2	Noise Environment	50,000	5,89,000
3	Water Environment	2,20,000	2,45,000
4	Implementation of EC, Mining Plan & DGMS Condition	12,05,000	12,42,00
5	Green Belt	2,50,000	30,000
6	Additional Key EMP Expenses	30,22,000	10,000
Total		57,57,000	27,83,000

CHAPTER 7

ADDITIONAL STUDIES

The additional studies covered for this EIA / EMP report are,

- Public consultation
- Risk Assessment
- Social Impact Assessment, R&R Action Plans
- Cumulative Environmental Impact Assessment Study
- A detailed Hydrogeological Study
- Slope Stability plan

7.1 PUBLIC CONSULTATION

After the preparation of the draft EIA/EMP report, it must be submitted to the State Pollution Control Board. A public consultation will be conducted on behalf of the Pollution Control Board through the District Collector and the officials from the PCB. A prior notice must be issued about the event, along with the time and date, in two leading newspapers. The opinions, suggestions, demands, and objections of people, NGO environmentalists, etc. are sought, and the proceedings are recorded. The replies of the proponent and corresponding officials will be recorded in the final EIA/EMP report.

7.2 RISK ASSESSMENT & MANAGEMENT

(a) Objectives

Risk assessment is a method in which possible threats/hazards which may arise during mining operations are identified so that adequate machinery/equipment are made available in precaution. The objectives of environmental risk assessment are governed by the following, which excludes natural calamities:

- ✚ To identify the potential hazardous areas so that necessary design safety measures can be adopted to minimize the probability of accidental events.
- ✚ To identify the potential areas of environmental disaster which can be prevented by proper design of the installations and its controlled operation.
- ✚ To manage the emergency situation or a disastrous event, if any, from the mining operation.

The major hazards related to the mining activities are as follows

- ✚ Open cast bench slope failure
- ✚ Accident due to fall of quarry sides
- ✚ Accident due to machineries
- ✚ Accident due to explosives
- ✚ Accident due to large block cutting, separation and loading

Some of the common hazards are identified and the corresponding precautionary measures are drafted.

Table 7.1 Hazards and Precautionary measures		
S.No.	Hazard	Precautionary measures
1	Fire	Fire suppressants will be made available at mines office and explosive storage room.
2	Explosion	Controlled blasting will be done. DGMS norms will be strictly followed during blasting. Blasting will be done only by trained professionals.
3	Combustion of chemicals or hazardous substances	Combustible Substances are stored with all precautionary measures. Fire suppressant is made available at storage site
4	Landslide	Width, height and slope will be maintained as suggested by DGMS
5	Accidents during handlings	All vehicles will be properly maintained. Overloading will not be done. Only trained/certified people will be employed.
6	Accidental fall of people or animals	The lease area will be fenced properly. Only people working in the mines will be permitted to enter.

7.3 SOCIAL IMPACT ASSESSMENT (R & R) ACTION PLAN

No land is acquired from people dwelling in the area. The lease area is an uninhabited land. No R & R plan is proposed.

7.3.1 CUMULATIVE ENVIRONMENTAL IMPACT ASSESSMENT STUDY

The details of other quarries located within the 500m radius of this project are provided below:

Table 7.2 500m Radius Cluster Mines Details (as per 500m certificate)					
Sl. No	Name and address	Village and Taluk	S.F.Nos.	Extent (in Ha)	Period of lease
Abandoned Quarries					
1	V.Sadaiyappan, No.18, Amal Nagar, West Tambaram, Chennai-600045.	Thollamur Village, Vanur Taluk	1/3A, 12/3, 12/5B1	3.57.0	16.08.2018 to 15.08.2023
2	K.Gnanasekaran, S/o. Kannadi Gounder, Mettu Street, Karasanur Village, Vanur Taluk, Viluppuram	Thollamur Village, Vanur Taluk	12/4, 12/5A	1.24.5	24.09.2017 to 23.09.2022
3	K.Balamurugan, S/o. Kuppusamy, Karasanur Post, Vanur Taluk, Viluppuram	Thollamur Village, Vanur Taluk	11/4A2, 15/2, 15/3A, 15/3B, 15/4	2.12.0	27.08.2018 to 26.08.2023
4	S.Nanthini, W/o.Sankar, No.14, 3 rd Street, Jayapuram, Tindivanam Taluk, Viluppuram	Thollamur Village, Vanur Taluk	11/5A, 11/6, 11/7, 16/2, 16/3, 16/4, 16/5, 16/6, 16/7, 16/8B, 16/9, 16/10	3.32.5	31.12.2015 to 30.12.2020
5	V.Sankar, S/o.Vivekanandan, No.14, Jayapuram Colony, Tindivanam Taluk Viluppuram	Thollamur Village, Vanur Taluk	2/1, 2/2, 2/3, 2/4, 2/5, 3/1, 3/2, 3/3, 3/4, 3/5, 3/6, 3/7	3.66.5	20.09.2016 to 19.09.2021
Existing Quarries					
1	I.Justin Prabu, S/o.Iyyadurai, No.1/56, D9, Church Street, Christopher Nagar, Peruvilai, Kanniyakumari	Karasanur Village, Vanur Taluk	43/4A, 43/4B, 43/4C, 43/5, 43/6, 44/6	3.67.5	03.06.2022 to 02.06.2032
Proposed Quarry					

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

1	Tmt.K. Rajamani, W/o. Kuppusamy, No.168, Mettu Street, Karasanur Village, Vanur Taluk, Viluppuram	Karasanur & Vanu	171/1A, 171/1B	2.02.5	Under Proposed Quarry
2	G.Arjunan, S/o.Govindasamy, No.63, Throwpathi Amman Kovil Street, Thiruvakkarai, Vanur Taluk,	Thollamur, Vanur	11/5A, 11/6, 11/7, 16/2, 16/3, 16/4, 16/5, 16/6, 16/7, 16/8B, 16/9, 16/10	3.32.5	Proposed Quarry
Existing Quarries – (Granite)					
1	M/s. Kattima, No.18, Sulaiman Jakkariya avenue casa major road, Egmore, Chennai - 8	Thollamur, Vanur Taluk	169/7A, 169/8, 170/1	1.76.5	11.08.2008 to 10.08.2028 Non-Operation From 2017
2	Shanthakumari, W/o. (Late) Selvaraj, No.139, Gopalapuram, Marakanam Road, Tindivanam	Karasanur Village, Vanur Taluk	49/6, 49/7, 50/1, 50/2, 169/3	1.00.0	04.06.2010 to 03.06.2030 Non-Operation From 2017
3	M/s. Aswani Enterprises, No.49A, Jayapuram Colony, Tindivanam	Karasanur Village, Vanur Taluk	169/9, 169/10, 169/12, 172/1 (P)	1.38.5	08.02.2010 to 07.02.2030 Non-Operation From 2017

A cumulative impact of these two proposed quarries has been studied and the details are given in Chapter IV.

7.3.2 AIR QUALITY IMPACT PREDICTION FOR THE CLUSTER

The AERMOD atmospheric dispersion modeling (AERMOD Cloud remote version) is used for assessment of incremental Ground level concentration (GLC) for the cluster area. Area source model taken into consideration taking into consideration of wet drilling and loading of the cluster mines. Further line source model was taken into consideration for transportation through haul road. Baseline meteorological studies were conducted for the period of March to May 2024. The following sources are considered.

Emission sources & Quantification of the cluster area.

Various point and non-point sources of emissions from Proposed Rough Stone and Gravel Quarry of Tmt.K. Rajamani, W/o. Kuppusamy (Total Material handling (Rough Stone & Gravel) is quantified and presented below:

Area Emissions – Total Material handling of Tmt.K. Rajamani, W/o. Kuppusamy (Rough Stone & Gravel).

Quantity, m ³	Rough Stone: 2,31,505 m ³ Gravel: 33,696 m ³
Operational Hours Per Year	2400
Activity Rate, t/hr.	55.77
Emission of dust, g/t.	0.17
Emission of dust, g /hr.	51.74693
Area of influence, m ²	625
Uncontrolled emission rate g/s/m ²	0.0000430228
Controlled emission rate, PM10 g/s/m ²	0.0000043022
Controlled emission rate, PM2.5 g/s/m ²	0.28681

Area Emissions – Total Material handling (Cluster Rough Stone & Gravel)

Quantity, m ³	Existing Quarries: • Thiru.Justin Prabu (3.67.0 Ha) - Rough Stone (2,41,671 m ³) & Gravel quarry (26,588 m ³). Proposed Quarries: • Thiru.G.Arjunan (2.10.5 Ha) - Rough Ston(5540 m ³): & Gravel quarry (114764 m ³).
Operational Hours Per Year	2400
Activity Rate, t/hr.	77.11
Emission of dust, g/t.	0.19
Emission of dust, g /hr.	59.51436
Area of influence, m ²	625
Uncontrolled emission rate g/s/m ²	0.00028302
Controlled emission rate, PM10 g/s/m ²	0.000283027
Controlled emission rate, PM2.5 g/s/m ²	0.00018868

Line Source – Transport of Rough Stone & Gravel from Pit to Boundary

Quantity, m³	Rough Stone: 2,31,505 m³ Gravel: 33,696 m³
Operational Hours Per Year	2400
Capacity of each Dumper (T)	10
Total No. of Tippers/ day	44.61
Lead length/trip, Km	0.8
Total VKT/day	35.68
Emission Kg/VKT	0.22
Total emission Kg/year	2,354.88
Uncontrolled emission rate g/s/m	321951
Controlled emission rate, PM10 g/s/m	0.32195
Controlled emission rate, PM2.5 g/s/m	0.15902

Line Source – Transport of Cluster Rough Stone & Gravel from Pit to Boundary

Quantity, m³	Existing Quarries: <ul style="list-style-type: none"> • Thiru.Justin Prabu (3.67.0 Ha) - Rough Stone (2,41,671 m³) & Gravel quarry (26,588 m³). Proposed Quarries: <ul style="list-style-type: none"> • Thiru.G.Arjunan (3.32.5 Ha) - Rough Ston(266415 m³): & Gravel quarry (114764 m³).
Operational Hours Per Year	2400
Capacity of each Dumper (T)	10
Total No. of Tippers/ day	61.69
Lead length/trip, Km	1.6
Total VKT/day	98.71
Emission Kg/VKT	0.22
Total emission Kg/Year	6514.9
Uncontrolled emission rate g/s/m	72545
Controlled emission rate, PM10 g/s/m	0.725458
Controlled emission rate, PM2.5 g/s/m	0.690183

Note: *Emission factor computed based on wind speed of 2 m/s, and moisture content of 10 %.
 + Emission factor computed based on silt content of 10 % and moisture content of 10 %

FIG 7.1 Isopleth of GLC Prediction for PM_{2.5}




FIG 7.2 Isoleth of GLC Prediction for PM₁₀




FIG 7.3 Isoleth of GLC Prediction –Cumulative for PM_{2.5}





FIG 7.4 Isopleth of GLC Prediction –Cumulative for PM₁₀



PREDICTED AMBIENT AIR QUALITY:

The post project Concentrations of PM₁₀, PM_{2.5}, (GLC) (base line + incremental) after adopting necessary control measures is given in Table No - 4.3.

Table 7.3 Concentrations of PM2.5 after Project Implementation

SL. No	Location	Background Concentration	Predicted incremental Concentration	Post Project Concentration	Statutory Limits in $\mu\text{g}/\text{m}^3$
1	Project site	32.55	0.30	32.85	60
2	Eraiyr	23.10	0.27	23.37	
3	Thollamur	26.85	0.21	27.06	
4	Parangai	27.15	0.12	27.27	
5	Kunnam	24.45	0.09	24.54	
6	Perumbakkam	24.3	0.03	24.33	

Table 7.4 Cluster Concentrations of PM2.5 after Project Implementation

SL. No	Location	Background Concentration	Predicted incremental Concentration	Post Project Concentration	Statutory Limits in $\mu\text{g}/\text{m}^3$
1	Project site	35.12	0.72	35.84	60
2	Eraiyr	26.23	0.65	26.88	
3	Thollamur	29.41	0.43	29.84	
4	Parangai	28.17	0.22	28.39	
5	Kunnam	26.47	0.14	26.61	
6	Perumbakkam	27.87	0.07	27.94	

Table 7.5 Concentrations of PM10 after Project Implementation

SL. No	Location	Background Concentration	Predicted incremental Concentration	Post Project Concentration	Statutory Limits in $\mu\text{g}/\text{m}^3$
1	Project site	67.85	1.61	69.46	100
2	Eraiyr	51.35	1.45	52.8	
3	Thollamur	56.75	1.13	57.88	
4	Parangai	57.9	0.97	58.87	
5	Kunnam	53	0.48	53.48	
6	Perumbakkam	51	0.16	51.16	

Table 7.5a Cluster Concentrations of PM10 after Project Implementation

SL. No	Location	Background Concentration	Predicted incremental Concentration	Post Project Concentration	Statutory Limits in $\mu\text{g}/\text{m}^3$
1	Project site	70.52	3.46	73.98	100
2	Eraiyyur	53.39	3.11	56.5	
3	Thollamur	58.46	2.42	60.88	
4	Parangai	59.58	2.08	51.66	
5	Kunnam	55.32	1.04	56.36	
6	Perumbakkam	53.41	0.69	54.1	

The above report seems that, even in the worst-case scenario, the resultant added concentrations with baseline figures show that the values of ambient air quality for PM₁₀ are in the range of 51.16 $\mu\text{g}/\text{m}^3$ to 69.46 $\mu\text{g}/\text{m}^3$ and for PM_{2.5} are in the range of 23.37 $\mu\text{g}/\text{m}^3$ to 32.85 $\mu\text{g}/\text{m}^3$ and PM₁₀ are surrounding area range of 51.66 $\mu\text{g}/\text{m}^3$ to 73.98 $\mu\text{g}/\text{m}^3$ and for PM_{2.5} are in the range of 26.61 $\mu\text{g}/\text{m}^3$ to 35.84 $\mu\text{g}/\text{m}^3$ which are within the statutory limits in each case. The mitigation measures undertaken in the mine for control of air pollution are given below.

- Wet drilling will be practiced in drilling operation.
- Water sprinkling will be done in haul roads & loading etc.
- The mines workers are provided with the dust masks.
- Three layer plantation in the safety zone.

DG sets shall be periodically maintained as per manufacturer's specifications.

Cumulative Impact on Traffic

The mined-out minerals will be transported by means of trucks to the consumers like crusher units for producing stone aggregates of different sizes or construction of roads, bridges, buildings and other buyers etc. The cumulative impact on traffic due to transportation of minerals from these three leases are provided below:

Table 7. 6 – Impact on Traffic

Description		Rough Stone and Gravel Production Per day in tons	No. of Lorry Load per day
P1, P2 & P3		1063	106.3
Total			106.3

The proposed projects will bring 106.3 trips per day. The existing road can absorb this additional traffic due to this project. Various measures like proper maintenance of road, covering of the loaded truck with tarpaulin, water sprinkling will be carried out to ensure no adverse impact on the logistical front.

7.3.3 HYDROGEOLOGICAL STUDY

The pond is situated at a distance of 840 m in north direction. Sangarabarani river is located at a distance of 4.71km in south west direction of the proposed ML area. Due to the presence of these water bodies nearby, a detailed hydrogeological study has been done. As suggested in the Precise Area Communication letter, safety distances of 7.5m to adjacent Patta land.

7.3.4 SLOPE STABILITY STUDY

The proposed quarry is a very small quarry and the production is also less. Opencast-Mechanized mining with a bench height of 5m and bench width of 5m and 56° Slope is proposed. The depth of mining is proposed as 43 m (BGL), which is the ultimate pit limit. Also, there is no overburden since the entire mined out material will be utilized.

As far as technical factors are concerned, the following precautionary measures will be adopted:

- Strict adherence to DGMS norms
- Frequent inspection by Mines-in-charge/Mines Manager
- Bench height, width, slope will be as per DGMS norms

7.3.5 DISASTER MANAGEMENT PLAN

Proper preventive mechanism exists already in the mines.

- Precautionary measures are well explained to all staff by the mines in-charge.
- PPE necessary for all staff are available in the quarry. No person is allowed to enter inside without PPE. Avoiding quarrying during unfavorable environmental conditions.
- Carrying out safe blasting by following DGMS norms
- Safety equipment like fire extinguisher, first aid kit, etc are present in the mine.
- Proper maintenance of machinery used for mining
- In case of any emergency, the contact numbers of mines in-charge, mines manager, Management contact are available in the mines office.

7.3.6 MINE CLOSURE PLAN

The quarrying operation is proposed up to a depth of 43m (BGL) only, which will be achieved in 5 years. The ultimate pit dimension will be 159 x 100 x 43. After completion of quarrying operation, the mined-out pit will be left as rain water harvesting pond. The quarry will be properly fenced with barbed wire.

CHAPTER 8

PROJECT BENEFITS

INTRODUCTION

Tmt.K. Rajamani has proposed Rough stone and gravel quarry of Tmt.K. Rajamani over an extent of 2.02.5 ha located at s.f.no. 171/1a and 171/1b of Karasanur village, Vanur taluk, Viluppuram district, Tamilnadu state

PROJECT BENEFITS

Project benefits are attributed in various ways as under:

- Environment Benefits
- Employment Potential: Skilled, Semi-skilled & Un-skilled
- Economic Benefits
- Social Benefits

8.1 IMPROVEMENTS IN THE PHYSICAL INFRASTRUCTURE

The project area is located on Patta land, thereby causing no impact on the loss of agriculture or forest land. The project will create employment opportunities in the area. There will be no adverse effect of mining on the socioeconomic status of the people; rather, mining activities will improve their standard of living. The mining activity creates employment opportunities for the local people, and this definitely raises their economic status. Apart from the overall beneficial impact of the project on the local people of the region, it is felt necessary to augment facilities in the fields of education, health, and social awareness, including concern for the environment and ecosystem.

8.2 IMPROVEMENTS IN THE SOCIAL INFRASTRUCTURE

The proposed project will help in improving the socio-economic status of the near-by villages by generating direct or indirect employment opportunities. Substantial amount of indirect revenue will be generated by transportation activities along with employment e.g. labour, helper etc.

ECONOMIC BENEFITS:

The execution of proposed mine will boost the economy of the area by creating direct & indirect jobs for locals. There will be a positive cumulative impact of the project on the economy.

8.3 EMPLOYMENT POTENTIAL: SKILLED, SEMI-SKILLED & UN-SKILLED

The mining activity at proposed Rough Stone and Gravel of Tmt.K.Rajamani, W/o. Kuppusamy will create direct employment opportunity for 26 local people. As per MOEF & CC Notification CER cost is arrived for an amount of 8 Lakhs, it will be utilized as per the CER letter received from the competent authority, enclosed as annexure no 14.

8.4 OTHER TANGIBLE BENIFITS

The mine management will recruit semi-skilled & unskilled eligible workers from the nearby villages depending upon requirement in the mines and the eligibility, qualification and experience of local persons.

The overall effect will result in higher standard of living viz. better education, improved health and sanitation facilities, housing and acquisition of consumer durables. Housing, transport, medical, educational and other civic amenities will get improved in the future. This is envisaged as a major positive benefit.

CHAPTER 9

ENVIRONMENTAL COST BENEFIT ANALYSIS

As per EIA Notification dated 14th Sept., 2006, as amended from time to time, 'Environmental Cost Benefit Analysis' is applicable only if the same is recommended at the Scoping stage.

As per the ToR points issued by SEIAA-TN vide ToR Identification No. TO24B0108TN5227548N, dated 31.05.2024 for the proposed project, the 'Environmental Cost Benefit Analysis' is not prescribed.

CHAPTER 10

ENVIRONMENTAL MANAGEMENT PLAN

10.1 DESCRIPTION OF THE ADMINISTRATIVE ASPECTS OF ENSURING OF ENSURING THAT MITIGATIVE MEASURES ARE IMPLEMENTED AND THEIR EFFECTIVENESS MONITORED AFTER APPROVAL OF THE EIA.

10.1.1 OBJECTIVES

The Environmental Management Plan is developed to ensure that a project is implemented in an environmentally sustainable manner, where all contractors and subcontractors, including consultants, understand the potential environmental risks arising from the project and take appropriate actions to minimize those risks. EMP also ensures that the project implementation is carried out in accordance with the planned design and by taking appropriate mitigation measures to reduce adverse environmental impacts during the project's life cycle. The impacts due to this mining project are detailed in Chapter 4 and Mitigation measures at the source level and an overall Management Plan at the site level are elaborated on in this chapter.

10.1.2 BASIC OF EMP

The Environmental Management Plan for the proposed project activities is formulated taking into considerations the following key environmental issues.

- ✦ Project activities
- ✦ Studies on Environmental Impact Assessment
- ✦ Air & water pollution control
- ✦ Working zone environment improvement
- ✦ Occupational hazards & safety
- ✦ Environmental monitoring facilities
- ✦ Environmental management costs

EMP covers all phases of the project considering the impacts with mitigation measures and monitoring programme. The plan outlines the measures that will be undertaken to ensure compliance with environmental legislations and to minimize adverse impact. Details of EMP measures for implementation in the mine are given below.

Table 10.1 Environmental Management Plan

Environmental Parameter	Mitigation Measures
Air	Wet drilling to suppress the dust emission from drill machine
	Regular water sprinkling on haulage road through fixed water sprinkler.
	2.0 KLD of water will be used for dust suppression.
	Avoiding blasting during high wind period, night times and temperature inversion periods.
	Regular grading of haul road to clear accumulation of loose material.
	It will be ensured that vehicles are properly maintained to comply with exhaust emission requirements
	Maintenance as per operator manual of the equipment and machinery in the mines to minimizing air pollution
	Ambient Air Quality Monitoring carried out in the project area and in surrounding villages to assess the impact due to the mining activities and the efficacy of the adopted air pollution control measures.
	Afforestation for control of dust.
Surface water	Sangarabarani river is located at a distance of 4.71 km in south direction of the proposed ML area. Adequate safety distance is left. No dumping of material or discharge will be done in or near the river or water body.
	Surface runoff management structures like garland drain of required length which is connected to a settling pond will be constructed around the quarry to collect the rain water.
	Monthly or after rainfall, inspection will be done to ensure performance of water management structures and systems. There is no discharge of any effluent into nearby water bodies.
Ground Water	The quarrying operation is proposed upto a depth of 43 m below ground level, Water table is found at a depth of 66m, hence the project will not intersect the Ground water table during entire quarry period.
Water Consumption and Wastewater generation	Water required for this project will be sourced from vendors.
	Domestic wastewater generation of 1.0 KLD will be treated in septic tank with soak pit.
	Conduct ground water and surface water monitoring for parameters specified by CPCB

Noise	The workers employed are provided with protection equipment, earmuffs and ear-plugs for the protection from high noise level generated at the mine site wherever required.
	Noise levels are controlled by using optimum explosive charge, proper delay detonators and proper stemming to prevent blow out of holes.
	Development of thick greenbelt all along the safety Zone (7.5 m) of the project area to attenuate the noise and the same will be maintained.
	Preventive maintenance of mining machinery and replacement of worn-out accessories to control noise generation.
	Annual ambient noise level monitoring are carried out in the project area and in surrounding villages to assess the impact due to the mining activities and the efficacy of the adopted noise control measures. Additional noise control measures will be adopted if required as per the observations during monitoring.
Ground Vibration and Fly Rock Control	Controlled blasting using delay detonators will be carried out to maintain the PPV value well within the prescribed standards of DGMS.
	Drilling and blasting will be carried under the supervision of qualified persons.
	Will be Ensured that blast holes are adequately stemmed for the depth of the hole and stemmed with suitable angular material.
	To be Undertake noise or vibration monitoring.
Land Environment	At conceptual stage, the mining pits will be converted into Rain Water Harvesting pit. Remaining area will be converted into greenbelt area.
	No external dumping i.e., outside the project area. The entire material will be sold.
	Garland drains with catch pits / settlement traps to be provided all around the project area to prevent run off affecting the surrounding lands.
	The periphery of Project area will be planted with thick plantation to arrest the fugitive dust, which will also act as acoustic barrier.
	Frequent Soil and ground water testing as per Environmental Monitoring Plan.


Top Soil / Overburden	There is no overburden anticipated during the quarrying operation.
Biological Environment	During mining, thick plantation will be carried out on the mentioned safety zone areas.
	The main attributes that retard the survival of sapling is fugitive dust, this fugitive dust can be controlled by water sprinkling on the haul roads and installing a sprinkler unit near the newly planted area.
	Regular review on Green belt development programme.
	Year wise greenbelt development plan mentioned in Chapter III will be monitored.

10.1.3 ADMINISTRATION AND TECHNICAL SETUP

Since this is a very small quarry, the mines in-charge will take care of all environment related aspects. He will ensure effective implementation of environment management plan and to ensure compliance of environmental statutory guidelines through Mine Management Level. The action plan for monitoring consists of monitoring of following environmental components.

- ✚ Monitoring of the water/ waste water quality, air quality and solid waste generated.
- ✚ Analysis of the water and air samples collected through external laboratory.
- ✚ Implementation and monitoring of the pollution control and protective measures/ devices which shall include financial estimation, ordering, installation of air pollution control equipment, waste water treatment plant, etc.
- ✚ Co-ordination of the environment related activities within the project as well as with outside agencies.
- ✚ Collection of health statistics of the workers and population of the surrounding villages.
- ✚ Green belt development.
- ✚ Monitoring the progress of implementation of the environmental monitoring programme.
- ✚ Compliance to statutory provisions, norms of State Pollution Control Board, Ministry of Environment and Forests and the conditions of the environmental clearance as well as the consents to establish and consents to operate.

Fig. 10.1 Organization Chart



1	Skilled	Mines Manager	1 No
		Foreman/Mate	2 Nos
		Operator	7 Nos
		Mechanic	1 No
2	Semi-Skilled	Diver	3 Nos
3	Un-skilled	Labours	12 Nos
Total			26 Nos

10.1.4 ENVIRONMENTAL POLICY

- The Project Proponent has stipulated a well-defined Environmental policy by which the lessee is committed to conducting business with a strong environmental conscience towards the community, customers, and employees. The Environment policy is given as below.
- The Environment policy of "Rough Stone & Gravel Quarry of Tmt.K.Rajamani, W/o. Kuppusamy is that the rules and commitment are driven towards conservation of the environment.
- The lessee is committed to efficient use of natural resources based on the reduce, recycle and reuse method.
- The project is committed to the identification of possible impacts and will take the necessary management steps to mitigate the impacts.
- Environment performance will be regularly monitored and reported for continual improvement of our environment and health performance.

10.1.5 OCCUPATIONAL SAFETY & HEALTH MANAGEMENT

Occupational safety and health are very closely related to productivity and a good employer-employee relationship. The main factors affecting occupational health in quarries are fugitive dust and noise. Safety of employees during quarrying operations and maintenance of mining equipment will be taken care of as per the Mines Act 1952 and Rule 29 of the Mines Rules 1955. To avoid any adverse effect on the health of workers due to dust, noise, and vibration, sufficient measures have been provided. The health status of workers in the mine will be regularly monitored under an occupational surveillance programme. Under this programme, all employees are subjected to a detailed medical examination at the time of employment. Before the induction of employees, a pre-medical checkup is done. In addition, a periodical medical checkup will be done annually for all employees.

10.1.6 COST OF ENVIRONMENTAL CONTROL MEASURES

The effective implementation of EMP is not only reduce pollution load and comply the regulatory requirement but also increase productivity and improve marketability of product. The capital and recurring cost of EMP for the cluster of mines has been given in below table.

Table 10.2 - Environmental Management Plan Budget

Sl .No	Budget planned for	Capital Cost Amount (INR)	Recurring Cost/Annum Amount (INR)
1	Air Environment	10,10,000	6,67,000
2	Noise Environment	50,000	5,89,000
3	Water Environment	2,20,000	2,45,000
4	Implementation of EC, Mining Plan & DGMS Condition	12,05,000	12,42,00
5	Green Belt	2,50,000	30,000
6	Additional Key EMP Expenses	30,22,000	10,000
Total		57,57,000	27,83,000

10.1.7 CONCLUSION

Various aspects of mining activities were considered, and related impacts were evaluated. Considering all the possible ways to mitigate the Environmental concerns, an Environmental Management Plan was prepared, and INR 286.00 lakhs has been allocated for the same. The EMP is dynamic, flexible, and subjected to periodic review. For projects where major environmental impacts are associated, EMP will be under regular review. Thus, the proper steps will be taken to accomplish all the goals mentioned in the EMP, and the project will have a positive impact on the study area.

CHAPTER 11

SUMMARY& CONCLUSION

11.1 OVER ALL JUSTIFICATION FOR IMPLEMENTATION OF THE PROJECT

INTRODUCTION

Tmt.K.Rajamani, W/o. Kuppusamy has obtained Precise Area Communication Letter from Assistant Director, Department of Geology and Mining, Viluppuram to quarry out 2,31,505 m³ of Rough Stone and 33,696 m³ gravel from an extent of 2.02.5 Ha located in S.F.No.171/1A and 171/1B in Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State.

As per EIA notification, 2006 and its subsequent amendments the proposed "Rough Stone and Gravel Quarry" of Tmt.K.Rajamani, W/o. Kuppusamy mines cluster falls under Schedule 1(a) of EIA Notification and its subsequent amendments the project comes under Category B1. The ToR for preparation of EIA/EMP report of the project was approved vide ToR Identification No. TO24B0108TN5227548N, dated 31.05.2024. This report has been prepared in line with the approved TOR for production of maximum excavation of 2,31,505 m³ of Rough Stone and 33,696 m³ gravel.

S.No.	Description	Status/Remarks
1.	Sector	Non-coal mining
2.	Category of the project	B1
3.	Proposed mineral	Rough Stone & Gravel quarry
4.	Type of Lease	New Project
5.	Extent of the lease	2.02.5 Ha
6.	Proposed depth of Mining	43m BGL
7.	Method of mining	Opencast-Mechanized
8.	Proposed lease period	5 Years
9.	Proposed Environmental Clearance	5 Years
10.	Proposed production quantity for five years	Rough Stone: 2,31,505 m ³ Gravel: 33,696 m ³

The Lessee. Tmt.K.Rajamani, W/o. Kuppusamy is an individual with sound experience in the identification, quarrying and marketing of Rough Stone and Gravel. The proposed land is a Patta land attached as **Annexure 6**.

11.1.1 LOCATION

This project site is located in Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State with Latitude 12°03'43.84"N to 12°03'48.73"N and Longitude: 79°40'10.09"E to 79°40'16.85"E. with Survey of India Topo Sheet No. 57 P/12. To conduct the study, the proposed mine lease area (core zone) and an impact zone of 10 km radius (called buffer zone) around the proposed mine site were considered. The EIA report is based on three months baseline data (i.e. March 2024 to May 2024)

11.1.2 GEOLOGY

The rock type noticed in the area for lease is Charnockite which contains mostly Quartz and Feldspar with some ferromagnesian minerals. The Charnockite is part of peninsular Gneisses, a high grade metamorphic rock. The strike of the Charnockite formation is with vertical dipping.

11.1.3 PROJECT DESCRIPTION

This is a proposed Rough Stone and Gravel quarry by Opencast-Mechanized mining method with drilling and blasting. The quarrying is restricted up to a depth of 43m below ground level. The geological reserves is estimated to be 7,77,298 m³ of Rough Stone and 45,518 m³ Gravel. The mineable reserve calculated by deducting 7 m safety distance and bench loss. The mineable reserves is 2,31,505 m³ of Rough Stone and 33,696 m³ of Gravel which will be recovered at the rate of 100% recovery upto a depth of 43m Below ground level for the period of five years.

- It is proposed to quarry out rough stone and Gravel with 5m bench height, 5m width with 56° slope using conventional Open cast Semi-Mechanized method. The quarry operation involves shallow jack hammer drilling, slurry blasting, excavation, Loading and transportation of Rough Stone and Gravel.
- There is no overburden anticipated during entire rough stone and Gravel quarrying operation.

S.No.	Type of Detail	Description
1	Sector	1(a) Non coal mining
2	Fresh/Existing project	New Project
3	Category	B1
4	Nature of mineral	Minor Mineral
5	Production	5 years
6	Life	Rough Stone - 2,31,505 m ³ Gravel - 33,696 m ³
7	Waste generation and management	Nil
8	Bench height and width	Proposed bench height & width is 5.0m respectively and number of proposed benches is 9 Nos (1+8).
9	Ultimate pit depth	43 m BGL
10	End use	The excavated Rough Stone and Gravel is used for construction industries for Government & Public sector projects besides catering domestic housing and infrastructure projects in and around the district.

11.1.4 PROJECT REQUIREMENTS

The requirements of the project is given below.

S.No.	Nature of requirement	Description
1	Water requirement	Total water requirement of 4.2 KLD which will be procured from the outside agencies. 0.8 KLD drinking water requirement, green belt development is 1.4 KLD and dust suppression is 2.0 KLD.
2	Power requirement	No electricity is needed for mining operations, for office demands, it will be met from the state grid.
3	Manpower requirement	Permanent employees - 16, temporary employees - 10
4	Financial requirement	The total project cost as per PFR will be INR 286 lakhs including Operational cost, Fixed Asset cost and EMP cost
5	Funds for Socio economic development	INR 8 Lakhs is allocated. In addition, any demand raised by people during public hearing will also be met.

11.1.5 DESCRIPTION OF LEASE AREA

The features in the study area are given below.

Table 11.1 Description of the lease area				
S.No.	Areas	Distance from project site		
1	Areas protected under international conventions, national or local legislation for their ecological, landscape, cultural or other related value	Nil within 15km radius		
2	Areas which are important or sensitive for ecological reasons			
A	Wetlands, water courses or other water bodies,	Water bodies	Distance	Direction
		Small Kulam	70 m	E
		Tank	840m	N
		Vidur Canal	1.5 km	SW
		Varaha nadi	4.3 km	SW
		Suttukanni Vaykkal	5.5 km	SE
		Vidur Dam	7.7 km	W
B	Coastal zone, biospheres,	Nil within 10km radius		
C	Mountains, forests	Nil within 10km Radius Oussudu Lake Birds Sanctuary - 12.4km (SE)		
3	Areas used by protected, important or sensitive species of flora or fauna for breeding, nesting, foraging, resting, overwintering, migration	Nil within 15km radius		
4	Inland, coastal, marine or underground waters	Nil within 15km radius		
5	State, National boundaries	Nil within 15km radius		
6	Routes or facilities used by the public for access to recreation or other tourist, pilgrim areas	Nil within 15km radius		
7	Defense installations	Nil within 15km radius		
8	Densely populated or built-up area	Eraiyr (1.7km - SW)		

9	Areas occupied by sensitive man-made land uses (hospitals, schools, places of worship, community facilities)	Eraiyrur (1.7km - SW)
10	Areas containing important, high quality or scarce resources (ground water resources, surface resources, forestry, agriculture, fisheries, tourism, minerals)	Nil
11	Areas already subjected to pollution or environmental damage. (those where existing legal environmental standards are exceeded)	Nil
12	Areas susceptible to natural hazard which could cause the project to present environmental problems (earth quakes, subsidence, landslides, erosion, flooding or extreme or adverse climatic conditions) similar effects	No. The area is not prone to earthquakes, floods, etc.

The baseline data collection for meteorology, air, water, noise and soil environments have been carried out during March to May 2024.

Air, water, noise and soil samples are collected and analyzed through NABL accredited lab.

11.2 EXPLANATION OF HOW ADVERSE EFFECTS HAVE BEEN MITIGATED

11.2.1 AIR ENVIRONMENT

The air monitoring have been carried out in 6 locations and the results are given below.

11.2 Details Of Ambient Air Quality Monitoring Locations				
S. No.	Station Code	Locations	Distance & Direction	Coordinates
1	AAQ 1	Project site	Core Zone	12°03'43.84"N 79°40'10.09"E
2	AAQ 2	Eraiyrur	1.5km, SW	12°03'29.19"N 79°39'21.37"E
3	AAQ 3	Thollamur	1.6km, SE	12°02'55.19"N 79°40'38.04"E
4	AAQ 4	Parangai	2.65 Km, W	12°03'29.88"N 79°41'39.58"E
5	AAQ 5	Kunnam	3.0 Km, N	12°05'21.59"N 79°40'42.34"E
6	AAQ6	Perumbakkam	2.3 Km, NW	12°04'46.09"N 79°39'23.82"E

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

Station ID	Min	Max	Avg.
Particulate matter PM₁₀ - (µg/m³)			
AAQ-1	60.9	74.8	67.85
AAQ-2	46.3	56.4	51.35
AAQ-3	50.8	62.7	56.75
AAQ-4	56.7	59.1	57.9
AAQ-5	47.3	58.7	53
AAQ-6	46.9	55.1	51
CPCB NAAQS 2009 for PM₁₀ - 100 µg/m³			
Particulate matter PM_{2.5} (µg/m³)			
AAQ-1	29.2	35.9	32.55
AAQ-2	20.8	25.4	23.1
AAQ-3	23.6	30.1	26.85
AAQ-4	23.5	30.8	27.15
AAQ-5	21.8	27.1	24.45
AAQ-6	21.6	27.0	24.3
CPCB NAAQS 2009 for PM_{2.5} - 60 µg/m³			
Sulphur Di-oxide as SO₂ (µg/m³)			
AAQ-1	7.1	8.5	7.8
AAQ-2	5.5	7.8	6.65
AAQ-3	6.2	7.7	6.95
AAQ-4	7.5	9.4	8.45
AAQ-5	8.1	10.5	9.3
AAQ-6	7.9	10.4	9.15
CPCB NAAQS 2009 for SO₂ - 80 µg/m³			
Oxide of Nitrogen as NO₂ (µg/m³)			
AAQ-1	11	15.6	26.6
AAQ-2	9.6	11.9	21.5
AAQ-3	9.2	11.2	20.4
AAQ-4	8.8	11.7	20.5
AAQ-5	10.6	13.5	24.1
AAQ-6	8.4	11.3	19.7
CPCB NAAQS 2009 for NO₂ - 80 µg/m³			

All the values of pollutant concentrations were found to be within the NAAQs Standards.

11.2.2 WATER ENVIRONMENT

Table 11.3 Results of Ground Water sampling Analysis in 6 locations							Specification/ Limit (As per IS:10500: 2012)	
	W1	W2	W3	W4	W5	W6	Desir able	Permis sible
Odour	AGREEAB LE	AGREEAB LE	AGREEAB LE	AGREEAB LE	Agreeabl e	AGREEA BLE	Agree able	Agreea ble
Turbidity	<1	<1	<1	<1	<1	<1	Agree able	Agreea ble
pH at 25 °C	6.79	6.70	6.99	7.22	7.09	6.87	6.5 - 8.5	No Relaxat ion
Electrical Conductivity	1650	1325	1789	696.9	1021	2503	1	5
Total Dissolved Solids	992	796	1075	420	615	1505	500	2000
Total hardness as CaCO3	455	519	479	166	404	493	1	15
Calcium as Ca	79.2	96.6	117	39.6	68.1	111	200	600
Magnesium as Mg	61.8	66.5	44.7	16.2	56.1	51.6	200	600
Calcium as CaCO3	198	242	293	99.0	170	278	75	200
Magnesium as CaCO3	257	277	186	67.3	234	215		
Total alkalinity as CaCO3	440	432	525	178	372	364		
Chloride as Cl-	243	210	312	144	169	600.175 59	250	1000
Free Residual chlorine as Cl-	BDL (D.L - 0.2)	BDL (D.L - 0.2)	BDL (D.L - 0.2)	BDL (D.L - 0.2)	BDL (D.L - 0.2)	BDL (D.L - 0.2)	30	100
Sulphates as SO42-	189	105	238	76.5	82.4	357	45	No Relaxat ion
Iron as Fe	0.04	0.03	0.02	0.05	0.04	0.11	200	400
Nitrate as NO3	2.31	2.14	3.35	1.46	2.11	4.57	1	No Relaxat ion
Fluoride as F	0.46	0.47	0.55	0.25	0.33	0.62	0.1	0.3
Manganese as Mn	BDL (D.L - 0.05)	BDL (D.L - 0.05)	BDL (D.L - 0.05)	BDL (D.L - 0.05)	BDL (D.L - 0.05)	BDL(D.L- 0.05)	Not Specif ied	Not Specifi ed

All the values were found to be within permissible limits

11.2.3 NOISE ENVIRONMENT

Noise levels were measured in 6 locations and the results are given below.

Table.11.4 Noise monitoring results					
S. No	Location	Day equivalent	Night equivalent	Day equivalent limits by CPCB	Night equivalent limits by CPCB
1	Project site	53	43.8	75	70
2	Eraiyr	52.1	41.7		
3	Thollamur	50.1	41.7		
4	Parangai	51.3	42.3		
5	Kunnam	47.8	42.6		
6	Perumbakkam	49.4	42.8		

11.2.4 SOIL ENVIRONMENT

Soil samples are collected from 6 locations and the results are given below.

Table 11.5 Results of Soil Sample Analysis								
S. No	Parameter	Unit	S1	S2	S3	S4	S5	S6
S. No	Parameter	Unit	Results	Results	Results	Results	Results	Results
1	pH at 25 °C	-	8.17	6.97	7.43	4.84	6.02	7.71
2	Electrical Conductivity	µmhos/cm	207.8	391.7	287.9	190.2	86.35	227.4
3	Dry matter content	%	79.20	80.77	81.10	95.48	90.65	86.10
4	Water Content	%	20.80	19.23	18.90	4.52	9.35	13.90
5	Organic Matter	%	0.42	0.54	0.25	0.72	0.47	0.89
6	Soil texture	-	SILTY CLAY	SILTY CLAY	CLAY	SILTY CLAY	SILTY CLAY	SILTY CLAY
7	Grain Size Distribution	%	2.70	2.86	5.10	4.26	5.74	4.67
8	i. Sand	%	41.94	57.45	37.44	42.69	44.48	47.66
9	ii. Silt	%	55.37	39.69	57.46	53.05	49.78	47.66
10	iii. Clay	%	0.42	0.67	0.92	0.55	0.76	0.47
11	Phosphorous as P	mg/kg	1015	825	793	604	1010	606
12	Sodium as Na	mg/kg	515	339	384	234	649	234
13	Potassium as K	mg/kg	192	270	284	397	166	344
14	Nitrogen and Nitrogenous Compounds	mg/kg	BDL(D.L. 0.02)	BDL(D.L. 0.02)	BDL(D.L. 0.02)	BDL(D.L. 0.02)	BDL(D.L. 0.02)	BDL(D.L. 0.02)
15	Total Soluble Sulphate	%	22.5	23.4	32.1	28.9	30.4	20.8
16	Porosity	%	3.2	3.6	3.8	3.4	3.7	3.2
17	Water Holding Capacity	Inches/foot						

11.2.5 BIOLOGICAL ENVIRONMENT

FLORA

For measuring the extent of flora present in the study area, the area is divided in to 4 quadrants. The flora population in each quadrant is summed up for the total population in the study area. Field survey is done. Erukku, Aavarai and Nayuruvi are found in lease area. In the buffer zone, common trees like Neem, papaya, mango, teak, etc and shrubs like Avarai, Aloe vera, etc, climbers like Kovai,jasmine etc are found.

FAUNA

In the study area, commonly found animals like dogs, cats, bush rat, cows, birds like crow, Myna, Sparrow, etc were found.

11.2.6 LAND USE

The land use land cover data is found using the LANDSAT – 9 satellite imagery. The number of bands used are 11. The land use pattern is given below:

Table No. 11.6: Major Land Use Units of the Study Area in Percentage

S. No	1st Level Classification	Area in (sq.km)	Percentage (%)	2nd Level Classification	Area in (sq.km)	Percentage (%)
1	Built-up or habitation	24.11	7.58	Residential	23.02	7.24
				Commercial/Industrial	1.09	0.34
2	Agriculture	244.21	76.80	Crop/fallow land	244.21	76.80
3	Water bodies	34.24	10.77	Reservoir/Lake /Pond	29.36	9.23
				River/Stram	4.88	1.53
4	Waste Land	3.5	1.10	Open without scrub	0.95	0.30
				Open with scrub	2.55	0.80
5	Mines	11.94	3.75	Mines	11.94	3.75
Total		318	100		318	100

11.2.7 SOCIO ECONOMIC ENVIRONMENT

The socio-economic environment of the study area is studied by conducting primary sites through site visits and conducting sample surveys. The secondary data obtained from Census 2011 is also used.

The following data area collected from secondary data.

- Demographic pattern.
- Health pattern
- Occupational structure.
- Amenities available.

The expert visited 5 villages in the study area namely Eraiyur, Thollamur, Parangai, Kunnam and Perumbakkam villages. Discussions were held with the people from nearby locality to study the social and economic conditions prevailing in the area. The expert also visited nearby hospitals, primary health centres and Thollamur. The following observations were made.

The following observations were made.

Primary schools are available in many villages. For hospital facilities, people in the locality have to go to hospital in Thollamur which is about 820m (E) from the lease area. Major schools with higher secondary and senior secondary schools are located in Thollamur. The major Thollamur Union located in the area is Vilupuram. Facilities like petrol pump stations, ATM facility are available in Thollamur.

11.2.8 HYDROGEOLOGY OF THE LEASE AREA

Since there is Sangarabarani river is located at a distance of 4.71 km in south west direction of the proposed site, the hydrological and hydrogeological pattern of the study area is studied in detail using satellite imagery.

Sangarabarani river is located at a distance of 4.71 km in south west direction. But there is no running water currently in the river. Only during monsoons, water gets stagnated at a few places.

There are many tanks located in the study area, which are mostly dry throughout the year. These tanks get water only during monsoons. The factors may be monsoon failure, insufficient rainfall, poor rain water management and water consuming patterns.

11.2.9 GROUND WATER STUDY

For Ground water study, satellite imagery is used. Water levels from monitoring levels are collected through imaging. The pre-monsoon and post-monsoon data are collected and the results are analyzed.

During field visit, it is observed that water is available in wells only after monsoon. The yield is obtained at deep levels only.

As far as the mining lease area is considered, the area is rocky and no major seepage is envisaged. The production quantity is very less and the depth proposed is 37m BGL. Hence, there will not be any major impact due to mining on water levels or ground water levels in the area.

ANTICIPATED ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES

Environmental impacts on the following environments are identified.

- Land environment
- Water environment
- Vegetation
- Fauna
- Air environment
- Noise environment
- Socio-economic impacts

11.2.10 LAND ENVIRONMENT: IMPACT AND MITIGATION MEASURES

The major impact due to this project on land environment is the change in land use. Since this quarry is a small one and the production is less, mining activity will be carried out upto 43 m BGL. Other than quarrying of minerals, no other change will

be done since there is no dumping. To prevent soil erosion during monsoon season, garland drain will be constructed with silt traps. At the mine closure stage 1.59.0 Ha of lease area will be left as rain water harvesting pond 0.40.5 Ha will be developed with green belt. For this, plants like Pungai, Vagai, Vembu, Manjal konrai, Naval, Puvarasu, etc are selected. A total of 1300 trees are planned to be planted. Spacing will be 3m x 3m.

11.2.11 WATER ENVIRONMENT: IMPACT AND MITIGATION MEASURES

There is no water body present inside the lease area. The entire water requirement for the project is 4.2 KLD which will be sourced from outside agencies. Negligible sewage will be generated, for which a septic tank with soak pit will be set up.

During monsoon season, the excess rain water, if any, will be led through garland drain of 0.6m width and 0.3 m depth to the collection pond with silt traps.

Since the mining operation will be limited upto depth of 43 m (BGL), there will not be any seepage. However, the rain water percolation and collection of water from seepage shall be less than 300 lpm and it shall be pumped out periodically by a stand by diesel powered Centrifugal pump motivated with 7.5H.P.Motor. The quality of water is expected to be potable. Hence, water stored in the quarry pit will be pumped into the adjacent agricultural fields. Further the water can also be used for plantation purposes

The major water bodies found in the buffer zone are.

- Small Kulam - 70m (E)
- Tank-840m (N)
- Vidur Canal-1.5km (SW)
- Varaha nadi-4.3km (SW)
- Suttukanni Vaykkal-5.5km (SE)
- Vidur Dam-7.7km (W)

Since these water bodies are located outside the lease area and there is no discharge of effluent or any untreated water from the mines will be made in to these water bodies, there is no major impact. For the canal, adequate safety distance is left. The proponent will restrict the mining operation only within the lease and no other work will be carried out near the canal or any area outside the lease.

It is planned to carryout appropriate rainwater harvesting schemes and artificial recharge schemes in the area.

- Rain water falling in the quarry will be collected efficiently through garland drains.
- Water thus collected will be passed through collection tank with silt traps. This water can be used by the proponent for water sprinkling and for green belt purposes.
- Excess water after desiltation will be provided to downstream users, if any

11.2.12 BIOLOGICAL ENVIRONMENT: IMPACT AND MITIGATION MEASURES

Impacts

- Fauna is affected due to noise and vibration.
- Dust generation due to mining activities
- Change in land use of the lease area
- Accidental falling of animals

Mitigation measures

- Sirens will be blown before blasting in the mines. To reduce noise levels, plantation will be done. Blasting will be carried out only in the allotted time.
- To reduce dust generation, mist sprayers will be used. During transportation, the material will be covered with tarpaulin. Water sprinkling will be done to reduce generation of pollutants
- After the mine closure stage, the mine pit will be left as rain water collecting tank, which can attract bird population in the nearby areas.
- To prevent entry of animals, the mining area will be properly fenced.

11.2.13 AIR ENVIRONMENT: IMPACT AND MITIGATION MEASURES

The major air pollutants due to mining operations are fugitive emissions like PM₁₀, PM_{2.5}. Other than these pollutants, gaseous emissions of sulfur dioxide (SO₂) and oxides of nitrogen (NO_x) due to excavation/loading equipment and vehicles plying on haul roads are the cause of air pollution in the project area.

The major impacts are Dust emission due to drilling, blasting and transportation. The major mitigation measures include Using Wet drilling methods, Allowing drilling only with PPE, Carrying out blasting only during specified times, Avoiding blasting during unfavorable weather conditions, Using explosives of good quality, Using mist sprayers Regular wetting of transport, Covering the materials carried in tippers with tarpaulin, Proper maintenance of vehicles used for transportation, Conducting regular emission tests for vehicles used for transport Development of greenbelt is proposed in the safety zone of 7.5m barriers in the lease area.

The anticipated data is calculated using AERMOD software and the projected values are found to be within limits.

11.2.14 NOISE ENVIRONMENT: IMPACT AND MITIGATION MEASURES

Impacts

- ✦ Noise generation in mining is due to operation like drilling, blasting and transportation of minerals within and outside the lease area.
- ✦ As per DGMS (Directorate General of Mines Safety) and OSHA (Occupational Safety and Health Administration) limits, the acceptable noise level is 85 dB(A) for an exposure period of 8 hours.
- ✦ Exposure to loud noise can also cause high blood pressure, heart disease, sleep disturbances, and stress. Noise pollution also impacts the health and well-being of wildlife.
- ✦ Noise exceeding prescribed limits may cause impairment like abnormal loudness perception, tinnitus, which causes a persistent high-pitched ringing in the ears, paracusis or distorted hearing

Mitigation measures

- ✚ As the distance between the source and receptor increases, the noise level also decreases. Hence, there will be a natural attenuation
- ✚ The proposed has planned to develop green belt in the periphery of the lease area, which diminishes sound volume by dampening them.
- ✚ All the equipment/machinery/trucks involved will be properly maintained to control noise generation
- ✚ Conducting regular health checkups for employees involved
- ✚ Employees will be made to work on shifts to reduce their exposure time
- ✚ Providing earplugs to all employees

By adopting these measures, the noise levels will be maintained well within MoEF & CC limits since the baseline value is low.

11.2.15 VIBRATION: IMPACT AND MITIGATION MEASURES

Impacts

- ✚ Though vibration will be only felt by the people working inside the lease area, it is usually undesired.
- ✚ Vibration may also cause flyrocks
- ✚ It may frighten the birds and small insects in the lease area. However, it will be felt only for a short period

Mitigation measures

- ✚ Carrying out blasting on limited scale, only from 12:00 PM to 2:00 PM
- ✚ Control of fly rock and vibration by maintaining peak particle velocity with in standard as prescribed by the DGMS and MOEF & CC.
- ✚ Shallow depths jackhammer drilling and blasting is proposed to be carried out with minimum use of explosive
- ✚ Supervising blasting by competent and statutory foreman/ mines manager

11.2.16 SOCIO ECONOMIC ENVIRONMENT

Impact and Mitigation measures

No land is acquired from anyone. No rehabilitation is needed. Hence, there is no negative impact. The proponent has planned to spend INR 8,00,000 for CER activities. This amount will be subjected to change after public hearing.

11.2.17 OCCUPATIONAL HEALTH

Impacts

Dust generation due to drilling and blasting, Noise generation due to drilling and blasting, unexpected accidents. Continuous exposure to dust causes Pneumonia, Tuberculosis, Rheumatic arthritis and Segmental Vibration, Short term impact will be lack of sleep, high blood pressure and heart ailments. Long term exposure may lead to partial or permanent deafness, Risks include fly rocks, cracks or fissures due to improper mining methods

Mitigation measures

- Using dust suppression measures like water spraying on roads to reduce rise of air pollutants
- Providing green belt for air pollutant and noise attenuation
- Ensuring slope stability
- Employing only trained professionals for blasting
- Conducting Pre-Medical Examination for employees before inducting
- Conducting periodical Medical Examination once in 6 months.
- Making all first aid kits available in mines office
- Keeping fire extinguisher in place
- Educating the employees about how to handle unexpected happenings
- Posting information containing emergency contact numbers in mines office
- By adopting all these measures, the safety of the employees working in the quarry will be ensured.

11.2.18 ENVIRONMENTAL MONITORING PROGRAMME

Monitoring is done to measure the efficiency of control measures implemented. Regular monitoring of various environmental parameters like air, water, noise and soil environments is needed to assess the status of environment during the project operation. A schedule is framed with timeline to monitor various parameters during the operation of the project. To evaluate the effectiveness of environmental management programme, regular monitoring of the important environmental parameters will be taken up. Air monitoring will be carried out once in 3 months, water sample will be collected once in a season, noise will be monitored once in 3 months, soil samples will be analyzed once per season. For EMP, a budget of INR 286.00 Lakhs is allocated.

11.2.19 PROJECT BENEFITS

Financial benefits

- This project will contribute financially through payment of taxes like royalty, GST, etc
- The project will also contribute via CSR.
- The demands of people during public hearing will also be considered by the project proponent

Social benefits

- This project provides employment to 26 people directly. Local people will be hired for unskilled labour.
- Through CSR, nearby schools, hospitals will be benefitted.
- For CSR, INR 8,00,000 is allocated.
- Based on the demand of the people during public hearing, further funds will be allocated, if necessary.
- Various aspects of mining activities were considered and related impacts were evaluated. Considering all the possible ways to mitigate the environmental

concerns Environmental Management Plan was prepared and 286.00 lakhs for the five years has been allocated as EMP cost. The EMP is dynamic, flexible and subjected to periodic review. For project where the major environmental impacts are associated, EMP will be under regular review. Thus, the proper steps will be taken to accomplish all the goals mentioned in the EMP and the project will bring the positive impact in the study area.

CHAPTER 12

DISCLOSURE OF CONSULTANTS

Global Mining Solutions is a NABET Accredited EIA consultant as per NABET certificate NABET/EIA/2326/IA 0110. The registered office of Global Mining Solutions is at Plot No.6, S.F.No.13/2 A2, VS City, RC Chettypatty, Kottamettupatty, Omalur, Salem, Tamilnadu-636455.

Declaration by Experts contributing to the proposed Rough Stone & Gravel Quarry over an extent of 2.02.5 Ha, while total cluster area of 9.02.5 Ha at Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State.

I, hereby, certify that I was a part of the EIA team that developed the above EIA.

EIA Coordinator Name: M. Manikandan


Signature & Date

Period of involvement: March 2024 to May 2024.

Contact information:

***M/s Global Mining Solutions
Plot No.6, SF No. 13/2, A2, VS City, RC Chettypatty,
Kottamettupatty, Omalur,
Salem, Tamil Nadu – 636 455***

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.



S. No.	Functional areas	Name of the expert/s	Involvement (period and task**)	Signature and Date
1	AP	Dhanalakshmi Ramanathan	Assessment of existing air quality, Impact of the project on ambient air and suggested mitigation measures for air pollution. <u>Period: March 2024 to May 2024.</u>	R. Dhanam
2	WP	Abirami Kaliaperumal	Assessment of existing water quality, impact of the project on surface and ground water quality, suggested mitigation measures for minimizing the impact. <u>Period: March 2024 to May 2024.</u>	K. Abirami
3	SHW	Ramadoss N	Assessment of waste generated from the project, suggested waste management practices. <u>Period: March 2024 to May 2024.</u>	N. Ramadoss
4	SE	Sarasvathy K	Baseline SE studies. Data compilation and assessment. Impact of the project on SE status of the area. Formulation of CER plan. <u>Period: March 2024 to May 2024.</u>	K. Sarasvathy
5	EB	Saravanan S	Baseline data collection of related to ecology of the area. <u>Period: March 2024 to May 2024.</u>	S. Saravanan
6	HG	Ravinthiran N	Hydrogeological feature of the area. Ground water depth and impact of project on ground water of the area. <u>Period: March 2024 to May 2024.</u>	N. Ravinthiran
7	AQ	Srilatha Thiruveedhula	Air quality modeling utilizing the area source model. Predication of the ground level concentration of the dust. Suggesting suitable mitigation measures. <u>Period: March 2024 to May 2024.</u>	T. Srilatha

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

8	NV	Dhanalakshmi Ramanathan	Ambient noise study of the area. Incremental noise generation due to quarry operation and impact of the noise due to the project. <u>Period: March 2024 to May 2024.</u>	R.Dhamy
9	LU	Dhanalakshmi Ramanathan	Preparation of land use map based on satellite imagery. Land use classification and analysis. Impact prediction of the project on the surrounding land environment. <u>Period: March 2024 to May 2024.</u>	R.Dhamy
10	RH	S.V. Prashant	Identification of the Risk related to the mining activities. Preparation of emergency disaster management plan. Plan for supply of safety equipment for the worker. <u>Period: March 2024 to May 2024.</u>	S.Prashant
11	SC	Shisupal Sing	Soil monitoring, secondary data collection on soil type, soil management practices, utilization of topsoil. <u>Period: March 2024 to May 2024.</u>	Shisupal Sing
12	GEO	Valliappan Meyyappan	Geological map, stability of quarry and dump, management plan for mine stability, after use of mining quarry and geological feature of the area. <u>Period: March 2024 to May 2024.</u>	Valliappan Meyyappan

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

TM-FAE:

S.No	Name of TM (FAE)	Functional Area	Approved FAE (to work under)	Period of involvement	Type of work	Signature
1	M.Prabu	LU	T.Srilatha	<u>March 2024 to May 2024</u>	Associated with FAE in preparing Land use map based on satellite imagery, Land use classification and analysis, Impact prediction on surrounding land environment	
		HG	Ashok Kumar		Associated with FAE in studying hydrogeological pattern of study area, Studying ground water and the impact of the project on ground water	
2	M. Manikandan	EB	S.Saravanan	<u>March 2024 to May 2024</u>	Associated with the expert in baseline data collection related to ecology of the study area	
		SC	Shishupal Singh		Associated with the expert in Soil monitoring, secondary data collection on soil type, soil management practices, utilization of top soil	

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

TM-FAA:

S. No	Name of TM (FAA)	Functional Area	Approved FAE (to work under)	Period of involvement	Type of work	Signature
1	Suresh	WP	<i>Abirami Kaliaperumal</i>	<u>March 2024 to May 2024</u>	Associated with the expert in assessing existing water quality, studying impact of the project on surface and ground water quality, suggesting mitigation measures for minimizing impact	<i>M. Suresh</i>
		AP	<i>Dhanalakshmi Ramanathan</i>		Associated with expert in assessing existing air quality, impact of the project on ambient air and suggesting mitigation measures for air pollution	
2	S. Kamaraj	SC	Shishupal Singh	<u>March 2024 to May 2024</u>	Associated with the expert in Soil monitoring, secondary data collection on soil type, soil management practices, utilization of top soil	<i>S. Kamaraj</i>

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

		RH	S.V.Prashant		Associated with the expert in Identification of the Risk related to the mining activities. Preparation of emergency disaster management plan. Plan for supply of safety equipment for the workers	
3.	S. Asan Ali	WP	<i>Abirami Kaliaperumal</i>	<u>March 2024 to May 2024</u>	Associated with the expert in assessing existing water quality, studying impact of the project on surface and ground water quality, suggesting mitigation measures for minimizing impact	<i>S. Asan ali</i>
		GEO	<i>Valliappan Meyyappan</i>		Associated with the expert in preparing Geological map, assessing stability of quarry slope faces and dump, management	

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.


					plan for mine stability, after use of mining quarry and geological features of the area	
		AP	Dhanalakshmi Ramanathan		Associated with expert in assessing existing air quality, impact of the project on ambient air and suggesting mitigation measures for air pollution	
		NV	Dhanalakshmi Ramanathan		Associated with the expert in monitoring and analysis of blast induced ground vibration in order to develop the site-specific equation for its prediction, monitoring of fly rocks & air blast (noise), preparation of SOP's for the safety blasting practice in the mines.	
4.	Mownica. B	AP	Dhanalakshmi Ramanathan	<u>March 2024 to May 2024</u>	Associated with expert in assessing existing air	

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

					quality, impact of the project on ambient air and suggesting mitigation measures for air pollution	
		NV	Dhanalakshmi Ramanathan		Associated with the expert in monitoring and analysis of blast induced ground vibration in order to develop the site-specific equation for its prediction, monitoring of fly rocks & air blast (noise), preparation of SOP's for the safety blasting practice in the mines.	Mowmika.B
5.	G.Balasubramani	GEO	Valliappan Meyyappan	<u>March 2024 to May 2024</u>	with the expert in preparing Geological map, assessing stability of quarry slope faces and dump, management plan for mine stability, after use of mining quarry and	

DRAFT EIA/EMP FOR THE PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K. RAJAMANI OVER AN EXTENT OF 2.02.5 HA LOCATED AT S.F.NO. 171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMILNADU STATE.

					geological features of the area	
			Dhanalakshmi Ramanathan		Associated with the expert in monitoring and analysis of blast induced ground vibration in order to develop the site-specific equation for its prediction, monitoring of fly rocks & air blast (noise), preparation of SOP's for the safety blasting practice in the mines.	



ANNEXURE-1



File No: 10812

Government of India

Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), TAMIL NADU)



Dated 31/05/2024



To,

RAJAMANI KUPPUSAMY
RAJAMANI KUPPUSAMY
Tmt.K.Rajamani, W/o. Kuppusamy, No.168, Mettu Street, Karasanur Village, Vanur Taluk,
Viluppuram District., Viluppuram , VILLUPURAM, TAMIL NADU, Viluppuram , 605609
rajamanirstone@gmail.com

Subject: Grant of Terms of Reference with Public Hearing under the provision of the EIA Notification 2006 as amended-regarding.

Sir/Madam,

This is in reference to your application for Grant of Terms of Reference with Public Hearing under the provision of the EIA Notification 2006-regarding in respect of project quarry lease over an extent of 2.02.5Ha of Patta land in S.F.Nos. 171/1A and 171/1B Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu submitted to SEIAA-TN vide proposal number SIA/TN/MIN/468044/2024 dated 02/05/2024.

Ref:1. Online proposal No. SIA/TN/MIN/468044/2024, dt: 03/04/2024.
2. Your application submitted for Terms of Reference dated: 08.04.2024.

2. The particulars of the proposal are as below :

(i) TOR Identification No.	TO24B0108TN5227548N
(ii) File No.	10812
(iii) Clearance Type	TOR
(iv) Category	B1
(v) Project/Activity Included Schedule No.	1(a) Mining of minerals
(vii) Name of Project	Rough Stone and Gravel Quarry of Tmt.K.Rajamani
(viii) Name of Company/Organization	RAJAMANI KUPPUSAMY
(ix) Location of Project (District, State)	VILLUPURAM, TAMIL NADU
(x) Issuing Authority	SEIAA
(xii) Applicability of General Conditions	yes
(xiii) Applicability of Specific Conditions	yes

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A and B) were submitted to the Ministry for an appraisal by the State Environment Impact Assessment Authority (SEIAA) under the provision of EIA notification 2006 and its subsequent amendments.
4. The above-mentioned proposal has been considered by State Environment Impact Assessment Authority(SEIAA) Appraisal Committee of SEIAA in the meeting held on 24/05/2024. The minutes of the meeting and all the Application and documents submitted [(viz. Form-1 Part A, Part B,)] are available on PARIVESH portal which can be accessed by scanning the QR Code above.
5. The State Expert Appraisal Committee (SEAC), based on the information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of Terms of Reference under the provision of EIA Notification, 2006 and as amended thereof subject to the stipulation of specific and general conditions as detailed in Annexure (2).
6. The SEIAA has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the SEAC hereby decided to grant Terms of Reference for instant proposal of Thiru. RAJAMANI KUPPUSAMY under the provisions of EIA Notification, 2006 and as amended thereof.
7. The Ministry/SEIAA-TN reserves the right to stipulate additional conditions, if found necessary.
8. The Terms of Reference to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
9. This issues with the approval of the Competent Authority.
10. The TORs with public hearing prescribed shall be valid for a period of three years from the date of issue, for submission of the EIA/EMP report as per OMNo.J-11013/41/2006-IA-II(I)(part) dated 29th August, 2017.

Copy To

1. The Additional Chief Secretary to Government, Environment, Climate Change and Forests Department, Govt. of Tamil Nadu, Fort St. George, Chennai - 9.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD Cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
3. The Chair Person, Tamil Nadu Pollution Control Board, 76, Mount Salai, Guindy, Chennai - 600 032.
4. The APCCF (C), Regional Office, MoEF & CC (SZ), 34, HEPC Building, 1st & 2nd Floor, Cathedral Garden Road, Nungambakkam, Chennai - 34.
5. Monitoring Cell, IA Division, Ministry of Environment, Forests & CC, Paryavaran Bhavan, CGO Complex, New Delhi - 110 003.
6. The District Collector, Viluppuram District.
7. Stock File.

Annexure 1

Specific Terms of Reference for (Mining Of Minerals)

1. Seiaa Specific Condititons:

S. No	Terms of Reference
1.1	the Authority accepted the recommendation of SEAC and decided to grant Terms of Reference

S. No	Terms of Reference
	<p>(ToR) with Public Hearing based on studies, assessments and records to be produced as sought by the SEAC and SEIAA, for undertaking the Environment Impact Assessment Study and preparation of Environment Management Plan for the quantity of 231505 m³ of Rough stone and 33696 m³ of Gravel upto the depth of 43m BGL and the annual peak production of 46800 m³ of Rough stone and 16560 m³ of Gravel subject to the conditions as recommended by SEAC</p>

2. Seac Conditions - Site Specific

S. No	Terms of Reference
2.1	<ol style="list-style-type: none"> 1. For the existing quarry, the PP shall obtain a letter from the concerned AD (Mines) which shall also stipulate the following information: <ol style="list-style-type: none"> i. Original pit dimension of the existing quarry ii. Quantity achieved Vs EC Approved Quantity iii. Balance Quantity as per Mineable Reserve calculated. iv. Month wise Production details v. Mined out Depth as on date Vs EC Permitted depth vi. Details of illegal/illicit mining carried out, if any vii. Non-compliance/Violation in the quarry during the past working. viii. Quantity of material mined out outside the mine lease area (or) in the adjacent quarry/land. ix. Existing condition of Safety zone/benches x. Details of any penalties levied on the PP for any violation in the quarry operation by the Department of Geology and Mining. 2. The PP shall submit the Certified Compliance Report (CCR) obtained from IRO(SZ), MoEF&CC with the status of non-compliance, and to furnish mitigation measures/remedial action plan with the budget allocation for the non-compliance stated in the CCR. 3. The PP shall furnish the consent agreement from the landowner registered with the concerned authority during the EIA appraisal. 4. The PP shall complete the fencing, tree plantation and photographs, videos of the same shall be furnished. 5. The PP shall mark the DGPS reference pillars painted with blue & white colour indicating the safety barrier of 7.5 m to be left under the Rule 13 (1) of MCDR, 1988 within the lease boundary and protective bunds, and provide the details during the EIA appraisal. 6. The Proponent shall complete the garland drainage around the boundary of the proposed quarry and the photographs indicating the same shall be shown during the EIA appraisal. 7. The PP shall submit a detailed hydrological report indicating the impact of proposed quarrying operations on the waterbodies like lake, water tanks, etc located within 1 km of the proposed quarry. 8. The Proponent shall justify the selection of the site for carrying out the stone quarrying with the total volume arrived for the excavation & production adequate details such as lithology of the deposit, reserve estimation, place for waste dump/mined mineral storage, end-use of mined materials, identified potential customers/end-users and travel path. 9. The proponent is requested to carry out a survey and enumerate on the structures located within the radius of (i) 50 m, (ii) 100 m, (iii) 200 m and (iv) 300 m (v) 500m with details such as dwelling houses with number of occupants, whether it belongs to the owner (or) not, places of worship, Schools/Colleges industries, factories, sheds, etc with indicating the owner of the building, nature of construction, age of the building, number of residents, their profession and income, etc. 10. The proponent shall furnish photographs and video showing the adequate fencing, green belt along the periphery including replantation of existing trees & safety distance between the adjacent quarries & water bodies nearby provided as per the approved mining plan. 11. During the EIA appraisal, the PP shall furnish the affidavit stating that he will not employ any external agency for carrying out the blasting operation in the proposed quarry and he shall also

S. No	Terms of Reference
	<p>install the temporary (or) permanent magazine approved by the concerned licensing authority before the execution of the lease, for storing the authorized explosives & detonators separately in accordance with the Explosive Rules, 2008.</p> <p>12. During the EIA appraisal, the PP shall furnish the affidavit stating that he will appoint a First Class/Second Class Mine Manager for managing the quarrying operations before obtaining the CTO from the TNPCB. Further, the PP will also send the 'Notice of Opening' indicating the appointment of such Statutory officials and the proposed usage of HEMM shall be sent to the Director of Mines Safety, Chennai Region of the Mine under the provisions of MMR 1961 atleast 30 days before the commencement of the mining operation after the execution of lease, if the EC is granted.</p> <p>13. Since the structures including the houses are situated within a radial distance of 500 m, the PP shall carry out the scientific studies to design the controlled blast parameters for reducing the cumulative blast-induced ground/air- vibrations and eliminating the fly rock from the blasting operations carried out in the cluster of quarries located in the region, and subsequently with proper validation of the design through trial blasts in any of the existing & operating quarries to monitor the PPV produced from the blasting in the village (500m) and near the Temples (230 & 300 m), after obtaining the prior permission from the DMS / Chennai Region in accordance with DGMS Circular No. 7 of 1997, by involving anyone of these reputed Research and Academic Institution such as CSIR-Central Institute of Mining & Fuel Research / Dhanbad, NIRM/Bangalore, IIT (ISM)/Dhanbad, IIT-Madras, NIT-Dept of Mining Engg, Surathkal, and Anna University Chennai-CEG Campus. Further the report shall also include the actual data on the air dust particles produced at the time of blasting. A copy of such scientific study report shall be submitted to the SEIAA, MoEF as a part of EIA study during the appraisal and to the DMS/DGMS-Chennai Region while submitting the Notice of Opening, without any deviation.</p> <p>14. Since the quarrying operations are proposed in an existing pit possessing the quarry wall of 25 to 27 m depth without adequate benches in accordance with the provisions of MMR, 1961, the PP shall carry out the scientific studies to assess the slope stability of the working benches and existing quarry wall for spelling out the stabilization measures to ensure the safety of the persons to be employed in the proposed quarry, by involving any one of the reputed Research and Academic Institutions - CSIR-Central Institute of Mining & Fuel Research / Dhanbad, NIRM/Bangalore, IIT (ISM)/Dhanbad, Division of Geotechnical Engineering-IIT-Madras, NIT-Dept of Mining Engg, Surathkal, and Anna University Chennai-CEG Campus. A copy of such scientific study report shall be submitted to the SEIAA, MoEF as a part of EIA study during the appraisal and to the DMS/DGMS-Chennai Region while submitting the Notice of Opening, without any deviation.</p> <p>15. The PP shall prepare the Standard Operating Procedures (SoP) for carrying out the 'Best Mining Practices' in the areas of drilling, blasting excavation, transportation and green belt development and provide the same during the EIA appraisal.</p> <p>16. The PP shall prepare the EMP for the entire life of mine and also furnish the sworn affidavit stating to abide the EMP for the entire life of mine.</p>

3. Seac Standard Conditions

S. No	Terms of Reference
3.1	<p>1. In the case of existing/operating mines, a letter obtained from the concerned AD (Mines) shall be submitted and it shall include the following:</p> <ul style="list-style-type: none"> (i) Original pit dimension (ii) Quantity achieved Vs EC Approved Quantity (iii) Balance Quantity as per Mineable Reserve calculated. (iv) Mined out Depth as on date Vs EC Permitted depth (v) Details of illegal/illicit mining (vi) Violation in the quarry during the past working.

S. No	Terms of Reference
	<p>(vii) Quantity of material mined out outside the mine lease area</p> <p>(viii) Condition of Safety zone/benches</p> <p>(ix) Revised/Modified Mining Plan showing the benches of not exceeding 6 m height and ultimate depth of not exceeding 50m.</p> <p>2. Details of habitations around the proposed mining area and latest VAO certificate regarding the location of habitations within 300m radius from the periphery of the site.</p> <p>3. The proponent is requested to carry out a survey and enumerate on the structures located within the radius of (i) 50 m, (ii) 100 m, (iii) 200 m and (iv) 300 m (v) 500m shall be enumerated with details such as dwelling houses with number of occupants, whether it belongs to the owner (or) not, places of worship, industries, factories, sheds, etc with indicating the owner of the building, nature of construction, age of the building, number of residents, their profession and income, etc.</p> <p>4. The PP shall submit a detailed hydrological report indicating the impact of proposed quarrying operations on the waterbodies like lake, water tanks, etc are located within 1 km of the proposed quarry.</p> <p>5. The Proponent shall carry out Bio diversity study through reputed Institution and the same shall be included in EIA Report.</p> <p>6. The DFO letter stating that the proximity distance of Reserve Forests, Protected Areas, Sanctuaries, Tiger reserve etc., up to a radius of 25 km from the proposed site.</p> <p>7. In the case of proposed lease in an existing (or old) quarry where the benches are not formed (or) partially formed as per the approved Mining Plan, the Project Proponent (PP) shall the PP shall carry out the scientific studies to assess the slope stability of the working benches to be constructed and existing quarry wall, by involving any one of the reputed Research and Academic Institutions - CSIR-Central Institute of Mining & Fuel Research / Dhanbad, NIRM/Bangalore, Division of Geotechnical Engineering-IIT-Madras, NIT-Dept of Mining Engg, Surathkal, and Anna University Chennai-CEG Campus. The PP shall submit a copy of the aforesaid report indicating the stability status of the quarry wall and possible mitigation measures during the time of appraisal for obtaining the EC.</p> <p>8. However, in case of the fresh/virgin quarries, the Proponent shall submit a conceptual 'Slope Stability Plan' for the proposed quarry during the appraisal while obtaining the EC, when the depth of the working is extended beyond 30 m below ground level.</p> <p>9. The PP shall furnish the affidavit stating that the blasting operation in the proposed quarry is carried out by the statutory competent person as per the MMR 1961 such as blaster, mining mate, mine foreman, II/I Class mines manager appointed by the proponent.</p> <p>10. The PP shall present a conceptual design for carrying out only controlled blasting operation involving line drilling and muffle blasting in the proposed quarry such that the blast-induced ground vibrations are controlled as well as no fly rock travel beyond 30 m from the blast site.</p> <p>11. The EIA Coordinators shall obtain and furnish the details of quarry/quarries operated by the proponent in the past, either in the same location or elsewhere in the State with video and photographic evidences.</p> <p>12. If the proponent has already carried out the mining activity in the proposed mining lease area after 15.01.2016, then the proponent shall furnish the following details from AD/DD, mines,</p> <p>13. What was the period of the operation and stoppage of the earlier mines with last work permit issued by the AD/DD mines?</p> <p>14. Quantity of minerals mined out.</p> <ul style="list-style-type: none"> ● Highest production achieved in any one year ● Detail of approved depth of mining. ● Actual depth of the mining achieved earlier. ● Name of the person already mined in that leases area. ● If EC and CTO already obtained, the copy of the same shall be submitted. ● Whether the mining was carried out as per the approved mine plan (or EC if issued) with stipulated benches.

S. No	Terms of Reference
	<p>15. All corner coordinates of the mine lease area, superimposed on a High-Resolution Imagery/Topo sheet, topographic sheet, geomorphology, lithology and geology of the mining lease area should be provided. Such an Imagery of the proposed area should clearly show the land use and other ecological features of the study area (core and buffer zone).</p> <p>16. The PP shall carry out Drone video survey covering the cluster, green belt, fencing, etc.,</p> <p>17. The proponent shall furnish photographs of adequate fencing, green belt along the periphery including replantation of existing trees & safety distance between the adjacent quarries & water bodies nearby provided as per the approved mining plan.</p> <p>18. The Project Proponent shall provide the details of mineral reserves and mineable reserves, planned production capacity, proposed working methodology with justifications, the anticipated impacts of the mining operations on the surrounding environment, and the remedial measures for the same.</p> <p>19. The Project Proponent shall provide the Organization chart indicating the appointment of various statutory officials and other competent persons to be appointed as per the provisions of the Mines Act'1952 and the MMR, 1961 for carrying out the quarrying operations scientifically and systematically in order to ensure safety and to protect the environment.</p> <p>20. The Project Proponent shall conduct the hydro-geological study considering the contour map of the water table detailing the number of groundwater pumping & open wells, and surface water bodies such as rivers, tanks, canals, ponds, etc. within 1 km (radius) along with the collected water level data for both monsoon and non-monsoon seasons from the PWD / TWAD so as to assess the impacts on the wells due to mining activity. Based on actual monitored data, it may clearly be shown whether working will intersect groundwater. Necessary data and documentation in this regard may be provided.</p> <p>21. The proponent shall furnish the baseline data for the environmental and ecological parameters with regard to surface water/ground water quality, air quality, soil quality & flora/fauna including traffic/vehicular movement study.</p> <p>22. The Proponent shall carry out the Cumulative impact study due to mining operations carried out in the quarry specifically with reference to the specific environment in terms of soil health, biodiversity, air pollution, water pollution, climate change and flood control & health impacts. Accordingly, the Environment Management plan should be prepared keeping the concerned quarry and the surrounding habitations in the mind.</p> <p>23. Rain water harvesting management with recharging details along with water balance (both monsoon & non-monsoon) be submitted.</p> <p>24. Land use of the study area delineating forest area, agricultural land, grazing land, wildlife sanctuary, national park, migratory routes of fauna, water bodies, human settlements and other ecological features should be indicated. Land use plan of the mine lease area should be prepared to encompass preoperational, operational and post operational phases and submitted. Impact, if any, of change of land use should be given.</p> <p>25. Details of the land for storage of Overburden/Waste Dumps (or) Rejects outside the mine lease, such as extent of land area, distance from mine lease, its land use, R&R issues, if any, should be provided.</p> <p>26. Proximity to Areas declared as 'Critically Polluted' (or) the Project areas which attracts the court restrictions for mining operations, should also be indicated and where so required, clearance certifications from the prescribed Authorities, such as the TNPCB (or) Dept. of Geology and Mining should be secured and furnished to the effect that the proposed mining activities could be considered.</p> <p>27. Description of water conservation measures proposed to be adopted in the Project should be given. Details of rainwater harvesting proposed in the Project, if any, should be provided.</p> <p>28. Impact on local transport infrastructure due to the Project should be indicated.</p> <p>29. A tree survey study shall be carried out (nos., name of the species, age, diameter etc.,) both within the mining lease applied area & 300m buffer zone and its management during mining activity.</p>

S. No	Terms of Reference
	<p>30. A detailed mine closure plan for the proposed project shall be included in EIA/EMP report which should be site-specific.</p> <p>31. As a part of the study of flora and fauna around the vicinity of the proposed site, the EIA coordinator shall strive to educate the local students on the importance of preserving local flora and fauna by involving them in the study, wherever possible.</p> <p>32. The purpose of Green belt around the project is to capture the fugitive emissions, carbon sequestration and to attenuate the noise generated, in addition to improving the aesthetics. A wide range of indigenous plant species should be planted as given in the appendix-I in consultation with the DFO, State Agriculture University. The plant species with dense/moderate canopy of native origin should be chosen. Species of small/medium/tall trees alternating with shrubs should be planted in a mixed manner.</p> <p>33. Taller/one year old Saplings raised in appropriate size of bags, preferably ecofriendly bags should be planted as per the advice of local forest authorities/botanist/Horticulturist with regard to site specific choices. The proponent shall earmark the greenbelt area with GPS coordinates all along the boundary of the project site with at least 3 meters wide and in between blocks in an organized manner</p> <p>34. A Disaster management Plan shall be prepared and included in the EIA/EMP Report for the complete life of the proposed quarry (or) till the end of the lease period.</p> <p>35. A Risk Assessment and management Plan shall be prepared and included in the EIA/EMP Report for the complete life of the proposed quarry (or) till the end of the lease period.</p> <p>36. Occupational Health impacts of the Project should be anticipated and the proposed preventive measures spelt out in detail. Details of pre-placement medical examination and periodical medical examination schedules should be incorporated in the EMP. The project specific occupational health mitigation measures with required facilities proposed in the mining area may be detailed.</p> <p>37. Public health implications of the Project and related activities for the population in the impact zone should be systematically evaluated and the proposed remedial measures should be detailed along with budgetary allocations.</p> <p>38. The Socio-economic studies should be carried out within a 5 km buffer zone from the mining activity. Measures of socio-economic significance and influence to the local community proposed to be provided by the Project Proponent should be indicated. As far as possible, quantitative dimensions may be given with time frames for implementation.</p> <p>39. Details of litigation pending against the project, if any, with direction /order passed by any Court of Law against the Project should be given.</p> <p>40. Benefits of the Project if the Project is implemented should be spelt out. The benefits of the Project shall clearly indicate environmental, social, economic, employment potential, etc.</p> <p>41. If any quarrying operations were carried out in the proposed quarrying site for which now the EC is sought, the Project Proponent shall furnish the detailed compliance to EC conditions given in the previous EC with the site photographs which shall duly be certified by MoEF&CC, Regional Office, Chennai (or) the concerned DEE/TNPCB.</p> <p>42. The PP shall prepare the EMP for the entire life of mine and also furnish the sworn affidavit stating to abide the EMP for the entire life of mine</p> <p>43. Concealing any factual information or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this Terms of Conditions besides attracting penal provisions in the Environment (Protection) Act, 1986.</p>

4. Seiaa Standard Condititons:

S. No	Terms of Reference
4.1	

Standard Terms of Reference for (Mining of minerals)

1.

S. No	Terms of Reference
1.1	An EIA-EMP Report shall be prepared for peak capacity (.....MTPA)operation in an ML/project area of.....ha based on the generic structure specified in Appendix III of the EIA Notification, 2006.
1.2	An EIA-EMP Report would be prepared for peak capacity operation to cover the impacts and environment management plan for the project specific activities on the environment of the region, and the environmental quality encompassing air, water, land, biotic community, etc. through collection of data and information, generation of data on impacts including prediction modeling for..... MTPA of mineral production based on approved project/Mining Plan for.....MTPA. Baseline data collection can be for any season (three months) except monsoon.
1.3	Propoer KML file with pin drop and coordinate of mine at 500-1000 m interval be provided
1.4	A Study area map of the core zone (project area) and 10 km area of the buffer zone (1: 50,000 scale) clearly delineating the major topographical features such as the land use, surface drainage pattern including rivers/streams/nullahs/canals, locations of human habitations, major constructions including railways, roads, pipelines, major industries, mines and other polluting sources. In case of ecologically sensitive areas such as Biosphere Reserves/National Parks/WL Sanctuaries/ Elephant Reserves, forests (Reserved/Protected), migratory corridors of fauna, and areas where endangered fauna and plants of medicinal and economic importance found in the 15 km study area should be given. The above details to be furnished in tabular form also
1.5	Map showing the core zone delineating the agricultural land (irrigated and un-irrigated, uncultivable land as defined in the revenue records, forest areas (as per records), along with other physical features such as water bodies, etc should be furnished.
1.6	A contour map showing the area drainage of the core zone and 25 km of the study area (where the water courses of the core zone ultimately join the major rivers/streams outside the lease/project area) should also be clearly indicated in the separate map.
1.7	Catchment area with its drainage map of 25 km area within and outside the mine shall be provided with names, details of rivers/ riverlet system and its respective order. The map should clearly indicate drainage pattern of the catchment area with basin of major rivers. Diversion of drains/ river need eloboration in form of lengthe, quantity and quality of water to be diverted
1.8	(Details of mineral reserves, geological status of the study area and the seams to be worked, ultimate working depth and progressive stage-wise working scheme until the end of mine life should be provided on the basis of the approved rated capacity and calendar plans of production from the approved Mining Plan. Geological maps and sections should be included. The Progressive mine development and Conceptual Final Mine Closure Plan should also be shown in figures. Details of mine plan and mine closure plan approval of Competent Authority should be furnished for green field and expansion projects.
1.9	Details of mining methods, technology, equipment to be used, etc., rationale for selection of specified technology and equipment proposed to be used vis-à-vis the potential impacts should be provided.

S. No	Terms of Reference																																										
1.10	Impact of mining on hydrology, modification of natural drainage, diversion and channeling of the existing rivers/water courses flowing through the ML and adjoining the lease/project and the impact on the existing users and impacts of mining operations thereon.																																										
1.11	A detailed Site plan of the mine showing the proposed break-up of the land for mining operations such as the quarry area, OB dumps, green belt, safety zone, buildings, infrastructure, Stockyard, township/colony (within and adjacent to the ML), undisturbed area -if any, and landscape features such as existing roads, drains/natural water bodies to be left undisturbed along with any natural drainage adjoining the lease /project areas, and modification of thereof in terms of construction of embankments/bunds, proposed diversion/re-channelling of the water courses, etc., approach roads, major haul roads, etc should be indicated.																																										
1.12	<p>Original land use (agricultural land/forestland/grazing land/wasteland/water bodies) of the area should be provided as per the tables given below. Impacts of project, if any on the land use, in particular, agricultural land/forestland/grazing land/water bodies falling within the lease/project and acquired for mining operations should be analyzed. Extent of area under surface rights and under mining rights should be specified. Area under Surface Rights</p> <table border="1" data-bbox="336 835 1465 1108"> <thead> <tr> <th data-bbox="336 835 630 887">S.N ML/Project Land use</th> <th data-bbox="630 835 858 904">Area under Surface Rights(ha)</th> <th data-bbox="858 835 1214 904">Area Under Mining Rights(ha)</th> <th data-bbox="1214 835 1465 904">Area under Both (ha)</th> </tr> </thead> <tbody> <tr> <td data-bbox="336 904 630 947">1 Agricultural land</td> <td></td> <td></td> <td></td> </tr> <tr> <td data-bbox="336 947 630 990">2 Forest Land</td> <td></td> <td></td> <td></td> </tr> <tr> <td data-bbox="336 990 630 1032">3 Grazing Land</td> <td></td> <td></td> <td></td> </tr> <tr> <td data-bbox="336 1032 630 1075">4 Settlements</td> <td></td> <td></td> <td></td> </tr> <tr> <td data-bbox="336 1075 630 1108">5 Others (specify)</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <table border="1" data-bbox="336 1176 1222 1413"> <thead> <tr> <th data-bbox="336 1176 475 1211">S.N.</th> <th data-bbox="475 1176 1106 1211">Details</th> <th data-bbox="1106 1176 1222 1211">Area (ha)</th> </tr> </thead> <tbody> <tr> <td data-bbox="336 1211 475 1254">1</td> <td data-bbox="475 1211 1106 1254">Buildings</td> <td></td> </tr> <tr> <td data-bbox="336 1254 475 1296">2</td> <td data-bbox="475 1254 1106 1296">Infrastructure</td> <td></td> </tr> <tr> <td data-bbox="336 1296 475 1339">3</td> <td data-bbox="475 1296 1106 1339">Roads</td> <td></td> </tr> <tr> <td data-bbox="336 1339 475 1382">4</td> <td data-bbox="475 1339 1106 1382">Others (specify)</td> <td></td> </tr> <tr> <td></td> <td data-bbox="475 1382 1106 1413">Total</td> <td></td> </tr> </tbody> </table>	S.N ML/Project Land use	Area under Surface Rights(ha)	Area Under Mining Rights(ha)	Area under Both (ha)	1 Agricultural land				2 Forest Land				3 Grazing Land				4 Settlements				5 Others (specify)				S.N.	Details	Area (ha)	1	Buildings		2	Infrastructure		3	Roads		4	Others (specify)			Total	
S.N ML/Project Land use	Area under Surface Rights(ha)	Area Under Mining Rights(ha)	Area under Both (ha)																																								
1 Agricultural land																																											
2 Forest Land																																											
3 Grazing Land																																											
4 Settlements																																											
5 Others (specify)																																											
S.N.	Details	Area (ha)																																									
1	Buildings																																										
2	Infrastructure																																										
3	Roads																																										
4	Others (specify)																																										
	Total																																										
1.13	Study on the existing flora and fauna in the study area (10km) should be carried out by an institution of relevant discipline. The list of flora and fauna duly authenticated separately for the core and study area and a statement clearly specifying whether the study area forms a part of the migratory corridor of any endangered fauna should be given. If the study area has endangered flora and fauna, or if the area is occasionally visited or used as a habitat by Schedule-I species, or if the project falls within 15 km of an ecologically sensitive area, or used as a migratory corridor then a Comprehensive Conservation Plan along with the appropriate budgetary provision should be prepared and submitted with EIA-EMP Report; and comments/observation from the CWLW of the State Govt. should also be obtained and furnished.																																										
1.14	One-season (other than monsoon) primary baseline data on environmental quality - air (PM10, PM2.5, SOx, NOx and heavy metals such as Hg, Pb, Cr, As, etc), noise, water (surface and groundwater), soil - along with one-season met data coinciding with the same season for AAQ collection period should be provided. The detail of NABL/ MoEF&CC certification of the respective laboratory and NABET accreditation of the consultant to be provided.																																										


S. No	Terms of Reference
1.15	Map (1: 50, 000 scale) of the study area (core and buffer zone) showing the location of various sampling stations superimposed with location of habitats, other industries/mines, polluting sources, should be provided. The number and location of the sampling stations in both core and buffer zones should be selected on the basis of size of lease/project area, the proposed impacts in the downwind (air)/downstream (surface water)/groundwater regime (based on flow). One station should be in the upwind/upstream/non-impact/non-polluting area as a control station. The monitoring should be as per CPCB guidelines and parameters for water testing for both ground water and surface water as per ISI standards and CPCB classification wherever applicable. Observed values should be provided along with the specified standards.
1.16	For proper baseline air quality assessment, Wind rose pattern in the area should be reviewed and accordingly location of AAMSQ shall be planned by the collection of air quality data by adequate monitoring stations in the downwind areas. Monitoring location for collecting baseline data should cover overall the 10 km buffer zone i.e. dispersed in 10 km buffer area. In case of expansion, the displayed data of CAAQMS and its comparison with the monitoring data to be provided
1.17	A detailed traffic study along with presence of habitation in 100 mts distance from both side of road, the impact on the air quality with its proper measures and plan of action with timeline for widening of road. The project will increase the no. of vehicle along the road which will indirectly contribute to carbon emission so what will be the compensatory action plan should be clearly spell out in EIA/ EMP report.
1.18	The socio-economic study to conducted with actual survey report and a comparative assessment to be provided from the census data should be provided in EIA/ EMP report also occupational status & economic status of the study area and what economically project will contribute should be clearly mention. The study should also include the status of infrastructural facilities and amenities present in the study area and a comparative assessment with census data to be provided and to link it with the initialization and quantification of need based survey for CSR activities to be followed.
1.19	The Ecology and biodiversity study should also indicate the likely impact of change in forest area for surface infrastructural development or mining activity in relation to the climate change of that area and what will be the compensatory measure to be adopted by PP to minimize the impact of forest diversion.
1.20	Baseline data on the health of the population in the impact zone and measures for occupational health and safety of the personnel and manpower for the mine should be submitted.
1.21	Impact of proposed project/activity on hydrological regime of the area shall be assessed and report be submitted. Hydrological studies as per GEC 2015 guidelines to be prepared and submitted
1.22	Impact of mining and water abstraction from the mine on the hydrogeology and groundwater regime within the core zone and 10 km buffer zone including long-term monitoring measures should be provided. Details of rainwater harvesting and measures for recharge of groundwater should be reflected in case there is a declining trend of groundwater availability and/or if the area falls within dark/grey zone.
1.23	Study on land subsidence including modeling for prediction, mitigation/prevention of subsidence, continuous monitoring measures, and safety issues should be carried out.
1.24	Detailed water balance should be provided. The break up of water requirement as per different

S. No	Terms of Reference
	activities in the mining operations, including use of water for sand stowing should be given separately. Source of water for use in mine, sanction of the Competent Authority in the State Govt. and impacts vis-à-vis the competing users should be provided.
1.25	PP shall submit design details of all Air Pollution control equipment (APCEs) to be implemented as part of Environment Management Plan vis-à-vis reduction in concentration of emission for each APCEs
1.26	PP shall propose to use LNG/CNG based mining machineries and trucks for mining operation and transportation of mineral. The measures adopted to conserve energy or use of renewable sources shall be explored
1.27	Site specific Impact assessment with its mitigation measures, Risk Assessment and Disaster Preparedness and Management Plan should be provided.
1.28	Impact of choice of mining method, technology, selected use of machinery and impact on air quality, mineral transportation, handling & storage/stockyard, etc, Impact of blasting, noise and vibrations should be provided.
1.29	Impacts of mineral transportation within the mining area and outside the lease/project along with flow-chart indicating the specific areas generating fugitive emissions should be provided. Impacts of transportation, handling, transfer of mineral and waste on air quality, generation of effluents from workshop etc, management plan for maintenance of HEMM and other machinery/equipment should be given. Details of various facilities such as rest areas and canteen for workers and effluents/pollution load emanating from these activities should also be provided.
1.30	Details of various facilities to be provided to the workers in terms of parking, rest areas and canteen, and effluents/pollution load resulting from these activities should also be given.
1.31	The number and efficiency of mobile/static water jet, Fog cannon sprinkling system along the main mineral transportation road inside the mine, approach roads to the mine/stockyard/siding, and also the frequency of their use in impacting air quality should be provided.
1.32	Conceptual Final Mine Closure Plan and post mining land use and restoration of land/habitat to the pre- mining status should be provided. A Plan for the ecological restoration of the mined out area and post mining land use should be prepared with detailed cost provisions. Impact and management of wastes and issues of re-handling (wherever applicable) and backfilling and progressive mine closure and reclamation should be furnished.
1.33	Adequate greenbelt nearby areas, mineral stock yard and transportation area of mineral shall be provided with details of species selected and survival rate Greenbelt development should be undertaken particularly around the transport route.
1.34	Cost of EMP (capital and recurring) should be included in the project cost and for progressive and final mine closure plan.
1.35	Details of R&R. Detailed project specific R&R Plan with data on the existing socio- economic status of the population (including tribals, SC/ST, BPL families) found in the study area and broad plan for resettlement of the displaced population, site for the resettlement colony, alternate livelihood concerns/employment for the displaced people, civic and housing amenities being

S. No	Terms of Reference																					
	offered, etc and costs along with the schedule of the implementation of the R&R Plan should be given.																					
1.36	CSR Plan along with details of villages and specific budgetary provisions (capital and recurring) for specific activities over the life of the project should be given.																					
1.37	Corporate Environment Responsibility:																					
1.38	a) The Company must have a well laid down Environment Policy approved by the Board of Directors.																					
1.39	b) The Environment Policy must prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions.																					
1.40	c) The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions must be furnished.																					
1.41	d) To have proper checks and balances, the company should have a well laid down system of reporting of non-compliances/violations of environmental norms to the Board of Directors of the company and/or shareholders or stakeholders at large.																					
1.42	e) Environment Management Cell and its responsibilities to be clearly spelled out in EIA/ EMP report																					
1.43	f) In built mechanism of self-monitoring of compliance of environmental regulations should be indicated.																					
1.44	Status of any litigations/ court cases filed/pending on the project should be provided.																					
1.45	PP shall submit clarification from DFO that mine does not fall under corridors of any National Park and Wildlife Sanctuary with certified map showing distance of nearest sanctuary.																					
1.46	Copy of clearances/approvals such as Forestry clearances, Mining Plan Approval, mine closure plan approval. NOC from Flood and Irrigation Dept. (if req.), etc. wherever applicable.																					
1.47	<p>Details on the Forest Clearance should be given as per the format given:</p> <table border="0" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <td style="width: 15%;">Total ML Total</td> <td style="width: 15%;">Date</td> <td style="width: 15%;">Extent of</td> <td style="width: 15%;">Balance area for which</td> <td style="width: 15%;">Status of appl</td> <td style="width: 15%;">For</td> </tr> <tr> <td>Project Area</td> <td>Forest</td> <td>of FC</td> <td>Forest Land</td> <td>FC is yet to be</td> <td>obtained</td> <td>diversion of forest</td> </tr> <tr> <td>(ha)</td> <td>land (ha)</td> <td></td> <td></td> <td></td> <td></td> <td>land</td> </tr> </table> <p>If more than one provide details of each FC</p>		Total ML Total	Date	Extent of	Balance area for which	Status of appl	For	Project Area	Forest	of FC	Forest Land	FC is yet to be	obtained	diversion of forest	(ha)	land (ha)					land
	Total ML Total	Date	Extent of	Balance area for which	Status of appl	For																
Project Area	Forest	of FC	Forest Land	FC is yet to be	obtained	diversion of forest																
(ha)	land (ha)					land																
1.48	In case of expansion of the proposal, the status of the work done as per mining plan and approved mine closure plan shall be detailed in EIA/ EMP report																					
1.49	Details on Public Hearing should cover the information relating to notices issued in the newspaper, proceedings/minutes of Public Hearing, the points raised by the general public and commitments																					

S. No	Terms of Reference
	made by the proponent and the time bound action proposed with budgets in suitable time frame. These details should be presented in a tabular form. If the Public Hearing is in the regional language, an authenticated English Translation of the same should be provided.
1.50	PP shall carry out survey through drone highlighting the ground reality for atleast 10 minutes
1.51	Detailed Chronology of the project starting from the first lease deed allotted/Block allotment/ Land acquired to its No. of renewals, CTO /CTE with details of no. renewals, previous EC(s) granted details and its compliance details, NOC details from various Govt bodies like Forest NOC(s), CGWA permissions, Power permissions, etc as per the requisites respectively to be furnished in tabular form.
1.52	The first page of the EIA/ EMP report must mention the peak capacity production, area, detail of PP, Consultant (NABET accreditation) and Laboratory (NABL / MoEF & CC certification)
1.53	The compliances of ToR must be properly cited with respective chapter section and page no in tabular form and also mention sequence of the respective ToR complied within the EIA-EMP report in all the chapter,s section.
1.54	PP to evaluate the green house emission gases from the mine operation and corresponding carbon absorption plan.





ANNEXURE-2

ந.க.எண். அ/புலி(ர)கர/82/2024
நாள்: 13.03.2024.

உதவி இயக்குநர்
புவியியல் மற்றும் சுரங்கத்துறை அலுவலகம்
விழுப்புரம்.

15 MAR 2024

குறிப்பாணை

பொருள்: கனிமங்களும் குவாரிகளும் - சிறுகனிமம் - சாதாரண கற்கள் மற்றும் கிராவல் - விழுப்புரம் மாவட்டம் - வானூர் வட்டம் - கரசானூர் கிராமம் - பட்டா புல எண்கள். 171/1A (1.21.5) மற்றும் 171/1B (0.81.0) ஆகியவற்றில் 2.02.5 ஹெக்டேர் பரப்பளவில் ஐந்தாண்டுகளுக்கு சாதாரண கற்கள் மற்றும் கிராவல் வெட்டியெடுக்க குவாரி குத்தகை அனுமதி கோரி திருமதி.கராஜாமணி, த/பெ.குப்புசாமி என்பவர் விண்ணப்பம் செய்தது - குவாரி குத்தகை உரிமம் வழங்க பரிந்துரை செய்து அறிக்கை வரப்பெற்றது - தகுதியான நிலப்பரப்பாக கருதி ஏற்பளிக்கப்பட்ட சுரங்க திட்டம் மற்றும் சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணைய இசைவினை பெற்று சமர்ப்பிக்கக் கோருதல் - தொடர்பாக.

- பார்வை:**
1. திருமதி.கராஜாமணி, க/பெ.குப்புசாமி, 168, மேட்டு தெரு, கரசானூர் கிராமம், வானூர் வட்டம், விழுப்புரம் மாவட்டம் என்பவரது விண்ணப்பம் நாள்: 26.02.2024.
 2. வருவாய் கோட்டாட்சியர், விழுப்புரம் கடித எண். ந.க.அ4/470/2024, நாள்: 13.03.2024.
 3. விழுப்புரம் மாவட்ட புவியியல் மற்றும் சுரங்கத்துறை உதவி இயக்குநர் அவர்களின் புலத்தணிக்கை அறிக்கை நாள்: 13.03.2024.

---000---

விழுப்புரம் மாவட்டம், வானூர் வட்டம், கரசானூர் கிராமத்தைச் சேர்ந்த திருமதி.கராஜாமணி, க/பெ.குப்புசாமி என்பவர் வானூர் வட்டம், கரசானூர் கிராமம் - பட்டா புல எண். 171/1A (1.21.5) மற்றும் 171/1B (0.81.0) ஆகியவற்றில் 2.02.5 ஹெக்டேர் பரப்பளவில் ஐந்தாண்டுகளுக்கு சாதாரண கற்கள் மற்றும் கிராவல் குவாரி குத்தகை அனுமதி கோரி பார்வை 1-ல் காணும் விண்ணப்பம் சமர்ப்பித்துள்ளார்.

மேற்படி விண்ணப்பம் தொடர்பாக, விழுப்புரம் வருவாய் கோட்டாட்சியர் மற்றும் விழுப்புரம் மாவட்ட புவியியல் மற்றும் சுரங்கத்துறை, உதவி இயக்குநர் ஆகியோரின் அறிக்கையில் விழுப்புரம் மாவட்டம், வானூர் வட்டம், கரசானூர் கிராமம், பட்டா புல எண்கள். 171/1A (1.21.5) மற்றும் 171/1B (0.81.0) ஆகியவற்றில் 2.02.5 ஹெக்டேர் பரப்பளவில் உள்ள பட்டா நிலத்தில் திருமதி.கராஜாமணி, த/பெ.குப்புசாமி என்பவருக்கு ஐந்தாண்டுகளுக்கு சாதாரணக்கற்கள் மற்றும் கிராவல் குவாரி உரிமம் வழங்க



கீழ்க்கண்ட நிபந்தனைகளுக்குட்பட்டு அனுமதி வழங்கலாம் என
செய்துள்ளனர்.

- i. விண்ணப்ப புலன்களின் அருகில் உள்ள பட்டா நிலங்களுக்கு 7.5 மீட்டர் பாதுகாப்பு இடைவெளியும் மற்றும் அரசு புறம்போக்கு நிலங்களுக்கு 10 மீட்டர் பாதுகாப்பு இடைவெளியும் விட்டு குவாரிப்பணி மேற்கொள்ளப்பட வேண்டும்.
- ii. குவாரிப்பணி மேற்கொள்ளும் போது அருகிலுள்ள அரசு புறம்போக்கு மற்றும் பட்டா நிலங்களுக்கு எவ்வித இடையூறும் இல்லாமல் குவாரிப்பணி செய்ய வேண்டும்.
- iii. குவாரி குத்தகை வழங்கும் முன்பு விண்ணப்பித்துள்ள இடத்தினை DGPS சர்வே பணி மேற்கொண்டு அதன் அறிக்கையை சமர்ப்பிக்க வேண்டும்.
- iv. தமிழ்நாடு சிறுகனிம சலுகை விதிகள் 1959 விதி-41ன்படி தகுதிவாய்ந்த நபரால் சுரங்க திட்டம் தயார் செய்து துணை இயக்குநர் அவர்களின் ஒப்புதல் பெறவேண்டும்.
- v. தமிழ்நாடு சிறுகனிம சலுகை விதிகள் 1959 விதி-42ன்படி மாநில சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணையத்திடமிருந்து சுற்றுச்சூழல் சான்று பெற்று சமர்ப்பிக்கப்படவேண்டும்.


எனவே, விழுப்புரம் வருவாய் கோட்டாட்சியர் மற்றும் விழுப்புரம் மாவட்ட புவியியல் மற்றும் சுரங்கத்துறை, உதவி இயக்குநர் ஆகியோரின் பரிந்துரை அறிக்கையின் அடிப்படையில் விழுப்புரம் மாவட்டம், வானூர் வட்டம், கரசானூர் கிராமம், பட்டா புல எண்கள். 171/1A (1.21.5) மற்றும் 171/1B (0.81.0) ஆகியவற்றில் 2.02.5 ஹெக்டேர் பரப்பளவில் 1959-ம் வருட தமிழ்நாடு சிறுகனிம விதிகள், விதி எண்.19-ன்படி மேற்கண்ட நிபந்தனைகளுக்குட்பட்டு 5 (ஐந்து) வருட காலத்திற்கு திருமதி.கராஜாமணி, க/பெ.குப்புசாமி என்பவருக்கு சாதாரணக்கற்கள் மற்றும் கிராவல் குவாரி உரிமம் வழங்குவதற்குரிய தகுதியான நிலப்பரப்பாக கருதப்படுகிறது.

அதன் அடிப்படையில், தமிழ்நாடு சிறுகனிம சலுகை விதிகள் 1959 விதி எண்.41-ன்படி குவாரிப்பணி மேற்கொள்வது தொடர்பாக வரைவு சுரங்க திட்டத்தினை தகுதிவாய்ந்த நபர் (QP) மூலமாக கீழ்க்கண்ட நிபந்தனைகளுக்குட்பட்டு தயாரித்து அதனை 90 தினங்களுக்குள் உதவி இயக்குநர் (புவியியல் மற்றும் சுரங்கத்துறை) அவர்களின் பரிசீலனைக்கு சமர்ப்பிக்குமாறு விண்ணப்பதாரரை கேட்டுக்கொள்ளப்படுகிறது. மேலும் ஏற்பளிக்கப்பட்ட சுரங்கத்திட்டத்தின் தொடர்ச்சியாக 1959ம் வருடத்திய தமிழ்நாடு சிறுகனிம சலுகை விதிகள், விதி எண்.42-ன்படி சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணையத்தின் தடையின்மை சான்று பெற்று சமர்ப்பிக்கும் பட்சத்தில் மட்டுமே குவாரி உரிமம் வழங்கப்படும் என இதன் மூலம் தெரிவிக்கப்படுகிறது.



- i. விண்ணப்ப புலன்களின் அருகில் உள்ள பட்டா நிலங்களுக்கு 7.5 மீட்டர் பாதுகாப்பு இடைவெளியும் மற்றும் அரசு புறம்போக்கு நிலங்களுக்கு 10 மீட்டர் பாதுகாப்பு இடைவெளியும் குவாரிப்பணி மேற்கொள்ளப்பட வேண்டும்.
- ii. குவாரிப்பணி மேற்கொள்ளும் போது அருகிலுள்ள அரசு புறம்போக்கு மற்றும் பட்டா நிலங்களுக்கு எவ்வித இடையூறும் இல்லாமல் குவாரிப்பணி செய்ய வேண்டும்.
- iii. குவாரி குத்தகை வழங்கும் முன்பு விண்ணப்பித்துள்ள இடத்தினை DGPS சர்வே பணி மேற்கொண்டு அதன் அறிக்கையை சமர்ப்பிக்க வேண்டும்.



உதவி இயக்குநர்,
புவியியல் மற்றும் சுரங்கத்துறை,
விழுப்புரம்.


13.3.24.

பெறுநர்
திருமதி. K.ராஜாமணி,
க/பெ.குப்புசாமி,
168, மேட்டு தெரு,
கரசானூர் கிராமம்,
வானூர் வட்டம்,
விழுப்புரம் மாவட்டம்.

நகல்:-

1. மாநில சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணையம், சென்னை.
2. ஆணையர், புவியியல் மற்றும் சுரங்கத்துறை, கிண்டி, சென்னை.



ANNEXURE-3

From
Tmt. S.Safiya, M.Sc.,
Assistant Director,
Geology and Mining,
Viluppuram.

To
Tmt.K.Rajamani,
W/o. Kuppusamy,
No.168, Mettu Street,
Karasanur Village,
Vanur Taluk,
Viluppuram District.

Rc.No.A/G&M/82/2024 Dated 15.03.2024

Sub: Mines & Minerals - Minor Mineral - Rough stone and Gravel - Viluppuram District - Vanur Taluk - Karasanur Village - over an extent of 2.02.5 hectares of patta lands - S.F.Nos. 171/1A (1.21.5) and 171/1B (0.81.0) - Quarry lease application preferred by Tmt.K.Rajamani, Karasanur Village - Precise area communicated - Submission of mining plan for approval - Approved - Regarding.

- Ref: 1. Quarry lease application dated 26.02.2024 preferred by Tmt.K.Rajamani, W/o. Kuppusamy, No.168, Mettu Street, Karasanur Village, Vanur Taluk, Viluppuram District.
2. Assistant Director, Geology and Mining, Viluppuram Letter Rc.No.A/G&M/82/2024 Dated 13.03.2024.
3. Mining Plan submitted by Tmt.K.Rajamani, Karasanur Village Dated 15.03.2024.
4. G.O.Ms.No.79, Industries (MMC-1) Department dated 06.04.2015.
5. G.O.(Ms).No.169, Ind. (MMC.1) Dept. dated 04.08.2020.

In response to the precise area communicated vide the reference 2nd cited, the applicant viz., Tmt.K.Rajamani, Karasanur Village vide reference 3rd cited has submitted three copies of mining plan for the area applied seeking grant of quarry lease for Rough stone and Gravel over an extent of 2.02.5 hectares of patta lands in S.F.Nos. 171/1A (1.21.5) and 171/1B (0.81.0) of Karasanur Village, Vanur Taluk, Villuppuram District with a request to approve the same.

2. The mining plan so submitted has been verified in detail.

3. As per the guidelines / instructions issued by the Commissioner of Geology and Mining, Chennai vide letter Rc.No.3868/LC/2012, dated 19.11.2012, the mining plan is hereby approved subject to the following conditions:

K. S. S. S. S. S.

- (i) The mining plan is approved without prejudice to any other Law applicable to the quarry lease from time to time whether such laws are made by the Central Government, State Government or any other authority.
- (ii) This approval of the mining plan does not in any way imply the approval of the Government in terms or any other provisions of the Mines and Minerals (Development and Regulation) Amended Act, 2015, or any other connected laws including Forest (Conservation) Act, 1980, Forest Conservation Rules, 1981, Environment Protection Act, 1980, Explosives Act, 1884 (Central Act IV of 1884) and the Rules made there under and the Tamil Nadu Minor Mineral Concession Rules, 1959.
- (iii) The mining plan is approved without prejudice to any other order or direction from any court of competent jurisdiction.
- (iv) As per the Assistant Director, Geology and Mining, Viluppuram letter Rc.No.A/G&M/82/2024 Dated 13.03.2024, the following conditions have been incorporated in the Mining Plan.
- a. A safety distance of 7.5 meter and 10 meter should be provided to the adjacent patta lands and Government lands.
- (v) Quarrying shall be strictly done as per the approved Mining Plan.

Encl: Two copies of Approved Mining Plan.

[Signature]
15/03/2024
Assistant Director,
Dept. of Geology and Mining,
Viluppuram.


Copy to:

[Signature]
15.3.24

The Commissioner of Geology and Mining, Chennai-32.

[Signature]

114



**APPROVAL
MINING PLAN**

MINING PLAN FOR KARASANUR ROUGH STONE & GRAVEL QUARRY

(Prepared under rule 19(1), 41 & 42 of Tamil Nadu
Minor Mineral Concession Rules, 1959)



LOCATION OF THE QUARRY LEASE APPLIED AREA

STATE : TAMIL NADU
DISTRICT : VILUPPURAM
TALUK : VANUR
VILLAGE : KARASANUR
S.F.NOS : 171/1A AND 171/1B
EXTENT : 2.02.5Ha

ECO-FRIENDLY



SUSTAINABILITY



SAFETY



FOR APPLICANT

Tmt. K.Rajamani,
W/o, Kuppusamy,
No.168, Mettu Street,
Karasanur Village, Vanur Taluk,
Viluppuram District.

PREPARED BY

C.Natarajan, M.Sc., M.Phil.,

Qualified Person

No.93/36E2, Subramaniyar Kovil Street,
Omalar Taluk, Salem District, Tamil Nadu,
Pin code-636 455.

Mobile: 97502 23535 & 94446 54520.



(PPE)

K.Rajamani,
W/o,Kuppusamy,
No.168, Mettu Street,
Karasanur Village, Vanur Taluk,
Viluppuram District.



CONSENT LETTER FROM THE APPLICANT

The Mining Plan in respect of **Rough Stone and Gravel** quarry over an extent of 2.02.5hectares of Patta lands in S.F.Nos.171/1A and 171/1B of Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State has been prepared by

C.Natarajan, M.Sc.,M.Phil.,
Qualified Person

I request the Assistant Director, Department of Geology and Mining, Viluppuram District to make further correspondence regarding modifications of the Mining Plan with the said Qualified Person on this following address.

C.Natarajan, M.Sc.,M.Phil.,
Qualified Person

No.93/36E2, Subramaniyar Kovil Street,
Omalur Taluk, Salem District,
Tamil Nadu, Pin code-636 455.
Mobile:97502 23535 & 94446 54520.

I hereby undertake that all modifications so made in the Mining Plan by the Qualified Person may be deemed to have been made with my knowledge and consent and shall be acceptable to me and building on me in all respects.

Signature of the Applicant

K. ராஜமணி

K.Rajamani

Place: Viluppuram

Date: 13.03.2024

K. ராஜமணி

116

K.Rajamani,
W/o,Kuppusamy,
No.168, Mettu Street,
Karasanur Village, Vanur Taluk,
Viluppuram District.



DECLARATION

The Mining Plan in respect of **Rough Stone and Gravel** quarry over an extent of 2.02.5hectares of Patta lands in S.F.Nos.171/1A and 171/1B of Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State has been prepared with my consultation and I have understood the contents and agree to implement the same in accordance with the Mining Laws.

Signature of the Applicant

K. ராஜமணி

K.Rajamani

Place: Viluppuram

Date: 13.03.2024

K. ராஜமணி

117

C.Natarajan, M.Sc.,M.Phil.,

Qualified Person

No.93/36E2, Subramaniyar Kovil Street,

Omalur Taluk, Salem District,

Tamil Nadu, Pin code-636 455.

Mobile:97502 23535 & 94446 54520.




CERTIFICATE

This is to certify that, the provisions of under rules 41 & 42 as Amended in under Tamil Nadu Minor Mineral Concession Rules, 1959, have been observed in the Mining Plan for the grant of **Rough Stone and Gravel** quarry lease over an extent of 2.02.5hectares of Patta lands in S.F.Nos.171/1A and 171/1B of Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State applied by Tmt.K.Rajamani, for fresh quarry lease.

Wherever specific permission / exemptions / relaxations or approvals are required, the applicant will approach the concerned authorities of State and Central Governments for granting such permissions etc.

Certified

Signature of Qualified Person.


C.Natarajan, M.Sc.,M.Phil.,
Qualified Person
C.NATARAJAN M.Sc.,M.Phil.,
Qualified Person

Place: Salem

Date: 14.03.2024

K. Prasad

118



C.Natarajan, M.Sc.,M.Phil.,

Qualified Person

No.93/36E2, Subramaniyar Kovil Street,

Omalur Taluk, Salem District,

Tamil Nadu, Pin code-636 455.

Mobile:97502 23535 & 94446 54520.

CERTIFICATE

Certified that, in preparation of Mining Plan for **Rough Stone and Gravel** quarry over an extent of 2.02.5hectares of Patta lands in S.F.Nos.171/1A and 171/1B of Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State for Tmt.K.Rajamani, covers all the provisions of Mines Act, Rules, and Regulations etc., made there under and whenever specific permission are required, the applicant will approach the Director General of Mines Safety, Chennai. The standards prescribed by DGMS in respect of Mines Health will be strictly implemented.

Certified

Signature of Qualified Person.


C.Natarajan, M.Sc.,M.Phil.,

Qualified Person

C.NATARAJAN M.Sc.,M.Phil.,

Qualified Person

Place: Salem

Date: 14.03.2024

K. ஜிதாபதி

119 243


CERTIFICATE



Certified that I, C.Natarajan, residing at No.93/36 E2, Subramaniyar Kovil Street, Omalur Taluk, Salem District, Tamil Nadu, Pin Code-636 455. I am a Post graduate in Geology (M.Sc., Geology) from Annamalai university and more than five years of experience in mining Field.

Rule 15(1)(a) and (b) of Minerals (Other than Atomic, Hydro Carbons Energy Minerals) concession Rules 2016 stipulates the eligibility for preparing Mining Plans as "(1)(a) a post graduate degree in Geology granted by a university established" and (1)(b) "Professional experience of five years of working in a supervisory capacity in the field of mining after obtaining the degree". Since my qualification and experience are satisfied the Rule (1)(a) and (1)(b) of 15 of the Said Rules, I am eligible to prepare Mining Plans for both Major and Minor Minerals.

Accordingly I prepared this Mining Plan in respect of Rough Stone and Gravel quarry lease applied for an extent of 2.02.5hectares of Patta land in S.F.Nos.171/1A and 171/1B of Karasanur Village, Vanur Taluk, Viluppuram District by Tmt.K.Rajamani, for a period of Five years. Since the Mining Plan is prepared as per the provisions contained in Rule 15(1) (a) and (b) of Minerals (Other than Atomic, Hydro Carbons Energy Minerals) concession Rules 2016, the same may be approved by the Competent Authority.


C.Natarajan, M.Sc.,M.Phil.,
Qualified Person

C.NATARAJAN M.Sc.,M.Phil.,
Qualified Person

Place: Salem

Date: 14.03.2024

14.03.2024



CONTENTS

S. No.	Description	Page No.
1.0	Introduction	1
2.0	General Information	4
3.0	Location	5
4.0	Geology and Mineral Reserves	7
5.0	Mining	10
6.0	Blasting	13
7.0	Mine Drainage	14
8.0	Other Permanent Structures	15
9.0	Employment Potentials & Welfare Measures	16
10.0	Environment Management Plan	18
11.0	Mine Closure Plan	21
12.0	Any Other Details Intend to furnish by the Applicant	22

K. Prabhakar

121

Annexure



S. No.	Description	Annexure No.
1.0	Precise Area Communication letter issued by the Assistant Director, Department of Geology and Mining,	I
2.0	Copy of FMB	II
3.0	Copy of village map	III
4.0	Copy of Patta	IV
5.0	Copy of Adangal	V
6.0	Copy of A Register	VI
7.0	Copy of Consent Document	VII
8.0	Copy of Identity Proof	VIII
9.0	Copy of QP Certificate	IX

LIST OF PLATES

S. No.	Description	Plate No.
1.0	Location Plan	I
2.0	Environmental Plan	I-A
3.0	Satellite imagery map	I-B
4.0	Topo sketch of Quarry lease applied area for 10Km Radius	I-C
5.0	Key Plan	I-D
6.0	Quarry lease & Surface plan	II
7.0	Topography, Geological, plan and sections	III
8.0	Mineable plan and sections	IV
9.0	Year wise Development and Production Plan & Sections	V
10.0	Conceptual Plan & Sections	VI

15-03-2024

122



MINING PLAN FOR MINOR MINERALS

ROUGH STONE AND GRAVEL

Over an extent of 2.02.5hectares of Patta land in S.F.Nos.171/1A and 171/1B of Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State.

(PREPARED UNDER RULE 19(1), 41 and 42 OF TNMMCR 1959)

1.0 Introduction and Executive Summary;

1. The present Mining Plan is prepared for Tmt.K.Rajamani, W/o. Kuppusamy, residing at No.168, Mettu Street, Karasanur Village, Vanur Taluk, Viluppuram District.
2. The application was processed by the Assistant Director, Department of Geology and Mining, Viluppuram, and passed an order vide Rc.No.A/G&M/82/2024 dated 13.03.2024 directing the applicant to produce approved Mining Plan under Rule 41(5) of the Tamil Nadu Minor Mineral Concession Rules, 1959 and Environmental Clearance Certificate under Rule 42 from the State Level Environmental Impact Assessment Authority (SEIAA) for the grant of quarry lease to quarry **Rough Stone and Gravel** over an extent of 2.02.5 hectares of Patta lands in S.F.Nos. 171/1A and 171/1B of Karasanur Village, Vanur Taluk, Viluppuram District of Tamil Nadu State for a period of five years.
3. Accordingly, Mining Plan is prepared under the provisions of rule 19(1), 41 and 42 as per the amendments under Tamil Nadu Minor Mineral Concession Rules, 1959 by incorporating following the conditions imposed in the precise area communication letter.
 - a) A safety distance of 7.5m shall be maintained to the adjacent patta lands and safety distance of 10m shall be maintained to government poramboke land while quarrying operation.
 - b) The applicant should not cause any hindrance to adjoining government lands and patta lands while rough stone quarrying operations.
 - c) The applicant should be submit DGPS survey report before the grant of quarry lease.
4. Geological Resources is estimated at 7,77,298m³ of Rough stone and 45,518m³ of gravel formation and Mineable Reserves is estimated at 2,31,505m³ of Rough Stone and 33,696m³ of gravel formation and after leaving necessary safety distance from the lease boundary as indicated in the precise area letter and relevant mining laws in force.

K. Gnanapavan

1

123



5. The production schedule is proposed production of 2,31,505m³ of Rough Stone and 33,696m³ of gravel formation for the period of five years.
6. The applicant ensured that, child labours under 18 years of age will not be engaged for quarrying operation.
7. The applicant ensure that will appoint should have valid certified persons (Mines Manager, Foreman, Mate) during quarrying operation.
8. Environmental parameters,
 - i) The area does not attract the Forest Conservation Act, 1980 as there is no forest around 10.0kms radius.
 - ii) There is no interstate boundary around 3.8Kms radius.
 - iii) There is no wild life animal sanctuary within 10.0kms radius from the project site area under the Wildlife (Protection) Act, 1972.

Therefore the project seeks clearance only from State Level Environmental Impact Assessment Authority (SEIAA).

9. Environmental measures to be adopted shall be,
 - i) Dust Control at source while drilling and blasting,
 - ii) Dust suppression at loading point and transport haul roads,
 - iii) Noise Control in blasting, control of fly rock missiles and vibration by doing peak particle velocity with in standard as prescribed by the DGMS and MOEF.
 - iv) Unnecessary land degradation should be avoided or damaged land should be reclaimed or rehabilitated.
 - v) Avoid uneven rat hole mining and follow scientific and systematic mining by safe bench system of open cast mining.
 - vi) Mining near major fracture zones if any should be avoided to control ground water fluctuation in the adjacent agricultural lands.
 - vii) Emission test of vehicles should be in tack to maintain minimum emission level of flue gases.
 - viii) Noise level should not exceed 80db and the vehicles should use only permitted Air Horn while on road near residential areas.
 - ix) Safety zones as prescribed by the Department of Geology and Mining from adjacent infrastructures should be strictly adhere to.
 - x) And any other conditions as stipulated by the concerned authorities should be followed to protect the environment.

K. Jagan Mohan

2

124



EXECUTIVE SUMMARY:

a.	Name of the Village Panchayat	:	Karasanur	
b.	Name of the Panchayat Union	:	Vanur	
c.	The proposed total Movable Reserves	:	2,31,505m ³ of Rough Stone, 33,696m ³ of gravel formation	
d.	The proposed quantity of reserves (level of production) for Five years to be mined is(Recoverable reserves)	:	2,31,505m ³ of Rough Stone, 33,696m ³ of gravel formation	
e.	Total extent of the area	:	2.02.5Ha	
f.	Proposed Period of mining	:	Five Years	
g.	Existing depth	:	8m (maximum below ground level)	
h.	Proposed Depth of mining	:	43m below ground level for the proposed mining plan.	
i.	Method of mining/level of mechanization	:	Opencast, Semi-mechanized Mining with a bench height of 5m and bench width of 5m is proposed.	
j.	Types of Machineries used in the quarry	:	Machineries like Tractor mounted compressor attached with Jack hammers, Excavators are proposed to deploy for quarrying operation.	
k.	Cost of the Project A. Fixed Assets Cost B. Operational Cost C. EMP Cost		Rs. 15,15,000/- Rs. 51,50,000/- Rs. 5,00,000/- Total Project cost(A+B+C)= Rs.71,65,000/-	
l.	The area applied for lease is bounded by seven corners and the coordinates are clearly marked in plate no II.			
	Corners	Co- ordinates		Distance between the corners
		Latitude	Longitude	
	1	12° 03' 44.50"N	79° 40' 10.09"E	1-2 = 134.8m
	2	12° 03' 48.73"N	79° 40' 11.27"E	2-3 = 179.4m
	3	12° 03' 46.76"N	79° 40' 16.85"E	3-4 = 9.6m
	4	12° 03' 46.47"N	79° 40' 16.73"E	4-5 = 89.0m
	5	12° 03' 43.84"N	79° 40' 15.50"E	5-6 = 5.8m
	6	12° 03' 43.88"N	79° 40' 15.32"E	6-7 = 50.4m
	7	12° 03' 43.99"N	79° 40' 13.56"E	7-1 = 106.0m

K. Prabhakaran




2.0 General Information:	
2.1	a. Name of the Applicant : Tmt.K.Rajamani,
	b. Address of the Applicant : W/o. Kuppusamy, with phone No and e-mail id if any No.168, Mettu Street, Karasanur Village, Vanur Taluk, Viluppuram District. Pin Code-605609. Cell No.:9655364231
	c. Status of the Applicant : Individual
2.2	a. Mineral Which the applicant intends to mine : Rough Stone and Gravel.
	b. Precise area communication letter No. : Precise area communication letter received from the Assistant Director, Department of Geology and Mining, Viluppuram, vide Re.No.A/G&M/82/2024 dated 13.03.2024.
	c. Period of permission / lease granted : The Assistant Director, Department of Geology and Mining, Viluppuram, has grant of lease period for five years .
	d. Name and Address of the QP preparing Mining Plan : C.Natarajan, M.Sc.,M.Phil., Qualified Person No.93/36E2, Subramaniyar Kovil Street, Ormalur Taluk, Salem District, Tamil Nadu, Pin-636 455. Mobile: 97502 23535 & 94446 54520.

K. Natarajan



3.0 Location:

S.No	Details of the Area:	
1	Corner Coordinates	Latitude :12°03'43.84"N to 12°03'48.73"N Longitude :79°40'10.09"E to 79°40'16.85"E
2	Toposheet Number	57- P/12
3	The altitude of the area	83m (MSL)
4	Extent	2.02.5Ha
5	Survey Nos	171/1A and 171/1B
6	Village	Karasanur
7	Taluk	Vanur
8	District	Viluppuram
9	State	Tamil Nadu



K. Inayathullah



a.	Classification of the Area (Ryotwari / poramboke / others)	:	Patta land
b.	Ownership / Occupancy of the Applied area (Surface rights)	:	It is patta land registered in the name of Thiru.Ganesan vide patta no.1668, the applicant has obtained consent from the pattadar, Please refer Annexure No: IV and VII.
c.	Toposheet No. with Latitude and Longitude	:	Topo Sheet No: 57-P/ 12 : Latitude:12°03'43.84"N to 12°03'48.73"N : Longitude:79°40'10.09"E to 79°40'16.85"E
d.	Existence of Public Road / Railway line if any nearby the area and approximate distance	:	There is an existing road from the area leads to Eriyur- Thollamur village road on southern side of the area. The Nearest Railway line is Viluppuram to Chennai line which is about 12.2Km on northwestern side of the area.



Fig. Location of the lease applied area

K. Ganesan



PART - A

4.0 Geology and Mineral Reserves:

4.1	a. Topography	<p>: ➤ The area applied for quarry lease is exhibits almost plain topography covered by Gravel formation. The massive Charnockite formation is noticed below 3m (Avg) Gravel formation and sloping towards southeastern side of the area, the altitude of the area is above 83m (maximum) from MSL.</p> <p>➤ No major river is found nearby the lease applied area.</p> <p>➤ Water table is found at a depth of 66m in summer and 63m in rainy seasons.</p> <p>➤ Temperature of the area is reported to be 18°C to a maximum of 42°C during summer.</p> <p>➤ Rainfall of this area is about 800mm to 900 mm during the both NE & SW monsoons.</p>
	b. General Geology of the Area	<p>: The area is underlain by the wide range of metamorphic rocks of peninsular gneissic complex. These rocks are extensively weathered and overlain by the recent valley fills and alluvium at places. The geological formations found in the district are Archaean rocks like Gneisses, Granites, Charnockites basic granulites and calc-gneisses. The younger formations are Quartz veins and pegmatite.</p> <p>The rock type noticed in the area for lease is Charnockite which contains mostly Quartz and Feldspar with some ferromagnesian minerals. The Charnockite is part of peninsular Gneisses, a high grade metamorphic rock.</p> <p>The strike of the Charnockite formation is N45°E -S45°W with dipping towards SE80°.</p> <p>The general geological succession of the area is given as under.</p>

K. Ganesh Kumar

7



				AGE Recent Archaean ROCK TYPE Gravelly soil Unconformity Dolerite dyke Charnockite. Peninsular Gneissic complex and Calc Gneiss
4.2		Details of Exploration already carried out if any	:	No exploration was carried out, as the Rough stone formations are clearly visible from existing quarry pit.
4.3	a.	Estimation of Reserves	:	The Geological and Recoverable reserves are estimated by cross sectional method. Totally three sections have been drawn, one section drawn length wise as (X-Y), and another two sections drawn width wise as (A-B), (C-D) to cover maximum area considered for lease. The Plans and Sections have been drawn with a scale of 1:1000 and 1:500 respectively. Please refer plate No.III.

a. Geological Resources

The quarrying is restricted up to a depth of 43m below ground level only, availability of resources is given below.

Table No-1

Section	Bench	length in (m)	Width in (m)	Depth in (m)	Volume m ³	Gravel in m ³	Geological Resources Rough stone in m ³
XY-AB	I	25	74.5	3	5588	5588	
	II	25	74.5	5	9313		9313
	III	53	127	5	33655		33655
	IV	53	127	5	33655		33655
	V	53	127	5	33655		33655
	VI	53	127	5	33655		33655
	VII	53	127	5	33655		33655
	VIII	53	127	5	33655		33655
	IX	53	127	5	33655		33655
Total						5588	244898
XY-CD	I	121	110	3	39930	39930	
	II	121	110	5	66550		66550
	III	121	110	5	66550		66550
	IV	121	110	5	66550		66550
	V	121	110	5	66550		66550
	VI	121	110	5	66550		66550
	VII	121	110	5	66550		66550
	VIII	121	110	5	66550		66550
	IX	121	110	5	66550		66550
Total						39930	532400
Grand Total						45518	777298

K. Srinivas Reddy



Gravel Formation : 45,518m³
 The Geological Resources of Rough stone : 7,77,298m³

b. Already excavated

The area has been quarried in earlier operation the existing pit dimension are given below.

Table No-2

Pit No	length (Max) in(m)	Width (Max) in (m)	Depth (Max) in (m)
I	53	20	8m below ground level

c. Available Mineable Reserve

The available mineable reserve calculated by deducting 7.5m safety distance and bench loss.

Table No-3

Section	Bench	Length in (m)	Width in (m)	Depth in (m)	Volume in m ³	Gravel in m ³	Mineable Reserves of Rough stone in m ³
XY-AB	I	16	58	3	2784	2784	
	II	12	54	5	3240		3240
	III	35	90	5	15750		15750
	IV	30	80	5	12000		12000
	V	25	70	5	8750		8750
	VI	20	60	5	6000		6000
	VII	15	50	5	3750		3750
Total						2784	49490
XY-CD	I	112	92	3	30912	30912	
	II	107	83	5	44405		44405
	III	102	73	5	37230		37230
	IV	97	63	5	30555		30555
	V	92	53	5	24380		24380
	VI	87	43	5	18705		18705
	VII	82	33	5	13530		13530
	VIII	77	23	5	8855		8855
	IX	67	13	5	4355		4355
Total						30912	182015
Grand Total						33696	231505

The available mineable reserve is computed as 2,31,505m³ of Rough stone and 33,696m³ of Gravel formation upto a depth 43m below ground level only.

K. Jaganmohan



5.0 Mining:	
5.1	Method of Mining : 1. Opencast method of semi mechanized mining with 5.0m height 5m width of the bench. 2. However, as far as the quarrying of Rough stone is concerned, observance of the provisions of Regulation 106(2) (b) as above is seldom possible due to various inherent petrogenetic factors coupled with mining difficulties. Hence it is proposed to obtain relaxation to the provisions of the above regulation from the Director of mines safety for which necessary provision is available with the regulation 106 (2) (b) of MMR-1961, under Mine Act-1952.
5.2	Mode of Working : The rough stone is proposed to quarry 5m bench height, 5m width with conventional opencast semi-Mechanized method. The quarry operation involves shallow jack hammer drilling, slurry blasting, excavation, Loading and transportation of Rough stone to the needy crushers/other buyers. The production of Rough stone in this quarry involves the following method which is typical for Rough Stone quarrying in contrast to other major mineral mining. Splitting of rock mass of considerable volume from the parent rock mass by jackhammer drilling and blasting, hydraulic excavators are used for loading the Rough Stone from pithead to the needy crushers/other buyers. Occasionally hydraulic excavators are attached with rock breakers for fragmentation to avoid secondary blasting. The primary boulders thus splitted are removed from the pits by excavators and further made to smaller sizes by rock breakers attached in excavators. It is a conventional opencast semi mechanized method of mining.
5.3	Proposed bench height & Width : Quarrying of Rough Stone is proposed bench height of 5m and bench width of 5m.

K. D. Narayanaiah

10

132



5.4	Details of Overburden / Mineral Production proposed for the first 5 years.	:	The overburden in the form of Gravel, after the excavation of Gravel and Rough stone will be directly loaded into tipper to the needy crushers/other buyers for road project and construction works for filling and leveling of low lying areas.
-----	--	---	--

The Yearwise Production and Development Table

Table No -4

Year	Section	Bench	Length in (m)	Width in (m)	Depth in (m)	Volume in m ³	Gravel in m ³	Mineable reserve of Rough stone in m ³
I	XY-AB	I	16	58	3	2784	2784	
		II	12	54	5	3240		3240
		III	35	90	5	15750		15750
	XY-CD	I	35	92	3	9660	9660	
		II	35	83	5	14525		14525
		III	35	73	5	12775		12775
Total							12444	46290
II	XY-CD	I	60	92	3	16560	16560	
		II	60	83	5	24900		24900
		III	60	73	5	21900		21900
	Total							16560
III	XY-CD	I	17	92	3	4692	4692	
		II	12	83	5	4980		4980
		III	7	73	5	2555		2555
		IV	97	63	5	30555		30555
	XY-AB	IV	21	80	5	8400		8400
Total							4692	46490
IV	XY-AB	IV	9	80	5	3600		3600
		V	25	70	5	8750		8750
		VI	20	60	5	6000		6000
		VII	15	50	5	3750		3750
	XY-CD	V	92	53	5	24380		24380
Total								46480
V	XY-CD	VI	87	43	5	18705		18705
		VII	82	33	5	13530		13530
		VIII	77	23	5	8855		8855
		IX	67	13	5	4355		4355
Total								45445
Grand Total							33696	231505

The applicant has proposed to carry out 2,31,505m³ of Rough stone and 33,696m³ of Gravel formation upto a depth of 43m below ground level for the period of five years.

K. J. ...



5.5	Machineries to be used																			
a.	Drilling	: It is proposed to use following machineries for quarrying rough stone																		
	<table border="1"> <thead> <tr> <th>S.No</th> <th>Type</th> <th>Nos</th> <th>Dia Hole mm</th> <th>Make</th> <th>Motive power</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Jack hammer</td> <td>5</td> <td>32</td> <td>Atlas Copco</td> <td>Compressed air</td> </tr> <tr> <td>2</td> <td>Compressor</td> <td>2</td> <td>-</td> <td>Atlas Capco</td> <td>Diesel Drive</td> </tr> </tbody> </table>	S.No	Type	Nos	Dia Hole mm	Make	Motive power	1	Jack hammer	5	32	Atlas Copco	Compressed air	2	Compressor	2	-	Atlas Capco	Diesel Drive	
S.No	Type	Nos	Dia Hole mm	Make	Motive power															
1	Jack hammer	5	32	Atlas Copco	Compressed air															
2	Compressor	2	-	Atlas Capco	Diesel Drive															
b.	Loading	: Excavator of 0.90m ³ bucket capacity (with Rock breaker attachment) (1No).																		
c.	Transportation	: Tipper 3Nos (5/10Ts) capacity.																		
5.6	Disposal of Overburden	: The overburden in the form of Gravel, after the excavation gravel will be directly loaded into tipper to the needy buyers for road project and construction works for filling and leveling of low lying areas.																		
5.7	Brief Note on Conceptual Mining Plan for the entire lease period	: <p>Conceptual Mining Plan is prepared with an object of five years of systematic development of bench lay outs, selection of ultimate pit limit, depth of quarrying, ultimate pit slope, selection of sites for construction of infrastructures etc.</p> <p>Ultimate pit size is designed based on certain practical factors such as the economical depth of mining, safety zones, permissible areas etc.</p> <p>Ultimate Pit dimension is given as under,</p> <table border="1"> <thead> <tr> <th colspan="4">Ultimate Pit dimension (M) end of Mining plan Period</th> </tr> <tr> <th>Pit No</th> <th>Length (max) in (m)</th> <th>Width (Avg) in (m)</th> <th>Depth(max) in(m)</th> </tr> </thead> <tbody> <tr> <td>I</td> <td>159</td> <td>100</td> <td>43</td> </tr> </tbody> </table> <p>Afforestation has been proposed on all along the boundary barrier by planting trees.</p> <p>All the baseline information studies like Air Quality monitoring, Noise and Vibration monitoring, Water Analysis studies will be carried out every year as per the MOEF norms.</p>	Ultimate Pit dimension (M) end of Mining plan Period				Pit No	Length (max) in (m)	Width (Avg) in (m)	Depth(max) in(m)	I	159	100	43						
Ultimate Pit dimension (M) end of Mining plan Period																				
Pit No	Length (max) in (m)	Width (Avg) in (m)	Depth(max) in(m)																	
I	159	100	43																	


K. Jaganmouli



6.0 Blasting:

6.1 Blasting Pattern : The massive formation shall be broken into pieces of portable size by drilling and blasting using jack hammers and shot hole blasting. Powder factor of explosives for breaking such hard rock shall be in the order of 6 to 7 Tonnes per K.g of explosives. Blasting parameters are as follows.

Diameter of the hole	Spacing	Depth	Burden for hole	Pattern of hole	Inclination of hole
32-36mm	0.6m	1 to 1.5m	0.6m	Zig Zag	70° from the horizontal



6.2 Types of Explosives : Small dia, 25mm slurry explosive are proposed to be used for shattering and heaving effect for removal and winning of Rough stone. No deep hole drilling or primary blasting is proposed.

K. Jagan Mohan



6.3	Measures proposed to minimize ground vibration due to blasting	<p>➤ Controlled blasting measures will be adopted for minimizing ground vibration and fly rock.</p> <p>➤ Shallow depths jackhammer drilling and blasting is proposed to be carried out with minimum use of explosive mainly to give shattering effect in rough stone for easy excavation and to control fly rock.</p> <table border="1" data-bbox="790 582 1364 795"> <tr> <td>Number of holes</td> <td>: 138</td> </tr> <tr> <td>Powder factor</td> <td>: 6Ts/Kg of explosives</td> </tr> <tr> <td>Total explosive required</td> <td>: 69Kg slurry explosives</td> </tr> <tr> <td>Charge / hole</td> <td>: 0.5Kg</td> </tr> <tr> <td>Blasting time</td> <td>: 12-2 Pm</td> </tr> </table>	Number of holes	: 138	Powder factor	: 6Ts/Kg of explosives	Total explosive required	: 69Kg slurry explosives	Charge / hole	: 0.5Kg	Blasting time	: 12-2 Pm
Number of holes	: 138											
Powder factor	: 6Ts/Kg of explosives											
Total explosive required	: 69Kg slurry explosives											
Charge / hole	: 0.5Kg											
Blasting time	: 12-2 Pm											
6.4	Storage of Explosives and safety measures to be taken while blasting.	<p>➤ The applicant will engage an authorized explosive agency to carry out the small amount of blasting and it will be supervised by competent and statutory foreman/ mines manager.</p> <p>➤ The applicant ensure that will appoint the Mate (Should have Valid Blaster Certificate) during Blasting Operation.</p>										

7.0 Mine Drainage:

7.1	Depth of Water table	<p>The ground water table is reported as 66m below ground level. In the proposed mining plan only 43m (below ground level) depth has been envisaged as workable depth for safe & economic quarrying for the entire lease period. Hence the quarrying operation may not affect the ground water.</p>
7.2	Arrangement and Places where the mine water is finally proposed to be discharged	<p>The ground water may not rise immediately in this type of mining. However, the rain water percolation and collection of water from the seepage shall be less than 300lpm and it shall be pumped about periodically by a stand by diesel powered Centrifugal pump motivated with 7.5H.P.Motor. The quality of water is potable and it is not contaminated with any hazardous things. Hence, water stored in the quarry pit will be pumped into the adjacent agricultural fields. Further the water stored in the old pit will also be used for plantation purposes.</p>

K. Prabhakaran



8.0 Other Permanent Structures:		
8.1	Habitations / Village	: There are no habitations within a radius of 300m.
8.2	Power lines (HT/LT)	: There is no Power line (HT/LT) passing within a radius of 50m.
8.3	Water bodies (River, Pond, Lake, Odai, Channel etc)	: There is Kulam situated on eastern side and is 70m away from the area. There are no water bodies like rivers, odai, etc., located within a radius of 500m.
8.4	Archeological / Historical Monuments	: There are no Archeological / Historical Monuments within a radius of 300m.
8.5	Road (NH, SH, Village Road etc)	: The National Highway (NH-32) Thindivanam – Thoothukudi is about 8km on northwestern side of the area. The State Highway (SH-136) Vellemedupettai – Puducheery is about 0.5Km on northeastern side of the area.
8.6	Places of Worship	: There are no Places of Worship within a radius of 50m.
8.7	Reserved Forest / Forest / Social Forest / Wild Life Sanctuary etc.,	: There is no Reserved Forest / Wild Life Sanctuary etc., within a radius of 1Km.
8.8	Any Interstate Border, Protected areas under the Wild Life (Protection) Act, 1972, Critically Polluted Areas as Identified by Central Pollution Control Board and Notified Eco sensitive areas	: There are No inter State border within a radius of 3.8Kms.
8.9	Any Other Structures	: Nil

K. J. N. S. S. S.

15


137



9.0 Employment Potential & Welfare Measures:

9.1 Employment Potential (Management & Supervisory personal)

The proposed organization chart



1.	Skilled	Mines Manager	1 No.
		Foreman / Mate	2 No.
		Operator	7 No.
		Mechanic	1 No.
2.	Semi-skilled	Driver	3 No.
3.	Unskilled	Labours	12Nos
Total =			26Nos

Allowing 10% absentee, the no. of men of roll will be around 23.

The above man power is adequate to meet out the production schedule and the machinery strength envisaged in the mining plan and to comply the statutory provisions of Mines Safety Regulations.

- **It is been ensured that, child labours under 18 years of age will not be engaged for quarrying operation.**
- **Necessary life insurance policies will be taken by the applicant to all the employees up to the end of the lease period.**

9.2 Welfare Measures

a. Drinking Water : Packaged drinking water is available from the nearby approved water vendors in Karasanur village which is about 0.7Km on northern side of the area.

K. D. ...

15 MAR 2024

	b. Sanitary facilities	: Semi-permanent latrines & urinals shall be maintained at convenient places for use of labours as per the provisions of Rule (33) of the Mines Rules, 1960 separately for males and females. Washing facilities shall also be arranged as per rule (36) of the Mines Rules, 1960.
	c. First Aid Facility	: First aid kits are kept in Mines office room, in case of such eventualities the victim will be given first aid immediately at the site and injured person will be taken to the hospital. Hospital is available at distance of 8.2Km (SE) in Vanur the competent and Statutory foreman/ permit manager will be in charge of first aid.
	d. Labour Health	: As per Mines Rule, Periodic medical examination related to occupational health safety will be conducted to all the workers in applicant's own cost.

e. Precautionary safety measures to the Labourers:

Safety provisions like helmet, goggles, safety shoes, Dust mask, Ear muffs etc., have to be provided as per the circulars and amendments made for Mine labours under the guidance of DGMS being a mechanized operation.

Necessary training will be conducted once in a year to all the employees with the help of qualified and experienced officers to train about the safe and systematic quarrying operation.



K. Jagan Mohan Reddy



PART - B

10.0 Environmental Management Plan:

10.1	Existing Land Use Pattern	<p>: 1. The area exhibits almost plain topography covered by Gravel formation.</p> <p>2. Quarrying operation is proposed up to a depth of 43m below ground level for the proposed mining plan period.</p> <p>3. Fluctuation of Water table in this area is in between 66m and 63m during a year.</p> <p>4. This region receives the average annual rainfall of 800mm to 900mm. The surrounding area is practiced by the seasonal cultivation.</p> <p>The existing land use pattern is given as under.</p> <p align="center">Table No-5</p> <table border="1" data-bbox="694 862 1412 1120"> <thead> <tr> <th>Sl. No.</th> <th>Land Use</th> <th>Present Area (Ha)</th> <th>Area in use during the quarrying period (Ha)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Quarrying Pit</td> <td>0.10.6</td> <td>1.59.0</td> </tr> <tr> <td>2.</td> <td>Infrastructure</td> <td>Nil</td> <td>0.01.0</td> </tr> <tr> <td>3.</td> <td>Roads</td> <td>0.01.0</td> <td>0.02.0</td> </tr> <tr> <td>4.</td> <td>Green Belt</td> <td>Nil</td> <td>0.40.5</td> </tr> <tr> <td>5.</td> <td>Unutilized</td> <td>1.90.9</td> <td>Nil</td> </tr> <tr> <td colspan="2">Total =</td> <td>2.02.5</td> <td>2.02.5</td> </tr> </tbody> </table>	Sl. No.	Land Use	Present Area (Ha)	Area in use during the quarrying period (Ha)	1.	Quarrying Pit	0.10.6	1.59.0	2.	Infrastructure	Nil	0.01.0	3.	Roads	0.01.0	0.02.0	4.	Green Belt	Nil	0.40.5	5.	Unutilized	1.90.9	Nil	Total =		2.02.5	2.02.5
Sl. No.	Land Use	Present Area (Ha)	Area in use during the quarrying period (Ha)																											
1.	Quarrying Pit	0.10.6	1.59.0																											
2.	Infrastructure	Nil	0.01.0																											
3.	Roads	0.01.0	0.02.0																											
4.	Green Belt	Nil	0.40.5																											
5.	Unutilized	1.90.9	Nil																											
Total =		2.02.5	2.02.5																											
10.2	Water Regime	<p>: Water table in this area is noticed at a depth of 66m and presently, in the proposed mining plan only 43m (below ground level) depth has been envisaged as workable depth for safe & economic quarrying for the entire lease period. hence, it will not affect the ground water depletion of this area.</p>																												
10.3	Flora and Fauna	<p>: Except acacia bushes, no other valuable trees are noticed in the applied area. Further, neither flora of botanical interest nor fauna of zoological interest is noticed in this area.</p>																												
10.4	Climatic conditions	<p>: Generally subtropical climatic condition prevails throughout the year and there is no sharp variation in climate.</p> <p>This District receives rain both in south west and north east monsoon.</p> <p>The average rainfall is about 800mm to 900mm and the temperature ranges from 18°C during winter and to a maximum of 42°C during the summer.</p>																												

K. Srinivasiah



10.5	Human Settlement	<p>: The nearest habitations with the population is given as under.</p> <p style="text-align: center;">Table No-6</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">S. No</th> <th style="width: 30%;">Name of the Village</th> <th style="width: 30%;">Approximate distance & Direction from lease applied area</th> <th style="width: 30%;">Approximate population</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Parangani</td> <td>2.8Km - NE</td> <td>500</td> </tr> <tr> <td>2.</td> <td>Perumbakkam</td> <td>1.9km - NW</td> <td>400</td> </tr> <tr> <td>3.</td> <td>Thollamur</td> <td>2.2km - SE</td> <td>600</td> </tr> <tr> <td>4.</td> <td>Eraiyyur</td> <td>1.7km - SW</td> <td>800</td> </tr> </tbody> </table>	S. No	Name of the Village	Approximate distance & Direction from lease applied area	Approximate population	1.	Parangani	2.8Km - NE	500	2.	Perumbakkam	1.9km - NW	400	3.	Thollamur	2.2km - SE	600	4.	Eraiyyur	1.7km - SW	800
S. No	Name of the Village	Approximate distance & Direction from lease applied area	Approximate population																			
1.	Parangani	2.8Km - NE	500																			
2.	Perumbakkam	1.9km - NW	400																			
3.	Thollamur	2.2km - SE	600																			
4.	Eraiyyur	1.7km - SW	800																			
10.6	Plan for Air, Dust Suppression	<p>: Air or dust expected to be generated from drilling process, hauling roads, places of excavation etc., will be suppressed by periodical wetting of land by water spraying. Wet drilling and dust extractor arrangements will be provided to drilling units so as to control raise of dust from the site of drilling. Operators, those exposed directly to such conditions will be provide such protective equipment like mask, ear plug, helmet, gloze etc., as per the Mines Act.</p>																				
10.7	Plan for Noise Control	<p>: Quarrying of Rough Stone will be carried out by drilling and blasting by using low power explosives, and hence, noise will be very minimum. However, periodical noise level monitoring will be carried out to check the noise level in and around the quarry site. Nowhere the noise level should exceed the permissible limit of 80db during the quarry working hours.</p>																				
10.8	Environmental Impact Assessment Statement Describing Impact on mining on the next Five years	<p>: The mining plan proposed is for a small production of Rough stone without involving deep hole drilling and heavy blasting. Such limited mining activity is not likely to cause any impact adversely on environment as far as pollution of air, water and noise is concerned, anyhow environmental impact studies will be conducted as per EIA notification issued by MOEF.</p>																				

K. S. [Signature]

10.9	Proposal for Waste Management	:	There is no waste anticipated in this rough stone quarry operation.
10.10	Proposal of Reclamation of Land affected during mining activities and at the end of mining.	:	In the proposed mining plan 43m (below ground level) depth has been envisaged as workable depth for safe & economic mining during the lease period. Hence, after quarry reaches ultimate pit limit (for this lease period) of 43m depth, fencing will be constructed around the quarried pits to prevent inherent entry of the public and cattle.
10.11	Program for Afforestation	:	The 7.5m safety distance along the lease boundary has been identified to be utilized for afforestation. Appropriate native species of Neem/Pungan trees will be planted in the first year. Nearly 4050Sqm area is proposed to use under afforestation by planting 486nos of Neem/Pungan trees during first year with an anticipated survival rate of 80%. The Quarry landuse, layout and afforestation plan is shown in Plate No.III.
10.12	Proposed Financial Estimate / Budget for (EMP) Environment Management		
	A. Fixed Asset Cost:		
	1. Land Cost (600000/1Ha)=		Rs. 12,15,000
	2. First aid room and accessories		Rs.1,00,000
	3. Labour Shed		Rs.1,00,000
	4. Sanitary Facility		Rs.1,00,000
	Total=		Rs. 15,15,000/-
	B. Operational Cost:		
	1. Machineries	:	Rs.50,00,000-
	2. Fencing cost	:	Rs. 1,50,000
	Total	:	Rs.51,50,000/-

K. Srinivasan

20

142



C.EMP Cost:	Budget Provision for the entire quarrying period.
	: Air Quality Sampling = Rs. 40,000/-
	: Water Quality Sampling = Rs. 40,000/-
	: Noise Monitoring = Rs. 20,000/-
	: Ground vibration test = Rs. 20,000/-
Expenditure	
1. Drinking water facility	Rs.1,00,000/-
2. Sanitary Arrangements	Rs. 50,000/-
3. Safety kids	Rs. 50,000/-
4. Water sprinkling	Rs. 1,00,000/-
5. Afforestation	Rs. 80,000/-
Total=	Rs. 5,00,000/-
Total Project Cost (A+B+C)	Rs. 71,65,000/-
CSR Cost(2% of Total Project Cost)	Rs. 1,43,300/-

11.0 Mine Closure Plan:

11.1	Steps proposed for phased restoration, reclamation of already mined out area.	: There is no proposal for back filling, reclamation and rehabilitation. The quarried pits after the end of the life of lease will be fenced to prevent inherent entry of public and cattles.
11.2	Measures to be under taken on mine closure as per Act & Rules	: Measures will be taken as per the Acts and Rules. The quarried pit will be fenced by using Barbed wire fencing to prevent inherent entry of public and cattle.
11.3	Mitigation measures to be undertaken for safety and restoration/ reclamation of the already mined out area	: Mitigation measures: Drilling will be carried out by wet drilling mode to control the dust propagation into the air. Blasting will be carried out on limited scale. Mist Water spraying on haul road is proposed to prevent the dust propagation into the air.

K. Srinivas Reddy

21

143



12.0 Any Other Details Intend to Furnish by the Applicant:

- (i) Permission will be obtained from the District Mines Office to extract the Rough Stone from the Boundary barriers and for slopes.
- (ii) Care and precautionary measures will be taken for the safety of workers as per Rules and Acts.
- (iii) The applicant will endeavor every attempt to quarry the Rough Stone economically without any wastage and to improve the environment and ecology.
- (iv) The Mining Plan is prepared by incorporating the conditions stipulated in the precise area communication issued and relevant mining laws in force.
- (v) Any violation pointed out by the inspecting authorities shall be rectified as per the guidelines of the Department.

Prepared by

C. Natarajan
C.Natarajan, M.Sc.,M.Phil.,
Qualified Person

C.NATARAJAN M.Sc.,M.Phil.,
Qualified Person

Place : Salem
 Date : 14.03.2024

This mining plan is prepared based on the instructions and guidelines issued by the Director, Department of Geology and Mining, Chennai vide order No. 15/03/2024 dated 19-11-2022 and based on the conditions laid by the Assistant Director, Geology and Mining, Viluppuram in precise area communication.

Re.No. A/UMM/82/2024 Dated: 15.03.2024

S. Jeyaraj
 Assistant Director,
 Geology and Mining,
 Viluppuram.

Dated :

hi
 15.3.24

77
 15/03/24

K. Jayaraman 22

ந.க.எண். அ/புவி(ம)சர/82/2024
நாள்: 13.03.2024.

உதவி இயக்குநர்
புவியியல் மற்றும் சுரங்கத்துறை அலுவலகம்
விழுப்புரம்.



குறிப்பாணை

பொருள்: கனிமங்களும் குவாரிகளும் - சிறுகனிமம் - சாதாரண கற்கள் மற்றும் கிராவல் - விழுப்புரம் மாவட்டம் - வானூர் வட்டம் - கரசானூர் கிராமம் - பட்டா புல எண்கள். 171/1A (1.21.5) மற்றும் 171/1B (0.81.0) ஆகியவற்றில் 2.02.5 ஹெக்டேர் பரப்பளவில் ஐந்தாண்டுகளுக்கு சாதாரண கற்கள் மற்றும் கிராவல் வெட்டியெடுக்க குவாரி குத்தகை அனுமதி கோரி திருமதி.க.ராஜாமணி, த/பெ.குப்புசாமி என்பவர் விண்ணப்பம் செய்தது - குவாரி குத்தகை உரிமம் வழங்க பரிந்துரை செய்து அறிக்கை வரப்பெற்றது - தகுதியான நிலப்பரப்பாக கருதி ஏற்பளிக்கப்பட்ட சுரங்க திட்டம் மற்றும் சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணைய இசைவினை பெற்று சமர்ப்பிக்கக் கோருதல் - தொடர்பாக.

- பார்வை:**
1. திருமதி.க.ராஜாமணி, க/பெ.குப்புசாமி, 168, மேட்டு தெரு, கரசானூர் கிராமம், வானூர் வட்டம், விழுப்புரம் மாவட்டம் என்பவரது விண்ணப்பம் நாள்.26.02.2024.
 2. வருவாய் கோட்டாட்சியர், விழுப்புரம் கடித எண். ந.க.அ4/470/2024, நாள்.13.03.2024.
 3. விழுப்புரம் மாவட்ட புவியியல் மற்றும் சுரங்கத்துறை உதவி இயக்குநர் அவர்களின் புலத்தணிக்கை அறிக்கை நாள்: 13.03.2024.

---000---

விழுப்புரம் மாவட்டம், வானூர் வட்டம், கரசானூர் கிராமத்தைச் சேர்ந்த திருமதி.க.ராஜாமணி, க/பெ.குப்புசாமி என்பவர் வானூர் வட்டம், கரசானூர் கிராமம் - பட்டா புல எண்.171/1A (1.21.5) மற்றும் 171/1B (0.81.0) ஆகியவற்றில் 2.02.5 ஹெக்டேர் பரப்பளவில் ஐந்தாண்டுகளுக்கு சாதாரண கற்கள் மற்றும் கிராவல் குவாரி குத்தகை அனுமதி கோரி பார்வை 1-ல் காணும் விண்ணப்பம் சமர்ப்பித்துள்ளார்.

மேற்படி விண்ணப்பம் தொடர்பாக, விழுப்புரம் வருவாய் கோட்டாட்சியர் மற்றும் விழுப்புரம் மாவட்ட புவியியல் மற்றும் சுரங்கத்துறை, உதவி இயக்குநர் ஆகியோரின் அறிக்கையில் விழுப்புரம் மாவட்டம், வானூர் வட்டம், கரசானூர் கிராமம், பட்டா புல எண்கள். 171/1A (1.21.5) மற்றும் 171/1B (0.81.0) ஆகியவற்றில் 2.02.5 ஹெக்டேர் பரப்பளவில் உள்ள பட்டா நிலத்தில் திருமதி.க.ராஜாமணி, த/பெ.குப்புசாமி என்பவருக்கு ஐந்தாண்டுகளுக்கு சாதாரணக்கற்கள் மற்றும் கிராவல் குவாரி உரிமம் வழங்க

K.ராஜாமணி



கீழ்க்கண்ட நிபந்தனைகளுக்குட்பட்டு அனுமதி வழங்கலாம் என
செய்துள்ளனர்.

- i. விண்ணப்ப புலன்களின் அருகில் உள்ள பட்டா நிலங்களுக்கு 7.5 மீட்டர் பாதுகாப்பு இடைவெளியும் மற்றும் அரசு புறம்போக்கு நிலங்களுக்கு 10 மீட்டர் பாதுகாப்பு இடைவெளியும் விட்டு குவாரிப்பணி மேற்கொள்ளப்பட வேண்டும்.
- ii. குவாரிப்பணி மேற்கொள்ளும் போது அருகிலுள்ள அரசு புறம்போக்கு மற்றும் பட்டா நிலங்களுக்கு எவ்வித இடையூறும் இல்லாமல் குவாரிப்பணி செய்ய வேண்டும்.
- iii. குவாரி குத்தகை வழங்கும் முன்பு விண்ணப்பித்துள்ள இடத்தினை DGPS சர்வே பணி மேற்கொண்டு அதன் அறிக்கையை சமர்ப்பிக்க வேண்டும்.
- iv. தமிழ்நாடு சிறுகனிம சலுகை விதிகள் 1959 விதி-41ன்படி தகுதிவாய்ந்த நபரால் சுரங்க திட்டம் தயார் செய்து துணை இயக்குநர் அவர்களின் ஒப்புதல் பெறவேண்டும்.
- v. தமிழ்நாடு சிறுகனிம சலுகை விதிகள் 1959 விதி-42ன்படி மாநில சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணையத்திடமிருந்து சுற்றுச்சூழல் சான்று பெற்று சமர்ப்பிக்கப்படவேண்டும்.

எனவே, விழுப்புரம் வருவாய் கோட்டாட்சியர் மற்றும் விழுப்புரம் மாவட்ட புவியியல் மற்றும் சுரங்கத்துறை, உதவி இயக்குநர் ஆகியோரின் பரிந்துரை அறிக்கையின் அடிப்படையில் விழுப்புரம் மாவட்டம், வானூர் வட்டம், கரசானூர் கிராமம், பட்டா புல எண்கள். 171/1A (1.21.5) மற்றும் 171/1B (0.81.0) ஆகியவற்றில் 2.02.5 ஹெக்டேர் பரப்பளவில் 1959-ம் வருட தமிழ்நாடு சிறுகனிம விதிகள், விதி எண்.19-ன்படி மேற்கண்ட நிபந்தனைகளுக்குட்பட்டு 5 (ஐந்து) வருட காலத்திற்கு திருமதி.கராஜாமணி, க/பெ.குப்புசாமி என்பவருக்கு சாதாரணக்கற்கள் மற்றும் கிராவல் குவாரி உரிமம் வழங்குவதற்குரிய தகுதியான நிலப்பரப்பாக கருதப்படுகிறது.


அதன் அடிப்படையில், தமிழ்நாடு சிறு கனிம சலுகை விதிகள் 1959 விதி எண்.41-ன்படி குவாரிப்பணி மேற்கொள்வது தொடர்பாக வரைவு சுரங்க திட்டத்தினை தகுதிவாய்ந்த நபர் (QP) மூலமாக கீழ்க்கண்ட நிபந்தனைகளுக்குட்பட்டு தயாரித்து அதனை 90 தினங்களுக்குள் உதவி இயக்குநர் (புவியியல் மற்றும் சுரங்கத்துறை) அவர்களின் பரிசீலனைக்கு சமர்ப்பிக்குமாறு விண்ணப்பதாரரை கேட்டுக்கொள்ளப்படுகிறது. மேலும் ஏற்பளிக்கப்பட்ட சுரங்கத்திட்டத்தின் தொடர்ச்சியாக 1959ம் வருடத்திய தமிழ்நாடு சிறுகனிம சலுகை விதிகள், விதி எண்.42-ன்படி சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணையத்தின் தடையின்மை சான்று பெற்று சமர்ப்பிக்கும் பட்சத்தில் மட்டுமே குவாரி உரிமம் வழங்கப்படும் என இதன் மூலம் தெரிவிக்கப்படுகிறது.

K. ராஜாமணி



- i. விண்ணப்ப புலன்களின் அருகில் உள்ள பட்டா நிலங்களுக்கு 7.5 மீட்டர் பாதுகாப்பு இடைவெளியும் மற்றும் அரசு புறம்போக்கு நிலங்களுக்கு 10 மீட்டர் பாதுகாப்பு இடைவெளியும் விட்டு குவாரிப்பணி மேற்கொள்ளப்பட வேண்டும்.
- ii. குவாரிப்பணி மேற்கொள்ளும் போது அருகிலுள்ள அரசு புறம்போக்கு மற்றும் பட்டா நிலங்களுக்கு எவ்வித இடையூறும் இல்லாமல் குவாரிப்பணி செய்ய வேண்டும்.
- iii. குவாரி குத்தகை வழங்கும் முன்பு விண்ணப்பித்துள்ள இடத்தினை DGPS சர்வே பணி மேற்கொண்டு அதன் அறிக்கையை சமர்ப்பிக்க வேண்டும்.



உதவி இயக்குநர்,
புவியியல் மற்றும் சுரங்கத்துறை,
விழுப்புரம்.


13.8.24.

பெறுநர்
திருமதி.க.ராஜாமணி,
ச/பெ.குப்புசாமி,
168, மேட்டு தெரு,
கரசானூர் கிராமம்,
வானூர் வட்டம்,
விழுப்புரம் மாவட்டம்.

நகல்:-

1. மாநில சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணையம், சென்னை.
2. ஆணையர், புவியியல் மற்றும் சுரங்கத்துறை, கிண்டி, சென்னை.



District : Viluppuram

Taluk : Vanur

Village : Karasanur [50]




Survey No : 171

Area : Hect 04 Ares 74.50

Scale : 1 : 2691

15 MAR 2024



201301361
Sain

கிராம தீர்வாக அனுப்பப்
பிறப்பு & இறப்பு தீர்வுகள்
50.கரசானூர் கிராமம்,
வாணூர் வட்டம்

LEASE APPLIED AREA

Signed By Tahsildar

Name of approver : vanta

Date of Approval : 16-06-2017



Date of Issue: 26-02-2024 11:09:35

Survey and Settlement Department, Government of TamilNadu

148

240 (v.2)
272

K. Vasanthakumari



Handwritten notes on the left side of the map.

Handwritten notes on the left side of the map.

Vertical handwritten notes on the right side of the map.



K. g... (Handwritten text)

LEASE APPLIED AREA

149



தமிழ்நாடு அரசு

வருவாய்த் துறை

நில உரிமை விபரங்கள் : இ. எண் 10(1) பிரிவு

மாவட்டம் : விழுப்புரம்

வட்டம் : வானூர்

வருவாய் கிராமம் : கரசானூர்

பட்டா எண் : 1668

உரிமையாளர்கள் பெயர்

1. சின்னையாக் கவுண்டர்

மகன்

கணேசன்

புல எண்	உட்பிரிவு	புன்செய்		நன்செய்		மற்றவை		குறிப்புரைகள்
		பரப்பு	தீர்வை	பரப்பு	தீர்வை	பரப்பு	தீர்வை	
		ஹெக் - ஏர்	ரூ - பை	ஹெக் - ஏர்	ரூ - பை	ஹெக் - ஏர்	ரூ - பை	
171	1A	1 - 21.50	5.10	--	--	--	--	2022/0103/07/300741- -- -- 03-09-2022
171	1B	0 - 81.00	3.40	--	--	--	--	2023/0103/07/321130- -- -- 28-02-2023
		2 - 2.50	8.50					

குறிப்பு 2 :



1. மேற்கண்ட தகவல் / சான்றிதழ் நகல் விவரங்கள் மின் பதிவேட்டிலிருந்து பெறப்பட்டவை. இவற்றை தாங்கள் <https://eservices.tn.gov.in> என்ற இணைய தளத்தில் 07/02/050/01668/20001 என்ற குறிப்பு எண்ணை உள்ளீடு செய்து உறுதி செய்துகொள்ளவும்.
2. இத் தகவல்கள் 24-02-2024 அன்று 02:18:18 PM நேரத்தில் அச்சடிக்கப்பட்டது.
3. கைப்பேசி கேமராவின் 2D barcode படிப்பான் மூலம் படித்து 3G/GPRS வழி இணையதளத்தில் சரிபார்க்கவும்

K. ராஜாணி

1433 ஆம் பசலியில்

VP

மாவட்டம்

VAV



நில வரித் திட்டத்தின்படி புலன்களின் விபரம்.					கைப்பற்று தாரகுடைய பெயரும் எண்ணும் அல்லது அனுபேசு தாரகுடைய பெயர்.	மூதல் போகம்.						
நில அளவை ஏன்.	உட்பிரிவு எண்.	பரப்பு.	திர்வை.	ஒரு போகம் அல்லது இது போகம்.		சாகுபடி யங்களின் பெயர்.	நிலத்தின் எந்த பகுதி யாவது சாகுபடியானதால் பயிரிடப்பட்டுள்ளது.	எந்த மாதத்தில் பயிர் செய்யப்பட்டது எந்த மாதத்தில் அறுவடை செய்யப்பட்டது.	பயிரின் பெயர்.	பயிரை / அறுவடை யான பரப்பு.	உணவையரண் பாப்ச்சல் அளவு.	விளைச்சல் அளவு விழுக்காடு.
171	1A	0815	510	1668	நீலமேட்டி			R304	-	-		
	1B	0810	340	11				R304	-	-		
சீர்திருத்தம்					/ 201001500 /							
சீர்திருத்தம்					/ சீர்திருத்தம் மற்றும் புலன்களின் கட்டுரை /							

தமிழ்நாடு அரசு
 விவசாய அமைச்சர்
 விவசாய அமைச்சர்
 விவசாய அமைச்சர்

மாவுட்டம் : விசுப்புரம்

வட்டம் : வானூர்

இராமை : கர்சூர்

ANNEXURE VI

15 MAR 2024

விசுப்புரம்

1. புல எண்	171	9. யண் வயனமும் ரகமும்	3-5
2. உட்பிரிவு எண்	1A	10. மண் தரம்	5
3. பரப்பளவு உட்பிரிவு எண்	63	11. தீர்வை (ரூ - ஹெ)	4.20
4. பகுதி	P	12. பரப்பு (ஹெக்டேர் - ஏர்)	1 * 24.56
5. அரசு / ரயத்துவாரி	ரயத்துவாரி	13. மொத்த தீர்வை (ரூ - பை)	5.10
6. நிலத்தின் வகை	புஞ்சை	14. பட்டா எண்	1668
7. பாசன ஆதாரம்	>	15. குறிப்பு	-
8. இடு போகமா	-	16. பெயர்	கடீணசன்

குறிப்பு 1:



மேற்கண்ட தகவல் / சான்றிதழ் நகல் விவரங்கள் யின் பதிவேட்டிலிருந்து பெறப்பட்டவை. இவற்றை தாங்கள் <https://eservices.tn.gov.in> என்ற இணைய தளத்தில் 07/02/050/171/1A/20001 என்ற குறிப்பு எண்ணை உள்ளீடு செய்து உறுதி செய்துகொள்ளவும்.

K. முத்துசாமி

அ-பதிவேடு விவரங்கள்

மாவட்டம் : விழுப்புரம்
வட்டம் : வானூர்
கிராமம் : கரசானூர்



1. புல எண்	172	9. மண் வயலுமும் ரகரூம் 3 - 2	
2. உட்பிரிவு எண்	1B	10. மண் தரம்	5
3. புறநாய புல. உட்பிரிவு எண்	63	11. தீர்வை (சூ - ஹெ)	4.20
4. பகுதி	ஈ	12. பரப்பு (ஹெக்டேர் - ஏர்)	5 - 21.25
5. அரசு / ரயத்துவாரி	ரயத்துவாரி	13. மொத்த தீர்வை (சூ - பை)	3.40
6. நிலத்தின் வகை	பஞ்சை	14. பட்டா எண்	1668
7. பாசன ஆதாரம்	=	15. ஒறிப்பு	=
8. இடு பேற்கயா	=	16. பெயர்	1.கணேசன்

குறிப்பு 1:



1.

நபிகள், தகவல் / சர்வதீகம் நகல் விவரங்கள் மின் பதிவேட்டிலிருந்து பெறப்பட்டவை. இவற்றை தாங்கள் <https://eservices.tn.gov.in> என்ற இணைய தளத்தில் 07/02/050/171/1B/20061 என்ற குறிப்பு எண்ணை உள்ளீடு செய்து உறுதி செய்துகொள்ளவும்.

K. ராஜாமணி.



தமிழ்நாடு தமிழ்நாடு TAMILNADU

₹100/-

கணேசன்
கராஜா

DM 182747

சென்னை நகராட்சி
சென்னை கலெக்டரின்
காணியம் எண். 2639/ B1/2008
தமிழ்நாடு.

1412
26.02.2024

குத்தகை ஆவணம்

2024-ஆம் ஆண்டு பிப்ரவரி மாதம் 26-ஆம் தேதி (26-02-2024) தமிழ்நாடு மாநிலம், விழுப்புரம் மாவட்டம், வானூர் வட்டம்-605 109, கரசானூர் கிராமம், மேட்டுத் தெரு, நெ.168 என்கிற முகவரியில் வசிக்கும் காலஞ்சென்ற சின்னையாக் கவுண்டர் அவர்களின் குமாரர் திரு.கி.கணேசன் (இந்திய அரசு, ஆதார் அடையாள அட்டை எண்.5184 8164 9249, செல் நெ.9655364231)- (குத்தகை விடுபவர்)-1-வது பார்ட்டி;

தமிழ்நாடு மாநிலம், விழுப்புரம் மாவட்டம், வானூர் வட்டம், கரசானூர் கிராமத்தில் வசிக்கும் திரு.கு.பி.சுபா கவுண்டர் அவர்களின் மனைவி திருமதி.க.ராஜாமணி ((இந்திய அரசு, ஆதார் அடையாள அட்டை எண்.4742 0145 0407, செல் நெ.9047685200) - (குத்தகை பெறுபவர்)-2-வது பார்ட்டி. ஆகிய நாம் இரு பார்ட்டிகளும் சேர்ந்து சம்மதித்து எழுதிக் கொண்ட குத்தகை ஆவணம்.

1வது பார்ட்டி

[Handwritten signature]

2வது பார்ட்டி

கராஜா கணேசன்
கராஜாமணி



என்னவென்றால் நம்மில் 1வது பார்ட்டிக்குச் சொந்தமான இதனடியில் சொத்து விபரத்தில் கண்டுள்ள சொத்தினை நம்மில் 2வது பார்ட்டி கல் உடைக்கும் தொழில் மற்றும் மலைமண் விற்பனை செய்ய 1வது பார்ட்டியை அணுகி குத்தகைக்கு கேட்டு அதற்கு 1வது பார்ட்டியும், 2வது பார்ட்டிக்கு குத்தகைக்கு விட ஒப்புக் கொண்டு கீழ்க்கண்ட நிபந்தனைகளின்படி நாம் இரு பார்ட்டிகளும் நடக்க ஒப்புக் கொண்டு இந்த குத்தகை ஆவணம் ஏற்படுத்திக் கொண்டுள்ளோம்.


நிபந்தனைகள்

1. மேற்படி 1வது பார்ட்டிக்கு சொந்தமான இடத்திற்கு ஒரு லோடுக்கு குத்தகையாக ரூ.700/- (ரூபாய் எழுநூறு மட்டும்) என்பதை நாம் இரு பார்ட்டிகளும் ஒப்புக் கொண்டு மேற்படி வருட குத்தகையை ஆங்கில வருடம் கணக்குபடி பிரதி வருடம் 2வது பார்ட்டி 1வது பார்ட்டி வசம் தவறாமல் செலுத்தி வர வேண்டியது. மேற்படி தொகையை செலுத்திய பிறகு, மேற்படி தொகைக்கு உண்டான இரசீதை நம்மில் 1வது பார்ட்டியிடமிருந்து, 2வது பார்ட்டி பெற்றுக் கொள்ள வேண்டியது.
2. மேற்படி 1வது பார்ட்டி 2வது பார்ட்டியிடம் இருந்து குத்தகைக்கு முன் தொகையாக ரூ.1,00,000/- (ரூபாய் ஒரு இலட்சம் மட்டும்) ரொக்கமாக பெற்றுக் கொண்டுள்ளார். மேற்படி முன் தொகைக்கு இந்த குத்தகை ஒப்பந்தமே ரசீது ஆகும். மேற்படி முன் தொகைக்கு வட்டி ஏதும் கிடையாது.
3. இந்த குத்தகை ஒப்பந்தம் இன்றைய தேதியில் இருந்து 5வருட காலத்திற்கு மட்டுமே அமுலில் இருக்கும். (26.02.2024 முதல் 26.02.2029 வரை)
4. மேலும் 2வது பார்ட்டி மேற்படி தொழில் நடத்த தேவையான அரசு அலுவலகங்களில் 2வது பார்ட்டி பெயரிலேயே அனுமதிகள், தடையில்லா சான்று அமைப்பதற்கு 1வது பார்ட்டி சம்மதிக்கிறார்.
5. மேற்படி 2வது பார்ட்டி தான் உபயோகப்படுத்தும் மின்சாரத்திற்கு உண்டான மின் கட்டணத்தை 2வது பார்ட்டி நேரடியாக மின்சார வாரியத்திடம் செலுத்தி வர வேண்டியது. மின் கட்டணம் செலுத்திய பின் அதனுடைய ரசீதை 1வது பார்ட்டி வசம் கொடுக்க வேண்டியது.
6. மேற்படி 2வது பார்ட்டி தான் குத்தகைக்கு எடுத்துள்ள இடத்தை முழுமையாகவோ அல்லது பகுதியாகவோ வேறு பார்ட்டிகளுக்கு மேல் வாடகைக்கு விடக்கூடாது.
7. மேற்படி 2வது பார்ட்டி தான் குத்தகைக்கு எடுத்துள்ள இடத்தினை வியாபாரத்திற்கு மட்டுமே பயன் படுத்த வேண்டும்.

1வது பார்ட்டி



2வது பார்ட்டி



K. J. ஜெயமணி



8. மேற்படி 1வது பார்ட்டி தனக்கு சொந்தமான இடத்தை 1வது பார்ட்டியோ அல்லது அவர்களது அதிகாரம் பெற்றவர்களோ இடத்தை பார்வையிட அதிகாரம் உண்டு.

9. மேற்படி 2வது பார்ட்டி இடத்தை காலி செய்து 1வது பார்ட்டி வசம் திரும்ப ஒப்படைக்கும் போது வாடகை பாக்கி, மின்சார கட்டண பாக்கி, இடத்தில் ஏதாகிலும் சேதாரம் இருந்தால் அதற்குண்டான செலவுகள் அனைத்தையும் 2வது பார்ட்டி செலுத்தி உள்ள அட்வான்ஸ் தொகையில் இருந்து கழித்துக் கொண்டு மீதி தொகையை 1வது பார்ட்டி 2வது பார்ட்டி வசம் திரும்ப செலுத்த வேண்டியது.

இதன்படிக்கு மேற்கண்ட வருஷம், மாதம் தேதியில் கீழ்க்கண்ட சாட்சிகளின் முன்னிலையில் மேற்கண்ட நிபந்தனைகளின்படி நாம் இரு பார்ட்டிகளும் நடக்க ஒப்புக் கொண்டு இந்த குத்தகை ஒப்பந்தப் பத்திரத்தில் கையொப்பம் இட்டுள்ளோம்.


சொத்து விபரம்

தமிழ்நாடு மாநிலம், விழுப்புரம் மாவட்டம், திண்டிவனம் புதிவு மாவட்டம், வாலூர் சார்பதிவு அலுவலகம், கரசானூர் ஊராட்சி எல்லைக்குட்பட்ட கரசானூர் கிராமத்தில் அயன் புஞ்சை புதிய சர்வே எண்.171/1, பட்டா எண்.750-ன்படி தற்போதைய உட்பிரிவுபடி புதிய சர்வே எண்.171/1B-0.81.0 ஏர்ஸ், பழைய சர்வே எண்.63/-ஏக்கர் 5.01 செண்டர் அரிகேசவன் ஆசிரியர் புஞ்சைக்கு வடக்கு, நாராயணசாமிபிள்ளை வகையறா புஞ்சைக்கு தெற்கு, மேற்கு, என் மீதி புஞ்சைக்கு கிழக்கு, இதன் மத்தியில் ஏக்கர் 2.01 செண்டு இரண்டு ஏக்கர் ஒரு செண்டு புஞ்சை நிலமும், கரசானூர் ஊராட்சி எல்லைக்குட்பட்ட கரசானூர் கிராமத்தில் அயன் புஞ்சை புதிய சர்வே எண்.171/1, பட்டா எண்.734-ன்படி தற்போதைய உட்பிரிவுபடி புதிய சர்வே எண்.171/1A-1.21.50 ஏர்ஸ் முழுவதும், பழைய சர்வே எண்.63/-ஏக்கர் 5.01 செண்டர் அரிகேசவன் புஞ்சைக்கு வடக்கு, வீரப்பன், பொன்னுரங்கம் பிள்ளை வகையறா நிலத்திற்கு கிழக்கு, நாராயணசாமி பிள்ளை வகையறா நிலத்திற்கு தெற்கு, தங்கள் நிலத்திற்கு மேற்கு, இதன் மத்தியில் ஏக்கர் 3.00 செண்டு மூன்று ஏக்கர் புஞ்சை நிலமும், சேர்ந்து ஆக மொத்தம் ஏக்கர் 5.01 செண்டு மட்டும் இதற்குட்பட்டது.

1வது பார்ட்டி



2வது பார்ட்டி



K. நாராயணசாமி

சாட்சிகள் :

1. A. Balanmugam s/o Kuppusamy Karasamam.


Vanur Taluk
605109.

2. P. P. s/o R. விசுவநாதன்

31-மாவட்ட அலுவலகம்
தேவநல்லூர்
605109.



Notarial Register	
Year	2024
Volume	01/2024
Page	39/2024
Sl.No.	280/2024


26/4/2024
T.S. JAYACHANDIRAN
Advocate & Notary Public
Government of Tamilnadu
G.O.(MS) No: 237, dt: 02-08-2018
Vanur Taluk, Villupuram Dist.




உள்ளிடம் / இடம்: கரசனூர், விழுப்புரம் மாவட்டம், தமிழ்நாடு

United Identification Authority of India

UIDAI இலக்கம் / Enrolment No.: 2193/13124/05337

To
 ராஜமணி
 Rajamani
 W/O Kuppusamy,
 168,
 METTU STREET,
 VANUR TALUK,
 VTC: Karasaur,
 PO: V.Parangani,
 District: Viluppuram,
 State: Tamil Nadu,
 PIN Code: 605109,
 Mobile: 9047623800



Signature/Handwritten
 (Signature area)

உங்கள் ஆதார் எண் / Your Aadhaar No. :

4742 0145 0407
 VID : 9103 1518 2253 9250

எனது ஆதார் எனது அட்டையாளம்

உள்ளிடம் / இடம்: கரசனூர், விழுப்புரம் மாவட்டம், தமிழ்நாடு



ராஜமணி
 Rajamani
 பிறந்த நாள்/DOB: 07/08/1970
 பெண் / FEMALE

ஆதார் என்பது அட்டையாளத்திற்கான சான்றாகும், குடியரிமை அல்லது பிறந்த தேதிக்கான சான்றல்ல. இது உட்கட்டிடம் மட்டுமே உபயோகத்திற்காக வேண்டும். ஆதாரம் உட்கட்டிடம் அல்லது ஓன்லைன் சான்றாகும் அல்லது ஆதாரம் உட்கட்டிடம் மட்டுமே உபயோகத்திற்காக வேண்டும்.

Aadhaar is proof of identity, not of citizenship or state of birth. It should be used with verification (online authentication, or scanning of QR code / offline XML).

4742 0145 0407

எனது ஆதார் என்து அட்டையாளம்


தகவல் / INFORMATION

- 1. ஆதார் என்பது அட்டையாளத்திற்கான சான்றாகும், குடியரிமை அல்லது பிறந்த தேதிக்கான சான்றல்ல. இது உட்கட்டிடம் மட்டுமே உபயோகத்திற்காக வேண்டும். ஆதாரம் உட்கட்டிடம் அல்லது ஓன்லைன் சான்றாகும் அல்லது ஆதாரம் உட்கட்டிடம் மட்டுமே உபயோகத்திற்காக வேண்டும்.
- 2. இந்த ஆதார் அடித்தளத்தை UIDAI நியமித்த அங்கீகரிக்கப்பட்ட நிறுவனத்தால் ஆணைகள் அங்கீகரிக்கப்படும் அல்லது ஆர் என் என் மூலமாக சிபார்சு செய்யப்படும் ஆதார் அல்லது ஆதார் ஓன்லைன் செயலியை பயன்படுத்தி OR குறியீடு எடுக்கையில் அல்லது www.uidai.gov.in ல் சிபார்சு செய்யும் பாதுகாப்பான உ.ப. குறியீடு ரீட்டர் செயலியை பயன்படுத்தி சரிபார்க்க வேண்டும்.
- 3. ஆதார் தனித்துவமானது மற்றும் பாதுகாப்பானது.
- 4. ஆதார் பதிலு செய்யப்பட்ட நாளிலிருந்து ஒவ்வொரு 10 வருடங்களுக்குப் பிறகு ஆதாரில் அனைத்து மற்றும் முகவரிக்கான ஆவணங்கள் புதுப்பிக்கப்பட வேண்டும்.
- 5. பல்வேறு அரசு மற்றும் அரசு சாரா பலன்கள் / சேவைகளைப் பெற ஆதார் உங்களுக்கு உதவுகிறது.
- 6. உங்கள் மொசைப் என் மற்றும் மின்னஞ்சல் ஐடியை ஆதாரில் புதுப்பிக்கவும்.
- 7. ஆதார் சேவைகளைப் பெற கூலிச் செயலியைப் பதிவிறக்கவும்.
- 8. ஆதார்பயோமெட்ரிக்ஸை பயன்படுத்தாதபோது பாதுகாப்பை உறுதிசெய்ய, ஆதார்பயோமெட்ரிக்ஸ் லாக்கிங்/அலாக்கிங் அம்சத்தைப் பயன்படுத்தவும்.
- 9. ஆதார் கோரும் நிறுவனங்கள் ஒப்புதலைப் பெற வேண்டிய விடாயம் உடனடி.
- 10. Aadhaar is proof of identity, not of citizenship or date of birth (DOB). DOB is based on information supported by proof of DOB document specified in regulations, submitted by Aadhaar number holder.
- 11. This Aadhaar letter should be verified through either online authentication by UIDAI-authorized authentication agency or QR code scanning using mAadhaar or Aadhaar QR Scanner app available in app stores or using secure QR code reader app available on www.uidai.gov.in.
- 12. Aadhaar is unique and secure.
- 13. Documents to support identity and address should be updated in Aadhaar after every 10 years from date of enrolment for Aadhaar.
- 14. Aadhaar helps you avail of various Government and Non-Government benefits/services.
- 15. Keep your mobile number and email id updated in Aadhaar.
- 16. Download mAadhaar app to avail of Aadhaar services.
- 17. Use the feature of Lock/Unlock Aadhaar/biometrics to ensure security when not using Aadhaar/biometrics.
- 18. Entities seeking Aadhaar are obligated to seek consent.

உள்ளிடம் / இடம்: கரசனூர், விழுப்புரம் மாவட்டம், தமிழ்நாடு

நம்பர்:
 W/O குப்புசாமி, எண் 168, மெட்டு தெரு,
 வாணூர் தாலூக்கா, கரசனூர், விழுப்புரம்,
 விழுப்புரம்,
 தமிழ்நாடு - 605109

Address:
 W/O Kuppusamy, 168, METTU STREET,
 VANUR TALUK, Karasaur,
 V.Parangani, DIST: Viluppuram,
 Tamil Nadu - 605109



4742 0145 0407

VID : 9103 1518 2253 9250

1047 | help@uidai.gov.in | www.uidai.gov.in

ராஜமணி
 K. ராஜமணி

CHETTINAD CEMENT CORPORATION LTD.,

(Regd. Office: RANI SEETHAI HALL BUILDING IV & V FLOORS, 603, ANNA SALAI, MADRAS-600006.)
WORKS OFFICE: PULIYUR.

21144
PHONE 22744 | KARUR
TELE: 21745
GRAM "CEMENT" Puliyur C.F.
Telex: 0456-215.
STD Code: 04324



T. RAJU., B.E.,
MINES MANAGER & DY. GENERAL MANAGER.

CERTIFICATE.

This is to certify that Mr.C.Natarajan has been working as a Geologist from 14-12-1979 to till date. He has been incharge of supervision of day to day functions in respect of Exploration, Preparation of Geological Plans & Sections, Preparation of Mines Plans, and Quality control and other allied mining activities in the following Pits of our Seethainagar Limestone Mines in Anna District.

<u>Name of the Pit.</u>	<u>Average Raising/day.</u>
1. Alambadi Pit.	- 1,700 T.
2. Mallapuram Pit.	- 900 T.
3. Karikkali Pit.	- 150 T.

Total.	- 2,750 T.

He has got nearly Eight years of total experience in our Mines in the above supervisory capacity.

for CHETTINAD CEMENT CORPORATION LTD.,

T. Raju
(T. RAJU).

Mines Manager & Dy. General Manager.

K. Ganesamoorthy



Faculty of Science

The Senate of the Annamalai University hereby makes known that W. Narayana has been admitted to the Degree of Master of Science (by Examination) in Zoology, he having been certified by duly appointed Examiners at the examination held in April, 1976, to be qualified to receive the same and that he was placed in the First Class.

Given under the seal of the University.

Annamalainagar,
24th December, 1976.

A. Chandrasekha
Vice-Chancellor.

K. Narayana

12°03'48.73"N




PLATE NO: I

DATE OF SURVEY : 13.03.2024

APPLICANT:

TMT .K.RAJAMANI,
W/o. KUPPUSAMY,
No.168, METTU STREET,
KARASANUR VILLAGE,
VANUR TALUK,
VILUPPURAM DISTRICT.

QUARRY LEASE APPLIED AREA:

SF NOS : 171/1A & 171/1B,
EXTENT : 2.02.5 Ha,
VILLAGE : KARASANUR,
TALUK : VANUR,
DISTRICT : VILUPPURAM.

INDEX

Q.LEASE APPLIED AREA : ●

TOPO SHEET NO : 57 P/12

LATITUDE : 12°03'43.84" N to 12°03'48.73" N

LONGITUDE : 79°40'10.09" E to 79°40'16.85" E

LOCATION PLAN

NOT TO SCALE

PREPARED BY :

THIS IS TO CERTIFY THAT THE INFORMATION
IN THIS PLAN IS TRUE AND CORRECT TO
THE BEST OF MY KNOWLEDGE BASED UPON
THE LEASE MAP AUTHENTICATED BY STATE
SURVEYOR



12°03'43.84"N

79°40'16.85"E

79°40'10.09"E

K. Suresh Kant

PLATE NO-1A
DATE OF SURVEY : 13.03.2024




APPLICANT:
TMT .K.RAJAMANI,
W/o. KUPPUSAMY,
No.168, METTU STREET,
KARASANUR VILLAGE,
VANUR TALUK,
VILUPPURAM DISTRICT.

QUARRY LEASE APPLIED AREA:
S.F.NOS : 171/1A & 171/1B,
EXTENT : 2.02.5 Ha,
VILLAGE : KARASANUR,
TALUK : VANUR,
DISTRICT : VILUPPURAM.

INDEX

TOPO SHEET NO : 57 P/12
LATITUDE : 12°03'43.84"N to 12°03'48.73"N
LONGITUDE : 79°40'10.09"E to 79°40'16.85"E



Q.LEASE APPLIED AREA	
300M RADIUS	
500M RADIUS	
1KM RADIUS	
QUARRY ROAD	
APPROACH ROAD	
CART TRACK	
PANCHAYAT ROAD	
STATE HIGHWAY	
BARREN LAND	
TREES	
SEASONAL AGRICULTURE	
HABITATIONS	
QUARRY PIT	
TANK	
KULAM	
ODAI	
CRUSHER UNIT	

LAND USE PATTERN

DESCRIPTION	AREA IN (%)
ROAD	05
TREES	05
BARREN LAND	35
AGRICULTURE LAND	10
HABITATIONS	05
WATER BODIES	05
CRUSHER	10
QUARRY PIT	25

ENVIRONMENTAL PLAN
SCALE 1: 10,000

PREPARED BY :
THIS IS TO CERTIFY THAT THE INFORMATION
IN THIS PLATE IS TRUE AND CORRECT TO
THE BEST OF MY KNOWLEDGE BASED UPON
THE LEASE MAP AUTHENTICATED BY STATE
GOVERNMENT

C. Natarajan
C.NATARAJAN, M.Sc, M.Phil.,
QUALIFIED PERSON

K. Rajamani




PLATE NO-IB
 DATE OF SURVEY : 13.03.2024

APPLICANT:
 TMT .K.RAJAMANI,
 W/o. KUPPUSAMY,
 No.168, METTU STREET,
 KARASANUR VILLAGE,
 VANUR TALUK,
 VILUPPURAM DISTRICT.

QUARRY LEASE APPLIED AREA:
 S.F.NOS : 171/1A & 171/1B,
 EXTENT : 2.02.5 Ha,
 VILLAGE : KARASANUR,
 TALUK : VANUR,
 DISTRICT : VILUPPURAM.

INDEX
 TOPO SHEET NO : 57 P/12
 LATITUDE : 12°03'43.84"N to 12°03'48.73"N
 LONGITUDE : 79°40'10.09"E to 79°40'16.85"E

Q.LEASE APPLIED AREA	
7.5m SAFETY DISTANCE	
300M RADIUS	
500M RADIUS	
1 KM RADIUS	
APPROACH ROAD	
CARTTRACK	
PANCHAYAT ROAD	
STATE HIGHWAY	

SATELLITE IMAGERY MAP
 SCALE 1: 10,000



PREPARED BY :
 THIS IS TO CERTIFY THAT THE INFORMATION
 IN THIS PLATE IS TRUE AND CORRECT TO
 THE BEST OF MY KNOWLEDGE BASED UPON
 THE LEASE MAP AUTHENTICATED BY STATE
 GOVERNMENT

C.NATARAJAN,M.Sc.,M.Phil.,
 QUALIFIED PERSON

K. ராஜமணி



PLATE NO-IC
DATE OF SURVEY : 13.03.2024



APPLICANT:
TMT .K.RAJAMANI,
W/o. KUPPUSAMY,
No.168, METTU STREET,
KARASANUR VILLAGE,
VANUR TALUK,
VILUPPURAM DISTRICT.

QUARRY LEASE APPLIED AREA:
S.F.NOS : 171/1A & 171/1B,
EXTENT : 2.02.5 Ha,
VILLAGE : KARASANUR,
TALUK : VANUR,
DISTRICT : VILUPPURAM.

INDEX
TOPO SHEET NO : 57 P/12
LATITUDE : 12°03'43.84"N to 12°03'48.73"N
LONGITUDE : 79°40'10.09"E to 79°40'16.85"E

QUARRY LEASE APPLIED AREA 
10KM RADIUS 



TOPO SKETCH OF QUARRY LEASE

APPLIED AREA FOR
10Km RADIUS
SCALE- 1:100000

THIS IS TO CERTIFY THAT THE INFORMATION
IN THIS PLATE IS TRUE AND CORRECT TO
THE BEST OF MY KNOWLEDGE BASED UPON
THE LEASE MAP AUTHENTICATED BY STATE
GOVERNMENT


C.NATARAJAN, M.Sc, M.Phil.,
QUALIFIED PERSON

K. ஜகஜயலட்சுமி



BOUNDARY CO ORDINATE		
LABEL	LATITUDE	LONGITUDE
1	12° 03' 44.50"N	79° 40' 10.09"E
2	12° 03' 48.73"N	79° 40' 11.27"E
3	12° 03' 46.76"N	79° 40' 16.85"E
4	12° 03' 46.47"N	79° 40' 16.73"E
5	12° 03' 43.84"N	79° 40' 15.50"E
6	12° 03' 43.88"N	79° 40' 15.32"E
7	12° 03' 43.99"N	79° 40' 13.56"E
WGS-84		




PLATE NO-II
 DATE OF SURVEY :13.03.2024

APPLICANT:
 TMT .K.RAJAMANI,
 W/o. KUPPUSAMY,
 No.168, METTU STREET,
 KARASANUR VILLAGE,
 VANUR TALUK,
 VILUPPURAM DISTRICT.

QUARRY LEASE APPLIED AREA:
 S.F.NOS : 171/1A & 171/1B,
 EXTENT : 2.02.5 Ha,
 VILLAGE : KARASANUR,
 TALUK : VANUR,
 DISTRICT : VILUPPURAM.

INDEX	
Q.LEASE APPLIED BOUNDARY	
7.5m SAFETY DISTANCE	
TEMPORARY BENCH MARK	
APPROACH ROAD	
QUARRY ROAD	
CONTOUR	
SCRUB	
QUARRY PIT	

QUARRY LEASE & SURFACE PLAN
 SCALE 1 : 1000

PREPARED BY:
 THIS IS TO CERTIFY THAT THE INFORMATION
 IN THIS PLATE IS TRUE AND CORRECT TO
 THE BEST OF MY KNOWLEDGE BASED UPON
 THE LEASE MAP AUTHENTICATED BY STATE
 GOVERNMENT

C. Nat Arajan
 C.NATARAJAN, M.Sc, M.Phil.,
 QUALIFIED PERSON

K. Jeyaraj

PLATE NO-ID
DATE OF SURVEY : 13.03.2024

APPLICANT:

TMT .K.RAJAMANI,
W/o. KUPPUSAMY,
No.168, METTU STREET,
KARASANUR VILLAGE,
VANUR TALUK,
VILUPPURAM DISTRICT.

QUARRY LEASE APPLIED AREA:

S.F.NOS : 171/1A & 171/1B,
EXTENT : 2.02.5 Ha,
VILLAGE : KARASANUR,
TALUK : VANUR,
DISTRICT : VILUPPURAM.

INDEX

- Q.LEASE APPLIED AREA 
- APPROACH ROAD 
- CARTRACK 
- PANCHAYAT ROAD 
- STATE HIGHWAY 
- HABITATIONS 



KEY PLAN

Map To Sale

PREPARED BY:

THIS IS TO CERTIFY THAT THE INFORMATION
IN THIS PLATE IS TRUE AND CORRECT TO
THE BEST OF MY KNOWLEDGE BASED UPON
THE LEASE MAP AUTHENTICATED BY STATE
GOVERNMENT




C.NA.FARUKANM.S.C.M.Phil.,
QUALIFIED PERSON




K. J. ...

BOUNDARY CO ORDINATE	
LABEL	LATITUDE LONGITUDE
1	12° 03' 44.50"N 79° 40' 10.09"E
2	12° 03' 48.73"N 79° 40' 11.27"E
3	12° 03' 46.75"N 79° 40' 16.85"E
4	12° 03' 46.47"N 79° 40' 16.73"E
5	12° 03' 43.84"N 79° 40' 15.50"E
6	12° 03' 43.88"N 79° 40' 15.32"E
7	12° 03' 43.99"N 79° 40' 13.56"E

WGS-94



SECTION ALONG A-B



SECTION ALONG C-D






PLATE NO-III	APPLICANT:
DATE OF SURVEY : 13.03.2024	TMT K.RAJAMANI, W/o. KUPPUSAMY, No.168, METTU STREET, KARASANNUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT.
QUARRY LEASE APPLIED AREA:	INDEX
S.F.NOS : 171/1A & 171/1B	LEASE APPLIED BOUNDARY
EXTENT : 2.02.5 Ha.	7.5m SAFETY DISTANCE
VILLAGE : KARASANNUR,	TEMPORARY BENCH MARK
TALUK : VANUR	QUARRY ROAD
DISTRICT : VILUPPURAM.	APPROACH ROAD
	CONTOUR
	SCRUB
	QUARRY PIT
	GRAVEL
	ROUGH STONE
	STRIKE & DIP
TOPOGRAPHY, GEOLOGICAL PLAN & SECTIONS	
SCALE 1 : 1000	
SECTIONS HOR 1:1000, VER 1:500	
PREPARED BY:	
THIS IS TO CERTIFY THAT THE INFORMATION IN THIS PLATE IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE BASED UPON THE LEASE MAP AUTHENTICATED BY STATE GOVERNMENT	
C. NATARAJAN, M.Sc., M.Phil., QUALIFIED PERSON	166


K. Srinivasan

BOUNDARY CO ORDINATE		
LABEL	LATITUDE	LONGITUDE
1	12° 03' 44.30" N	79° 40' 10.09" E
2	12° 03' 48.73" N	79° 40' 11.27" E
3	12° 03' 46.76" N	79° 40' 16.85" E
4	12° 03' 46.47" N	79° 40' 16.73" E
5	12° 03' 43.84" N	79° 40' 15.50" E
6	12° 03' 43.88" N	79° 40' 15.32" E
7	12° 03' 43.99" N	79° 40' 13.56" E

WGS-84



SECTION ALONG A-B



SECTION ALONG C-D





PLATE NO-IV
DATE OF SURVEY : 13.03.2024

APPLICANT:
TMT. K. RAJAMANI,
W/o. KUPPUSAMY,
No.168, METTU STREET,
KARASANNUR VILLAGE,
VANUR TALUK,
VILUPPURAM DISTRICT.

QUARRY LEASE APPLIED AREA:
S.F.NOS : 171/1A & 171/1B,
EXTENT : 2.02.5 Ha,
VILLAGE : KARASANNUR,
TALUK : VANUR,
DISTRICT : VILUPPURAM


INDEX	
Q. LEASE APPLIED BOUNDARY	
7.5m SAFETY DISTANCE	
TEMPORARY BENCH MARK	
QUARRY ROAD	
APPROACH ROAD	
CONTOUR	
SCRUB	
QUARRY PIT	
GRAVEL	
ROUGH STONE	
STRIKE & DIP	

MINEABLE PLAN & SECTIONS
SCALE 1 : 1000
SECTIONS HOR : 1:1000, VER 1:500


PREPARED BY:
THIS IS TO CERTIFY THAT THE INFORMATION IN THIS PLATE IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE BASED UPON THE LEASE MAP AUTHENTICATED BY STATE GOVERNMENT.
C. NATARAJAN, Sr. M. Phil., 167
QUALIFIED PERSON

BOUNDARY CO ORDINATE	
LABEL	LONGITUDE
1	12° 09' 44.50" N 79° 40' 10.09" E
2	12° 09' 48.73" N 79° 40' 11.27" E
3	12° 09' 46.76" N 79° 40' 16.85" E
4	12° 09' 46.47" N 79° 40' 16.73" E
5	12° 09' 43.84" N 79° 40' 15.50" E
6	12° 09' 43.88" N 79° 40' 15.32" E
7	12° 09' 43.99" N 79° 40' 13.56" E


Existing Pit Dimension
L53m(Max)X20m(Avg)X8m(Max)




SECTION ALONG X-Y



SECTION ALONG A-B



SECTION ALONG C-D



PRESENT & POST LAND USE PATTERN

DESCRIPTION	PRESENT AREA (Ha)	AREA AT THE END OF THIS QUARRYING PERIOD (Ha)
AREA UNDER QUARRYING	0.10.6	1.59.0
INFRASTRUCTURE	Nil	0.01.0
ROADS	0.01.0	0.02.0
GREEN BELT	Nil	0.40.5
UN-UTILIZED AREA	1.90.9	Nil
GRAND TOTAL	2.02.5	2.02.5

- 1st yr Proposed area to be Quarried
 2nd yr Proposed area to be Quarried
 3rd yr Proposed area to be Quarried
 4th yr Proposed area to be Quarried
 5th yr Proposed area to be Quarried
- Proposed area to be Planted

PLATE NO-V
 DATE OF SURVEY : 13.03.2024

APPLICANT:
 TMT. K.BAJAMANI,
 w/o. KUPPUSAMY,
 No.168, METTU STREET,
 KARASANUR VILLAGE,
 VANUR TALUK,
 VILUPPURAM DISTRICT.

QUARRY APPLIED LEASE AREA:
 S.F NOS : 171/1A & 171/1B
 EXTENT : 2.02.5 Ha.
 VILLAGE : KARASANUR,
 TALUK : VANUR,
 DISTRICT : VILUPPURAM.

- INDEX
- Q LEASE APPLIED BOUNDARY
 - 7.5m SAFETY DISTANCE
 - TEMPORARY BENCH MARK
 - APPROACH ROAD
 - QUARRY ROAD
 - CONTOUR
 - SCRUB
 - QUARRY PIT
 - GRAVEL
 - ROUGH STONE
 - STRIKE & DIP

YEARWISE DEVELOPMENT & PRODUCTION PLAN & SECTIONS
 SCALE 1 : 1000
 SECTIONS HOR 1 : 1000, VER 1:500

PREPARED BY:
 THIS IS TO CERTIFY THAT THE INFORMATION IN THIS PLATE IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE BASED UPON THE LEASE MAP AUTHENTICATED BY STATE GOVERNMENT

C. NATARAJAN, S. S. Pillai,
 QUALIFIED PERSON



BOUNDARY CO ORDINATE		
LABEL	LATITUDE	LONGITUDE
1	12° 03' 44.50" N	79° 40' 10.09" E
2	12° 03' 48.73" N	79° 40' 11.27" E
3	12° 03' 46.76" N	79° 40' 16.85" E
4	12° 03' 46.47" N	79° 40' 16.79" E
5	12° 03' 43.84" N	79° 40' 15.50" E
6	12° 03' 43.88" N	79° 40' 15.32" E
7	12° 03' 43.99" N	79° 40' 13.56" E

WGS-84






PLATE NO-VI
DATE OF SURVEY : 13.03.2024


APPLICANT:
TMT .K.RAJAMANI,
W/o. KUPPUSAMY,
No.168, METTU STREET,
KARASANNUR VILLAGE,
VANUR TALUK,
VILUPPURAM DISTRICT.


QUARRY APPLIED LEASE AREA:
S.F NOS : 171/1A & 171/1B.
EXTENT : 2.02.5 Ha.
VILLAGE : KARASANNUR,
TALUK : VANUR,
DISTRICT : VILUPPURAM.

INDEX	
Q.LEASE APPLIED BOUNDARY	
7.5m SAFETY DISTANCE	
TEMPORARY BENCH MARK	
APPROACH ROAD	
QUARRY ROAD	
CONTOUR	
SCRUB	
GRAVEL	
ROUGH STONE	
STRIKE & DIP	
PROPOSED QUARRY PIT	

CONCEPTUAL PLAN & SECTIONS
SCALE 1 : 1000
SECTIONS HOR 1:1000, VER 1:500

PREPARED BY:
THIS IS TO CERTIFY THAT THE INFORMATION IN THIS PLATE IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE BASED UPON THE LEASE MAP AUTHENTICATED BY STATE GOVERNMENT.





ANNEXURE-4

From
Tmt. S.Safiya, M.Sc.,
Assistant Director,
Geology and Mining,
Viluppuram.

To
Tmt.K.Rajamani,
W/o. Kuppusamy,
No.168, Mettu Street,
Karasanur Village,
Vanur Taluk,
Viluppuram District.

Rc.No.A/G&M/82/2024 Dated 15.03.2024

Sub: Mines & Minerals – Minor Mineral – Rough stone and Gravel - Viluppuram District – Vanur Taluk – Karasanur Village - over an extent of 2.02.5 hectares of patta lands – S.F.Nos. 171/1A (1.21.5) and 171/1B (0.81.0) – Quarry lease application preferred by Tmt.K.Rajamani, Karasanur Village – Precise area communicated - Details of quarries situated within 500 meter radial distance – furnished - reg.

- Ref: 1. Assistant Director, Geology and Mining, Viluppuram Letter Rc.No.A/G&M/82/2024 Dated 13.03.2024.
2. Representation from Tmt.K.Rajamani, Karasanur Village Dated 15.03.2024.

With reference to your letter in the reference 2nd cited, the details of existing, proposed and abandoned quarries located within 500 mts. radial distance from the periphery of the proposed Rough stone and Gravel quarry over an extent of 2.02.5 hectares of patta lands in S.F.Nos. 171/1A (1.21.5) and 171/1B (0.81.0) of Karasanur Village, Vanur Taluk, Villuppuram District are as follows.

1. Existing quarries:

Sl. No.	Name of the Quarry Owner	Name of the Mineral	Taluk & Village	S.F. Nos.	Extent (in hect.)	Lease period	Remarks
1.	I.Justin Prabu, S/o.V.Iyyadurai, 1/56,D9, Church Street, Christopher Nagar, Peruvilai, Kanniyakumari District.	Rough stone & Gravel	Vanur & Karasanur	43/4A 43/4B 43/4C 43/5 43/6 44/6	0.35.5 0.35.5 0.35.0 0.71.0 1.27.0 <u>0.63.0</u> 3.67.0	03.06.2022 to 02.06.2032	Operation
2.	M/s. Kattima, 18, Sulaiman jakkariya avenue casa major road, Egmore, Chennai-8.	Black Granite	Vanur & Karasanur	169/7A 169/8 170/1	0.54.0 0.25.0 <u>0.97.5</u> 1.76.5	11.08.2008 to 10.08.2028	Non operation from 2017

K. S. Rajamani

3.	Tmt. Shanthakumari W/o.(Late) S. Selvaraj, No.139, Gopalapuram, Marakanam Road, Tindivanam	Black Granite	Vanur & Karasanur	49/6	0.08.0	04.06.2010 to 03.06.2030	Non operation from 2017
				49/7	0.06.0		
				50/1	0.24.0		
				50/2	0.27.0		
				169/3	<u>0.35.0</u>		
	1.00.0						
4.	M/s. Aswani Enterprises, No.49A, Jayapuram Colony, Tindivanam, Viluppuram District.	Black Granite	Vanur & Karasanur	169/9	0.25.0	08.02.2010 to 07.02.2030	Non operation from 2017
				169/10	0.25.0		
				169/12	0.28.5		
				172/1	<u>0.60.0</u>		
				(P)	1.38.5		

II. Proposed Area :

Sl. No.	Name of the lessee / permit holder	Name of the Mineral	Taluk & Village	S.F. Nos.	Extent (in hecets)	Remarks
1.	Tmt.K.Rajamani, W/o. Kuppasamy, No.168, Mettu Street, Karasanur Village, Vanur Taluk, Viluppuram District.	Rough stone & Gravel	Vanur & Karasanur	171/1A 171/1B	1.21.5 <u>0.81.0</u> 2.02.5	-
2.	G.Arjunan, S/o.Govindasamy, No.63, Throwpathi Amman Kovi Street, Thiruvakkarai Village, Vanur Taluk.	Rough Stone	Vanur, Thollamur	11/5A 11/6 11/7 16/2 16/3 16/4 16/5 16/6 16/7 16/8B 16/9 16/10	0.14.0 0.17.0 0.19.0 0.11.0 0.11.0 0.15.0 0.12.0 0.16.0 0.24.0 0.23.0 0.08.5 <u>1.62.0</u> 3.32.5	-

III. Abandoned quarries :

Sl. No.	Name of the lessee / permit holder	Name of the Mineral	Taluk & Village	S.F. Nos.	Extent (in hecets)	Lease period	Remarks
1.	V.Sadaiyappan, No.18, Amal Nagar, West Tambaram, Chennai-600 045.	Rough stone	Vanur, Thollamur	1/3A 12/3 12/5B1	0.58.0 0.60.5 <u>2.38.5</u> 3.57.0	16.08.2018 to 15.08.2023	-


K. Sadasivam

2.	K. Gnanasekaran S/o.Kannadi Gounder, Mettu Street, Karasanur Village, Vanur Taluk, Villupuram District.	Rough stone	Vanur, Thollamur	12/4 12/5A	0.59.5 <u>0.65.0</u> 1.24.5	24.09.2017 to 23.09.2022	
3.	K.Balamurugan, S/o.Kuppusamy, Karasanur & Post, Vanur Taluk.	Rough stone	Vanur, Thollamur	11/4A2 15/2 15/3A 15/3B 15/4	0.16.0 0.44.0 0.50.0 0.56.0 <u>0.46.0</u> 2.12.0	27.08.2018 to 26.08.2023	
4.	Tmt.S.Nanthini, W/o.Sankar, No.14, 3rd Street, Jayapuram, Tindivanam Taluk.	Rough Stone	Vanur, Thollamur	11/5A 11/6 11/7 16/2 16/3 16/4 16/5 16/6 16/7 16/8B 16/9 16/10	0.14.0 0.17.0 0.19.0 0.11.0 0.11.0 0.15.0 0.12.0 0.16.0 0.24.0 0.23.0 0.08.5 <u>1.62.0</u> 3.32.5	31.12.2015 to 30.12.2020	
5.	V.Sankar, S/o Vivekanandan, 14, Jayapuram Colony, Tindivanam Town & Taluk, Viluppuram District	Rough Stone	Vanur, Thollamur	2/1 2/2 2/3 2/4 2/5 3/1 3/2 3/3 3/4 3/5 3/6 3/7	0.45.5 0.22.0 0.22.0 0.23.5 0.25.0 0.32.5 0.33.5 0.81.0 0.20.0 0.22.5 0.21.0 <u>0.18.0</u> 3.66.5	20.09.2016 to 19.09.2021	

K. Gnanasekaran

[Signature]
Assistant Director,
Geology and Mining,
Viluppuram.

[Signature]
15.3.24



ANNEXURE-5

TOPOGRAPHICAL VIEW OF
KARASANUR VILLAGE RAJAMANI
ROUGH/TONE/ GRAVEL QUARRY LEASE APPLIED AREA



LOCATION DETAILS

Name and Address of the Applicant : RAJAMANI
W/o, Kuppusamy,
Karasanur Village, Vanur Taluk
Villupuram Dist-605109.


SF.No : 171/1A,1B
Extant : 2.02.5 Ha
Village : Karasanur
Taluk : Vanur
District : Villupuram
State : Tamilnadu

Village Administration Officer


கிராம நிர்வாக அலுவலர்
பிறப்பு & இறப்பு பதிவுகளை
50.கராசனூர் கிராமம்,
வனூர் வட்டம்.

Signature of the Applicant

சி. ராஜமணி



ANNEXURE-6



தமிழ்நாடு அரசு
வருவாய்த் துறை

நில உரிமை விபரங்கள் : இ. எண் 10(1) பிரிவு

மாவட்டம் : விழுப்புரம்

வட்டம் : வானூர்

வருவாய் கிராமம் : கரசானூர்

பட்டா எண் : 1668

உரிமையாளர்கள் பெயர்

1. சின்னையாக் கவுண்டர்

மகன்

கணேசன்

புல எண்	உட்பிரிவு	புன்செய்		நன்செய்		மற்றவை		குறிப்புரைகள்
		பரப்பு	தீர்வை	பரப்பு	தீர்வை	பரப்பு	தீர்வை	
		ஹெக்ட - ஏர்	ரூ - பை	ஹெக்ட - ஏர்	ரூ - பை	ஹெக்ட - ஏர்	ரூ - பை	
171	1A	1 - 21.50	5.10	--	--	--	--	2022/0103/07/300741- -- -- 03-09-2022
171	1B	0 - 81.00	3.40	--	--	--	--	2023/0103/07/321130- -- -- 28-02-2023
		2 - 2.50	8.50					

குறிப்பு 2 :



- மேற்கண்ட தகவல் / சான்றிதழ் நகல் விவரங்கள் மின் பதிவேட்டிலிருந்து பெறப்பட்டவை. இவற்றை தாங்கள் <https://eservices.tn.gov.in> என்ற இணைய தளத்தில் 07/02/050/01668/20001 என்ற குறிப்பு எண்ணை உள்ளீடு செய்து உறுதி செய்துகொள்ளவும்.
- இத் தகவல்கள் 24-02-2024 அன்று 02:18:18 PM நேரத்தில் அச்சடிக்கப்பட்டது.
- கைப்பேசி கேமராவின் 2D barcode படிப்பான் மூலம் படித்து 3G/GPRS வழி இணையதளத்தில் சரிபார்க்கவும்


14336 ஆம் பசலியில்

VPல

மாவட்டம்

VA-10

விவரம் கணக்கு வட்டம்



நில வரித் திட்டத்தின்படி புலன்களின் விபரம்.					சாலையுடைய பெயர்.	முதுவல் போகம்.						
(1) நில அளவை ஏக்கர்.	(2) உட்பிரிவு எண்.	(3) பரப்பு.	(4) தீர்மான.	(5) ஒரு போகம் அல்லது இரண்டு போகம்.		(6) கைப்பற்று தாரகூடைய பெயரும் எண்ணும் அல்லது அனுபோக தாரகூடைய பெயர்.	(7) நிலத்தில் எந்த பகுதி யாவது சாலையுடையவரால் பயன்படுத்தப்பட்டுள்ளது.	(8) எந்த மாதத்தில் பஸிர் செய்யப்பட்டது எந்த மாதத்தில் அறுவடை செய்யப்பட்டது.	(9) பயிரின் பெயர்.	(10) பயிராக அறுவடை யான பரப்பு.	(11) உண்மையான பாய்ச்சல் ஆதாரம்.	(12) விளைச்சல் அளவி லிருக்காது.
171	1A	0215	510	1668	கேள்வி			காய்	-	-		
	1B	0810	340	11	11			காய்	-	-		
காய்					/ 2010/15/1							
காய்					/ காய் 10/15/1							
காய்					/ காய் 10/15/1							

கிராம நிர்வாக அலுவலர்
 சிதம்பல இராஜா பதிவாளர்
 வி.கா.கா.கா. கிராமம்.
 காவலர் சி.பி.ம்.

தமிழ்நாடு அரசாங்கம் / சட்டமன்றம் / சட்டமன்றக் கமிட்டி விவரங்களை பார்வையிட
 த-பதிவேடு விவரங்கள்

மாநாட்டம் : விசுவப்பரம்
 வட்டம் : வானூர்
 கிராமம் : கரசாணூர்

ANNEXURE VI



1. புள் எண்	171	9. மண் வயலுமும் ரக்மும் 3-5	
2. உட்பிரிவு எண்	1A	10. மண் தரம்	5
3. பண்டங்கள் உட்பிரிவு எண்	53	11. தீர்வை (ரூ - ஹெ)	4.20
4. பகுதி	2	12. பரப்பு (ஆயக்கடெர் - ஏர்)	1 - 24.50
5. அரசு / ரயகிவிவாரி	ரயகிவிவாரி	13. கொத்த தீர்வை (ரூ - பை)	5.10
6. நிலத்தின் வகை	புஞ்சை	14. பட்டா எண்	1668
7. பாசன ஆதாரம்	-	15. அறிப்பு	-
8. இலாபகாரி	-	16. பெயர்	க.சீனிவாசன்

குறிப்பு 1:

	<p>மேற்கண்ட தகவல் / சான்றிதழ் நகல் விவரங்கள் மின் பதிவேட்டிலிருந்து பெறப்பட்டவை. இவற்றை தாங்கள் https://eservices.tn.gov.in என்ற இணைய தளத்தில் 07/02/050/171/1A/20001 என்ற குறிப்பு எண்ணை உள்ளீடு செய்து உறுதி செய்துகொள்ளவும்.</p>
--	---

186

அ-பதிவேடு விவரங்கள்

மாஸ்டம் : விழுப்புரம்

வட்டம் : வானூர்

கிராமம் : கரசாநூர்



1. புல எண்	171	9. மண் வயனளவும் ரகலும் 3 - 2	
2. உட்பிரிவு எண்	18	10. மண் தரம்	5
3. புறைய புல உட்பிரிவு எண்	63	11. தீர்வை (சூ - ஷெறு)	4.20
4. பகுதி	ஈ	12. பரப்பு (ஹெக்டேர் - ஓர்)	6 - 21.25
3. அரசு / ரயத்துவாரி	ரயத்துவாரி	13. மொத்த தீர்வை (சூ - பை)	3.40
6. நிலத்தின் வகை	புஞ்சை	14. பட்டா எண்	1668
7. பாசன ஆதாரம்	"	15. குறிப்பு	"
6. இலு பெயர்	"	16. பெயர்	1.கணேசன்

குறிப்பு 1:



1. பெரிசண்ட நகலல் / சானிதிதம் நகல் விவரங்கள் யின் பதிவேட்டிலிருந்து பெறப்பட்டவை. இவற்றை தாங்கள் <https://eservices.tn.gov.in> என்ற இணைய தளத்தில் 07/02/050/171/18/20001 என்ற குறிப்பு எண்ணை உள்ளீடு செய்து உறுதி செய்துகொள்ளவும்.



தமிழ்நாடு தமிழ்நாடு TAMILNADU

₹100/-

சுண்ணாம்பு
கொண்டி

DM 182747

[Signature]
சுண்ணாம்பு
கொண்டி
சென்னை-600 081/81/2024
தமிழ்நாடு.

14/2
26.02.2024

குத்தகை ஆவணம்

2024-ஆம் ஆண்டு பிப்ரவரி மாதம் 26-ஆம் தேதி (26-02-2024) தமிழ்நாடு மாநிலம், விழுப்புரம் மாவட்டம், வானூர் வட்டம்-605 109, கரசானூர் கிராமம், மேட்டுத் தெரு, நெ.168 என்கிற முகவரியில் வசிக்கும் காலஞ்சென்ற சின்னையாக் கவுண்டர் அவர்களின் குமாரர் திரு.சி.கணேசன் (இந்திய அரசு, ஆதார் அடையாள அட்டை எண்.5184 8164 9249, செல் நெ.9655364231)- (குத்தகை விடுபவர்)-1-வது பார்ட்டி;

தமிழ்நாடு மாநிலம், விழுப்புரம் மாவட்டம், வானூர் வட்டம், கரசானூர் கிராமத்தில் வாசிக்கும் திரு.குப்புசாரி கவுண்டர் அவர்களின் மனைவி திருமதி.கு.ராஜாமணி ((இந்திய அரசு, ஆதார் அடையாள அட்டை எண்.4742 0145 0407, செல் நெ.9047685200) - (குத்தகை பெறுபவர்)-2-வது பார்ட்டி. ஆகியோர் நாம் இரு பார்ட்டிகளும் சேர்ந்து சம்பந்தமுள்ள துழுதிக் கொண்ட குத்தகை ஆவணம்.

1வது பார்ட்டி

[Signature]

2வது பார்ட்டி

[Signature]



188

என்னவென்றால் நம்மில் 1வது பார்ட்டிக்குச் சொந்தமான இதனடியில் சொத்து விபரத்தில் கண்டுள்ள சொத்தினை நம்மில் 2வது பார்ட்டி கல் உடைக்கும் தொழில் மற்றும் மலைமண் விற்பனை செய்ய 1வது பார்ட்டியை அனுுகி குத்தகைக்கு கேட்டு அதற்கு 1வது பார்ட்டியும், 2வது பார்ட்டிக்கு குத்தகைக்கு விட ஒப்புக் கொண்டு கீழ்க்கண்ட நிபந்தனைகளின்படி நாம் இரு பார்ட்டிகளும் நடக்க ஒப்புக் கொண்டு இந்த குத்தகை ஆவணம் ஏற்படுத்திக் கொண்டுள்ளோம்.

நிபந்தனைகள்

1. மேற்படி 1வது பார்ட்டிக்கு சொந்தமான இடத்திற்கு ஒரு லோடுக்கு குத்தகையாக ரூ.700/- (ரூபாய் எழுநூறு மட்டும்) என்பதை நாம் இரு பார்ட்டிகளும் ஒப்புக் கொண்டு மேற்படி வருட குத்தகையை ஆங்கில வருடம் கணக்குபடி பிரதி வருடம் 2வது பார்ட்டி 1வது பார்ட்டி வசம் தவறாமல் செலுத்தி வர வேண்டியது. மேற்படி தொகையை செலுத்திய பிறகு, மேற்படி தொகைக்கு உண்டான இரசீதை நம்மில் 1வது பார்ட்டியிடமிருந்து, 2வது பார்ட்டி பெற்றுக் கொள்ள வேண்டியது.
2. மேற்படி 1வது பார்ட்டி 2வது பார்ட்டியிடம் இருந்து குத்தகைக்கு முன் தொகையாக ரூ.1,00,000/- (ரூபாய் ஒரு இலட்சம் மட்டும்) ரொக்கமாக பெற்றுக் கொண்டுள்ளார். மேற்படி முன் தொகைக்கு இந்த குத்தகை ஒப்பந்தமே ரசீது ஆகும். மேற்படி முன் தொகைக்கு வட்டி ஏதும் கிடையாது.
3. இந்த குத்தகை ஒப்பந்தம் இன்றைய தேதியில் இருந்து 5வருட காலத்திற்கு மட்டுமே அமுலில் இருக்கும். (26.02.2024 முதல் 26.02.2029 வரை)
4. மேலும் 2வது பார்ட்டி மேற்படி தொழில் நடத்த தேவையான அரசு அலுவலகங்களில் 2வது பார்ட்டி பெயரிலேயே அனுமதிகள், தடையில்லா சான்று அமைப்பதற்கு 1வது பார்ட்டி சம்மதிக்கிறார்.
5. மேற்படி 2வது பார்ட்டி தான் உபயோகப்படுத்தும் மின்சாரத்திற்கு உண்டான மின் கட்டணத்தை 2வது பார்ட்டி நேரடியாக மின்சார வாரியத்திடம் செலுத்தி வர வேண்டியது. மின் கட்டணம் செலுத்திய பின் அதனுடைய ரசீதை 1வது பார்ட்டி வசம் கொடுக்க வேண்டியது.
6. மேற்படி 2வது பார்ட்டி தான் குத்தகைக்கு எடுத்துள்ள இடத்தை முழுமையாகவோ அல்லது பகுதியாகவோ வேறு பார்ட்டிகளுக்கு மேல் வாடகைக்கு விடக்கூடாது.
7. மேற்படி 2வது பார்ட்டி தான் குத்தகைக்கு எடுத்துள்ள இடத்தினை வியாபாரத்திற்கு மட்டுமே பயன் படுத்த வேண்டும்.

1வது பார்ட்டி



2வது பார்ட்டி

ரகராஜாமணி



8. மேற்படி 1வது பார்ட்டி தனக்கு சொந்தமான இடத்தை 1வது பார்ட்டியோ அல்லது அவர்களது அதிகாரம் பெற்றவர்களோ இடத்தை பார்வையிட அதிகாரம் உண்டு.

9. மேற்படி 2வது பார்ட்டி இடத்தை காலி செய்து 1வது பார்ட்டி வசம் திருப்ப ஒப்படைக்கும் போது வாடகை பாக்கி, மின்சார கட்டண பாக்கி, இடத்தில் ஏதாகிலும் சேதாரம் இருந்தால் அதற்குண்டான செலவுகள் அனைத்தையும் 2வது பார்ட்டி செலுத்தி உள்ள அட்வான்ஸ் தொகையில் இருந்து கழித்துக் கொண்டு மீதி தொகையை 1வது பார்ட்டி 2வது பார்ட்டி வசம் திருப்ப செலுத்த வேண்டியது.

இதன்படிக்கு மேற்கண்ட வருஷம், மாதம் தேதியில் கீழ்க்கண்ட சாட்சிகளின் முன்விலையில் மேற்கண்ட நிபந்தனைகளின்படி நாம் இரு பார்ட்டிகளும் நடக்க ஒப்புக் கொண்டு இந்த குத்தகை ஒப்பந்தப் பத்திரத்தில் கையொப்பம் இட்டுள்ளோம்.
சொத்து விபரம்.

தமிழ்நாடு மாநிலம், விழுப்புரம் மாவட்டம், திண்டிவனம் பதிவு மாவட்டம், வாலூர் சார்பதிவு அலுவலகம், கரசாலூர் ஊராட்சி எல்லைக்குட்பட்ட கரசாலூர் கிராமத்தில் அயன் புஞ்சை புதிய சர்வே எண்.171/1, பட்டா எண்.750-ன்படி தற்போதைய உட்பிரிவுபடி புதிய சர்வே எண்.171/1B-0.81.0 ஏர்ஸ், பழைய சர்வே எண்.63/-ஏக்கர் 5.01 செண்டில் அரிகேசவன் ஆசிரியர் புஞ்சைக்கு வடக்கு, நாராயணசாமிபிள்ளை வகையறா புஞ்சைக்கு தெற்கு, மேற்கு, என் மீதி புஞ்சைக்கு கிழக்கு, இதன் மத்தியில் ஏக்கர் 2.01 செண்டு இரண்டு ஏக்கர் ஒரு செண்டு புஞ்சை நிலமும்,

கரசாலூர் ஊராட்சி எல்லைக்குட்பட்ட கரசாலூர் கிராமத்தில் அயன் புஞ்சை புதிய சர்வே எண்.171/1, பட்டா எண்.734-ன்படி தற்போதைய உட்பிரிவுபடி புதிய சர்வே எண்.171/1A-1.21.50 ஏர்ஸ் முழுவதும், பழைய சர்வே எண்.63/-ஏக்கர் 5.01 செண்டில் அரிகேசவன் புஞ்சைக்கு வடக்கு, விரப்பன், பொன்னுரங்கம் பிள்ளை வகையறா நிலத்திற்கு கிழக்கு, நாராயணசாமி பிள்ளை வகையறா நிலத்திற்கு தெற்கு, தங்கள் நிலத்திற்கு மேற்கு, இதன் மத்தியில் ஏக்கர் 3.00 செண்டு மூன்று ஏக்கர் புஞ்சை நிலமும், சேர்ந்து ஆக மொத்தம் ஏக்கர் 5.01 செண்டு மட்டும் இதற்குட்பட்டது.

1வது பார்ட்டி

[Handwritten signature]

2வது பார்ட்டி

[Handwritten signature]

சாட்சிகள் :

1. *A. Balanmugam s/o. Kuppusamy Karasamma*
Vanur Taluk
605109.
2. *P. P. s/o R. சிவசாமி*
31-மேலவழி-மேயர்சாலை
சேதாபுரம்
495 02 ரி.



Notarial Register	
Year	2024
Volume	01/2024
Page	39/2024
Sl.No.	280/2024

[Handwritten signature] 26/7/2024
T.S. JAYACHANDIRAN
 Advocate & Notary Public
 Government of Tamilnadu
 G.O.(MS) No: 237, dt: 02-08-2018
 Vanur Taluk, Villupuram Dist.




भारत सरकार
Government of India

भारतीय पहचान प्राधिकरण
Unique Identification Authority of India

பதிவுக் குறியீடு / Enrolment No. : 219918124/05337

To
ரஜமணி
Rajamani
W/O Kuppusamy,
188,
METTU STREET,
VANUR TALUK,
VTC, Karasanur,
PO: V.Parangani,
District: Viluppuram,
State: Tamil Nadu,
PIN Code: 605109,
Mobile: 9047623900



Signature Verified
உயர்நீதிமன்றம்
உறுதிப்படுத்தப்பட்டது
உயர்நீதிமன்றம்
உறுதிப்படுத்தப்பட்டது

உங்கள் ஆதார் எண் / Your Aadhaar No. :
4742 0145 0407
VID : 9103 1518 2253 9250

எனது ஆதார். எனது அடையாளம்



भारतीय पहचान प्राधिकरण
Unique Identification Authority of India

ரஜமணி
Rajamani
பிறந்த நாள்/DOB: 07/08/1970
பெண்/ FEMALE

ஆதார் என்பது அடையாளத்திற்கான சான்றாணி. குடியரிமை அல்லது பிறகு தேவிக்ளை சான்றல்ல. இதைத் தெரி செய்து ஆதார் என வைத்திருப்பவரால் அங்கீகரிக்கப்பட்ட விதிமுறைகளில் குறிப்பிடப்பட்டுள்ள பிறகு தேவி ஆதாரத்தில் ஆதார் மூலம் ஆதரிக்கப்படும் தகவலின் அடிப்படையின் அமைத்திருக்கிறது.

Aadhaar is proof of identity, not of citizenship or date of birth. It should be used with verification (online authentication, or scanning of QR code / offline XML).

4742 0145 0407

எனது ஆதார். எனது அடையாளம்




தகவல் / INFORMATION

- ஆதார் என்பது அடையாளத்திற்கான சான்றாணி. குடியரிமை அல்லது பிறகு தேவிக்ளை சான்றல்ல. இதைத் தெரி செய்து ஆதார் என வைத்திருப்பவரால் அங்கீகரிக்கப்பட்ட விதிமுறைகளில் குறிப்பிடப்பட்டுள்ள பிறகு தேவி ஆதாரத்தில் ஆதார் மூலம் ஆதரிக்கப்படும் தகவலின் அடிப்படையின் அமைத்திருக்கிறது.
- இந்த ஆதார் சமீபத்தான பல் பரிசீலித்த அங்கீகரி பிறவனத்தால் ஆளவன் அங்கீகரி அல்லது ஆர் என் பி நிகலிப் சிஸ் தரல் எம் ஆதர் அல்லது ஆதர் ON சங்கீகரி செயலியை பயன்படுத்தி ம் குறிப்பிடு ஸ்கேலில் அல்லது மொபைல் சிஸ் ஆதர் பரதமயான ம் குறிப்பிடு ஸ்கே செயலியை பயன்படுத்தி சரிபார்க்க வேண்டும்.
- ஆதர் தனித்துவமானது மற்றும் பரதமயானது.
- ஆதர் பரிசீ செய்வப்பட்ட தாலிக்குத்து ஒன்வெசு 10 வர்டும்களுக்கு பிறகு ஆதாரில் அன மானம் மற்றும் முகவரிக்கான ஆலவன்கள் பரதமிகப்பட்டு வேண்டும்.
- பலவேறு ஆல் மற்றும் ஆல் மூல் பரதமர் / சேவைகளைப் பெற ஆதர் உங்களுக்கு உதவிடுகிறது.
- உங்கன் மொலம் என் மற்றும் பிளவுகூல் மூலம் ஆதாரில் பரதமிக்லாம்.
- ஆதர் சேவைகளைப் பெற காலம் செயலியை பரிசீலிக்கலாம்.
- ஆதார்பயோமெட்ரிக்லைப் பயன்படுத்தாதபோது பரதமயை உறுதிசெய்ய ஆதார்பயோமெட்ரிக்லை வர்டும்கள் அம்கத்தனப் பயன்படுத்தலாம்.
- ஆதர் சேரும் பிறவன்கள் ஒப்பதமைப் பெற வேண்டிய டட்டமய உடனது.
- Aadhaar is proof of identity, not of citizenship or date of birth (DOB). DOB is based on information supported by proof of DOB document specified in regulations, submitted by Aadhaar number holder.
- This Aadhaar letter should be verified through either online authentication by UIDAI-appointed authentication agency or QR code scanning using mAadhaar or Aadhaar QR Scanner app available in app stores or using secure QR code reader app available on www.uidai.gov.in.
- Aadhaar is unique and secure.
- Documents to support identity and address should be updated in Aadhaar after every 10 years from date of enrolment for Aadhaar.
- Aadhaar helps you avail of various Government and Non-Government benefits/services.
- Keep your mobile number and email id updated in Aadhaar.
- Download mAadhaar app to avail of Aadhaar services.
- Use the feature of Lock/Unlock Aadhaar/biometrics to ensure security when not using Aadhaar/biometrics.
- Entities seeking Aadhaar are obligated to seek consent.



भारतीय पहचान प्राधिकरण
Unique Identification Authority of India

ரஜமணி
W/O குப்புசாமி, மூல 188, குட்டுத் தெரு,
வானூர் தாலுகா, மதுரை, வி. பரங்கனி,
விழுப்புரம்,
தமிழ்நாடு - 605109
Address:
W/O Kuppusamy, 188, METTU STREET,
VANUR TALUK, Karasanur, PO:
V.Parangani, DIST: Viluppuram,
Tamil Nadu - 605109



4742 0145 0407

VID : 9103 1518 2253 9250

KR... 191

2238/2024



தமிழ்நாடு தமிழ்நாடு TAMILNADU

DM 192595

3081
22.03.2024

₹100/- கிணேசன்
கிராமம்

[Signature]
க. ராஜாமணி
பெயர் எண்: 2809/B/2006
தமிழ்நாடு

பொது அதிகார ஆவணம்

2024-ஆம் ஆண்டு மார்ச் மாதம் 22-ஆம் தேதி (22-03-2024) தமிழ்நாடு மாநிலம், விழுப்புரம் மாவட்டம், வானூர் வட்டம், கரசானூர் கிராமத்தில் வசிக்கும் காலஞ்சென்ற சின்னையாக் கவுண்டர் அவர்களின் குமாரத்தியும், திரு.குப்புசாமி கவுண்டர் அவர்களின் மனைவியுமான திருமதி.க.ராஜாமணி (இந்திய அரசு, ஆதார் அடையாள அட்டை எண்.4742 0145 0407, செல் நெ.9047685200) அவர்களுக்கு,

தமிழ்நாடு மாநிலம், விழுப்புரம் மாவட்டம், வானூர் வட்டம்-605 109, கரசானூர் கிராமம், மேட்டுத் தெரு, நெ.168 என்கிற முகவரியில் வசிக்கும் காலஞ்சென்ற சின்னையாக் கவுண்டர் அவர்களின் குமாரர் திரு.சி.கணேசன் (இந்திய அரசு, ஆதார் அடையாள அட்டை எண்.5184 8164 9249, செல் நெ.9655364231) ஆகிய நான் எழுதிக் கொடுத்த பொது அதிகார ஆவணம்.

பொது அதிகாரம் கொடுப்பவர்

பொது அதிகாரம் பெறுபவர்

[Signature]

க.ராஜாமணி

புத்தம்: 2024 வருத்தி: 2238 ஆவணம்
13 தூள் கணைக் கொண்டது
1 வது தாள்.
புதிது சிவலர்.
வானூர்.



K.ராஜாமணி

எண்ணெண்ணூல், இதனடியில் சொத்து விபரத்தில் கண்ட சொத்தைப் பொறுத்து, சி. கணேசன் ஆகிய நான் 18.08.2022 தேதியில் சுயமாய் கிரையம் பெற்று, மேற்படி ஆவணம் வானூர் சார்பதிவகத்தில் 1புத்தகம், 2022-ஆம் வருடத்திய 5762-ஆம் நெம்பராக பதிவாகி உள்ளது.

மேலும், இதனடியில் சொத்து விபரத்தில் கண்ட சொத்தைப் பொறுத்து, சி. கணேசன் ஆகிய நான் 03.09.2022 தேதியில் சுயமாய் கிரையம் பெற்று, மேற்படி ஆவணம் வானூர் சார்பதிவகத்தில் 1புத்தகம், 2022-ஆம் வருடத்திய 6285-ஆம் நெம்பராக பதிவாகி உள்ளது.

மேற்கூறிய கிரைய ஆவணங்களின்படி எனக்கு உரிமையாகி அனுபவித்து வரும் கீழ்க்கண்ட சொத்தை நான் நேரில் சென்று கவனிக்க முடியாததாலும், கவனிக்கவும், பரிபாலனம் செய்யவும், விற்பனை செய்யவும், எனது உடன்பிறந்த சகோதரியான தங்களை எனது பொது அதிகார முகவராக நியமித்து கீழ்க்கண்ட அதிகாரம் கொடுத்துள்ளேன்.

கீழ்க்கண்ட சொத்தை விற்பனை செய்ய நோந்தால் எனக்காக தாங்களே கிரையம் பேசி, கிரையம் பெறுபவரை பத்திரம் எழுதி வரச் செய்து உரிய சார்பதிவகத்தில் தாக்கல் செய்து, உரிய நமுணாக்களிலும் கையெழுத்து செய்து பதிந்து கொடுக்க வேண்டியது.

கீழ்க்கண்ட சொத்தை கிரையம், கிரைய உடன்படிக்கை, தானம், பிழைதிருத்தல், அடமானம், போக்கியம், குத்தகை, பரிவர்த்தனை செய்ய நோந்தால் எனக்காக தாங்களே, மேற்படி ஆவணங்களை தயார் செய்து உரிய சார்பதிவகத்தில் தாக்கல் செய்தும், உரிய நமுணாக்களில் கையெழுத்து செய்தும் பதிந்து கொடுக்க வேண்டியது.

கீழ்க்கண்ட சொத்தை விற்பனை செய்ய நோந்தால் எனக்காக தாங்களே கிரையம் பேசி, விற்பனை செய்யவும், கிரையம் பெறுபவர்களிடமிருந்து முன் தொகை பெறவும், கிரையம் பெறுபவர்களை பத்திரம் எழுதி வரச் செய்து உரிய சார்பதிவகத்தில் தாக்கல் செய்து, உரிய நமுணாக்களிலும் கையெழுத்து செய்து பதிந்து கொடுக்கவும், தேவைப்படும் போது எனக்காக தாங்களே உரிய நமுணாக்களில் கையெழுத்து செய்தும் கொடுக்க வேண்டியது.


எனக்காக தாங்கள் தமிழ்நாடு புவியியல் மற்றும் சுரங்கத் துறை அனுமதிப் பெற்று சிறு கனிமம், சாதாரண கற்கள், கிராவல் மண் எடுத்துக் கொள்ளவும், மேற்கண்ட துறைக்கு அனுமதிப் பெறவும், மேற்கண்ட துறைக்கு கூட்டு ஒப்பந்தம் செய்து கொள்ளவும், மாநில சுற்று சூழல் தாக்கம் மதிப்பீடு ஆணையத்தில் தடையில்லா சான்று பெறவும், மேலும் கீழ்க்கண்ட சொத்தைப் பொறுத்து அரசு அலுவலகம், ஊராட்சி அலுவலகம், காவல் நிலையம், மின்சார அலுவலகம், நீதிமன்றம், மாசுக்கட்டுப்பாட்டு வாரியம், கனிம நிறுவனம் போன்ற இடங்களுக்கு செல்ல நோந்தால் எனக்காக தாங்களே சென்று மனு கொடுத்து உரிய நடவடிக்கை எடுக்க வேண்டியது. கீழ்க்கண்ட சொத்தைப் பொறுத்து தேவைப்படும் போது நீதிமன்றத்தில் வழக்குறைஞர்களை நியமிக்கவும், வழக்காடவும், இராஜி செய்துக் கொள்ள நோந்தால் இராஜி செய்துக் கொள்ள வேண்டியது. நீதிமன்றத்தில் தொகை செலுத்தவும், தொகை திரும்ப பெறவும், இதன் மூலம் அதிகாரம் கொடுத்துள்ளேன்.

பொது அதிகாரம் கொடுப்பவர்

பொது அதிகாரம் பெறுபவர்



Kராஜமணி

1புத்தகம் 2022 வருடத்திய 2238 ஆவணம்
..... தாங்களாகக் கொண்டது
2..... வது தாள்.
 வானூர்.



Kராஜமணி

எனது பொது அதிகார முகவர் என்கிற முறையில், கீழ்க்கண்ட சொத்தைப் பொறுத்து சட்டத்திற்கு உட்பட்டு தாங்கள் செய்யும் சகல காரியங்களையும் நானே நேரில் செய்ததாக ஒப்புக் கொள்கிறேன். எனது பெயரில் வங்கியில் கணக்கு துவங்கி வரவு செலவு கணக்கு தயார் செய்து வந்து நான் கேட்கும் போது ஒப்புக் கொடுக்க வேண்டியது. இதற்காக உமதிடம் எவ்வித கைமாறும் பெறவில்லை. இதன்படி நான் சம்மதித்து எழுதிக் கொடுத்த பொது அதிகார ஆவணம்.

சொத்து விபரம்

தமிழ்நாடு மாநிலம், விழுப்புரம் மாவட்டம், திண்டிவனம் புதிவு மாவட்டம், வானூர் சார்பதிவு அலுவலகம், கரசானூர் ஊராட்சி எல்லைக்குட்பட்ட கரசானூர் கிராமத்தில் அயன் புஞ்சை புதிய சர்வே எண்.171/1, பட்டா எண்.1668-ன்படி தற்போதைய உட்பிரிவுபடி புதிய சர்வே எண்கள்.171/1A-1.21.50 ஏர்ஸ், 171/1B-0.81.00 ஏர்ஸ், ஆக 2.2.50 ஏர்ஸ் முழுவதும், பழைய சர்வே எண்.63/- 5 ஏக்கர் செண்டு 01; ஐந்து ஏக்கர் ஒரு செண்டு புஞ்சை நிலம் மட்டும். இந்த பொது அதிகார ஆவணத்திற்கு உட்பட்டது. மதிப்பு ரூபாய்.12,18,000/-

பொது அதிகாரம் கொடுப்பவர்

பொது அதிகாரம் பெறுபவர்

K.ராஜாணி

சாட்சிகள் :

1. K. Balasubramanian கு.பாலமுருகன் த.பெ. குப்புசாமி, நெ.168, மேட்டுத் தெரு, கரசானூர், வானூர் வட்டம்-605 109. (இந்திய அரசு, ஆதார் அடையாள அட்டை எண்.8495 7385 4802).

2. K. Z. K. கே.தமிழ்ச்செல்வன், த.பெ. கேசவப்பிள்ளை, நெ.2/141A, பச்சைவாழியம்மன் கோயில் தெரு, வானூர்-605 109. (ஆதார் அட்டை எண்.6031 9744 9463)

ஆவணம் தயார் செய்து வரைவு செய்தவர் : R.சச்சிதானந்தம்.



K.ராஜாணி

மாநில ஆவண எழுத்தர் உரிமம் எண் அ.141/திவம/2000, வானூர்.

பத்திரம் 2014 வருத்தி 1238 ஆவணம்
313 தாள்களைக் கொண்டது
வது தாள்.
புதிவு அலுவலர்.
வானூர்.



R/வானூர்/புத்தகம்-1/2238/2024

2024 ஆம் ஆண்டு மார்ச் மாதம் 22ம் தேதி மு.ப. 11:44 மணியளவில் வானூர் சார்பதிவாளர் அலுவலகத்தில் தாக்கல் செய்து கட்டணம் ₹ 2,510/- செலுத்தியவர்.

இடது பெருவிரல்



கூடுதல் விவரங்கள் ஆவண வாசகத்தில் உள்ளபடி.

எழுதிக் கொடுத்ததாக ஒப்புக் கொண்டவர்
இடது பெருவிரல்



"சம்மதத்துடன் கூடிய ஆதார் அங்கீகாரம்" என்ற வழி இந்த நபரின் அடையாளம் விரல் ரேகை மூலம் ஆதார் ஆணையத்துடன் சரிபார்க்கப்பட்டது. ஒப்பீட்டு எண் : UKC:958275c3675a45e75349eba2b4672b3dd85c5 (Details from UIDAI : C Ganesan S/O Chinnalyan, 12-11-1967, xxxxxxxx9249)



எழுதி வாங்கியதாக ஒப்புக் கொண்டவர்
இடது பெருவிரல்



கரஜாமணி
"சம்மதத்துடன் கூடிய ஆதார் அங்கீகாரம்" என்ற வழி இந்த நபரின் அடையாளம் விரல் ரேகை மூலம் ஆதார் ஆணையத்துடன் சரிபார்க்கப்பட்டது. ஒப்பீட்டு எண் : UKC:84154754c3daf7098a4f9c9c58852c6406e056 (Details from UIDAI : Rajamani W/O Kuppusamy, 1970, xxxxxxxx0407)



2024 ஆம் ஆண்டு மார்ச் மாதம் 22ம் நாள்

புத்தகம் 2238 ஆவணம்
13 தாள்களைக் கொண்டது
வது தாள்.
வானூர்.



சார்பதிவாளர்
வானூர்

K. ராஜாமணி - 1 / 2

R/வானூர்/புத்தகம்-1/2238/2024

R/வானூர்/புத்தகம்-1/2238/2024 எண்ணாகப் பதிவு செய்யப்பட்டது.

நாள்: 22/03/2024


வானூர்


சந்திரமொகன் ஜெ
சார்பதிவாளர்

இந்த பொது அதிகார ஆவண அடிப்படையில் பதிவு செய்யப்படும் எந்தவொரு ஆவணத்திற்கும் முதல்வர் உயிருடன் உள்ளார் என்பதற்கான சான்று தாக்கல் செய்யப்பட வேண்டும்.

K. ரமணி



புத்தகம் 2238 ஆவணம்
13 தாள்களைக் கொண்டது
5 வது தாள்.

சந்திரமொகன் ஜெ
வானூர்.





தமிழ்நாடு அரசு

வருவாய்த் துறை

நில உரிமை விபரங்கள் : இ. எண் 10(1) பிரிவு

மாவட்டம் : விழுப்புரம்

வட்டம் : வானூர்

வருவாய் கிராமம் : கரசாணூர்

பட்டா எண் : 1668

உரிமையாளர்கள் பெயர்

1. சின்னையாக் கவுண்டர்

மகள்

கணைவர்

-

புல எண்	உட்பிரிவு	புன்செய்		நன்செய்		மற்றவை		குறிப்புரைகள்
		பரப்பு	தீர்வை	பரப்பு	தீர்வை	பரப்பு	தீர்வை	
		ஹெக் - ஏர்	ரூ - பை	ஹெக் - ஏர்	ரூ - பை	ஹெக் - ஏர்	ரூ - பை	
171	1A	1 - 21.50	5.10	--	--	--	--	2022/0103 /07/300741--- ----- 03-09-2022
171	1B	0 - 81.00	3.40	--	--	--	--	2023/0103 /07/321130--- ----- 28-02-2023
		2 - 2.50	8.50					

குறிப்பு :



- மேற்கண்ட தகவல் / சான்றிதழ் நகல் விவரங்கள் மின் பதிவேட்டிலிருந்து பெறப்பட்டவை. இவற்றை தாங்கள் <https://eservices.tn.gov.in> என்ற இணைய தளத்தில் 07/02/050 /01668/20001 என்ற குறிப்பு எண்ணை உள்ளீடு செய்து உறுதி செய்துகொள்ளவும்.
- இத் தகவல்கள் 14-03-2024 அன்று 12:25:08 PM நேரத்தில் அச்சுடிக்கப்பட்டது.
- கைப்பேசி கோடாவின் 2D barcode படிப்பான் மூலம் படித்து 3G/GPRS வழி இணையதளத்தில் சரிபார்க்கவும்

[Handwritten signature]

K. ஜெனாபம்மா

புத்தகம் 2024 வரு ச்தி 2238 அவணம்
..... 13 தாள்களைக் கொண்டது
..... 6 வது தாள்.
[Handwritten signature]
வாணூர்.



197



இந்திய அரசாங்கம்

Unique Identification Authority of India
Government of India

உள்ளிட எண் / Enrolment No.: 2189/80740/00756

To

சி.சீமையன்

C Ganesan

S/O Chinnaiyan

168

METTU STREET

VANUR TALUK

Karasalur

V.Parangul

Viluppuram Tamil Nadu - 605109

9655364231

Download Date: 15/01/2017 Generation Date: 08/01/2017

Signature Not Verified



உங்கள் ஆதார் எண் / Your Aadhaar No. :

5184 8164 9249

எனது ஆதார், எனது அடையாளம்



இந்திய அரசாங்கம்

Government of India



சி.சீமையன்

C Ganesan

பிறந்த நாள்/DOB: 12/11/1967

ஆண்/ MALE



Unique Identification Authority of India

Address:

S/O Chinnaiyan, 168, METTU

STREET, VANUR TALUK,

Karasalur, Viluppuram,

Tamil Nadu - 605109

முகவரி:

S/O சி.சீமையன், எண் 168, மே

மெட்டு, வானூர், தாலுகா, வானூர்

விலுப்பூர்,

தமிழ்நாடு - 605109

5184 8164 9249

5184 8164 9249

எனது ஆதார், எனது அடையாளம்

சி.சீமையன்
வானூர்.



சி.சீமையன்




புதிய அரசாங்கம்
Government of India

இந்திய குனிப்பிட்ட அடையாள ஆணைய அமைப்பு
Unique Identification Authority of India

பதிவேட்டு எண் / Enrolment No.: 2193/13124/05337

To
ராஜமணி
Rajamani
W/O Kuppusamy,
168,
METTU STREET,
VANUR TALUK,
VTC: Karasanur,
PO: V.Parangani,
District: Viluppuram,
State: Tamil Nadu,
PIN Code: 605109,
Mobile: 9047623800



Signature Not Verified

உங்கள் ஆதார் எண் / Your Aadhaar No. :

4742 0145 0407

VID : 9103 1518 2253 9250

எனது ஆதார், எனது அடையாளம்



புதிய அரசாங்கம்
Government of India



ராஜமணி
Rajamani
பிறந்த நாள்/DOB: 07/08/1970
பால்/FEMALE

ஆதார் என்பது அடையாளத்திற்கான சான்றாகும். குடியரிமை அல்லது பிறந்த தேதிக்கான சான்றாக இது அல்லது உறுதிப்படுத்தப்படும் பிறந்த தேதி ஆவணத்தின் ஆதாரம் மூலம் ஆதரிக்கப்படும் தகவலின் அடிப்படையில் அமைந்துள்ளது.
Aadhaar is proof of identity, not of citizenship or date of birth. It should be used with verification (online authentication, or scanning of QR code / offline XML).

4742 0145 0407

எனது ஆதார், எனது அடையாளம்



தகவல் / INFORMATION

ஆதார் என்பது அடையாளத்திற்கான சான்றாகும். குடியரிமை அல்லது பிறந்த தேதிக்கான சான்றாக இது அல்லது உறுதிப்படுத்தப்படும் பிறந்த தேதி ஆவணத்தின் ஆதாரம் மூலம் ஆதரிக்கப்படும் தகவலின் அடிப்படையில் அமைந்துள்ளது.

இந்த ஆதார் கடிதத்தை UIDAI நியமித்த அங்கீகரிக்கப்பட்ட நிறுவனத்தால் ஆணையின் அங்கீகரிக்கப்பட்ட ஆய்வு ஸ்டேஷன்களில் கிடைக்கும் எம் ஆதார் அல்லது ஆதார் QR ஸ்கேனர் செயலியை பயன்படுத்தி OR குறியீடு ஸ்கேனிங் அல்லது www.uidai.gov.in ல் கிடைக்கும் பாதுகாப்பான OR குறியீடு ஓபிடி செயலியை பயன்படுத்தி சரிபார்க்க வேண்டும்.

ஆதார் தனித்துவமானது மற்றும் பாதுகாப்பானது.

ஆதார் பதிவு செய்யப்பட்ட நாளிலிருந்து ஒவ்வொரு 10 வருடங்களுக்குப் பிறகும் ஆதாரில் அடையாளம் மற்றும் முகவரிக்கான ஆவணங்கள் புதுப்பிக்கப்பட வேண்டும்.

பல்வேறு அரசு மற்றும் அரசு சாரா பலன்கள் / சேவைகளைப் பெற ஆதார் உங்களுக்கு உதவுகிறது.

உங்கள் மேம்பாடு என்பது மற்றும் பின்னூட்டம் இடையே ஆதாரில் புதுப்பிக்கவும்.

ஆதார் சேவைகளைப் பெற mAadhaar செயலியை பதிவிறக்கவும்.

ஆதாரை மீட்டிங் ரிக்கார்டு பயன்படுத்தாதபோது பாதுகாப்பை உறுதிசெய்ய ஆதாரை மீட்டிங் ரிக்கார்டு மூலம் பாதுகாப்பை உறுதிசெய்ய வேண்டும்.

ஆதார் கோரும் நிறுவனங்கள் ஒப்புதலைப் பெற வேண்டிய கட்டாயம் உள்ளது.

Aadhaar is proof of identity, not of citizenship or date of birth (DOB). DOB is based on information supported by proof of DOB document specified in regulations, submitted by Aadhaar number holder.

This Aadhaar letter should be verified through either online authentication by UIDAI-appointed authentication agency or QR code scanning using mAadhaar or Aadhaar QR Scanner app available in app stores or using secure QR code reader app available on www.uidai.gov.in.

Aadhaar is unique and secure.

Documents to support identity and address should be updated in Aadhaar after every 10 years from date of enrolment for Aadhaar.

Aadhaar helps you avail of various Government and Non-Government benefits/services.

Keep your mobile number and email id updated in Aadhaar.

Download mAadhaar app to avail of Aadhaar services.

Use the feature of Lock/Unlock Aadhaar/biometrics to ensure security when not using Aadhaar/biometrics.

Entities seeking Aadhaar are obligated to seek consent.




புதிய அரசாங்கம்
Unique Identification Authority of India



Date of Issuance: 25/08/2013

முகவரி:
W/O குப்புசாமி, எண் 168, மெட்டு தெரு,
வானூர்தாண்டி, கரசனூர், வி. பரங்கனி,
வி. பரங்கனி,
தமிழ்நாடு - 605109

Address:
W/O Kuppusamy, 168, METTU STREET,
VANUR TALUK, Karasanur, PO:
V.Parangani, DIST: Viluppuram,
Tamil Nadu - 605109



4742 0145 0407

VID : 9103 1518 2253 9250

www.uidai.gov.in

K ராஜமணி
Kராஜமணி

பெண் 2013 ஆவணம்
9 13
தாள்களைக் கொண்டு
வந்து தள்ளு.

பதிவு செய்துள்ள
வாசல்கள்.



<p>  Government of India </p> <p>  தமிழ்செல்வன் கே Tamilselvan K பிறந்த நாள்/DOB: 30/12/1996 பாலின/ MALE </p> <p> 6031 9744 9463 VID : 9149 4012 9359 3475 </p> <p> எனது ஆதார், எனது அடையாளம் </p>	<p>  Unique Identification Authority of India </p> <p> முகவரி: C/O Kesavapillai, 2/141 A, பச்சைவழியங்கரை கோவில் தெரு, வனூர், விழுப்புரம், தமிழ்நாடு - 605109 </p> <p> Address: C/O Kesavapillai, 2/141 A, Pachaivazhiarman Koil Street, Vanur, Villupuram, Tamil Nadu - 605109 </p> <p> 6031 9744 9463 VID : 9149 4012 9359 3475 </p> <p> 1947 help@uidai.gov.in www.uidai.gov.in </p>
--	--

K. Tamilselvan K

K. Z...

பிப்ரவரி 2014 வாங்கி 2238 ஆவணம்
 13 தாள்களைக் கொண்டது
 10 வது தாள்.
 முகப்பேட்டை
 வாணர்.



இந்திய அரசாங்கம்
Government of India

இந்திய தனிப்பட்ட அடையாள ஆணையர் தரையம்
Unique Identification Authority of India

பதிவேட்டு எண்/ Enrolment No.: 0134/10057/09845

To
பாமமுருகம்
Balamurugan
S/O Kuppasamy
168
METTU STREET
VANUR TALUK
Karasur
Viluppuram Tamil Nadu - 605109
9047240095



உங்கள் ஆதார் எண் / Your Aadhaar No. :

8495 7385 4802
VID : 9181 4754 6346 9992

எனது ஆதார். எனது அடையாளம்



தகவல்

- ஆதார் அடையாளத்திற்கான சான்று குடியறிமயக் கல்வ:
- பாதுகாப்பான 28 ஊரிட்டு ஆம்ஸல் XML / ஆம்ஸல் அங்கீகரிக்கப்பட்ட பயன்படுத்தி அடையாளத்தை சரிபார்க்கவும்.
- இது எலக்ட்ரானிக் செயல்முறை மூலம் தயாரிக்கப்பட்ட கடிதமாகும்.

INFORMATION

- Aadhaar is a proof of identity, not of citizenship.
- Verify identity using Secure QR Code/ Offline XML/ Online Authentication.
- This is electronically generated letter.

- ஆதார் நாடு முழுவதிலும் செல்லுபடியாகும்
- பயன்பாடு அரசு மற்றும் அரசு அல்லாத சேவைகளை வளிதில் பெற ஆதார் உதவுகிறது
- உங்கள் உடனடியான எண் மற்றும் பின்புலமாக குடியரசு ஆதாரம் முடிவிலிக்கவும்
- எங்கள் செயலிசைய பயன்படுத்தி உலகம் சமஸ்த. உயர்வில ஆதாரை எடுத்துச் செல்லுங்கள்

- Aadhaar is valid throughout the country.
- Aadhaar helps you avail various Government and non-Government services easily.
- Keep your mobile number & email ID updated in Aadhaar.
- Carry Aadhaar in your smart phone – use mAadhaar App.



இந்திய அரசாங்கம்
Government of India



பாமமுருகம்
Balamurugan
செந்த் அம்/DOB: 09/09/1988
ஆண்/ MALE

Mux Date: 11/09/2013

8495 7385 4802
VID : 9181 4754 6346 9992

எனது ஆதார். எனது அடையாளம்




இந்திய தனிப்பட்ட அடையாள ஆணையர் தரையம்
Unique Identification Authority of India



முகவர்:
S/O கப்பாசாமி, எண் 168, மெட்டு தெரு
வாணூர், கரசூர், விழுப்புரம்,
தமிழ்நாடு - 605109
Address:
S/O Kuppasamy, 168, METTU STREET,
VANUR TALUK, Karasur, Viluppuram,
Tamil Nadu - 605109

Download this QR code




8495 7385 4802
VID : 9181 4754 6346 9992

1087 | helpline@uidai.gov.in | www.uidai.gov.in

K. பாமமுருகம்

K. Balamurugan
11 செப்டம்பர் 2013 வாறு தி 2238 ஆவணம்
தாங்களளைக் கொண்டு
11 வது தாள்.
பூவ அலுவலர்.
வாணூர்.





K

K. குமாரசாமி

புத்தம் அலுவலர் 2238 ஆணம்
13 தாள்களைக் கொண்டது
12 வது தாள்.
சி. அலுவலர்.
வானூர்.




சொத்தானது நீர்நிலைப் பகுதியில் அமையப் பெறவில்லை என்பதற்கான சான்று/உறுதிமொழி (Declaration) (நீதிபேராணை எண். 22163/2018-ல் வழங்கப்பட்ட தீர்ப்புரையை காண்க.

இந்த ஆவணத்தில் கண்ட சொத்தானது நீர்நிலைகள், நீர்வழிப்பாதைகள், நீர்ப்பிடிப்பு பகுதிகளில் கட்டுப்படவில்லை என சான்றளிக்கிறோம். மேலும் இதனில் தங்களுக்கு தவறான தகவல் அல்லது சான்று அளிக்கப்பட்டதாக பின்னாளில் கண்டுபிடிக்கப்பட்டால் அதனால் நான்/நாங்கள் சட்ட பூர்வ நடவடிக்கைகளுக்கு உட்படுத்தப்படுவோம் என்பதையும் அறிவேன்/அறிவோம்.




K. ராஜமணி

K. ராஜமணி

பத்திரம் 2018 வருஷம் 2238 ஆவணம்
13 தாள்களைக் கொண்டது
13 வது தாள்.
 K. ராஜமணி வாணர்.






ANNEXURE-7

VILUPPURAM DISTRICT

DISTRICT SURVEY REPORT OF ROUGH STONE

(Prepared as per Gazette Notification S.O.3611 (E) dated 25.07.2018 of
Ministry of Environment, Forest and Climate Change)

Taluks
Villupuram District



MAY -2019

VILUPPURAM DISTRICT
DISTRICT SURVEY REPORT OF ROUGH STONE

Chapter	Content	Page No.
1.	Introduction	1
2.	Overview of Mining Activity in the District	1
3.	General Profile of the District	2
4.	Geology of Viluppuram District	5
5.	Drainage of Irrigation pattern	8
6.	Land Utilisation Pattern in the District: Forest, Agricultural, Horticultural, Mining etc.,	12
7.	Surface Water and Ground Water scenario of the District	15
8.	Climate and Rainfall of the District	19
9.	Details of Mining Leases in the District	21
10.	Details of Royalty or Revenue received in last three years	36
11.	Details of Production of Minor Mineral in last three years	36
12.	Mineral Map of the District	37
13.	List of Letter of Intent (LOI) Holder in the District along with its validity	38
14.	Total Mineral Reserve available in the district	40
15.	Quality/Grade of Mineral available in the district	58
16.	Use of Mineral	58
17.	Demand and supply of the Mineral in the last three years	58
18.	Mining Leases marked on the map of the district	59
19.	Details of the area of where there is a cluster of the mining leases	60
20.	Details of Eco-sensitive area	62
21.	Impact on the environment due to Mining activity	62
22.	Remedial measures to mitigate the impact of mining on the environment	63
23.	Reclamation of the mined out area	66
24.	Risk assessment & Disaster Management Plan	66
25.	Details of Occupational health issue in the District	73
26.	Plantation and Green belt development in respect of leases already granted in the district	74
27.	Any other information	74

1) Introduction:

Viluppuram district evolved from the erstwhile composite South Arcot District and commenced functioning from 30th September 1993 as 23rd district of Tamil Nadu State with its Head Quarters as Villupuram and the Viluppuram district is bounded by Bay of Bengal and the Union Territory of Puducherry in the East and Kancheepuram and Thiruvannamalai District in the North, Cuddalore District in the South and Dharmapuri and Salem Districts in West and it covers with a total area of 7194 sq.km. This district lies between 11°38'25" and 12°20'44" of north latitude and 78°15'00" and 79°42'55" of east longitude.

The main minor minerals available in the district include Dolerite Dyke (Black Granite), Migmatites (Multi colour Granite), Rough stone, Brick Earth, Red Earth, Silica Sand, Pebbles and River sand.

As a result of developmental activities and market demand for minor minerals, mining of minor mineral is vital. The mining if not carried out systematically, will result in ill-effects and environmental degradation in project effected area. Therefore a sustainable development of the area involving extraction of mineral wealth vis-à-vis protection of environment is the ultimate solution for betterment of mankind. With the objective of generating Viluppuram District Survey Report for minor minerals, a ten days collaborative field work was carried out by Viluppuram District Geology and Mines Department and Geological Survey of India to locate minor minerals, along with mining activities in the District.

2) Overview of mining activity in the district:

Rocks and Minerals of Economic importance found in Villupuram District are mainly Black Granite (Dolerite), Multi Colour Granite, Rough stone, Silica Sand, Red Earth, Pebbles, and Gravel occur at various places in the district.

Private companies play a major role in quarrying activity for minor minerals and the State Government undertaking viz., TAMIN takes a significant role in quarrying for granite and silica sand in the district. As of now 85 Rough Stone quarry leases, 18 Red earth, Gravel and Pebbles quarry leases are in existence. 68 quarry leases for black granites (dolerite) and 7 quarry leases for Multi colour granites (migmatite) were granted for dimension stone and 3 quarry leases for silica sand and 2 quarry leases for River Sand were also granted in the district.

3) General profile of the District.

3.1 Origin

Viluppuram District was segregated from the South Arcot District on G.O.Ms.No.1486 Revenue Y(3), Dated 18.12.1992 and became a separate district on 30th September 1993.


3.2 Location

Viluppuram District is located in northern Tamil Nadu and is about 160 k.m. south of Chennai. The District has an area of 7194 Sq.Km. and it is bounded by Bay of Bengal and the Union Territory of Puducherry in the East and Kancheepuram and Thiruvannamalai District in the North, Cuddalore District in the South and Dharmapuri and Salem Districts in West. In 1076 Km coastline of Tamil Nadu, this district has a coastline of 30 Km. This district lies between 11°38'25" and 12° 20'44" of north latitude and 78°15'00" and 79°42'55" of east longitude.

Viluppuram District is well connected by rail and road. Viluppuram Junction connects all major cities of India. NH 45 and NH 66 passing through the Viluppuram District connects major cities and towns of Tamilnadu. The nearest port located at Pondicherry which is about 40 km

eastern side of Viluppuram. Location map of the Viluppuram district is shown in plate no.1.

Plate No: 1. Location Map of Viluppuram District



3.3 Area and Population

According to the Department of Statistics, Chennai, the Viluppuram District covers an area of 7194 square kilometers. Viluppuram district occupies the First rank among the Districts of the state of Tamil Nadu with regard to its size. The population of the District is 34,58,873 and out of this population, 17,40,819 (50.30 %) are males and the remaining 17,18,054 (48.7%) are females.

3.4 Administrative set - up

Viluppuram District consists of Four Revenue Divisions viz., Viluppuram, Tindivanam, Tirukoilur and Kallakurichi and the District has 13 Revenue Taluks, 3 Municipalities (Viluppuram, Tindivanam & Kallakurichi), 15 Town Panchayats, 22 Panchayat Blocks, 1099 Village panchayats and 1490 Revenue villages. It falls part of three parliamentary constituencies and eleven assembly constituencies in Viluppuram District.

Sl. No.	Name of the Division	Name of the Taluk
1	Viluppuram	Viluppuram
2		Vanur
3		Vikkiravandi
4	Tindivanam	Tindivanam
5		Gingee
6		Marakkanam
7		Melmalayanur
8	Tirukoilur	Tirukoilur
9		Ulundurpet
10		Kandachipuram
11	Kallakurichi	Kallakurichi
12		Sankarapuram
13		Chinnasalem

3.5 Agricultural Resources and Irrigation

The district receives the maximum rainfall during the north east monsoon season and it belongs to the North eastern agro-climatic zone and 76 per cent of the land holders own less than one hectare of land in this district. The major crops grown in the district are paddy, groundnut, sugarcane, kambu, gingelly, cotton and tapioca. Almost 50% of the total area is under agriculture. Paddy occupies the maximum area of 1.66 lakh ha, followed by groundnut (0.84 lakh ha), pulses (0.52 lakh ha), sugarcane (0.46 lakh ha) and kambu, (0.20 lakh ha). Maize, gingelly and cotton are grown in an area of about 10,000 ha each. The area of kambu, ragi, maize and pulses has increased comprehensively. The area of paddy and sugarcane is more or less constant over the years. The oilseed crops like groundnut, sunflower and castor have increased markedly over the years. It is the home of four sugar

mills and modern rice mills. Handloom industry also flourishes in the district because of cotton cultivation.

The main reservoirs located in viluppuram distriect are Vidur, Gomugi and Manimukthanathi. According to the Viluppuram District statistical hand book, the major type of irrigation is dug wells which fed about 126870 hectares of lands. Tube wells and tanks irrigate an area of 44337 and 24155 hectares respectively.

3.6 Trade and Commerce

Viluppuram district located about 160 km south of Chennai which makes the district one of the suitable district to setup industries. Viluppuram district is producing large quantities of agricultural and poultry products. There are many market committees in Gingee, Tindivanam and Viluppuram functioning in the district for the purchase and sale of rice, cotton, groundnut, gingelly and other oil seeds. The co-operative societies for milk are functioning in all part of the district. There are number of crusher units situated in the district which supplies size reduced stone (jelly) and M-Sand to various part of Tamilnadu. There are number dolerite dyke (black granite) quarries situated in the Viluppuram district which produce highest quality of granites. These granite blocks are mainly exported to countries like Japan, South Koriea, The Netherlands and the United kingdom.

There are three Co-operative sugar mills (Periyasevalai, Moongilthuraipattu, Kachirayapalayam) and three private sector sugar mills also existing in viluppuram district.

4. Geology of the District:

The generalized Geology of the district is as follows:

Recent and Sub-Recent	Soil
	Alluvium
	Laterite

Mio - Pliocene	Cuddalore Sandstone with intercalations of clay, shale and pebble bed
Lower Jurassic (Upper Gondwana)	Shales and sandstones
Archaean	Basic dykes, Pegmatites and Quartz veins
	Granites
	Norites
	Charnockitic rocks
	Garnet plagioclase and pyroxene plagioclase rock (Anorthosite)
	Talc Rock (altered ultrabasic rock)
	Talc-Chlorite-Epidote Rock
	Sillimanite - Quartzite
	Magnetite Quartzite
	Hornblende granulites and amphibolites

A greater part of the district is covered by rocks belonging to Archaean age comprising the Charnockite Group, the Migmatite Complex, Sathyamangalam Group and the Bhavani Group and alkali complex of Proterozoic age. West of Kallakurichi (southwestern part of the district), the area comprises the Charnockite Group of rocks viz. charnockite, pyroxene-granulite and garnetiferous gabbro. West of Tirukoilur (central part of the district) and east of the charnockite terrain (i.e., kallakurichi area) the Migmatite complex is made up of Hornblende-biotite gneiss. Pink augen gneiss and pink migmatite with younger intrusions of Tindivanam and Gingee Granites (2250 Ma) and basic dykes (Proterozoic). The Migmatite Complex forms the major country rock of the area covering more than sixty percent and extending towards east upto Vikravandi, South of Gingee. Epidote-hornblende gneiss (Proterozoic age) occurs as small isolated outcrops. Dolerite dykes form the youngest basic intrusives traversing both Charnockite as well as the migmatite country equally. Overlying the Archaeans are the marine fossiliferous Upper, Cretaceous and Palaeogene Formations occurring in two separate sub-basins separated by thick cover of alluvial sediments deposited by Gadilam and Pennaiyar rivers. The two sub-basins are recognized as Vridhachalam sub-basin and Pondicherry sub-basin. In

Vridhachalam sub-basin, the marine Upper Cretaceous sediments are divisible into four formations viz., Parur Formation, Patti Formation, Mattur Formation and Aladi Formation. The Parur Formation is not exposed in the district. The Patti Formation comprises fossiliferous sandy limestone and Calcareous shale. Mattur Formation and Aladi Formation are chiefly composed of argillaceous sandstone and shales with pockets of fossiliferous limestone. The Pondicherry sub-basin is partly exposed in the eastern part of viluppuram district and the Upper Cretaceous sediments are divisible into Vanur Formation, comprising argillaceous sandstone with hard bands of calcareous sandstone and Nesal Formation comprising fossiliferous shale, siltstone and bands of shell limestone. The Palaeocene rocks, overlying the Upper Cretaceous Formations, are divided into Karasur Formation comprising fossiliferous limestone with calcareous shale and Manaveli Formation comprising siltstone and fine grained argillaceous sandstone and recognized as Putturai Group. The Tertiary rocks comprises the Cuddalore Formation, consisting of cobbly and pebbly sandstone, mottled sandstone, ferruginous sandstone with bands and lenses of clay besides lignite seams. This formation contains large quantities of fossil wood around Thiruvakkarai which have been declared and maintained as National Fossil wood Park by G.S.I. These are overlain by the Quaternary fluvial, marine and Aeolian formations along the coast as well as river courses.

The terrain displays much structural complexity due to the multiple deformation it has suffered. A number of prominent shear zones have been recognised viz., N-S shear zone, east of Gingee town and NNE-SSW to ENE-WSW among which the one trending NNE-SSW near the eastern foot of the Kalrayan hills SW of Kallakurichi is the most striking. (GSI- Viluppuram District Resource Map)

Mineral Wealth

The occurrences of limestone, limeshells, clay and rock salt are reported from the district. The polymetal sulphide deposit occurrence, eleven

kilometers southwest of Mamandur, in the granulite terrain has been extensively studied by way of mapping, sampling, geophysical surveys and drilling by GSI, BGML and by Tamil Nadu Government (UNDP Programme). The polymetal deposit includes ores of copper, lead and silver. The district forms the hub for exploitation of dimensional stone viz., granite deposit in the country. The world famous black granite. Dykes of Kunnam area, Vanur taluk are rated at par with the Swedish "EBONY" black. WNW-ESE and NE-SW dykes swarm between Mailam- Perumbakkam-Kunnam- Thiruvakkarai-V.Parangini village is considered to be the potential zone for exploitation of industrial granites. In addition, the district is also noted for multi-coloured granite occurrences of Gingee area. Gypsum occurs in the eastern flank of Kaliveli tank near Marakkanam, Limeshells are locally recovered from the coastal lagoons of Marakkana. Reh salt (sodium sulphate and carbonate) occur near the eastern flanks of Kaliveli near Marakkanam.



Field photograph: Rough Stone Quarry at Keezh Arungunam Village, Marakkanam Taluk.



Field photograph: Rough Stone Quarry at Keezhmalai Village, Gingee Taluk.

5. Drainage of Irrigation Pattern

Irrigation Practices

The nine-fold land use pattern (2005-06) in the district is given in the

Table below.

S. No.	Classification	Area (Ha)
1	Forests	71697
2	Barren & Uncultivable Lands	56651
3	Land put to non agricultural uses	135874
4	Cultivable Waste	10405
5	Permanent Pastures & other grazing lands	4195
6	Groves not included in the net area sown	6142
7	Current Fallows	86725
8	Other Fallow Lands	19802
9	Net Area sown	330712
	Total	722203

The chief irrigation sources in the district are wells, tube wells, tanks and canal. The block-wise number of irrigation sources in the district is given in the Table below.

S. No.	Block	Canals	Tanks	Tube wells	Ordinary wells
1	Melmalayanur	1	85	468	10911
2	Gingee	0	132	0	11821
3	Vallam	0	119	533	10509
4	Olakkur	1	116	252	6028
5	Mailam	1	94	750	2259
6	Marakanam	0	150	1418	9986
7	Kolijanur	41	55	3385	1388
8	Kanai	18	86	298	10162
9	Kandamangalam	0	62	4597	4843
10	Vikkiravandi	0	170	1332	9799
11	Mugaiyur	24	100	645	5492
12	Tirukoilur	7	60	585	2191
13	Rishivandiyam	0	129	13	6683
14	Sankarapuram	0	101	0	5319
15	Thiruvennainallur	31	135	3765	16421
16	Thiyagadurgam	4	54	63	11387


17	Kallakurichi	0	0	25	608
18	Chinnasalem	32	93	38	9306
19	Kalrayan Hills	4	123	0	8540
20	Ulundurpet	14	81	45	11302
21	Tirunavalur	4	58	1775	3285
22	Vanur	14	82	3467	6631
	Total	196	2085	23454	164871

The block-wise and source-wise net area irrigated (2005-06) in the district is given below.






S. No.	Block	Net area Irrigated (Ha)					Total
		Canals	Tanks	Tube wells	Ordinary wells	Other sources	
1	Melmalayanur	0	2597	1200	9138	0	12935
2	Gingee	0	4211	0	8401	0	12612
3	Vallam	0	3790	1384	5623	0	10797
4	Olakkur	0	3239	1264	4741	0	9244
5	Mailam	102	2321	2554	5682	0	10659
6	Marakanam	0	3172	4167	6708	0	14047
7	Koliyanur	0	3196	6069	0	0	9265
8	Kanai	0	3866	1083	5324	0	10283
9	Kandamangalam	0	939	11276	522	0	12737
10	Vikkiravandi	0	3342	3500	4890	0	11732
11	Mugaiyur	980	2415	3376	5100	0	11871
12	Tirukoilur	314	3214	682	5355	0	9565
13	Rishivandiyam	290	2266	68	8871	0	11495
14	Sankarapuram	587	3779	0	8503	0	12869
15	Thiruvonnainallur	72	4847	5385	653	0	10957
16	Thiyagadurgam	1525	0	464	5581	0	7570
17	Kallakurichi	2200	2479	12	10128	0	14819
18	Chinnasalem	411	2295	287	14943	0	17936
19	Kalrayan Hills	68	0	0	2012	102	2182
20	Ulundurpet	0	3258	641	5189	0	9088
21	Tirunavalur	0	4386	2741	2588	0	9715
22	Vanur	99	1593	8372	699	0	10763
	Total	6648	61205	54525	120661	102	243141

The well irrigation is highest in Chinnasalem followed by Kallakurichi, Melmalayanur, Rishivandiyam, Sankarapuram, and Gingee so on. (Viluppuram district groundwater brochure, Central Ground Water Board).

VILLUPURAM DISTRICT DRAINAGE MAP



LEGEND

-  River/Reservoir/Tank
-  Taluk Headquarters
-  Adjacent District Boundary
-  Puducherry UT Boundary
-  District Boundary

SCALE



6. Land Utilization Pattern in the District: Forest, Agricultural, Horticultural, Mining etc;

Out of the total land area of 7.22 lakh hectares, an extent of 3.31 lakh hectares (45.8 percent) is utilised for cultivation. The waste land (Categories 3&5) available in the district is 67056 ha. Vast stretches of waste land are formed in Gingee, Kallakurichi, Marakkanam and Vanur Blocks. Forest land accounts for 9.93 per cent in the geographical area in the district .

Sl. No.	Classification	Area (Ha)
1	Forests	71697
2	Barren & Uncultivable Lands	56651
3	Land put to non-agricultural uses	135874
4	Cultivable Waste	10405
5	Permanent Pastures & other grazing lands	4195
6	Groves not included in the net area sown	6142
7	Current Fallows	86725
8	Other Fallow Lands	19802
9	Net Area sown	330712
	Total	722203

6.1 Forest:

Forest area in the district constitutes about 9.9% of the total area of the District and lies in the areas bordering Salem, Dharmapuri and Thiruvannamalai Districts.

The forests of this district are divided into three regions from the points of view of topography, soil conditions and flora. They are: -

The coastal regions -- containing the casuarinas plantations, sand dunes, the mangroves and scrub jungle. The whole of Pichavaram, Pichavaram extension and Killai Reserved Forests and the Porto Novo and Ariyakosti.

The lateritic region -- containing the extensive cashew plantation and the dry evergreen forest - Kangiruppum Bit I and II,

Velangulam, Ammeri, Narimanam, Semakottai and Extension, Kallamedu and Kuttady Reserved Forests.

The inland plains region – containing the eucalyptus and miscellaneous fuel plantations and the thorny scrub jungles – Alwarmalai, Varanjaram, Porasakurichi, Magarur, Kattumailur, Nangur, Krishnapuram, Thottapadi, Kottalamalai, Melpalangur, Mallapuram and Poosapadi Reserved Forests and Pandur, Sirupakkam, Kattayanallur, Kuttakudi.

Gingee and Kalrayan Hills are the two hills in the district. Teak wood, rose wood and sandal wood trees are grown in the hills. In the Kalrayan Hills and Gingee areas some medicinal plants are also grown. In the social forest areas, trees raised are mainly for firewood and paper making. Babul, Eucalyptus and Casuarina are grown in the district. In some pockets of the district, cashew is also grown.

6.2 Agriculture:

The district receives the maximum rainfall during the north east monsoon season and it belongs to the North eastern agro-climatic zone and 76 per cent of the land holders own less than one hectare of land in this district. The major crops grown in the district are paddy, groundnut, sugarcane, kambu, gingelly, cotton and tapioca. Almost 50% of the total area is under agriculture. Paddy occupies the maximum area of 1.66 lakh ha, followed by groundnut (0.84 lakh ha), pulses (0.52 lakh ha), sugarcane (0.46 lakh ha) and kambu, (0.20 lakh ha). Maize, gingelly and cotton are grown in an area of about 10,000 ha each. The area of kambu, ragi, maize and pulses has increased comprehensively. The area of paddy and sugarcane is more or less constant over the years. The oilseed crops like groundnut, sunflower and castor have increased markedly over the years. It is the home of four sugar mills and modern rice mills. Handloom industry also flourishes in the district because of cotton cultivation.

6.3 Horticulture :

Tapioca and cashew are the most important horticultural crops accounting for the major area under horticulture in the district. The major development activities in respect of horticultural development happening around the district are Net house structure, nursery and vegetable production, pandal for vegetable production, plant protection package for vegetables, plastics crates for vegetable handling and transport, farm waste shredder/vegetable waste shredder, cashew high density planting, borewell with casing pipe, banana bunch cover, humic acid/effective e-Microbes, production of disease free planting materials, grapes bird net, tractor mounted steam boiler, support system for crops, banana, gloriosa, banana corm injector, mango harvester, Enterprising Farmers Associations, Community fencing, Support for betelvine and Support for senna cultivation.

6.4 Mining:

Hilly, undulating terrain like Kommedu, Mattaparai of Gingee Taluk, Mookkanur of Sankarapuram, Karadi of Tirukoilur, Ammanampakkam of Tindivanam are being mined for Multi-Colour Granite. The elevated hilly and undulating terrain around Tiruvakkarai, Kunnam, Semangalam, Sirunavoor, Karasanur, Perumbakkam and Eraiyr of Vanur Taluk, Udaiyanatham, Malligaipattu, Kangeyanur, Siruvalai, Muttathur, Vengamur, Hanumanthapuram, Kaanai and Kunnathur of Villupuram Taluk, Eraiyanur, Varagupattu, Adasal, Nagar and Sirvadi of Tindivanam taluk, Pothuvai-Pazhavalam, Nagalampattu, Sathaputhur, Padipallam, Thatchampattu, Valathi, Irumpuli, Sathaputhur, Sorathuperiyan kuppam of Gingee taluk, Eeriyr of Chinnasalem taluk, Thirukkanangur, Kaduvanur, Gudaram of Sankarapuram taluk, Ulagiyanallur and Sithallur of Kallakurichi taluk, Kuzhundiram pattu of Tirukoilur taluk are being mined for Black Granite.

Blue metal is being mined from undulating, barren or agricultural field areas of Thiruvakkarai, Eraiyur, Thenkodipakkam, Nemili, Murukkam, Thollamur, Ulagapuram, Peravur of Vanur taluk, Nalmukkal, Algaiyapakkam, T. Nallalam, Keelarungunam, Vilangampadi, Kunnappakkam, Yenthur, Chokkanthangal, Keelsiviri, Brammadesam, Keelsevur, Madavanthangal, Perumkkal of Marakkanam and Tindivanam taluk, Sivanarthangal, T. Keeranur, Keelvalai and Veerapandi of Tirukoilur taluk, Pangaram and Rayarpalayam of Kallakurichi, Katchirayapalayam of Chinnasalem taluk, Gingeeputhur and Nangathur of Villupuram taluk, Poondi and Ulagalampoondi of Vikkiravanadi taluk, Tirupair and Kalsirunagalur of Ulundurpet taluk, Mallapuram, La. Kudalur, Aliabath, Manalur and Moongithuraipattu of Sanakarapuram taluk and Pappanthangal, Valathi, Kammanthangal, Mazhavanthangal, So. Kuppam, Kaplampadi, Avalurpet, Keelmalai, Perumbugai and Kaividanthangal of Gingee Taluk.

The Cuddalore sandstone derivative of Red Earth sediments lying in the eastern part of the district near Thiruvakkarai, Thollamur & Kadagampattu of Vanur taluk and Sengadu, Vaduganathakuppam of Villupuram taluk are being mined. The sand dunes (stabilised and Palaeo) near the coastal stretch of Urani, Vadaagaram, Marakkanam, Keelputhupattu of Marakkanam taluk are being mined for Silica Sand. All along the track of rivers Pennaiyar River, Gadilam River, Malattar River, Pennar River, Sankaraparani River, Gomukhi River, Manimukta River, Pambaiyar and Varaganadhi sand is being mined mainly for construction purposes.

7. Surface Water and Ground Water Scenario:

Surface Water Scenario:

The major rivers flowing through the district are (i) Pennaiyar River flows from northwest to east in the district forms part of Pennaiyar river basin (ii) Gadilam River flowing through Thirukoilur Taluk, (iii) Malattar River joins Gadilam before flowing into the Bay of Bengal (iv) Varaga Nathi originate in Gingee Taluk and flows through Villupuram Taluk (v) Gomukhi the of main tributary of Manimuktha River joins into Vellar River in Cuddalore District (vi) Manimukta River originates in

Kalrayan hills and drains the southern part of the district (vii) Pambaiyar and the Varaganadhi originate in the uplands of the district and join Bay of Bengal. All these rivers are ephemeral (only seasonal) in nature and carry only floodwater during monsoon period and none of them are perennial. These rivers cannot be used for irrigation purpose to the expected level because of low precipitation. The monsoon rainfall is erratic and only during stormy days heavy precipitation occurs. The drainage pattern is mostly parallel to sub parallel and drainage density is very low. There are small reservoirs across rivers namely Gomukhi, Vedur and Manimuktha.

Ground water scenario

Hydrogeology

Villupuram district is underlain by crystalline metamorphic complex in the western part of the district and sedimentary tract in eastern side. The thickness of sediments exceeds 600m near southern part of the district. Groundwater occurs under phreatic and semi-confined conditions in consolidated formations, which comprises weathered and fractured granites, gneisses and charnockites whereas in unconsolidated sedimentary rocks the groundwater occurs in phreatic, semi-confined conditions in Vanur sandstone, Kadapperi kuppam formation and Turuvai limestone.

The district is having rocky outcrops in major part of Kallakurichi, Sankarapuram and Tirukoilur taluks. The weathering is highly erratic and the depth of abstraction structures is controlled by the intensity of weathering and fracturing. The depth of wells varies from 6.64 to 17 m bgl and water levels in observation wells tapping shallow aquifers varied from 0.74 to 9.7 m bgl during pre monsoon (May 2006) and it varies from 0.7 to 4.45 m bgl during post monsoon (January 2007).

During pre monsoon, the depth to water levels in the range of >2 to 5 m bgl in major part of the district, in the range of >5 -10 m bgl in western

and southeastern parts of the district and range of 0-2 m bgl were recorded in two isolated pockets . During post monsoon the depth to water levels range of >2 to 5 m bgl exists in major part of the district, range of 0 - 2 m bgl prevails in central and northeastern parts of the district and range of >5 - 10 m bgl were recorded in two isolated pockets in the southwester and north western parts of the district .

The depth to piezometric surface ranged from 2.8 to 11.25 m bgl during Pre monsoon and 0.5 to 6.35 m bgl during post monsoon. The ground water is being developed by means of dug wells, bore wells and tube wells. The diameter of the well is in the range of 7 to 10 m and depth of dug wells range from 15 to 18 m bgl depending on the weathered thickness and joints. The dug wells yield up to 1 lps in summer months and few wells remains dry. The yield is adequate for irrigation for one or two crops in monsoon period. The yield of bore wells in favorable locations vary from <1 to 6 lps. The valley fills, intersection of lineaments, particularly, in the western part along the foot hills of Kalrayan hills are reported to have potential pockets suitable for dug wells and bore wells. The area of contact between crystalline and sedimentary formations has variable yield prospects. The cretaceous formations are very compact and yield prospects are low. The dug wells of 6 m diameter and 10 m bgl depth in sandy tracts give about 3.5 lps. The yield of tube wells in the sedimentary formation ranges from 2.4 to 37 lps.

Ground water resources

The ground water resources have been computed jointly by Central Ground Water Board and State Ground Water Resources Data Centre (PWD, WRO, Govt. of Tamil Nadu) as on 31st March 2004. The computation has been done using GEC1997 methodology. The salient features of the computations are furnished below.

Ground Water Quality

Ground water in phreatic aquifers in Villupuram district is, in general, colorless, odorless and slightly alkaline in nature. The specific electrical conductance of ground water in phreatic zone ($\mu\text{S}/\text{cm}$ at 25°C) during May 2006 was in the range of 770 to 3650 in the district. Conductance below 750 has been observed only in select pockets of the district.

It is observed that the ground water is suitable for drinking and domestic uses in respect of all the constituents except total hardness and nitrate. In about 40% of samples, nitrate concentration is above permissible limits of 100 mg/l. The incidence of high total hardness is attributed to the composition of litho units constituting the aquifers in the district, whereas nitrate pollution is most likely due to use of fertilizers and other improper waste disposal.

Sodium Adoption Ratio values range from 1.7 to 4.4 with an average value of 3.25 in the district. This implies that no alkali hazard is anticipated to crops.

Status of Ground Water Development

Ground water development is very high in the district. There are number of dug wells and dug cum bore wells in the hard rock areas while tube wells are common in the sedimentary areas. The average draft of dug wells in hard rock areas is of the order of 1.2 ha.m./year. The extraction of ground water by shallow tube wells in the eastern part of the district is of the order of 2.5 ha.m./year. The average command area for dug well and bore well in the district is 2 ha and 3 ha respectively.

The hard rock areas in select pockets with valley fills and lineaments are having appreciable ground water potential. At many pockets, the command areas are the main potential ground water zones, The yield prospects are good in select pockets of Villupuram, Sankarapuram and Kallakurichi areas where as it is very poor in Tirukoilur, Ulundurpet, Gingee and Tindivanam taluks. The massive granites in Gingee and Tindivanam taluks do not favour even bore wells. The augmentation of well yield by

horizontal and extension bores is successful in part of Kallakurichi and Tirukoilur areas.

The crystalline sedimentary contact zones have thick limestone capping followed by productive granular zones, which are tapped, by number of cavity wells of 40 to 60 m bgl depth giving 7 to 10 lps discharge. The tube wells can yield about 70 to 200 m³/hr and can sustain pumping for 10 hrs a day.

(Viluppuram district groundwater brochure, Central Ground Water Board)

8. Rainfall of the Viluppuram District and climatic condition:

This district falls under tropical climate. The average temperature varies from 26°C to 41°C. The humidity is also high in the order of 80%. The wind speed is high during the months of July and August. The wind speed ranges from 7.4 to 12.6 km/hr, which increases from 100 to 120 km/hr during cyclone period. District receives rainfall from southwest monsoon (June - September), northeast monsoon (October - December) and non-monsoon periods (January - May). The rainfall is generally heavy during low-pressure depressions and cyclones during the northeast monsoon period. The district receives the maximum rainfall during the north east monsoon season. The normal annual rainfall is higher towards coast. District does not get heavy rainfall with the exception of Marakkanam and Vanur blocks, In Kandamangalam and Koliyaur blocks, the rainfall is moderate it is scarce in Kallakurichi and Sankarapuram.

The rainfall data for the last ten years pertaining to Villupuram District is tabulated as follows:

Rainfall pattern data of Villupuram District for past six years (Data Source: District Meterological Dept.)

Month	Normal	2018	2017	2016	2015	2014
January	9.72	0.33	42.94	0.00	3.72	0.00
February	8.63	11.94	0	0.00	0.00	14.44
Winter	18.35	12.28	42.94	0.00	3.72	14.44
March	8.68	15.22	8.28	0.00	0.00	0.00
April	11.25	0.00	0.00	0.00	90.16	0.00
May	27.25	10.78	46.2	90.86	68.61	116.56
Summer	47.18	26.00	54.48	90.86	158.77	116.56
June	54.7	39.03	76.78	44.94	15.83	80.69
July	72.3	26.00	74.72	118.48	75.54	50.11
August	108.36	87.4	194.52	69.44	115.83	179.36
September	121.3	116.14	107.74	67.00	84.17	124.72
S.W. Monsoon	356.66	268.58	453.76	299.86	291.37	434.88
October	252.11	167.33	223.4	86.50	78.67	211.42
November	317.8	156.18	178.96	12.17	558.66	129.90
December	68.2	17.88	130.29	74.29	299.06	73.22
N.E. Monsoon	638.11	341.39	532.65	172.96	936.39	414.54
Total	1060.30	648.25	1083.83	563.68	1390.25	980.42

**9. Details of Mining Lease
Name of the Mineral: Rough stone**

Sl. No.	Name of the Mineral	Name of the Lessee	Address & Contact No. of Lessee	Mining lease grant order No. & Date	Area of Mining lease (ha)	Period of Mining lease (Initial)		Period of Mining lease (1 st / 2 nd renewal)	Date of commencement of Mining Operation	Status (Working / Non Working for dispatch etc.)	Captive / Non-Captive	Obtained Environmental Clearance (Yes/No) If Yes Letter no with date of grant of EC	Location of the Mining Lease (Latitude & Longitude)	Method of Mining (Openair/ Under ground)
						From	To							
1.	Rough stone	T.Muthuramzhan	No. Thennavan, Mansalar Village, Sankarapuram Taluk, Viluppuram District.	B/G&M/2020/2010 dt. 31.08.2016	1.50.0	31.08.2016	30.08.2021	-	06.02.2017	Working	Non Captive	Yes, letter No. SEIAA-TN/E.No.2682/EC/1(sy)172/2014 dated 13.03.2015	12°00'30"N to 12°00'26"N 78°55'28"E to 78°55'23"E	Open cast
2.	Rough stone	RSubramanian	S/o. Rameshbabu, 15/3, Kamakotai Village, Yempair Post, Kallakurichi Taluk, Viluppuram	B/G&M/371/11 dt. 26.11.2011	1.20.0	23.01.2012	22.01.2022	-	Nil	Non working	Non Captive	No.	(12°00'27.7"N 78°55'21.8"E) 11°50'21.78"N 79°07'10.61"E	Open cast
3.	Rough stone	K.Natchiarappan	S/o Karuppanan Gounder, Vellakulam, Keelavari Post, Thidivanam Taluk	B/G&M/1213/13 dt. 31.12.2015	2.23.0	31.12.2015	30.12.2020	-	25.02.2016	Non working	Non Captive	Yes, letter No. SEIAA-TN/E.No.3439/EC/1(sy)2347/2015 dated 21.12.2015	12°11'56"N to 12°11'46"N 79°45'33"E to 79°45'26"E (12°11'47"N 79°45'29"E)	Open cast
4.	Rough stone	K. Shanmugam	S/o. Kannaiya Gounder, Nallur Village & Post, Vemur Taluk, Viluppuram District.	A/G&M/522/2014 dated 09.09.2016	1.95.5	09.09.2016	08.09.2021	-	Nil	Non working	Non Captive	Yes, letter No. SEIAA-TN/E.No.4167/EC/1(sy)3177/2015 dated 21.03.2016	12°08'58.60"N to 12°09'04.64"N 79°44'38.34"E to 79°44'54"E (12°09'04.63"N 79°44'38.34"E)	Open cast
5.	Rough stone & Earth	K. Anandavelu	S/o. Kesavan, No.96, Emiyur Village, Vanur Taluk, Viluppuram District	A/G&M/977/2012 dt. 28.07.2017.	1.08.0	28.07.2017	18.03.2020	-	18.09.2017	Working	Non Captive	Yes, letter No. SEIAA-TN/E.No.2699/EC/1(sy)1702/2014 dated 19.03.2015	12°04'28"N to 12°04'24"N 79°38'39"E to 79°38'43"E (12°04'24"N 79°38'39"E)	Open cast
6.	Rough stone & Earth	A. Ganesan,	S/o. Appudurai, 190, Kadaiveedu,	A/G&M/822/2016 dated 22.08.2016	2.62.5	28.07.2017	18.03.2020	-	16.05.2018	Working	Non Captive	Yes, letter No. SEIAA-	12°04'12"N to 12°04'19"N	Open cast

12.	Rough stone	R. Subramaniam	S/o. Ramasamy, 153, Kottakattai, Ennepattur Post, Kallakurichi Taluk, Vilupparani District.	B/G&M/2018/10 dt. 16.12.2010.	1.96.0	10.01.2011	09.01.2011	-	23.01.2011	Non Working	Non Captive	-	11°53'01.58"N 79°03'39.54"E	Open east
13.	Rough stone & Earth	C. Balaramagan	S/o. Chandan, Sourathi Street, Masilam Village, Tindivanam Taluk	B/G&M/398/2016 dt. 24.09.2017	0.75.0	24.09.2017	23.09.2022	-	19.03.2018	Working	Non Captive	Yes. letter No. DEIAA-3716 No. DIA/IN/MI N/5779/2017/DE IAA/2017, dated 01.08.2017	12°07'55.50"N to 12°07'59.47"N 79°36'24.94"E to 79°36'28.56"E (12°07'56.09"N 79°36'24.94"E)	Open east
14.	Rough stone	E. Scidhar	S/o Elumalai, No. 1019, Pillaiyar Koil Street, Devikapuram Village, Arani Taluk, Tiruvannamalai District	B/G&M/237/10 dt. 10.05.2010	5.83.0	16.08.2010	15.08.2020	-	01.07.2011	Non Working	Non Captive	-	12°26'10.85"N to 12°26'03.38"N 79°21'48.29"E to 79°21'36.79"E (12°26'3.38"N 79°21'42.94"E)	Open east
15.	Rough stone & Earth	C. Selvam,	S/o. Chellapa Madaiyar, Sangeethanangala in Road, Anandapuram, Chingee Taluk	B/G&M/470/2013 dt. 18.07.2014	0.63.0	18.07.2014	17.07.2019	-	07.01.2019	Working	Non Captive	Yes. letter No. SEIAA- TN/F.No.2602/E C/1(0)/454/201 4 dated 25.06.2014	12°07'21"N to 12°07'27"N 79°22'40"E to 79°22'45"E (12°07'21"N 79°22'40"E)	Open east
16.	Rough stone & Earth	A.S. Srinivasan	S/o. Sengodan, Athar & Post, Rasipuram Taluk, Namakkal District.	B/G&M/459/13 dt. 06.02.2015	3.35.0	06.02.2015	05.02.2020	-	Nil	Non Working	Non Captive	Yes. letter No. SEIAA- TN/F.No.1882/E C/1(0)/1459/201 4 dated 02.07.2014	11°37'09"N to 11°37'01"N (78°55'02"E to 78°54'53"E)	Open east
17.	Rough stone	A. Muthusamy	S/o. Arthasari Gounder, Kattukottai, Paranginallam, Mulligaiyody Post, Sankarapuram Taluk, Vilupparani	B/G&M/2012/10 dt. 31.12.2010.	1.00.0	14.02.2011	13.02.2021	-	21.07.2016	Non Working	Non Captive	-	-	Open east

18.	Rough stone & Earth	V. Sankar	District	S/o Vivekanandam, 14, Jeyapattam Colony, Tundivanam Town & Taluk, Viluppiram District	B/G&M/330/2016 dated 20.09.2016	3.66.5	20.09.2016	19.09.2021	-	28.09.2016	Working	Non Captive	Yes, letter No.SELAA- TN/F.No.5616/1 3/VEC.No.3694/2 016 dated 06.09.2016	12°03'32"N to 12°03'40"N 79°40'16"E to 79°40'23"E (12°03'34"N 79°40'16"E)	Open cast
19.	Rough stone	A. Ramesh	S/o. Alangaramooperi, Malakottalam, Kallakunchi Taluk	B/G&M/2019/2010 dt. 03.07.2016	2.00.0	03.07.2016	02.07.2026	-	31.01.2017	Non Working	Non Captive	Yes, letter No.SELAA- TN/F.No.3683/E C/1(a)/1739/201 4 dated 13.03.2015	12°03'43"N to 12°03'50"N 78°57'08"E to 78°57'13"E (12°03'729"N 78°57'148"E)	Open cast	
20.	Rough stone & Earth	V. Chandrasekaran	S/o Vellaiyan, 2/4, School Street, Kattupayur Village, Tirukoilar Taluk	B/G&M/334/2014 dt. 09.09.2016	1.02.5	09.09.2016	08.09.2021	-	22.12.2016	Working	Non Captive	Yes, letter No.SELAA- TN/F.No.4736/E C/ 1(a)/3196/2016 dated 11.07.2016	11°57'9.50"N to 11°57'14.14"N 79°10'16.12"E to 79°10'18.84"E (11°57'9.50"N 79°10'16.12"E)	Open cast	
21.	Rough stone & Earth	P. Deivasingamani	S/o Prathyan, T.Nallalan Village, Perumokkal Post, Tundivanam Taluk.	B/G&M/1898/12 dt. 11.04.2015	1.03.0	11.04.2015	10.04.2020	-	26.05.2015	Working	Non Captive	Yes, letter No.SELAA- TN/F.No.2831/E C/ 1(a)/1752/2014 dated 19.03.2015	12°11'51"N to 12°11'55"N 79°45'08"E to 79°45'15"E (12°11'34"N 79°45'8"E)	Open cast	
22.	Rough stone	A. Balaraman	S/o. Aranakudi Gounder, Keelavini Village & Post, Tundivanam Taluk, Viluppiram	B/G&M/365/11 dt. 25.11.2011.	1.10.0	26.12.2011	25.12.2021	-	27.01.2012	Non Working	Non Captive	No	12°11'35.31"N 79°45'29.14"E	Open cast	

23.	Rough stone & Earth	T. Rajendran	District S/o Thandipani Naithi, 8/66, Siven Kovil Street, Elavampurkottai Village & Post, Uthukottai Taluk.	B/G&M/975/2015 dt. 22.08.2016.	1.97.5	22.08.2016	21.08.2021	-	28.09.2016	Working	Non Captive	Yes, letter No SEIAA-TN/F.No.5148/EC/1(a)/3197/2016 dated 05.07.2016	11°39'59.60"N to 11°40'06.64"N 79°12'16.58"E to 79°12'22.80"E (11°39'59.60"N 79°12'18.64"E)	Open east
24.	Rough stone & Earth	S. Arulnathan	S/o Subramaniam, 252, Kulakanni, Ulagalurpoondi, Vikkaravandi Taluk.	B/G&M/1059/2015 dt. 23.01.2017	1.14.5	23.01.2017	22.01.2022	-	25.01.2018	Working	Non Captive	Yes, letter No SEIAA-TN/F.No.5825/1(a)/EC.No.3879/2016 dated 14.11.2016	12°02'42.84"N to 12°02'48.45"N 79°28'49.08"E to 79°28'52.37"E (12°02'43.45"N 79°28'49.08"E)	Open east
25.	Rough stone & Earth	Tmt.R. Sujatha	W/o (late) L. Rameshpabu, No.5, Shankar Nagar, Thepputhi, Sirtoli Taluk, Nagercoil District.	B/G&M/1053/2015 dt. 14.10.2016 & B/G&M/436/2018 Dated 19.11.2018	4.22.5	14.10.2016	13.10.2021	-	24.08.2017	Working	Non Captive	Yes, letter No SEIAA-TN/F.No.5061/1(a)/EC.No.3611/2016 dated 24.08.2016	11°40'02"N to 11°40'12"N 79°12'23"E to 79°12'35"E (11°40'03"N 79°12'24"E)	Open east
26.	Rough stone & Earth	K. Paramasivam	S/o Kanosa Gounder, No.290/5, Mariyannan Koil Street, Chokkumthangal, Keelavini Post, Marakkannur Taluk	B/G&M/1137/15 dt.03.03.2016	1.06.5	03.03.2016	02.03.2021	-	04.05.2016	Working	Non Captive	Yes, letter No SEIAA-TN/F.No.4827/1(a)/EC.No.2829/2016 dated 17.02.2016	12°13'06"N to 12°13'11"N 79°45'26"E to 79°45'30"E (12°13'07"N 79°45'26"E)	Open east
27.	Rough stone & Earth	E. Pavadasayan	S/o Ettuvayppan, Maryannan Kovil Street, Kovadi, Tindivanam Taluk	B/G&M/1137/15 dt.14.05.2015	0.75.0	14.05.2015	13.05.2020	-	19.08.2015	Working	Non Captive	Yes, letter No SEIAA-TN/F.No.3109/EC/1(a)/2148/2014 dated 01.04.2015	12°11'39"N to 12°11'43"N 79°45'10"E to 79°45'14"E (12°11'40"N 79°45'10"E)	Open east

28.	Rough stone	S. Srinivasan	S/o. Sanjeevi, No.9, Walaab Nagar, Mannakkam Road, Thidivanam Tank.	B/G&M/2005/70dt. 23.09.2014	0.72.0	23.09.2014	23.09.2019	-	-	02.12.2009	Non working	Non Captive	Yes, letter No.SELAA- TN/F.No.1862/ EC/ I(a) / 1139A/2013 dated 27.02.2014	12°12'24"N to 12°12'19"N 79°44'55"E to 79°44'59"E (12°12'19"N to 79°44'55"E)	Open cast
29.	Rough stone & Earth	P. Srinivasan	S/o. Pattabi Reddyar, No.142, Mosque Street, C/Pallavaram, Chennai	B/G&M/280/13 dt. 13.11.2015	1.61.5	13.11.2015	12.11.2020	-	-	29.06.2016	Working	Non Captive	Yes, letter No.SELAA- TN/F.No.2951/ EC/ I(a) / 1768/2014 dated 19.03.2015	12°13'58"N to 12°14'03"N 79°45'17"E to 79°45'23"E (12°13'58"N to 79°45'20"E)	Open cast
30.	Rough stone & Earth	M. Krishnamoorthi	S/o.Mirugayam, No.1, Palayakara Street, Thiruvakkur.	A/G&M/422/013 dated 15.10.2016	0.80.0	15.10.2016	14.10.2021	-	-	22.03.2017	Working	Non Captive	Yes, letter No.SELAA- TN/F.No.3424/ I(a) / EC.No. 3557/2016 dated 10.08.2016	12°22'3.89"N to 12°22'7.58"N 79°39'32.17"E to 79°39'35.05"E (12°22'24.38"N to 79°39'32.17"E)	Open cast
31.	Rough stone & Earth	A. Selvaraj	S/o.Arunugam, No.135, 7 th Cross Road, Housing Board, Gopalapuram, Measoor Village, Thidivanam Taluk, Viluppuram District.	B/G&M/1187/13 dt.24.04.2015	1.07.5	24.04.2015	23.04.2020	-	-	18.05.2015	Non Working	Non Captive	Yes, letter No.SELAA- TN/F.No.2779/ EC/ I(a) / 1747/2014 dated 13.03.2015	12°13'22"N to 12°13'28"N 79°44'03"E to 79°44'07"E (12°13'22"N to 79°44'04"E)	Open cast
32.	Rough stone & Earth	G. AnandKumar Jun	S/o.Gajraj Jun, No.5, Radhakrishnan Street, Venkattu Nagar, Peraicheerri	A/G&M/528/08 dated 15.03.2015	1.05.5	16.03.2015	15.03.2020	-	-	13.04.2015	Working	Non Captive	Yes, letter No.SELAA- TN/F.No.1206/ EC/ I(a) / 1244/2013 dated 08.05.2014	12°02'00"N to 79°38'52"E	Open cast
33.	Rough stone & Earth	T.Aravindan	S/o.Thirukeran, Perumakkul Village, Thidivanam Tank	B/G&M/693/2012 dt.08.02.2016	2.12.0	08.02.2016	07.02.2021	-	-	30.10.2016	Working	Non Captive	Yes, letter No.SELAA- TN/F.No.2763/ EC/ I(a) / 1738/2014 dated 13.03.2015	12°13'15"N to 12°13'09"N 79°45'22"E to 79°45'18"E (12°13'12"N to 79°45'16"E)	Open cast

34.	Rough stone	S. Raghuraman	S/o. Subramanian, 8, Mettu Street, Eraniyur Village & Post, Vanur Taluk, Viluppuram District.	A/G&M/590/2013 dated 20.02.2016	1.13.0	20.02.2016	19.02.2021	-	10.03.2016	Working	Non Captive	Yes, letter No.SEIAA-TM/F.No.4512/EC/1(a) /2778/2015 dated 19.01.2016	12°02'10.25"N to 12°02'14.44"N 79°38'52.17"E to 79°38'59.91"E (12°02'10.25"N to 79°38'52.17"E)	Open east
35.	Rough stone & Earth	M.Katiraman	W/o. Marokaran, 4/53, Maryammun Kovi Street, Sivambangal, Chennai-69.	A/G&M/1461/2013 dated 14.06.2016	2.57.5	14.06.2016	13.06.2021	-	06.03.2017	Working	Non Captive	Yes, letter No.SEIAA-TM/F.No.3101/EC/1(a) /1804/2014 dated 27.03.2015	12°04'11"N to 12°04'43"N 79°38'54"E to 79°38'59"E (12°04'32"N to 79°38'37"E)	Open east
36.	Rough stone & Earth	C. Ganesan	S/o. Chinnaiya Gounder, 168, Mettu Street, Karasur Village, V. Parungudi Pesi, Vanur Taluk	A/G&M/168/2015 dated 22.08.2016	4.27.5	22.08.2016	21.08.2021	-	15.12.2016	Working	Non Captive	Yes, letter No.SEIAA-TM/F.No.5069/EC/1(a) /3326/2016 dated 15.07.2016	12°03'20"N to 12°03'27"N 79°39'58"E to 79°40'10"E (12°03'20"N to 79°39'58"E)	Open east
37.	Rough stone & Earth	V. Gnanaguru	S/o. Velayutham, Elavalapakkam Village, Perumokkal, Tindivanam Taluk	B/G&M/1207/2012 dt.21.06.2014	1.28.0	21.06.2014	20.06.2019	-	29.04.2015	Working	Non Captive	Yes, letter No.SEIAA-TM/F.No.2327/EC/1(a) /1251/2014 dated 09.05.2014	12°13'37"N to 12°13'42"N 79°44'11"E to 79°44'15"E (12°13'33"N to 79°44'11"E)	Open east
38.	Rough stone & Earth	T.Kappasamy	S/o. Theppalan No.667, Marokkanan Road, Demmalessan Village, Tindivanam Taluk	B/G&M/531/14 dt.31.12.2015	0.99.5	31.12.2015	30.12.2020	-	26.02.2016	Working	Non Captive	Yes, letter No.SEIAA-TM/F.No.3365/EC/1(a) /2338/2015 dated 02.11.2015	12°11'43"N to 12°11'49"N 79°45'39"E to 79°45'42"E (12°11'47"N to 79°45'39"E)	Open east
39.	Rough stone	D. Marupandyan	S/o. Dornani, Chekkambharadai, Gingee Taluk	B/G&M/2008/19 dt. 30.12.2016.	2.00.0	30.12.2016	29.12.2021	-	21.08.2017	Non Working	Non Captive	Yes, letter No.SEIAA-TM/F.No.5048/EC/1(a) /3722/2016 dated 16.03.2016	12°15'17"N to 12°15'20"N 79°27'02"E to 79°27'11"E (12°15'17"N to 79°27'02"E)	Open east

40.	Rough stone	Tim R. Dhannakamani	W/o. Ravi, Thiruvpathiaraman Kovil Street, Vembil Village and Post, Viluppuram Taluk and District	B/G&M/2005/2010 dt. 13.04.2010	3.00.0	07.06.2010	06.06.2020	-	11.06.2010	Working	Non Captive		12°07'55.87"N 79°26'40.90"E	Open east
41.	Rough stone	R. Dhannakamani	W/o. J. Kavi, Thiruvpathiaraman Kovil Street, Vembil Village, Viluppuram Taluk.	B/G&M/2001/2010 dt. 31.08.2016	2.21.5	31.08.2016	30.08.2021	-	06.03.2017	Non Working	Non Captive	Yes, letter No. SEIAA- TN/F.No.1424/ EC/1(a) /637/2013 dated 01.08.2013	12°02'51.37"N to 12°02'57.60"N 79°27'30.49"E to 79°27'57.29"E (12°02'57"N 79°27'55"E)	Open east
42.	Rough stone	K. Murugavel	S/o. Kali Gounder, Nanganthur Village, Arniyur Via, Viluppuram Taluk.	B/G&M/2000/10 dt. 16.12.2010.	0.50.0	31.01.2011	30.01.2021	-	26.12.2011	Non Working	Non Captive	No	12°07'36.16"N 79°24'43.73"E	Open east
43.	Rough stone	P. Elanchezhian	S/o. Pannarvelu, Vadakkannal post, Kallakurichi Taluk, Viluppuram District	B/G&M/198/09 dt. 25.05.09	2.00.0	23.06.2009	22.06.2019	-	10.05.2010	Working	Non Captive	Yes, letter No. SEIAA- TN/F.No.4872/100/ EC.No.3486/2016 dated 29.07.2016	11°45'23.82"N to 11°45'27.08"N 78°51'24.54"E to 78°51'31.13"E (11°45'23.82"N 78°51'24.54"E)	Open east
44.	Rough stone	V Ravi	S/o. Veerasamy, Perumkkal Village, Tandiyanam Taluk.	B/G&M/2003/10 dt. 23.09.2014.	0.37.5	23.09.2014	22.09.2019	-	01.02.2019	Working	Non Captive	Yes, letter No. SEIAA- TN/F.No.1757/1(a) / EC.No.866/2013 dated 12.11.2013	12°03'19"N to 12°03'16"N 79°46'07"E to 79°46'04"E (12°03'16"N 79°46'06"E)	Open east
45.	Rough stone	P. Ravichandran	S/o. Periyasamy, I/13, Thiruvpathiaraman Kovil Street, Thiruvakkari Village, Vanur Taluk, Viluppuram District.	A/G&M/513/13 dated 30.05.2014	1.42.5	30.05.2014	29.05.2019	-	27.06.2014	Working	Non Captive	Yes, letter No. SEIAA- TN/F.No.1962/ EC/1(a) 1192/2013 dated 15.04.2014	12°01'52"N to 12°01'49"N 79°38'54"E to 79°39'01"E (12°01'52"N 79°38'55"E)	Open east

46.	Rough stone & Earth	K. Gnanasekaran	S/o. Kamudi comoder, Mettu Street, Korassur Village, Vanur Taluk, Viluppuram District.	A/G&M/483/2015 dated 24.09.2017	1.24.5	24.09.2017	23.09.2022	-	-	13.12.2017	Working	Non Captive	Yes, letter No. SEIAA- TN/F.No.3425/ 1(Q)/ EC.No.3920/201 6 dated 19.06.2017	12°03'36"N to 12°03'40"N 79°40'07"E to 79°40'12"E (12°03'324.73" N 79°40'15.34"E)	Open east
47.	Rough stone	D. Nairayanaswa my	S/o Dorchinnooth y, 25. Enilaran Street, Mariyammam Kovil Street, Cuddalore District.	A/G&M/702/2017 dt. 27.08.2018	2.53.0	27.08.2018	26.08.2023	-	-	18.09.2018	Working	Non Captive	Yes, letter No. DEIAA- TN/F.No.12681/ EC.No.11/2018 dated 05.07.2018	12°03'51"N to 12°03'58"N 79°42'32"E to 79°42'40"E (12°03'55"N 79°42'32"E)	Open east
48.	Rough stone & Earth	M. Jaffer saif	S/o. Mohamed Ravuthar, Pansyapuram Village, Viluppuram Taluk.	B/G&M/848/2016 dt. 27.09.2018.	1.53.0	27.09.2018	26.09.202 3	-	-	22.10.2018	Working	Non Captive	Yes, letter No. DEIAA- TN/F.No.7427/ EC.No.14/2017 dated 04.12.2018	11°39'53.90"N to 11°40'00.33"N 79°12'18.51"E to 79°12'23.14"E (11°39'55.69"N 79°12'18.51"E)	Open east
49.	Rough stone	T. Ambazhagan	S/o. Thangavel, Nathamadu Street, Chakoor & Post, Tincivannam Taluk, Viluppuram District	B/G&M/364/17 dt. 28.02.2019.	0.99.0	28.02.2019	27.02.2024	-	-	Nil	Non Working	Non Captive	Yes, letter No. DEIAA- TN/F.No.8096/ EC.No.31/2017 dated 04.12.2018	12°01'48"N to 12°01'54"N 79°38'49"E to 79°38'55"E (12°01'49.67"N 79°38'54.89"E)	Open east
50.	Rough stone	A. Sathishkumar	S/o Arunugam, Mettu Street, Thuruvai, Ravvelupakkam Post, Vanur Taluk.	B/G&M/1142/2017 dt. 08.03.2019.	1.00.0	08.03.2019	07.03.2024	-	-	Nil	Non Working	Non Captive	Yes, letter No. DEIAA- TN/F.No.15706/ EC.No.12/2018 dated 04.12.2018	12°01'49"N to 12°01'55"N 79°38'51"E to 79°38'55"E (12°01'49.40"N 79°38'53.69"E)	Open east
51.	Rough stone	C. Prabhu	S/o. Chakravathi, Indira Nagar, Kiliyannur Village & Post, Vanur Taluk, Vilupparam	B/G&M/1141/2017 dt. 08.03.2019.	1.00.0	08.03.2019	07.03.2024	-	-	09.05.2019	Working	Non Captive	Yes, letter No. DEIAA- TN/F.No.15708/ EC.No.13/2018 dated 04.12.2018	12°01'49"N to 12°01'55"N 79°38'51"E to 79°38'55"E (12°01'49.40"N 79°38'53.69"E)	Open east

52.	Rough stone & Earth	S. Ranginathan	S/o. Subramania Gounder, No.135, Pondy Road, Mannakkannam, Viluppuram District	D/G&M/260/15 dt. 15.02.2019	2.13.0	15.02.2019	14.02.2024	-	08.04.2019	Working	Non Captive	Yes, letter No. DEIAA- TN/F No. 18539 / EC No. 22/2018 dated 04.12.2018	12°11'27.47"N to 12°31'34.31"N 79°45'41.19"E to 79°45'46.59"E (12°11'29.96"N 79°45'41.19"E)	Open cast
53.	Rough stone	H. Chinnaikannan	S/o. Hanikrishnan, Erayur Village, Vanur Taluk, Viluppuram District	A/G&M/362/2017 dated 28.02.2019	2.81.5	28.02.2019	27.02.2024	-	08.03.2019	Working	Non Captive	Yes, letter No. DEIAA- TN/F No. 7699 / EC No. 7/2017 dated 04.02.2018	12°04'07"N to 12°04'14"N 79°39'32"E to 79°39'41"E	Open cast
54.	Rough stone & Earth	S. Raguraman	S/o. Subramanya Reddyar, Theakodipakkam Village, Vanur Taluk, Viluppuram District	A/G&M/778/2017 dt. 15.02.2019	2.54.5	15.02.2019	14.02.2024	-	28.03.2019	Working	Non Captive	Yes, letter No. DEIAA- TN/F No. 15201 / EC No. 14/2018 dated 05.07.2018	12°08'33"N to 12°08'40"N 79°43'28"E to 79°43'36"E (12°08'37.02"N 79°43'28.16"E)	Open cast
55.	Rough stone & Earth	M. Babu	No. 2, Mullian Road, Indira Nagar, Tindivanam	B/G&M/1159/2017 dt. 08.08.2018	3.94.0	08.08.2018	08.08.2023	-	19.08.2018	Working	Non Captive	Yes, letter No. DEIAA- TN/F No. 15483 / EC No. 17/2018 dated 05.07.2018	12°13'13.96"N to 12°13'24.92"N 79°45'15.51"E to 79°45'22.51"E (12°13'16.44"N 79°45'16.04"E)	Open cast
56.	Rough stone	Mannikam	S/o. Kaki, Nangathur Village, Vilekavandi Taluk, Viluppuram District	D/G&M/363/17 dt. 08.03.2018	1.00.0	08.03.2018	07.03.2023	-	15.03.2018	Working	Non Captive	Yes, letter No. DEIAA- TN/F No. 7527 / EC No. 13/2017 dated 04.02.2018	12°07'34"N to 12°07'37"N 79°24'44"E to 79°24'50"E (12°07'34"N 79°24'44"E)	Open cast
57.	Rough stone & Earth	D. Ramesh	S/o. Devanji Perumakkal Village & Post, Mannakkannam Taluk, Viluppuram District	D/G&M/100/2018 dt. 28.02.2019	1.76.0	28.02.2019	27.02.2024	-	16.05.2019	Working	Non Captive	Yes, letter No. DEIAA- TN/F No. 18540 / EC No. 23/2017 dated 04.12.2018	12°11'07.87"N to 12°11'11.80"N 79°45'42.90"E to 79°45'51.85"E	Open cast

58.	Rough stone & Earth	K. Marudharam	Manager, OM Sakthi Constructions, Thollanur Villages, Vanur Taluk	A/G&M/1048/2017 dt. 16.08.2018	2.06.0	16.08.2018	15.08.2023	-	31.08.2018	Working	Non Captive	Yes, letter No. DEIAA- TN/F.No.14175/ EC.No.13/2018 dated 05.07.2018	(12°11'09.72"N to 79°45'42.90"E) 12°03'28"N to 12°03'36.50"N 79°40'35.29"E to 79°40'39.92"E (12°03'29.79"N to 79°40'35.29"E)	Open east
59.	Rough stone & Earth	G. Raja,	S/o. Gopal, Sivasaj Street, Thirunelmalai, Chennai.	A/G&M/90/2018 dt. 16.08.2018	2.42.5	16.08.2018	15.08.2023	-	Nil	Non Working	Non Captive	Yes, letter No. DEIAA- TN/F.No.15627/ EC.No.18/2018 dated 05.07.2018	12°03'13.14"N to 12°03'21.15"N to 79°40'16.66"E to 79°40'24.21"E (12°03'17.09"N to 79°40'16.66"E)	Open east
60.	Rough stone	T. Vasudevan	S/o. Thangavel, Ernaiyur Village, Vanur Taluk, Villupuram District	A/G&M/181/2018 dt. 15.02.2019	4.83.5	15.02.2019	14.02.2024	-	06.03.2019	Working	Non Captive	Yes, letter No. DEIAA- TN/F.No.18345/ EC.No.19/2018 dated 04.12.2018	12°04'09"N to 12°04'19"N to 79°38'34"E to 79°38'45"E (12°04'16.98"N to 79°38'34.04"E)	Open east
61.	Rough stone	S. Sankar	S/o Sampatham, S. Kollar Village, Kovilchippuram Taluk, Villupuram District.	B/G&M/366/17 dt. 08.03.2018	3.00.0	28.03.2018	27.03.2023	-	04.06.2018	Working	Non Captive	Yes, letter No. DEIAA- TN/F.No.8297/ EC.No.19/2017 dated 04.02.2018	11°58'25"N to 11°58'32"N to 79°14'24"E to 79°14'33"E (11°58'25"N to 79°14'26"E)	Open east
62.	Rough stone	S. Revanth	W/o. Selvaraj B1, Krishna Apartment, Kuvirat Village, Kallakurchi.	B/G&M/365/17 dt. 08.03.2018	2.16.0	13.03.2018	12.03.2023	-	28.03.2018	Working	Non Captive	Yes, letter No. DEIAA- TN/F.No.7596/ EC.No.12/2017 dated 04.02.2018	12°03'46"N to 12°03'53"N to 79°58'28"E to 79°58'33"E (12°03'47.31"N to 79°58'29.29"E)	Open east
63.	Rough stone & Earth	D. Manokar	S/o. Dharmotharan, Anna Nagar, Ernaiyur Village, Vanur Taluk	A/G&M/176/2018 dt. 15.02.2019	1.90.5	15.02.2019	14.02.2024	-	03.04.2019	Working	Non Captive	Yes, letter No. DEIAA- TN/F.No.18212/ EC.No.18/2018 dated 04.12.2018	12°03'46"N to 12°03'53"N to 79°58'28"E to 79°58'33"E (12°03'47.31"N to 79°58'29.29"E)	Open east

64.	Rough stone	G. Tumbisvelvan	S/o (late) M. Ganesh, Gounder, Meluvampathi Village, Melmalayanni Post, Gingee Taluk.	B/G&M/193/09 dt. 03.09.09, & B/G&M/950/2017 dt. 09.08.2018	0.81.0	12.10.2009	11.10.2019	-	06.02.2019	Working	Non Captive	Yes, letter No. DEIAA- TM/F No. 18587/ EC No. 24/2018 dated 04.12.2018	12°20'20.51"E to 12°20'20.04"E, 79°20'40.65"N to 79°20'48.88"N (12°20'20.13"E to 79°20'40.65"N)	Open east
65.	Rough stone & Earth	K. Balaramanugan	S/o Kuppusamy, Karasmar & Post, Vannur Taluk.	A/G&M/138/2017 dt. 27.08.2018	2.12.0	27.08.2018	26.08.2023	-	13.11.2018	Working	Non Captive	Yes, letter No. DEIAA- TM/F No. 15355/ EC No. 15/2018 dated 05.07.2018	12°03'18"N to 12°03'25"N to 79°40'05"E to 79°40'10"E (12°03'18"N to 79°40'05"E)	Open east
66.	Rough stone & Earth	E. Jayasankar	S/o Elumalai, No.198, Vinayakar Koil Street, Erediyur Village, Vannur Taluk, Vilupparani District	A/G&M/180/2018 dt. 15.02.2019	3.37.5	15.02.2019	14.02.2024	-	06.03.2019	Working	Non Captive	Yes, letter No. DEIAA- TM/F No. 18349/ EC No. 20/2018 dated 04.12.2018	12°04'02"N to 12°04'13"N to 79°38'35"E to 79°38'42"E (12°04'02"N to 79°38'35.07"E)	Open east
67.	Rough stone & Earth	K. Mujeevar Ragnan	S/o. Kaljagali Selvam Main Road, Elivanasarkottai, Ulundurpet.	B/G&M/174/2015 dt. 10.10.2017.	1.40.5	10.10.2017	09.10.2022	-	07.12.2017	Working	Non Captive	Yes, letter No. SELAA- TM/F No. 5134 / (to Y EC No. 3912/20) 6 dated 07.06.2017	11°39'48"N to 11°39'54"N to 79°12'17"E to 79°12'22"E (11°39'49.6"N to 79°12'18"E)	Open east
68.	Rough stone & Earth	M. Moorthi	S/o. Murnan, Manurusamy Kovil Street, Thiruvakkurai Village, Vannur Taluk.	A/G&M/203/2018 dt. 15.02.2019	3.93.5	15.02.2019	14.02.2024	-	14.03.2019	Working	Non Captive	Yes, letter No. DEIAA- TM/F No. 18543/ EC No. 24/2018 dated 04.12.2018	12°02'42.77"N to 12°02'53.80"N to 79°39'50.80"E to 79°39'57.78"E (12°02'46.77"N to 79°39'50.80"E)	Open east
69.	Rough stone & Earth	N. Venkatesh	S/o, Nataraj, No. 158, Kurinji Nagar, Vellissanmambalam, Cuddalore.	B/G&M/1013/2017 dt. 30.02.2019	2.30.5	30.02.2019	29.02.2024	-	20.04.2019	Working	Non Captive	Yes, letter No. DEIAA- TM/F No. 17579/ EC No. 17/2018 dated 04.12.2018	12°13'32"N to 12°13'38"N to 73°44'15"E to 73°44'51"E (12°13'32"N to 73°44'15"E)	Open east
70.	Rough stone & Earth	V. Sadasivappa	No.18, Anjal Nagar, West Tambaram,	A/G&M/95/2018 dt. 16.08.2018	2.30.5	16.08.2018	15.08.2023	-	18.09.2018	Working	Non Captive	Yes, letter No. DEIAA- TM/F No. 15439/	12°13'33.19"N to 12°03'41.75"N to 79°40'06.13"E to	Open east

71.	Rough stone & Earth	S. Thirumangai	Chemmi-600 045	S/o. Sivaprakasam, Vinayagar Kovi Street, Karirkammam, Puducherry.	A/C&M/269/2018 dt. 15.02.2019	2.92.0	15.02.2019	14.02.2024	-	-	22.04.2019	Working	Non Captive	Yes, letter No. DEIAA- TM/F No. 18382/ EC No. 21/2018 dated 04.12.2018	79°40'16.50"E (12°03'32.44"N to 79°40'06.13"E)	Open east
72.	Rough stone & Earth	V Nagaraj		S/o. Vayupuri, No. 3/32A, South Street, Okayur Post, Kalkaricchi Taluk, Viluppuram District.	B/G&M/118/2018 dt. 25.01.2019.	1.36.5	25.01.2019	24.01.2024	-	-	25.02.2019	Working	Non Captive	Yes, letter No. DEIAA- TM/F No. 17233/ EC No. 14/2018 dated 04.12.2018	79°38'34.83"E 11°39'40.39"N to 11°03'46.71"N	Open east
73.	Rough stone & Earth	D. Selvakumar,		S/o. Dandapani, Mallam Village, Tindivanam Taluk.	B/G&M/70/2014 dt. 17.07.2014	1.08.0	17.07.2014	16.07.2019	-	-	16.02.2015	Working	Non Captive	Yes, letter No. SEIAA- TM/F No. 2639/ EC/1(a)/1391/2014 dated 25.06.2014	(12°02'31.21"N to 79°38'34.83"E) 12°07'59"N to 1012'07'55"N	Open east
74.	Rough stone	N. Eliangovani,		S/o. Nachiyappan, Devipandian Village, Senkarapuram Taluk.	B/G&M/200/09 Dt. 27.05.2009	3.00.0	07.09.2009	06.09.2019	-	-	29.09.2009	Working	Non Captive	Yes, letter No. SEIAA- TM/F No. 4757/ 100/EC No. 3281/2015 dated 11.07.2016	(12°07'51"N to 79°36'24"E) 11°56'52.79"N to 11°56'59.55"N	Open east
75.	Rough stone	E. Arjuna,		S/o. Kuppusamy, Gt. Melaiyansankuppam Village, Meehavanthangal Post, Gingee taluk, Viluppuram District	B/G&M/21/2010 dt. 18.02.2010	1.50.0	12.07.2010	11.07.2020	-	-	17.12.2012	Non Working	Non Captive	No	(11°56'32.79"N to 78°52'32.26"E)	Open east
76.	Rough stone	D. Ramachandran		S/o. Duraisamy, Thimmasandal Village, Arur post, Senkarapuram Taluk.	B/G&M/199/09 dt. 27.05.09	3.00.0	31.08.2009	30.08.2019	-	-	16.09.2009	Working	Non Captive	Yes, letter No. SEIAA- TM/F No. 4725/ 1(a)/EC No. 3331/2016 dated 15.07.2016	11°56'00.9"N to 11°56'59.94"N	Open east

77.	Rough stone	A. Sivanmuthu,	S/o. Anburajgn, Mettu Street, Vadamerkunam post, Indivuzam Taluk.	B/G&M/185/09 Dt. 11.06.2009	1.54.0	24.08.2009	23.08.2019	-	-	12.10.2009	Working	Non Captive	Yes, letter No.SELAA- No.4826/ TN/F.No.3347 I(a)/EC.No.3347 /2016 dated 15.07.2016	(11°56'0.09"N 79°51'57.68"E) 12°13'08"N to 12°13'14"N 79°45'57"E to 79°46'03"E (12°13'10"N 79°45'57"E) 12°26'16"N to 12°26'21"N 79°23'05"E to 79°23'11"E	Open east
78.	Rough stone	Tmt.Sathambee	W/o. K.S. Masnan, 59, Dessurpettai Salai, Krisnavipuram, Gingee, Viluppuram District	B/G&M/206/10 dt. 25.01.2011.	3.00.0	28.02.2011	27.02.2021	-	-	30.06.2017	Working	Non Captive	Yes, letter No.SELAA- TN/F.No.2484/ I(a)/EC.No.3590 /2015 dated 19.08.2016	12°26'16"N to 12°26'21"N 79°23'05"E to 79°23'11"E	Open east
79.	Rough stone	P. Ramalingam,	S/o. Perumal, Pallyandar village Viluppuram Taluk Viluppuram District.	B/G&M/207/10 dt. 12.05.2010.	3.72.0	16.08.2010	15.08.2020	-	-	17.09.2010	Working	Non Captive	Yes, letter No.DELAA- TN/F.No.18617/ I(a)/EC.No.282 018 dated 04.12.2018	12°11'36.91"N 79°45'21.21"E	Open east
80.	Rough stone	Tmt. K. Parimala	W/o. Senthil Selvan, Maruzan Koil Street, Kalathampattu Post, Gingee Taluk, Viluppuram District	B/G&M/225/2010 dt. 30.03.2010	2.50.0	16.04.2010	15.04.2020	-	-	23.04.2010	Non Working	Non Captive	No	12°13'25.45"N 79°18'46.08"E	Open east
81.	Rough stone & Earth	V.Kumar	S/o. Velayutham, Elvalapakkam Village, Perumukkal, Tindivanam Taluk.	B/G&M/361/2012 dt.21.06.2014	2.33.0	21.06.2014	20.06.2019	-	-	21.07.2014	Working	Non Captive	Yes, letter No.SELAA- TN/F.No.2328/ EC/ I(a) 1337/2014 dated 30.05.2014	12°14'54"N to 12°14'46"N 79°48'48"E to 79°48'41"E (12°14'46"N 79°44'45"E)	Open east
82.	Rough stone & Earth	Tmt.L.Savithri	W/o. Loganathan, Emiyur Village & post, Vannur taluk.	A/G&M/360/13 dated 30.05.2014	0.99.0	30.05.2014	29.05.2019	-	-	12.06.2014	Non Working	Non Captive	Yes, letter No.SELAA- TN/F.No.1650/ EC/ I(a) 1169/2013 dt. 20.03.2014	12°04'05"N to 12°04'08"N 79°39'33"E to 79°39'40"E (12°04'05"N 79°39'33"E)	Open east
83.	Rough stone	S. Kamaladevi	W/o. Suresh, Eyyal Village & post, Gingee Taluk, Viluppuram District.	B/G&M/122/09 dt. 11.06.2009.	3.00.0	23.06.09	22.06.2019	-	-	18.03.2010	Non Working	Non Captive	No	12°24'38.17"N 79°22'26.58"E	Open east

84.	Rough stone	B. Sakthivel	S/o. Helasabramanyan Vadakurumbur, Ulundurpet Taluk, Villupuram District	B/G&M/367/17 dt. 08.03.2018.	2.94.0	08.03.2018	07.03.2023	-	12.03.2018	Working	Non Captive	Yes, letter No. DJA/TN/MIN/ 6526/2017/DHAA 2017, Ec. No. 1, Dated. 01.08.2017	11°39'37"N to 11°39'44"N 79°12'09"E to 79°12'15"E (11°39'37"N 79°12'10"E)	Open cast
85.	Rough stone	K. Ashokkumar	S/o Kannasamy, Nallalam Koostrod, Perumukkal Village, Tiruvananthapuram Taluk.	B/G&M/1224/12 dt. 16.04.2015	0.95.0	16.04.2015	15.04.2020	-	23.10.2015	Working	Non Captive	Yes, letter No. SEJAA-TN/F No. 2677 / EC/1(a) 1546/2014 dated 14.08.2014	12°13'13"N to 12°13'08"N 79°46'36"E to 79°46'44"E	Open cast

55


10) Details of Revenue received in last three years;

Year	Rough Stone S.F. (Rs.)
2016-17	46173110
2017-18	44466900
2018-19	54766668

11) Details of Production of Minor Mineral in last three years.

Year	Rough Stone Production (in Cu.Mt)
2016-17	1018368
2017-18	939555
2018-19	932678

MINERAL MAP OF VILLUPURAM DISTRICT



37

13. List of Letter of Intent (LOI) Holders in the District along with its validity:-

Sl. No.	Name of the Mineral	Name of the Lessee	Address & Contact No. of letter of Intent Holder	Letter of Intent Grant Order No. & Date	Area of Mining lease to be allotted	Validity of Lot	Use (Captive/ Non-Captive)	Location of the Mining Lease (Latitude & Longitude)
1	2	3	4	5	6	7	8	9
1.	Rough stone & Gravel	V Ramesh	S/o. Venkatapathy, No.5, Thangaraj Street, HILL Colony, Pammal, Chennai - 75.	B/G&M/463/2018 dt.18.01.2019	3.53.0	-	Non Captive	12°03'10.49"N to 12°03'20.70"N 79°40'08.70"E to 79°40'16.98"E (12°03'11.13"N 79°40'09.94"E)
2.	Rough stone & Earth	Santhosh Blue Metals, Prop. S.V. Venkatesh	No.173, Sarkar Thoppu, Tindivanam.	B/G&M/357/2018 dt.04.01.2019	2.06.0	-	Non Captive	12°03'30"N to 12°03'36"N 79°40'23"E to 79°40'30"E (12°03'33"N 79°40'23"E)
3.	Rough stone & Earth	D. Dhandapani	S/o. Duraisamy, Erariyur Village, Vanur Taluk, Viluppuram District.	B/G&M/423/2018 dt.18.01.2019	1.49.5	-	Non Captive	12°04'07.16"N to 12°04'13.93"N 79°38'59.73"E to 79°39'03.75"E (12°04'07.45"N 79°39'00.95"E)
4.	Rough stone & Earth	Sri Balaji Blue Metals & M.Sand	No.33/8, Mailam Road, Indira Nagar, Tindivanam	B/G&M/462/2018 dt.15.02.2019	2.85.5	-	Non Captive	12°13'05.47"N to 12°13'13.31"N 79°47'04.29"E to 79°47'10.26"E (12°13'06.53"N 79°47'04.83"E)
5.	Rough stone	K. Balasubramanian	S/o. Karuppaiva, 28/4B, Raja Nagar, Kallakurichi - 606 202.	B/G&M/1143/2017 dt.17.01.2018	2.00.0	-	Non Captive	12°03'41.93"N to 12°03'48.98"N 78°57'09.17"E to 78°57'15.01"E (12°13'43.97"N 78°57'09.17"E)

6.	Rough stone & Gravel	A. Aridass	School Street, Kadagampattu, Vanur Taluk, Viluppuram District.	A/G&M/337/2018 dt.30.01.2019	1.77.0	-	Non Captive	12°03'55.01"N to 12°04'01.91"N 79°38'24.85"E to 79°38'32.27"E (12°03'56.29"N 79°38'24.85"E)
7.	Rough stone & Earth	K. Gnanasekaran	S/o.Kannadi Gounder, Karasanur Village, Vanur Taluk, Viluppuram District.	A/G&M/277/2018 dt.04.01.2019	2.68.0	-	Non Captive	12°03'20.03"N to 12°03'27.36"N 79°40'15.44"E to 79°40'23.75"E (12°03'24.73"N 79°40'15.44"E)

59

**14. Mineral Reserve :
Name of the Mineral: Rough stone**

Sl. No.	Name of the Mineral	Name of the Lessee	Address & Contact No. of Lessee	Mining lease grant order No. & Date	Area of Mining lease (ha)	Period of Mining lease (Initial)	Period of Mining lease (1 st renewal)	Date of commencement of Mining Operation	Status (Working / Non Working / Temp working for dispatch etc.)	Captive / Non-Captive	Obtained Environmental Clearance (Yes/No) If Yes Letter no with date of grant of EC	Location of the Mining Lease (Latitude & Longitude)	Total Quantity in CBM				
1	2	3	4	5	6	From	To	7	8	9	10	11	12	13	14	15	16
1.	Rough stone	T Muthamizhan	S/o. Theivasan, Maralur Village, Sankarapuram Taluk, Viluppuram District.	B/G&M/2020/2019 dt. 31.08.2016.	1.50.0	31.08.2016	30.08.2021	06.02.2017	Working	Non-Captive	Yes, letter No. SEIAA-TN/F.No.2682/EC/1(a)/1724/20 dated 13.03.2015	12°00'30"N to 12°00'26"N 78°55'28"E to 78°55'23"E (12°00'27.7"N 78°55'21.8"E)	RS 45305				
2.	Rough stone	RSatramanian	S/o. Ramasamy, 15/3, Kanukottai Village, Yernampar Post, Kallakurichi Taluk, Viluppuram District.	B/G&M/371/11 dt. 26.11.2014	1.26.0	23.01.2012	22.01.2022	Nil	Non working	Non-Captive	No	11°50'21.78" N 79°07'10.51"E	RS 67289				
3.	Rough stone	K. Natchappan	S/o. Karappanna Gounder, Vellakulam, Keeisiviri Post, Thiruvananthapuram Taluk.	B/G&M/1213/13 dt. 31.12.2015	2.23.0	31.12.2015	30.12.2020	25.02.2016	Non working	Non-Captive	Yes, letter No. SEIAA-TN/F.No.3439/EC/1(a)/2547/2015 dated 21.12.2015	12°11'56"N to 12°11'46"N 79°45'33"E to 79°45'26"E (12°01'47"N 79°45'29"E)	RS 85355				
4.	Rough stone	K. Shanmugam	S/o. Kamalaya Gounder, Nallavur Village & Post, Vanur Taluk, Viluppuram District.	A/G&M/522/2014 dated 09.09.2016	1.95.5	09.09.2016	08.09.2021	Nil	Non working	Non-Captive	Yes, letter No. SEIAA-TN/F.No.4167/EC/1(a)/3177/2015 dated 21.03.2016	12°08'58.60"N to 12°09'04.64"N 79°44'38.34"E to 79°44'54"E (12°09'04.63"N 79°44'38.34"E)	RS 27417				
5.	Rough stone & Earth	K. Anandavela	S/o. Kesavan, No.96, Eravur Village, Vanur Taluk, Viluppuram District.	A/G&M/977/2012 dt. 28.07.2017.	1.08.0	28.07.2017	18.03.2020	18.09.2017	Working	Non-Captive	Yes, letter No. SEIAA-TN/F.No.2699/EC/1(a)/702/2014 dated 19.03.2015	12°04'28"N to 12°04'24"N 79°38'39"E to 79°38'43"E (12°04'24"N 79°38'39"E)	RS 94425 E 8382				

40

5.	Rough stone & Earth	A. Ganessan	S/o. Appadurai, 190, Kadaveelbi, Erayar & post, Vinur taluk, Vilupparani District	A/G&M/MS22/2016 dated 22.08.2016	2.62.5	28.07.2017	18.03.2020	-	16.05.2018	Working	Non Captive	Yes, letter No. SEIAA- TN/F.No.5064/E C/1(a)/3324/201 6 dated 15.07.2016.	12°04'12"N to 12°04'19"N 79°38'39"E to 79°38'51"E (12°04'16"N 79°38'39"E) to 12°22'84"N to 12°22'58"N 79°16'89"E to 79°16'77"E	RS:45609 E:20538
7.	Rough stone	P. Ramesh	S/o. Ponchitharam, 289, Main Road, Kaplampadi Village, Gingee Taluk, Vilupparani District.	B/G&M/2007/10 dt. 26.07.2014.	2.52.0	26.07.2014	25.07.2019	-	30.09.2015	Working	Non Captive	Yes, letter No. SEIAA- TN/F.No.1316/E C/1(a)/588/2013 dated 18.07.2013.	12°22'84"N to 12°22'58"N 79°16'89"E to 79°16'77"E	RS:215665
8.	Rough stone	V. Ganasekaran	S/o. Vellaaya Gounder, No. 47/1A, East Street, Tirukoilur	B/G&M/196/09 dt. 25.05.2009	1.50.0	19.06.2009	18.06.2019	-	22.06.2009	Non Working	Non Captive	Yes, letter No. SEIAA- TN/F.No.4898/E C/1(a)/3392/201 6 dated 25.07.2016	11°55'22.78"N to 11°55'26.97"N	RS:27560
9.	Rough stone & Earth	R. Abagarajan	S/o. Ramaswamy, No.41, Perkarai Street, Nerkandram, Chennai-107.	A/G&M/263/13 dated 25.03.2015	1.46.5	25.03.2015	24.03.2020	-	04.05.2015	Non Working	Non Captive	Yes, letter No. SEIAA- TN/F.No.1769/E C/1(a)/1631/201 4 dated 19.02.2015	11°55'25.41"N to 11°55'26.09"E 12°03'24"N to 12°03'27"N 79°40'31"E to 79°40'38"E (12°03'27.55"N 79°40'32.65"E)	RS:72906 E:15340
10.	Rough stone	Tmt. S. Nambini	W/o. Sankar, No.14, 3 rd Street, Jeyapuram, Tindivanam Taluk	A/G&M/601/15 dated 31.12.2015	3.32.5	31.12.2015	30.12.2020	-	08.03.2016	Working	Non Captive	Yes, letter No. SEIAA- TN/F.No.4000/E C/1(a)/2546/201 5 dated 21.12.2015	12°03'25.80"N to 12°03'33.90"N	RS:370455
11.	Rough stone	G. Selvakumar	S/o. Govindaraj, Erampur Village, Kallakurichi Taluk	B/G&M/369/2017 dt. 08.10.2018.	1.50.0	08.10.2018	07.10.2023	-	04.12.2018	Working	Non Captive	Yes, letter No. DEIAA- TN/F.No.9072/E	11°49'47"N to 11°49'51"N (12°03'20.53"N 79°40'10.84"E) 78°58'13"E	RS:236090

44

12.	Rough stone	R. Subramanian	S/o. Ramasamy, 15/3, Kattakottai, Ennepai Post, Kalhkurichi Taluk, Viluppuram District	B/G&M/2018/10 dt. 16.12.2010.	1.96.0	10.01.2011	09.01.2021	-	-	25.01.2011	Non-Working	Non-Captive	-	C.No. 16/2017, dated 04.02.2018	to 78°58'19"E (11°49'47"N 78°58'13"E) 11°53'01.58" N 79°03'39.54"E	RS:154465
13.	Rough stone & Earth	C. Balanurugan	S/o. Chandran, Samathi Street, Malin Villages, Tiruvannamalai District	B/G&M/398/2016 dt. 24.09.2017	0.79.0	24.09.2017	23.09.2022	-	-	19.03.2018	Working	Non-Captive	Yes, letter No.DIAA-534, No.DIA/TN/MI/S/5779/2017/DIE IAA/2017, dated 01.08.2017	12°07'55.50" N to 12°07'59.47" N 79°36'24.94"E to 79°36'28.56"E (12°07'56.09"N 79°36'24.94"E)	RS:50100 E:15687	
14.	Rough stone	E. Sridhar	S/o Elamalai, No.1019, Pillayar Koil Street, Devikapuram Village, Arani Taluk, Tiruvannamalai District	B/G&M/1470/2010 dt. 10.05.2010	5.00.0	16.08.2010	15.08.2020	-	-	01.07.2011	Non-Working	Non-Captive	-	12°26'10.85" N to 12°26'03.38" N 79°21'48.29"E to 79°21'36.79"E (12°26'3.38"N 79°21'42.94"E)	RS:582898	
15.	Rough stone & Earth	C. Selvam,	S/o Chelappu Muthiyar, Sangeeethamangal in Road, Atandapuram, Gingee Taluk.	B/G&M/1470/2013 dt. 18.07.2014	0.60.0	18.07.2014	17.07.2019	-	-	07.01.2019	Working	Non-Captive	Yes, letter No.SEIAA-TN/F.No.2602/E, C/1(a)/1484/2014 dated 25.06.2014	12°07'21"N to 12°07'27"N 79°22'40"E to 79°32'45"E (12°07'21"N 79°22'40"E)	RS:21493 E:1773	
16.	Rough stone & Earth	A.S. Srinivasan	S/o Seengodan, Athur & Post, Rossapuram Taluk, Namakkal District	B/G&M/459/13 dt. 06.02.2015	3.35.0	06.02.2015	05.02.2020	-	-	Nil	Non-Working	Non-Captive	Yes, letter No.SEIAA-TN/F.No.1882/E, C/1(a)/1459/2014 dated 02.07.2014	11°47'09"N to 11°47'01"N (78°55'02"E to 78°54'53"E)	RS:330000 E:23373	

48

17.	Rough stone	A. Mathiasamy	S/o. Arthman Gounder, Kattukorra, Paranginatham, Mulligappody Post, Sankarapuram Taluk, Viluppuram District.	B/G&M/2012/10 dt. 31.12.2010.	1.00.0	14.02.2011	13.02.2021	-	21.07.2016	Non Working	Non Captive	-	-	
18.	Rough stone & Earth	V.Sankar	S/o Vivekanandhi, 14, Jayapuram Colony, Thiduvanni Town & Taluk, Viluppuram District.	A/G&M/360/2016 dated 20.09.2016	3.00.5	20.09.2016	19.09.2021	-	28.09.2016	Working	Non Captive	Yes, letter No.SEIAA- TNF.No.5616/1 d/EC.No.3694/2 016 dated 06.09.2016	12°03'32"N to 12°03'40"N 79°40'16"E to 79°40'23"E (12°03'34"N 79°40'16"E)	RS:161930 E:5416
19.	Rough stone	A.Ramesh	S/o. Alagarasampar, Malikottalam, Kolakurichi Taluk	B/G&M/2019/2010 dt. 03.07.2016.	2.00.0	03.07.2016	02.07.2026	-	31.01.2017	Non Working	Non Captive	Yes, letter No.SEIAA- TNF.No.2683/E C/1001739/2014 dated 13.03.2015	12°03'43"N to 12°03'39"N 78°57'08"E to 78°57'13"E (12°03'32"N 78°57'148"E)	RS:45660
20.	Rough stone & Earth	V. Chandraasakaran	S/o. Velluvani, 2/4, School Street, Kattupayur Village, Tirukshir Taluk.	B/G&M/334/2014 dt. 09.09.2016.	1.02.5	09.09.2016	08.09.2021	-	22.12.2016	Working	Non Captive	Yes, letter No.SEIAA- TNF.No.4736/E C/1003195/2016 dated 11.07.2016	11°57'9.50"N to 11°57'14.14"N 79°10'16.12"E to 79°10'18.80"E (11°57'9.50"N 79°10'16.12"E	RS:70235 E:13684
21.	Rough stone & Earth	P.Devanigamaul	S/o.Pattuvan, T.Nallaijan Village, Perumakkal Post, Thiduvanni Taluk.	B/G&M/1898/12 dt.11.04.2015	1.03.0	11.04.2015	10.04.2020	-	26.05.2015	Working	Non Captive	Yes, letter No.SEIAA- TNF.No.2831/E C/1001752/2014 dated 19.03.2015	12°11'51"N to 12°11'53"N 79°45'08"E to 79°45'15"E	RS:61305 E:20060

43

22.	Rough stone	A. Balaraman	S/o. Annakkutti Gounder, Keelaviri Villnge & Post, Tindivanam Taluk, Viluppuram District	B/G&M/365/11 dt. 25.11.2011.	1.10.0	26.12.2011	25.12.2021	-	27.01.2012	Non Working	Non Captive	No	(12°11'54"N 79°45'8"E)	RS.15856
23.	Rough stone & Earth	T. Rajendiran	S/o. Thandapani Naichu, 8/65, Sivun Kowil Street, Elavanasurkottai Village & Post, Uthandurpet Taluk.	B/G&M/975/2015 dt. 22.08.2016.	1.97.5	22.08.2016	21.08.2021	-	28.09.2016	Working	Non Captive	Yes, letter No. SELAA-TN/F.No.5148/E C/ I(a)/3197/2016 dated 06.07.2016	11°39'59.60" N to 11°40'06.64" N 79°12'16.58" E to 79°12'22.80"E (11°39'59.60" N 79°12'18.64"E)	RS.116185 E:5884
24.	Rough stone & Earth	S. Arulkannan	S/o. Subramani, 252, Kuliakkanni, Ulagalampoonai, Vikkiranvandi Taluk.	B/G&M/1059/2015 dt. 23.01.2017	1.14.5	23.01.2017	22.01.2022	-	25.01.2018	Working	Non Captive	Yes, letter No. SELAA-TN/F.No.5825 / I(a) /EC.No. 3879/2016 dated 14.11.2016	12°02'42.84" N to 12°02'48.45" N 79°28'49.08" E to 79°28'52.37"E (12°02'43.45" N 79°28'49.08"E)	RS.94010 E:15480
25.	Rough stone & Earth	Tmt. R. Sujatha	W/o. (late) L. Rameshbabu, No.5, Shankar Nagar, Thenputhi, Sirkuli Taluk, Nagapattinam District	B/G&M/1053/2015 dt. 14.10.2016 & B/G&M/436/2018 Dated 19.11.2018	4.22.5	14.10.2016	13.10.2021	-	24.08.2017	Working	Non Captive	Yes, letter No. SELAA-TN/F.No.5061 / I(a) /EC.No. 3611/2016 dated 24.08.2016	11°40'02"N to 11°40'12"N 79°12'23"E to 79°12'35"E (11°40'03"N 79°12'24"E)	RS.254672 E:61926

44

26.	Rough stone & Earth	K. Prasamsivam	S/o. Kanessu Gonsaler, No.299/5, Mariamman Koil Street, Chokkanthangal, Keelaviri Post, Marukkannur Taluk	B/G&M/674/2013 dt.03.03.2016	1.06.5	03.03.2016	02.03.2021	-	04.05.2016	Working	Non Captive	Yes, letter No.SEJAA-TNF/No.4827/1(a)/EC.No.2829/2016 dated 17.02.2016	12°13'06"N to 12°13'11"N 79°45'26"E to 79°45'30"E (12°13'07"N to 79°45'26"E)	RS:80640 E:6564
27.	Rough stone & Earth	E. Pavandairayan	S/o Ettiyappaan, Marayannan Kowil Street, Kovvadi, Thidivanam Taluk	B/G&M/1137/13 dt.14.05.2015	0.75.0	14.05.2015	13.05.2020	-	19.08.2015	Working	Non Captive	Yes, letter No.SEJAA-TNF/No.3109/EC/1(a)/2148/2014 dated 01.04.2015	12°11'39"N to 12°11'43"N 79°45'10"E to 79°45'14"E (12°11'40"N to 79°45'10"E)	RS:57700 E:16248
28.	Rough stone	S.Sannivasan	S/o Sanjeevi, No.9, Wahab Nagar, Marukkannur Road, Thidivanam Taluk	B/G&M/2005/108 dt.23.09.2014	0.72.0	23.09.2014	22.09.2019	-	02.12.2009	Non Working	Non Captive	Yes, letter No.SEJAA-TNF/No.1802/EC/1(a)/1139A/2013 dated 27.02.2014	12°12'24"N to 12°12'19"N 79°44'55"E to 79°44'59"E (12°12'19"N to 79°44'55"E)	RS:51745
29.	Rough stone & Earth	P.Srinivasan	S/o. Puthi Reddiyar, No.142, Mosque Street, C.Padavanan, Chennai	B/G&M/290/13 dt.13.11.2015	1.61.5	13.11.2015	12.11.2020	-	29.06.2016	Working	Non Captive	Yes, letter No.SEJAA-TNF/No.2951/EC/1(a)/1768/2014 dated 19.03.2015	12°13'58"N to 12°14'03"N 79°45'17"E to 79°45'23"E (12°13'58"N to 79°45'23"E)	RS:128380 E:20247
30.	Rough stone & Earth	M. Krishnamoorthi	S/o. Marugaiyan, No.1, Palyakara Street, Thiruvakkasai	A/G&M/422/2013 daret 15.10.2016	0.80.0	15.10.2016	14.10.2021	-	22.03.2017	Working	Non Captive	Yes, letter No.SEJAA-TNF/No.5424/1(a)/EC.No.3557/2016 dated 10.08.2016	12°2'23.90"N to 12°2'27.58"N 79°39'32.17"E to 79°39'35.05"E (12°2'24.38"N to 79°39'32.17"E)	RS:56054 E:10386
31.	Rough stone & Earth	A.Selvaraj	S/o.Aranganam, No.135, 7 th Cross Road, Housing Board, Gopalapuram,	B/G&M/1187/13 dt.24.04.2015	1.07.5	24.04.2015	23.04.2020	-	18.05.2015	Non Working	Non Captive	Yes, letter No.SEJAA-TNF/No.2779/EC/1(a)	12°13'22"N to 12°13'28"N 79°44'03"E to 79°44'07"E	

45

37.	Rough stone & Earth	V.Gnanaguru,	S/o. Velayutham, Elavadayakkam Village, Perumakkal, Thindivanam Taluk	B/G&M/207/2012 dt. 21.06.2014	1.28.0	21.06.2014	20.06.2019	-	29.04.2015	Working	Non Captive	Yes, letter No. SEIAA-TN/F.No.2327 / EC/1(a) /251/2014 dated 09.05.2014	12°13'37"N to 12°13'32"N 79°44'11"E to 79°44'15"E (12°13'33"N, 79°44'11"E)	RS:120530 E:24954
38.	Rough stone & Earth	T. Kuppusamy	S/o. Thoppalan No.667, Marakkannur Road, Brammadiccann Village, Thindivanam Taluk	B/G&M/531/14 dt. 31.12.2015	0.99.5	31.12.2015	30.12.2020	-	26.02.2016	Working	Non Captive	Yes, letter No. SEIAA-TN/E.No.3263 / EC/1(a) /2318/2015 dated 02.11.2015	12°11'43"N to 12°11'49"N 79°45'39"E to 79°45'42"E (12°11'47"N, 79°45'39"E)	RS:43050 E:820
39.	Rough stone	D. Murugappandiyam	S/o. Darmaraj, Chakkamuthandal, Gingee Taluk.	B/G&M/2008/10 dt. 30.12.2016	2.00.0	30.12.2016	29.12.2021	-	21.08.2017	Non Working	Non Captive	Yes, letter No. SEIAA-TN/E.No.5048 / EC/1(a) /3722/2016 dated 16.09.2016	12°15'17"N to 12°15'20"N 79°27'02"E to 79°27'11"E (12°15'17"N, 79°27'02"E)	RS:144805
40.	Rough stone	Trot R. Dharmalakshmi	W/o. Ravi, Thirupathiamman Koil Street, Venbit Village and Post, Virupparan Taluk and District	B/G&M/205/2010 dt. 13.04.2010	3.00.0	07.06.2010	06.06.2020	-	11.06.2010	Working	Non Captive		12°07'55.87" N to 79°26'40.90" E	RS:313652
41.	Rough stone	R. Dharmalakshmi,	W/o. J. Ravi, Thirupathiamman Koil Street, Venbit Village, Virupparan Taluk.	B/G&M/290/2010 dt. 31.08.2016	2.21.5	31.08.2016	30.08.2021	-	06.03.2017	Non Working	Non Captive	Yes, letter No. SEIAA-TN/F.No.1424 / EC/1(a) /6372/013 dated 01.08.2013	12°02'51.37" N to 12°02'57.60" N 79°27'50.49" E to 79°27'57.29"E (12°02'57"N, 79°27'55"E)	RS:179930
42.	Rough stone	K. Murugavel	S/o. Kali Gounder, Nanganthur Village, Annaiyur Via, Virupparan Taluk.	B/G&M/2008/10 dt. 16.12.2010	0.50.0	31.01.2011	30.01.2021	-	26.12.2011	Non Working	Non Captive	No	12°07'36.16" N to 79°24'43.73" E	RS:16872
43.	Rough stone	P. Elambarthiyam	S/o. Parmeeswaram, Vidikkattanthudal post, Kallikoriichi	B/G&M/198/09 dt. 25.05.09	2.00.0	23.06.2009	22.06.2019	-	10.05.2010	Working	Non Captive	Yes, letter No. SEIAA-TN/F.No.4872 /	11°45'23.82" N to 11°43'27.08" N	RS:44275

47

49.	Rough stone	T. Anbazhagan	S/o. Thangavel, Nathamettu Street, Olakoor & Post, Tindivanam Taluk, Viluppuram District	B/G&M/364/17 dt. 28.02.2019;	0.99.0	28.02.2019	27.02.2024	-	-	Nil	Non Working	Non Captive	Yes, letter No. DEIAA-TN/F No.8096/EC.No.31/2017 dated 04.12.2018	dated 04.02.2018	79°12'18.51"E to 79°12'23.14"E (11°39'55.69"N to 79°12'18.51"E)	RS:32211
50.	Rough stone	A. Sathishkumar	S/o. Arunigam, Meetan Street, Thuruvali, Royapodupakkam Post, Vamar Taluk	B/G&M/142/2017 dt. 08.03.2019;	1.00.0	08.03.2019	07.03.2024	-	-	Nil	Non Working	Non Captive	Yes, letter No. DEIAA-TN/F No.15706/EC.No.12/2018 dated 04.12.2018		12°01'48"N to 12°01'54"N 79°38'49"E to 79°38'55"E (12°01'49.67"N to 79°38'54.89"E)	RS:51890
51.	Rough stone	C. Prabu	S/o. Chakravarthi, Indira Nagar, Kiliyamar Village & Post, Vamar Taluk, Viluppuram	B/G&M/141/2017 dt. 08.03.2019;	1.00.0	08.03.2019	07.03.2024	-	-	09.05.2019	Working	Non Captive	Yes, letter No. DEIAA-TN/F No.15708/EC.No.13/2018 dated 04.12.2018		12°01'49"N to 12°01'55"N 79°38'51"E to 79°38'55"E (12°01'49.40"N to 79°38'53.69"E)	RS:104810
52.	Rough stone & Earth	S. Rangarathnam	S/o. Subramania Gounder, No. 135, Porady Road, Marakkaman, Viluppuram District	B/G&M/260/15 dt. 15.02.2019	2.13.0	15.02.2019	14.02.2024	-	-	08.04.2019	Working	Non Captive	Yes, letter No. DEIAA-TN/F No.18559/EC.No.22/2018 dated 04.12.2018		12°11'27.47"N to 12°11'34.31"N 79°45'41.19"E to 79°45'46.59"E (12°11'29.96"N to 79°45'41.19"E)	Rx:106902 E:9207

53.	Rough stone	H. Chinnakannan	S/o. Hari Krishnan, Enayur Village, Vannur Taluk, Viluppuram District	A/G&M/362/2017 dated 28.02.2019	2.81.5	28.02.2019	27.02.2024	-	08.03.2019	Working	Non Captive	Yes letter No. DEJAA- TNF No. 7599 / EC No. 7/2017 dated 04.02.2018	12°04'07"N to 12°04'14"N 79°39'32"E to 79°39'41"E	RS:412160
54.	Rough stone & Earth	S. Raguvaran	S/o. Subramanya Reddyar, Thakkodipakkam Village, Vannur Taluk, Viluppuram District	A/G&M/778/2017 dt. 15.02.2019	2.54.5	15.02.2019	14.02.2024	-	28.03.2018	Working	Non Captive	Yes letter No. DEJAA- TNF No. 15201 / EC No. 14/2018 dated 05.07.2018	12°08'33"N to 12°08'40"N 79°43'28"E to 79°43'36"E (12°08'37.02" N to 79°43'28.16" E)	RS:109143 E:10166
55.	Rough stone & Earth	M.Babu	No.2, Maniam Road, Indira Nagar, Tindivanam	B/G&M/1159/2017 dt. 09.08.2018	3.94.0	09.08.2018	18.08.2023	-	19.08.2018	Working	Non Captive	Yes letter No. DEJAA- TNF No. 15483 / EC No. 17/2018 dated 05.07.2018	12°13'13.96" N to 12°13'24.92" N 79°46'15.51" E to 79°46'22.51"E (12°13'16.44" N to 79°46'16.04" E)	RS:211615 E:32120
56.	Rough stone	Munikkann	S/o. Kali, Nangathur Village, Vikkravandi Taluk, Viluppuram District	B/G&M/383/17 dt. 08.03.2018	1.00.0	08.03.2018	07.03.2023	-	15.03.2018	Working	Non Captive	Yes letter No. DEJAA- TNF No. 7527 / EC No. 13/2017 dated 04.02.2018	12°07'34"N to 12°07'37"N 79°24'44"E to 79°24'50"E (12°07'34"N to 79°24'44"E)	RS:137823
57.	Rough stone & Earth	D. Ramesh	S/o. Devaraj Perumakkal Village & Post, Marakkannam Taluk, Viluppuram District	B/G&M/100/2018 dt. 28.02.2019	1.76.0	28.02.2019	27.02.2024	-	16.05.2019	Working	Non Captive	Yes letter No. DEJAA- TNF No. 18540 / EC No. 23/2017 dated 04.12.2018	12°11'07.87" N to 12°11'11.80" N 79°45'42.90" E to 79°45'51.85"E (12°11'09.72" N to 79°45'42.90"E)	RS:114505 E:29241

58.	Rough stone & Earth	R.Muralidharan	Manager, OM Sakthi Constructions, Thollanur Village, Vannar Taluk.	A/G&M/1648/2017 dt. 16.08.2018	2.06.0	16.08.2018	15.08.2023	-	-	31.08.2018	Working	Non Captive	Yes, letter No. DEIAA- TN/F No.14175 / EC No. 132018 dated 05.07.2018	12°03'28"N to 12°03'36.50" N 79°40'35.29" E to 79°40'39.92"E (12°03'29.79" N 79°40'35.29" E)	RS.235220 E.20040
59.	Rough stone & Earth	G. Raja,	S/o. Gopal, Sivaraj Street, Thiruvencruzhi, Chennai.	A/G&M/992018 dt. 16.08.2018	2.42.5	16.08.2018	15.08.2023	-	-	Nil	Non Working	Non Captive	Yes, letter No. DEIAA- TN/F No.15627 / EC No.182018 dated 05.07.2018	12°03'13.14"N to 12°03'21.15"N 79°40'16.66" E to 79°40'24.21"E (12°03'17.09" N 79°40'16.66" E)	RS.206255 E.20042
60.	Rough stone	T. Vasudevan	S/o. Thangavel, Erayar Village, Vannar Taluk, Viluppuram District.	A/G&M/181/2018 dt. 15.02.2019	4.83.5	15.02.2019	14.02.2024	-	-	06.03.2019	Working	Non Captive	Yes, letter No. DEIAA- TN/F No. 18345 / EC No. 19/2018 dated 04.12.2018	12°04'09"N to 12°04'19"N 79°38'34"E to 79°38'45"E (12°04'16.98" N 79°38'34.04"E)	RS.404793
61.	Rough stone	S. Sankar	S/o. Sempathan, S. Kallar Village, Kandachapuram Taluk, Viluppuram District.	B/G&M/366/17 dt. 08.03.2018	3.00.0	28.03.2018	27.03.2023	-	-	04.06.2018	Working	Non Captive	Yes, letter No. DEIAA- TN/F No.8297 / EC No. 10/2017 dated 04.02.2018	11°58'25"N to 11°58'32"N 79°14'24"E to 79°14'33"E (11°58'25"N 79°14'26"E)	RS.191318
62.	Rough stone	S. Revathi	W/o. Selvaraj B1, Krishna Apartment, Kavurai Village, Kallakurichi.	B/G&M/365/17 dt. 08.03.2018	2.16.0	15.03.2018	12.03.2023	-	-	28.03.2018	Working	Non Captive	Yes, letter No. DEIAA- TN/F No.7596 / EC No.12/2017 dated 04.02.2018	12°11'48.13" N 79°45'16.40" E	RS.151034

63.	Rough stone & Earth	D. Manokar	S/o. Dharmothirun, Anna Nagar, Enayur Village, Vamar Taluk.	A/G&M/176/2018 dt. 15.02.2019	1.90.5	15.02.2019	14.02.2024	-	03.04.2019	Working	Non Captive	Yes, letter No.D/EIAA- TN/ No.18212 / EC.No.18/2018 dated 04.12.2018	12°03'46"N to 12°03'53"N 79°38'28"E to 79°38'33"E (12°03'47.31" N 79°38'29.29" E)	RS:22030 E:26970
64.	Rough stone	G. Tamilselvan	S/o. (late) M. Ganesan, Gounder, Madammasatta Village, Melmalayamur Post, Gingee Taluk.	B/G&M/193/09 Dt. 03.09.09. & B/G&M/950/2017 Dt. 09.08.2018	6.81.0	12.10.2009	11.10.2019	-	06.02.2019	Working	Non Captive	Yes, letter No.D/EIAA- TN/ No.18587 / EC.No.26/2018 dated 04.12.2018	12°20'20.51"E to 12°20'20.04"E 79°20'40.65"N to 79°20'48.88"N (12°20'20.13" E 79°20'40.55" N)	RS:35567
65.	Rough stone & Earth	K. Balaramugan	S/o. Kurpusamy, Karasur & Post, Vamar Taluk.	A/G&M/158/2017 dt. 27.08.2018	2.12.0	27.08.2018	26.08.2023	-	13.11.2018	Working	Non Captive	Yes, letter No.D/EIAA- TN/ No.15355 / EC.No.15/2018 dated 05.07.2018	12°03'18"N to 12°03'26"N 79°40'05"E to 79°40'10"E (12°03'18"N 79°40'06"E)	RS:198055 E:10544
66.	Rough stone & Earth	E. Jayasankar	S/o. Elumalai, No.198, Vinayakar Koil Street, Enayur Village, Vamar Taluk, Viluppuram District	A/G&M/180/2018 dt. 15.02.2019	3.37.5	15.02.2019	14.02.2024	-	06.03.2019	Working	Non Captive	Yes, letter No.D/EIAA- TN/ No.18349 / EC.No.20/2018 dated 04.12.2018	12°04'02"N to 12°04'13"N 79°38'35"E to 79°38'47"E (12°04'03.46" N 79°38'35.07" E)	RS:378010
67.	Rough stone & Earth	K. Magesapur Ragnan	S/o. Kaipulla, Selam Main Road, Elavanasikkottai, Ulundurpet.	B/G&M/179/2015 dt. 10.10.2017.	1.40.5	10.10.2017	09.10.2022	-	07.12.2017	Working	Non Captive	Yes, letter No.S/EIAA- TN/ No.5134 / (a)/ EC.No.3912/2016 dated 07.06.2017	11°39'48"N to 11°39'54"N 79°12'17"E to 79°12'22"E 11°39'49.67"N 79°12'18"E	RS:24600 E:2790
68.	Rough stone & Earth	M. Moorthi	S/o. Muniam, Marmarsamy Kovil Street, Thiruvakkanni	A/G&M/203/2018 dt. 15.02.2019	3.93.5	15.02.2019	14.02.2024	-	14.03.2019	Working	Non Captive	Yes, letter No.D/EIAA- TN/ No.18543 / EC.No.24/2018	12°2'42.77"N to 12°2'53.80"N 79°39'50.80"E to	RS:355330 E:26818

69.	Rough stone & Earth	N. Venkatesh	Village, Vanur Taluk	B/G&M/1013/2017 dt.30.02.2019	2.30.5	30.02.2019	29.02.2024	-	-	20.04.2019	Working	Non Captive	Yes, letter No. DEIAA-TNF/No.17579/EC.No.17/2018 dated 04.12.2018	79°39'57.78"E (12°2'46.77"N 79°39'50.80"E)	RS.195530 E.33669
70.	Rough stone & Earth	V.Sudayappan	No.18, Arul Nagar, West Tambaram, Chennai-600 045.	A/G&M/95/2018 dt.16.08.2018	2.30.5	16.08.2018	15.08.2023	-	-	18.09.2018	Working	Non Captive	Yes, letter No. DEIAA-TNF/No.15429/EC.No.16/2018 dated 05.07.2018	12°13'32"N to 12°13'38"N 73°44'15"E to 73°44'51"E (12°13'32"N 73°44'15"E)	RS.277000 E.12934
71.	Rough stone & Earth	S. Thirunavugan	S/o. Sivaprasasam, Vinayagar Kovil Street, Kadurkaman, Pudukcherry.	A/G&M/269/2018 dt.15.02.2019	2.92.0	15.02.2019	14.02.2024	-	-	22.04.2019	Working	Non Captive	Yes, letter No. DEIAA-TNF/No.18382/EC.No.21/2018 dated 04.12.2018	12°02'30"N to 12°02'38"N 79°38'33"E to 79°38'40"E (12°02'31.21"N 79°38'34.83"E)	RS.240645 E.30336
72.	Rough stone & Earth	V.Nagaraj	S/o. Vinayapuri, No.3/32A, South Street, Okavur Post, Kaikuriyetti Taluk, Vilupparuan District.	B/G&M/118/2018 dt. 25.01.2019.	1.36.5	25.01.2019	24.01.2024	-	-	25.02.2019	Working	Non Captive	Yes, letter No. DEIAA-TNF/No.17233/EC.No.14/2018 dated 04.12.2018	11°39'40.39"N to 11°039'46.71"N 79°11'58.95"E to 79°12'05.54"E (12°02'31.21"N 79°38'34.83"E)	RS.72405 E.6796
73.	Rough stone & Earth	D.Selvakumar,	S/o.Dandapani, Maniam Village, Tandivanam Taluk.	B/G&M/70/2014 dt.17.07.2014	1.08.0	17.07.2014	16.07.2019	-	-	16.02.2015	Working	Non Captive	Yes, letter No. SEIAA-TNF/No.2639/EC/1(a)/139/2014 dated 25.06.2014	12°07'50"N to 12°07'55"N 79°36'24"E to 79°36'28"E (12°07'51"N 79°36'24"E)	RS.64000 E.21960

74.	Rough stone	N. Elangovan.	S/o. Nachiyappan, Devayapalathur Village, Sankarapettai Taluk.	B/G&M/2009/09 Dt. 27.05.2009	3.00.0	07.09.2009	06.09.2019	-	29.09.2009	Working	Non Captive	Yes, letter No. SEIAA- TN/F No.4757 / I(a)/EC.No.3281 /2015 dated 11.07.2016	11°56'52.79" N to 11°56'59.55" N 78°52'47.46"E to 78°52'59.26"E (11°56'52.79" N to 78°52'52.26"E)	RS:72461
75.	Rough stone	K. Arjunan.	S/o. Kuppusamy Gr. Malayarasankuppam Village, Muzhivaantharigal Post, Gingee taluk, Vilupparum District	B/G&M/24 /2010 dt. 18.02.2010	1.50.0	12.07.2010	11.07.2020	-	17.12.2012	Non Working	Non Captive	No	12°05'55.99" N to 79°17'11.65"E	RS:63044
76.	Rough stone	D Ramachandran	S/o. Duraisamy, Thirunamudal Village, Arur post, Sankarapuram Taluk.	B/G&M/1997/09 dt. 27.05.09	3.00.0	31.08.2009	30.08.2019	-	16.09.2009	Working	Non Captive	Yes, letter No. SEIAA- TN/F No.4725 / I(a)/EC.No.3331 /2016 dated 15.07.2016	11°56'0.09"N to 11°56'59.94" N 78°51'57.68"E to 78°52'01.04"E (11°56'0.09"N to 78°51'57.68"E)	RS:79553
77.	Rough stone	A. Sivanathan,	S/o. Anbazhagan, Madu Street, Vadukkumam post, Tiruvannam Taluk.	B/G&M/185/09 Dt. 11.06.2009	1.64.0	24.08.2009	23.08.2019	-	12.10.2009	Working	Non Captive	Yes, letter No. SEIAA- TN/F No.4826 / I(a)/EC.No.3347 /2016 dated 15.07.2016	12°13'08"N to 12°13'14"N 79°45'57"E to 79°46'03"E (12°13'10"N to 79°45'57"E)	RS:80015
78.	Rough stone	Tmt. Satharebee	W/o. K. S. Mothban, 59, Desurpottai Sela, Krishnapuram, Gingee, Vilupparum District	B/G&M/2006/10 dt. 25.01.2011.	3.00.0	28.02.2011	27.02.2021	-	30.06.2017	Working	Non Captive	Yes, letter No. SEIAA- TN/F No.2484 / I(a)/EC.No.3590 /2015 dated 19.08.2016	12°26'16"N to 12°26'21"N 79°23'05"E to 79°23'11"E	RS:155980
79.	Rough stone	P. Ramalingam,	S/o. Perumal, Pallyndar village Vilupparum Taluk Vilupparum District.	B/G&M/207/10 dt. 12.05.2010.	3.72.0	16.08.2010	15.08.2020	-	17.09.2010	Working	Non Captive	Yes, letter No. DEIAA- TN/F.No.18617 / I(a)/EC.No.28/2 018 dated 04.12.2018	12°11'36.91" N to 79°45'21.21"E	RS:55102

80.	Rough stone	Tmt. K. Parmala	W/o. Senthamil Selvan, Marigan Kool Street, Kalathampattu Post, Gingee Taluk, Villupuram District	B/G&M/25/2010 dt. 30.03.2010	2.50.0	16.04.2010	15.04.2020	-	23.04.2010	Non Working	Non Captive	No	12°13'28.43" N 79°18'46.08"E	RS:30566
81.	Rough stone & Earth	V. Kumar	S/o. Velayutham, Elavalapakkam Vilages, Perumakkal, Tindivanam Taluk	B/G&M/96/2012 dt. 21.06.2014	2.33.0	21.05.2014	20.06.2019	-	21.07.2014	Working	Non Captive	Yes, letter No. SEIAA- TMF No. 2328 / EC / 16Y / 1357/2014 dated 30.05.2014	12°14'54"N to 12°14'46"N 79°44'48"E to 79°44'41"E (12°14'46"N 79°44'45"E)	RS:252260 E:54491
82.	Rough stone & Earth	Tmt. L. Savithri	W/o. Loganathan, Enaiyur Village & post, Vanur taluk.	A/G&M/360/13 dated 30.05.2014	0.99.0	30.05.2014	29.05.2019	-	12.06.2014	Non Working	Non Captive	Yes, letter No. SEIAA- TMF No. 1650 / EC / 16Y / 1169/2013 dated 20.03.2014	12°04'05"N to 12°04'08"N 79°39'33"E to 79°39'41"E (12°04'6"N 79°39'33"E)	RS:34640 E:5983
83.	Rough stone	S. Kannabadevi	W/o. Sarasingh, Eyyil Village & post, Gingee Taluk, Villupuram District.	B/G&M/192/09 dt. 11.06.2009	3.00.0	23.06.09	22.06.2019	-	18.03.2010	Non Working	Non Captive	No	12°24'38.17" N 79°22'26.58"E	RS:231055
84.	Rough stone	B. Sakthivel	S/o. Esabasubramanian Vadakarumbur, Uthandiperi Taluk, Villupuram District	B/G&M/367/17 dt. 08.03.2018	2.94.0	08.03.2018	07.03.2023	-	12.03.2018	Working	Non Captive	Yes, letter No. DIA/TN/MIN/ 6526/2017/SEIAA 2017.Ic.No.1. Dated:01.08.2017	11°39'37"N to 11°39'44"N 79°12'09"E to 79°12'15"E (11°39'37"N 79°12'10"E)	RS:180180
85.	Rough stone	K. Ashokkumar	S/o. Kannasamy, Nallalam Kootroad, Perumakkal Village, Tindivanam Taluk	B/G&M/1224/12 dt. 16.04.2015	0.95.0	16.04.2015	15.04.2020	-	23.10.2015	Working	Non Captive	Yes, letter No. SEIAA- TMF No. 2677 / EC / 16Y / 1546/2014 dated 14.08.2014	12°13'13"N to 12°13'08"N 79°46'36"E to 79°46'44"E	RS:79075 E:24804

List of Letter of Intent (LOI) Holders in the District along with Mineral Resources:

Sl. No.	Name of the Mineral	Name of the Lessee	Address & Contact No. of letter of Intent Holder	Letter of Intent Grant Order No. & Date	Area of Mining lease to be allotted	Validity of LoI	Use (Captive/ Non-Captive)	Location of the Mining Lease (Latitude & Longitude)	Total resources in cbm
1	2	3	4	5	6	7	8	9	10
1.	Rough stone & Gravel	V.Ramesh	S/o. Venkatapathy, No.5, Thangaraj Street, HLL Colony, Pamnal, Chennai - 75.	B/G&M/463/2018 dt.18.01.2019	3.53.0	-	Non Captive	12°03'10.49"N to 12°03'20.70"N 79°40'08.70"E to 79°40'16.98"E (12°03'11.13"N 79°40'09.94"E)	1295840 M ³ of RS & 64792 M ³ of Gravel
2.	Rough stone & Earth	Santhosh Blue Metals, Prop. S. V. Venkatesh	No.173, Sarkar Thoppu, Tindivanam.	B/G&M/357/2018 dt.04.01.2019	2.06.0	-	Non Captive	12°03'30"N to 12°03'36"N 79°40'23"E to 79°40'30"E (12°03'33"N 79°40'23"E)	914130 M ³ of RS & 40628 M ³ of E
3.	Rough stone & Earth	D. Dhandapani	S/o. Duraisamy, Eraiyur Village, Vanur Taluk, Viluppuram District.	B/G&M/423/2018 dt.18.01.2019	1.49.5	-	Non Captive	12°04'07.16"N to 12°04'13.93"N 79°38'59.73"E to 79°39'03.75"E (12°04'07.45"N 79°39'00.95"E)	569040 M ³ of RS & 28452 M ³ of E
4.	Rough stone & Earth	Sri Balaji Blue Metals & M.Sand	No.33/8, Mailam Road, Indira Nagar, Tindivanam	B/G&M/462/2018 dt.15.02.2019	2.85.5	-	Non Captive	12°13'05.47"N to 12°13'13.31"N 79°47'04.29"E to 79°47'10.26"E (12°13'06.53"N 79°47'04.83"E)	1284120 M ³ of RS & 85608 M ³ of E
5.	Rough stone	K. Balasubramanian	S/o. Karupaiya, 28/4B, Raja Nagar, Kallakurichi - 606 202.	B/G&M/1143/2017 dt.17.01.2018	2.00.0	-	Non Captive	12°03'41.93"N to 12°03'48.98"N 78°57'09.17"E to 78°57'15.01"E (12°03'43.97"N 78°57'09.17"E)	803600 M ³ of RS

6.	Rough stone & Gravel	A. Aridass	School Street, Kadagampattu, Vanur Taluk, Viluppuram District.	A/G&M/337/2018 dt.30.01.2019	1.77.0	-	Non Captive	12°03'55.01"N to 12°04'01.91"N 79°38'24.85"E to 79°38'32.27"E (12°03'56.29"N 79°38'24.85"E)	1180270 M ³ of RS & 33722 M ³ of Gravel
7.	Rough stone & Earth	K. Gnanasekaran	S/o.Kannadi Gounder, Karasanur Village, Vanur Taluk, Viluppuram District.	A/G&M/277/2018 dt.04.01.2019	2.68.0	-	Non Captive	12°03'20.03"N to 12°03'27.36"N 79°40'15.44"E to 79°40'23.75"E (12°03'24.73"N 79°40'15.44"E)	1206000 M ³ of RS & 53600 M ³ of E

15) Quality/ Grade of Mineral available in the district

Rough Stone

Good exposures of charnockite series of rock are available in the district and it is mainly quarried as Roughstone. Charnockite is bluish grey fine to medium grained massive rock which consists of potash feldspar, plagioclase, quartz and hypersthene. Charnockite series of rock available in the district meets out the engineering, physical and chemical parameters specified by NHAI for the purpose of construction of roads and bridges.

16. Use of Mineral


Rough stone:

The massive charnockite series of rocks are having strong physical properties and therefore it can be crushed and sorted into various sizes for use in concrete, coated with bitumen for road construction and other civil works.

17. Demand and Supply of the Minerals in the last three years

Rough stone			
Year	2016-17	2017-18	2018-19
Demand (Cub.m)	782595.08	753676.27	928248.61
Supply (Cub.m)	782595.08	753676.27	928248.61

VILLUPURAM DISTRICT
LOCATION OF ROUGH STONE AND EARTH QUARRY



19. Details of the area where there is a cluster of mining leases :

Sl. No.	Cluster area	Number of mining leases	Location (Latitude and Longitude)
1	Thiruvakkarai	7	1 12°01'52"N to 12°01'49"N 79°38'54"E to 79°39'01"E (12°01'52"N - 79°38'55"E)
			2 12°02'00"N - 79°38'52"E
			3 12°02'10.25"N to 12°02'14.44"N 79°38'52.17"E to 79°38'59.91"E (12°02'10.25"N - 79°38'52.17"E)
			4 12°2'23.90"N to 12°2'27.58"N 79°39'32.17"E to 79°39'35.05"E (12°2'24.38"N - 79°39'32.17"E)
			5 12°02'30"N to 12°02'38"N 79°38'33"E to 79°38'40"E (12°02'31.21"N - 79°38'34.83"E)
			6 12°01'49"N to 12°01'55"N 79°38'51"E to 79°38'55"E (12°01'49.40"N 79°38'53.69"E)
			7 12°01'48"N to 12°01'54"N 79°38'49"E to 79°38'55"E (12°01'49.67"N - 79°38'54.89"E)
2	Thollamur	10	1 12°03'23.0"N to 12°03'27"N 79°40'31"E to 79°40'38"E (12°03'27.55"N - 79°40'32.65"E)
			2 12°03'25.80"N to 2°03'33.90"N 79°40'05.88"E to 79°40'13.76"E (12°03'20.53"N 79°40'10.84"E)
			3 12°03'20"N to 12°03'27"N 79°39'58"E to 79°40'10"E (12°03'20"N 79°39'58"E)
			4 12°03'32"N to 12°03'40"N 79°40'16"E to 79°40'23"E (12°03'34"N - 79°40'16"E)
			5 12°03'36"N to 12°03'40"N 79°40'07"E to 79°40'12"E (12°03'32.44"N 79°40'15.44"E)
			6 12°13'33.97"N to 12°03'41.75"N 79°40'06.13"E to 79°40'16.50"E (12°03'32.44"N - 79°40'06.13"E)
			7 12°03'13.14"N to 12°03'21.15"N 79°40'16.66"E to 79°40'24.21"E (12°03'17.09"N - 79°40'16.66"E)
			8 12°03'28"N to 12°03'36.50"N 79°40'35.29"E to 79°40'39.92"E (12°03'29.79"N - 79°40'35.29"E)
			9 12°03'18"N to 12°03'26"N 79°40'05"E to 79°40'10"E (12°03'18"N - 79°40'06"E)

			10	12°2'42.77"N to 12°2'53.80"N 79°39'50.80"E to 79°39'57.78"E (12°2'46.77"N - 79°39'50.80"E)
3	Eraiyyur	8	1	12°04'07"N to 12°04'14"N 79°39'32"E to 79°39'41"E
			2	12°04'05"N to 12°04'08"N 79°39'33"E to 79°39'40"E (12°04'6"N 79°39'33"E)
			3	12°04'31"N to 12°04'43"N 79°38'54"E to 79°38'59"E (12°04'32"N 79°38'57"E)
			4	12°04'12"N to 12°04'19"N 79°38'39"E to 79°38'51"E (12°04'16"N 79°38'39"E)
			5	12°04'28"N to 12°04'24"N 79°38'39"E to 79°38'43"E (12°04'24"N - 79°38'39"E)
			6	12°04'09"N to 12°04'19"N 79°38'34"E to 79°38'45"E (12°04'16.98"N 79°38'34.04"E)
			7	12°04'02"N to 12°04'13"N 79°38'35"E to 79°38'42"E (12°04'03.46"N 79°38'35.07"E)
			8	12°03'46"N to 12°03'53"N 79°38'28"E to 79°38'33"E (12°03'47.31"N 79°38'29.29"E)
4	T.Nallalam	6	1	12°11'36.91"N - 79°45'21.21"E
			2	12°11'35.31"N - 79°45'29.14"E
			3	12°11'48.13"N - 79°45'16.40"E
			4	12°11'51"N to 12°11'55"N 79°45'08"E to 79°45'15"E (12°11'54"N - 79°45'8"E)
			5	12°11'39"N to 12°11'43"N 79°45'10"E to 79°45'14"E (12°11'40"N - 79°45'10"E)
			6	12°11'56"N to 12°11'46"N 79°45'33"E to 79°45'26"E (12°11'47"N 79°45'29"E)
5	Keelারণunam	4	1	12°13'36.27"N - 79°44'16.52"E
			2	12°13'37"N to 12°13'32"N 79°44'11"E to 79°44'15"E (12°13'33"N 79°44'11"E)
			3	12°13'15"N to 12°13'09"N 79°45'22"E to 79°45'16"E (12°13'12"N - 79°45'16"E)
			4	12°13'32"N to 12°13'38"N 79°44'15"E to 79°44'21"E (12°13'32"N - 79°44'15"E)

20. Details of Eco Sensitive Area:

Oussudu Lake Birds Sanctuary over an extent of 331.78.5 hectares falls in S.F.No.106 of Poothurai Village and S.F.No.1/1 of Perambai Village of Vanur Taluk, Viluppuram District.

21. Impact on the Environment (Air, Water, Noise, Soil Flora & Fauna, Land use, Agriculture, Forest etc.,) due to Mining Activity

Generally, the Environmental impacts can be categorized as either primary or secondary. Primary impacts are those, which are attributed directly by the project, secondary impacts are those, which are indirectly induced and typically include the associated investment and changed pattern of social and economic activities by the proposed action.

The impact has been ascertained for the project assuming that the pollution due to mining activity has been completely spelled out under the baseline environmental status for the entire ROM which is proposed to exploit from the mines.

Air:

Mining Operations are carried out by opencast semi mechanized/ Mechanized method, dust particles are generated due to various activities like, Excavation, Loading, handling of mineral and transportation. The air quality in the mining area depends upon the nature and concentration of emissions and meteorological conditions.

The major air pollutants due to mining activity includes:-

- Particulate Matter (Dust) of various sizes.
- Gases, such as, Sulphur Dioxide, Oxides of Nitrogen, Carbon Monoxide etc., from vehicular exhaust.
- Dust is the single Air pollutant observed in the open cast mines. Diesel operating drilling machines, small amount of blasting and movement of machinery/ vehicles produce NO_x, SO₂ and CO emissions, usually at low

levels. Dust can be of significant nuisance surrounding land users and potential health risk in some circumstances.

Water Impact

The mining operation leads to intersect the water table cause ground water depletion. Due to the interruption surface water sources like River, Nallah, Odai etc., surface water system, Drainage pattern of the area is altered.

Noise

Noise pollution is mainly due to operation of Machineries and occasional plying of machineries. These activities will create Noise pollution in the surrounding area.

Land Environment

The topography of the area will change, due to the Topographical changes the entire Eco system will be altered.

Flora and Fauna

The impact on biodiversity is difficult to quantify because of its diverse and dynamic characteristics.

Mining activities generally result in the deforestation, land degradation, water, air and noise pollution which directly or indirectly affect the faunal and floral status of the project area.

However, occurrence and magnitude of these impacts are entirely dependent upon the project location, mode of operation and technology involved.

22. Remedial Measure to mitigate the impact of Mining on the Environment

Air

Mitigated measures suggested for air pollution controls are based on the baseline ambient air quality of the area

The following measures are proposed to adopted in the mines such as,

- Dust generation shall be reduced by using sharp teeth of shovels.
- Wet drilling shall be carried out to contain the dust.
- Controlled blasting techniques shall be adopted.
- Water spraying on haul roads, service roads and overburden dumps will help in reducing considerable dust pollution.
- Proper and regular maintenance of mining equipment's have to be considered.
- Transport of material in trucks covered with tarpaulin.
- The mine pit water can be utilized for dust suppression in and around mine areas.
- Information on wind direction and meteorology will be considered while planning, so that pollutants, which cannot be fully suppressed by engineering technique, will be prevented from reaching the nearby agriculture area.
- Comprehensive green belt around overburden dumps has to be carried out to reduce to fugitive dust emissions in order to create clean and healthy environment.

Water

- Construction of garland drains to divert surface run-off into the mining area.
- Construction of check dams / gully plugs at strategic places to arrest silt wash off from broken up area.
- Retaining walls with weep hole will be constructed around the mine boundaries to arrest silt wash off.
- The mined out pits shall be converted into the water reservoir at the end of mine life. This will help in recharging ground water table by acting as a water harvesting structure.
- Periodic analysis of mine pit water and ground water quality in nearby villages.

- Domestic sewage from site office & urinals/latrines provided in ML is discharged in septic tank followed by soak pits.

Noise

Mitigation measures

- Periodic maintenance of machinery, equipment's shall be ensured to keep the noise generated at minimum.
- Development of thick green belt around mining area and haul roads to reduce the noise.
- Provision of earplugs to workers exposed to high noise generating activities. Workers and operators at work site will be provided with earmuffs.
- Conducting periodical medical checkup of all workers for any noise related health problems.
- Proper training to personnel to create awareness about adverse noise level effects.
- Periodic noise monitoring at suitable locations in the mining area and nearby habitations to assess efficacy of adopted control measures.
- During the blasting, optimum Spacing, Burden and charging of holes will be made under the supervision of competent qualified mines foreman, Mate as approved by Director of Mines safety.

Biological Environment

MITIGATION MEASURES:

- Development of gap filling saplings in the safety barrier left around the quarry area.
- Carrying out thick greenbelt with local flora species predominantly with long canopy leaves on the inactive mined out upper benches.
- Development of dense poly-culture plantation using local flora species in the mining area at conceptual stage.
- Adoption of suitable air pollution control measures as suggested above.
- Transport of materials in trucks covered with tarpaulin.

- Construction of garland drains and settling tank to arrest silt wash off from lease area.
- Construction of retention walls around lower boundary of mining area to arrest silt washoff and roll down boulders.
- Retaining walls with weep hole will be constructed around the mine Boundaries to arrest silt wash off.

23. Reclamation of Mined out area (Best Practice already implemented in the district, requirement as per Rules and Regulation, Proposed reclamation plan)

In rough stone quarry lease permitted area the shallow holes of 32mm diameter and 1.5 feet depth will be drilled and conventional low power explosives such as Slurry Explosives, ordinary safety fuse only will be used for rough stone. Hence, ground vibration and noise pollution will be minimal and restricted within the quarry workings.

24. Risk Assessment and Disaster Management Plan

Risk Assessment

While designing Disaster Management plans for a particular region, different vulnerabilities for that region has to be assessed first to streamline different developmental plans.

VULNERABILITY ANALYSIS

The major rivers flowing through this District are as follows,

- Gedilam River - Flows through Tirukoilur and Ulundurpet Taluks.
- Malattar River - Joins Gedilam before flowing into the Bay of Bengal
- Pennaiyar River - Flows through Sankarapuram, Tirukoilur and Viluppuram Taluks.

bb

- Sankarabarani River - Originates in Gingee Taluk, flows through Viluppuram.

The rivers are seasonal and could not be used for irrigation purpose to the expected level because of low precipitation in most of the days of a year. The North East Monsoon which sets in during October and November brings forth heavy rainfall in major parts of this district causing heavy floods and cyclone in the coastal areas from Marakkanam, Tirukoilur, Viluppuram, Ulundurpet, Tindivanam and Vanur Taluks. The vulnerable villages to natural calamities in each taluk and the flood prone areas in each taluk are detailed below with their maps.

LIST OF VILLAGES VULNERABLE TO NATURAL CALAMITIES


1. Since Marakkanam and Vanur blocks are facing Bay of Bengal, they face the risk of Tsunami directly.
2. Based on the history of rainfall and calamities way back a decade, the following 166 places are identified as vulnerable locations with regard to Flood and Cyclone.

ABSTRACT OF LIST OF VILLAGES VULNERABLE

Sl. No	Name of the Taluk	Highly Vulnerable	Vulnerable	Moderately Vulnerable	Low Vulnerability	Total No. of Vulnerable Location
1	VILUPPURAM	0	0	0	21	21
2	VIKRAVANDI	0	0	0	27	27
3	VANUR	0	0	0	7	7
4	TINDIVANAM	0	0	0	17	17
5	GINGEE	0	0	0	4	4
6	MELMALAIYANUR	0	0	0	0	0
7	MARAKKANAM	0	8	21	24	53
8	TIRUKOILUR	0	1	3	5	9
9	ULUNDURPET	3	0	1	5	9
10	KANDACHIPURAM	0	0	0	0	0

11	KALLAKURICHI	0	0	0	2	2
12	SANKARAPURAM	0	0	0	0	0
13	CHINNASALEM	0	0	0	0	0
14	WRO VPM	0	0	0	1	1
15	WRO KK	1	4	0	15	20
TOTAL		4	13	25	128	170

District Disaster Management Plan



68

District Disaster Management Plan (DDMP)

The objective of the District Disaster Management Plan (DDMP) is to devise a set of guidelines for District level disaster preparedness, prevention, mitigation and monitoring which will grow into becoming a well - defined protocol for disaster management that will be updated periodically. Every line department in the District will need to prepare their own Disaster Management Plans. The Emergency Support functions of various departments will be listed out in the plan. An inventory of resources in the district will be listed out. All of this will converge into the state plan and mesh into one another. While the District Disaster Management Plan will form the framework for the entire district, it will be fine-tuned further by requirements of individual district units and emergency situation.

District Disaster Management Plan.-

- 1) Comprehensive flood protection strategies with reference to Gedilam river, Gomuki, Manimukthar River and 19 coastal habitations in the district prone to flood.
- 2) Building self-reliant coastal communities and empower them to manage their livelihoods in a sustainable manner.
- 3) Long term comprehensive pre and post disaster management programs linked to developmental activities.
- 4) De-centralize the decision making authority to the field level line department officials.
- 5) Participatory Management.
- 6) Increasing the awareness of long-term impact of relief program on development potential.
- 7) Emphasis on quality management of Relief measures.
- 8) Enhance the resilience of farmers to face the Vagaries of monsoon in rainfed areas.
- 9) To maintain the database capturing all the past experiences like Tsunami, Flood, Cyclone, Drought in the district.

- 10) To convene the meeting of District Disaster Management Authority for every quarter to discuss the preparedness of the line departments to meet any disasters.
- 11) Provide information about the rainfall, heat wave and other natural calamity to the public through District Emergency operation centre thereby to reduce the loss of lives and property.
- 12) Proper Operation and Maintenance of VHF sets and Early Warning Systems installed in coastal habitations
- 13) Creating awareness through Mock Drills, communication drills regularly and periodically in association with line departments like Education, Health, Police, Fire and Rescue, SDRF, NDRF and SIRD trained CBDRM trainers.
- 14) Motivate the public about the importance of Water conservation works such as rain water harvesting, desilting of tanks and channels and kudimaramathu.
- 15) Effective implementation of G.O(Ms) No: 540 on Eviction of encroachments through Water Conservation and Water Management Committee and Encroachment Eviction Committee.
- 16) To avoid the construction of the buildings in low lying areas and to insist the Builders on the need to raise the construction site sufficiently thereby preventing the inundations during monsoons.
- 17) To reduce the direct disaster economic loss through Disaster Risk governance by identifying the vulnerable locations for various disaster and make the officials to realise their roles, their Hazard, Risk assessment and precautionary measures.
- 18) As a measure to reduce the damage to critical infrastructure and basic services, enabling the Highways, Police, Revenue, Fisheries and Fire & Rescue departments with latest equipments to handle disasters and vehicular traffic restoration immediately, and ensure that all infrastructure is built to withstand earthquake and floods and adequate engineering safety.

- 19) Effective utilization of Search, Rescue and Evacuation equipments of all the line departments.
- 20) Identify the list of swimmers, climbers and snake catchers for each of the vulnerable locations and update them in the district website.
- 21) To Develop local Disaster Risk Strategy through Sensitisation of all local body officials like Municipal Commissioners, Executive officers, Town panchayats and block development officers, Village level functionaries like VAO, VA and Panchayat clerk on their roles and responsibilities during disaster and understand the risk.
- 22) Sensitization of the officials of health department, Noon meal and anganwadi workers across the district on disaster management in particular Coastal areas.
- 23) Providing training to the Evacuation, Search and Rescue, Early warning, First aid and Shelter & Maintenance committee members in all 19 Coastal habitations.
- 24) Sensitise all the private institutions, hospitals, theatres, shopping malls and educational institutions on the need for a disaster contingency plan to tackle any major disaster.
- 25) To form the Inter Departmental Zonal Teams to oversee the preparatory works of pre and post disaster.
- 26) To Enhance international cooperation in relief operations by sharing the local technical and the traditional expertise.
- 27) To Successfully implement of Community based disaster risk management Project.
- 28) To identify all the Blackspots in the National Highways and make them accident free zones in the district.
- 29) To identify the places where fatal accidents occurred and provide them with Rubble strips, providing Barricades caution Boards etc, to alert the drivers of vehicles.
- 30) To provide double speed Brakers in all the sub - roads connecting the National Highways to reduce accidents.

- 31) To identify the major junctions in the National Highways and send proposals for Bridges construction like Road over Bridge /Road under Bridge as per their need.
- 32) To Create awareness among the explosive license owners by sensitizing them on the directions of sale and manufacturing procedures, the impact on lives and on economy in case of any explosive accident.
- 33) To issue proper instructions to Tamil Nadu Electricity Board to monitor the use of electric fencing if any used in the agricultural lands and sensitize the public to reduce their use.
- 34) A plan to increase the capacity of the Vidur Reservoir from existing 14.061 M.Cum to its original 17.136 M Cum by desiltation of 30,80,000 cu.m. that may cost around Rs.22.94 Cr. Proposal is under progress. This will be helpful to irrigate the entire 3200 acres ayacut and feed 8 Tanks.
- 35) A plan to increase the capacity of the Gomuki Nadhi Project Dam from existing 12.95 M.Cum to its original 15.86 M Cum by desiltation of 29,10,000 cu.m. that may cost around Rs.27.14 Cr. Proposal is under progress. This will be helpful to irrigate the entire 10860 acres ayacut and feed 37 Tanks.
- 36) A plan to increase the capacity of the Manimuktha Nadhi Project Dam from existing 18.27 M.Cum to its original 20.88 M Cum by desiltation 26,10,000 cu.m. that may cost around Rs.24.34 Cr. Proposal is under progress. This will be helpful to irrigate the whole 5493 acres ayacut and feed 5 Tanks.
- 37) A plan to increase the capacity of the Malattar River Project from existing 750 M to its original 347 Km Cum by desiltation 2225.81 Ha. that may cost around Rs.9.00 Cr. Proposal is under progress. This will be helpful to irrigate the actual 5000 acres ayacut and feed 13 Tanks.

- 38) A plan to increase the capacity of the Sornavur Anicut designed discharge of this anicut 5098.88 Cu.M that may cost around Rs.9.75 Cr. Proposal is under progress. This will be helpful to irrigate the actual 6053 acres ayacut and feed 8 Tanks.
- 39) Implementing Rain Water Harvesting techniques through Pit and Power Sump creation in the upcoming New Law College Buildings and New formation bifurcated Three Taluk Offices viz, Marakkanam, Melmalaiyanur, Kandachipuram (New Public Buildings)
- 40) To Maintain surface water quality and protect surface water bodies.
- 41) To Train local volunteers in Rain Water Harvesting at reduced costs. Encourage the use of any roofing material for the collection of rain water for household purpose.
- 42) Rainwater Harvesting process has an inherent tendency to arrest seawater ingress in coastal areas. They have also enhanced the yield of open wells, bore well and pumbs. It also improves the ground water quality by elimination of harmful chemicals and salts.

25. Details of the occupational Health issues:

RNTCP Tuberculosis Register Case

Sl. No.	Year	Total Case
1	2014	4931
2	2015	4527
3	2016	4669
4	2017	4534
5	2018	4647

Silicosis : -- Nil--

26. Plantation and Green Belt development in respect of leases already granted in the district.


It is necessary to develop Green Belt in and around the polluted site with suitable species to reduce the air pollution effectively. Implementation of afforestation program is of paramount importance. In addition to augmenting existing vegetation, it also checks soil erosion, make the ecosystem more complex and functionally more stable and make the climate more conducive.

27. Any other information

-NIL-

hpluyy
27/5/19
**Assistant Director
Geology and Mining,
Viluppuram.**

mmmm
27/5/2019
**District Collector
Viluppuram.**



ANNEXURE-8



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1751	Report Date.	16.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1751	Sample Received on	11.03.2024
Sample Collected by	LABORATORY	Test Commenced on	11.03.2024
Sample Collected on	05.03.2024	Test Completed on	16.03.2024
Temperature	36°C	Relative Humidity	25%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	62.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	29.8	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.6	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.4	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1752	Report Date.	16.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1752	Sample Received on	11.03.2024
Sample Collected by	LABORATORY	Test Commenced on	11.03.2024
Sample Collected on	05.03.2024	Test Completed on	16.03.2024
Temperature	36°C	Relative Humidity	25%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	52.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.7	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	5.6	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.7	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Feb
Verified



J. K.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1753	Report Date.	16.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1753	Sample Received on	11.03.2024
Sample Collected by	LABORATORY	Test Commenced on	11.03.2024
Sample Collected on	06.03.2024	Test Completed on	16.03.2024
Temperature	34°C	Relative Humidity	28%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	66.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	31.8	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	12.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1754	Report Date.	16.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1754	Sample Received on	11.03.2024
Sample Collected by	LABORATORY	Test Commenced on	11.03.2024
Sample Collected on	06.03.2024	Test Completed on	16.03.2024
Temperature	34°C	Relative Humidity	28%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	50.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	22.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

S. Paul
Verified



J. Gnanaprakasam
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1755	Report Date.	16.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1755	Sample Received on	11.03.2024
Sample Collected by	LABORATORY	Test Commenced on	11.03.2024
Sample Collected on	07.03.2024	Test Completed on	16.03.2024
Temperature	36°C	Relative Humidity	27%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	55.2	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	26.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1756	Report Date.	16.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1756	Sample Received on	11.03.2024
Sample Collected by	LABORATORY	Test Commenced on	11.03.2024
Sample Collected on	07.03.2024	Test Completed on	16.03.2024
Temperature	36°C	Relative Humidity	27%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	49.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.9	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.8	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.1	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1757	Report Date.	16.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1757	Sample Received on	11.03.2024
Sample Collected by	LABORATORY	Test Commenced on	11.03.2024
Sample Collected on	08.03.2024	Test Completed on	16.03.2024
Temperature	36°C	Relative Humidity	26%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	62.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	30.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.7	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1758	Report Date.	16.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1758	Sample Received on	11.03.2024
Sample Collected by	LABORATORY	Test Commenced on	11.03.2024
Sample Collected on	08.03.2024	Test Completed on	16.03.2024
Temperature	36°C	Relative Humidity	26%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	48.8	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Feb
Verified



END OF THE REPORT

J. K.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1759	Report Date.	16.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1759	Sample Received on	11.03.2024
Sample Collected by	LABORATORY	Test Commenced on	11.03.2024
Sample Collected on	09.03.2024	Test Completed on	16.03.2024
Temperature	36°C	Relative Humidity	28%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	54.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.3	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	12.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1760	Report Date.	16.02.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1760	Sample Received on	11.03.2024
Sample Collected by	LABORATORY	Test Commenced on	11.03.2024
Sample Collected on	09.03.2024	Test Completed on	16.03.2024
Temperature	36°C	Relative Humidity	28%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	46.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	21.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	8.4	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1761	Report Date.	16.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1761	Sample Received on	11.03.2024
Sample Collected by	LABORATORY	Test Commenced on	11.03.2024
Sample Collected on	10.03.2024	Test Completed on	16.03.2024
Temperature	35°C	Relative Humidity	32%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	49.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.0	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Feb
Verified



J. K.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1762	Report Date.	16.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1762	Sample Received on	11.03.2024
Sample Collected by	LABORATORY	Test Commenced on	11.03.2024
Sample Collected on	10.03.2024	Test Completed on	16.03.2024
Temperature	35°C	Relative Humidity	32%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	49.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	22.7	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1775	Report Date.	23.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1775	Sample Received on	18.03.2024
Sample Collected by	LABORATORY	Test Commenced on	18.03.2024
Sample Collected on	12.03.2024	Test Completed on	23.03.2024
Temperature	36°C	Relative Humidity	30%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	57.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	26.3	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	12.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1776	Report Date.	23.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1776	Sample Received on	18.03.2024
Sample Collected by	LABORATORY	Test Commenced on	18.03.2024
Sample Collected on	12.03.2024	Test Completed on	23.03.2024
Temperature	36°C	Relative Humidity	30%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	54.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.3	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Feb
Verified



END OF THE REPORT

J. K.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1777	Report Date.	23.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1777	Sample Received on	18.03.2024
Sample Collected by	LABORATORY	Test Commenced on	18.03.2024
Sample Collected on	13.03.2024	Test Completed on	23.03.2024
Temperature	36°C	Relative Humidity	30%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	53.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1778	Report Date.	23.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1778	Sample Received on	18.03.2024
Sample Collected by	LABORATORY	Test Commenced on	18.03.2024
Sample Collected on	13.03.2024	Test Completed on	23.03.2024
Temperature	36°C	Relative Humidity	30%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	52.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.2	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.1	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.7	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. K.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1779	Report Date.	23.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1779	Sample Received on	18.03.2024
Sample Collected by	LABORATORY	Test Commenced on	18.03.2024
Sample Collected on	14.03.2024	Test Completed on	23.03.2024
Temperature	37°C	Relative Humidity	21%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	59.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	28.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1780	Report Date.	23.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1780	Sample Received on	18.03.2024
Sample Collected by	LABORATORY	Test Commenced on	18.03.2024
Sample Collected on	14.03.2024	Test Completed on	23.03.2024
Temperature	37°C	Relative Humidity	21%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	56.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	28.0	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1781	Report Date.	23.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1781	Sample Received on	18.03.2024
Sample Collected by	LABORATORY	Test Commenced on	18.03.2024
Sample Collected on	15.03.2024	Test Completed on	23.03.2024
Temperature	37°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	55.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	26.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.1	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Feb
Verified



J. K.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1782	Report Date.	23.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1782	Sample Received on	18.03.2024
Sample Collected by	LABORATORY	Test Commenced on	18.03.2024
Sample Collected on	15.03.2024	Test Completed on	23.03.2024
Temperature	37°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	53.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	26.9	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.5	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Feb
Verified



J. K.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1783	Report Date.	23.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1783	Sample Received on	18.03.2024
Sample Collected by	LABORATORY	Test Commenced on	18.03.2024
Sample Collected on	16.03.2024	Test Completed on	23.03.2024
Temperature	36°C	Relative Humidity	30%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	60.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	29.2	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1784	Report Date.	23.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1784	Sample Received on	18.03.2024
Sample Collected by	LABORATORY	Test Commenced on	18.03.2024
Sample Collected on	16.03.2024	Test Completed on	23.03.2024
Temperature	36°C	Relative Humidity	30%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	55.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.0	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.7	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Feb
Verified



J. K.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1785	Report Date.	23.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1785	Sample Received on	18.03.2024
Sample Collected by	LABORATORY	Test Commenced on	18.03.2024
Sample Collected on	17.03.2024	Test Completed on	23.03.2024
Temperature	35°C	Relative Humidity	30%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	70.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	33.8	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.3	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	14.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1786	Report Date.	23.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1786	Sample Received on	18.03.2024
Sample Collected by	LABORATORY	Test Commenced on	18.03.2024
Sample Collected on	17.03.2024	Test Completed on	23.03.2024
Temperature	35°C	Relative Humidity	30%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	50.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	22.8	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.6	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.7	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Feb
Verified



J. K.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1789	Report Date.	30.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1789	Sample Received on	25.03.2024
Sample Collected by	LABORATORY	Test Commenced on	25.03.2024
Sample Collected on	19.03.2024	Test Completed on	30.03.2024
Temperature	36°C	Relative Humidity	29%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	72.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	35.0	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	14.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1790	Report Date.	30.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1790	Sample Received on	25.03.2024
Sample Collected by	LABORATORY	Test Commenced on	25.03.2024
Sample Collected on	19.03.2024	Test Completed on	30.03.2024
Temperature	36°C	Relative Humidity	29%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	47.4	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	21.3	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	5.7	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Feb
Verified



END OF THE REPORT

J. K.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1791	Report Date.	30.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1791	Sample Received on	25.03.2024
Sample Collected by	LABORATORY	Test Commenced on	25.03.2024
Sample Collected on	20.03.2024	Test Completed on	30.03.2024
Temperature	36°C	Relative Humidity	27%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	74.2	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	35.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.3	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	15.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1792	Report Date.	30.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1792	Sample Received on	25.03.2024
Sample Collected by	LABORATORY	Test Commenced on	25.03.2024
Sample Collected on	20.03.2024	Test Completed on	30.03.2024
Temperature	36°C	Relative Humidity	27%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	49.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	22.3	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.3	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.4	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1793	Report Date.	30.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1793	Sample Received on	25.03.2024
Sample Collected by	LABORATORY	Test Commenced on	25.03.2024
Sample Collected on	21.03.2024	Test Completed on	30.03.2024
Temperature	34°C	Relative Humidity	43%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	52.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.2	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.5	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1794	Report Date.	30.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1794	Sample Received on	25.03.2024
Sample Collected by	LABORATORY	Test Commenced on	25.03.2024
Sample Collected on	21.03.2024	Test Completed on	30.03.2024
Temperature	34°C	Relative Humidity	43%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	52.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	26.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.8	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1795	Report Date.	30.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1795	Sample Received on	25.03.2024
Sample Collected by	LABORATORY	Test Commenced on	25.03.2024
Sample Collected on	22.03.2024	Test Completed on	30.03.2024
Temperature	36°C	Relative Humidity	32%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	57.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	27.8	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.5	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1796	Report Date.	30.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1796	Sample Received on	25.03.2024
Sample Collected by	LABORATORY	Test Commenced on	25.03.2024
Sample Collected on	22.03.2024	Test Completed on	30.03.2024
Temperature	36°C	Relative Humidity	32%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	54.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	27.2	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.0	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.7	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1797	Report Date.	30.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1797	Sample Received on	25.03.2024
Sample Collected by	LABORATORY	Test Commenced on	25.03.2024
Sample Collected on	23.03.2024	Test Completed on	30.03.2024
Temperature	37°C	Relative Humidity	26%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	54.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.0	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.3	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1798	Report Date.	30.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1798	Sample Received on	25.03.2024
Sample Collected by	LABORATORY	Test Commenced on	25.03.2024
Sample Collected on	23.03.2024	Test Completed on	30.03.2024
Temperature	37°C	Relative Humidity	26%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	48.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	22.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.3	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	8.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1799	Report Date.	30.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1799	Sample Received on	25.03.2024
Sample Collected by	LABORATORY	Test Commenced on	25.03.2024
Sample Collected on	24.03.2024	Test Completed on	30.03.2024
Temperature	38°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	52.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.0	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.5	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. K.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1800	Report Date.	30.03.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1800	Sample Received on	25.03.2024
Sample Collected by	LABORATORY	Test Commenced on	25.03.2024
Sample Collected on	24.03.2024	Test Completed on	30.03.2024
Temperature	38°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	51.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.8	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1813	Report Date.	06.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1813	Sample Received on	01.04.2024
Sample Collected by	LABORATORY	Test Commenced on	01.04.2024
Sample Collected on	26.03.2024	Test Completed on	06.04.2024
Temperature	37°C	Relative Humidity	25%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	47.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	21.8	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.1	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1814	Report Date.	06.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1814	Sample Received on	01.04.2024
Sample Collected by	LABORATORY	Test Commenced on	01.04.2024
Sample Collected on	26.03.2024	Test Completed on	06.04.2024
Temperature	37°C	Relative Humidity	25%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	50.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.7	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.4	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1815	Report Date.	06.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1815	Sample Received on	01.04.2024
Sample Collected by	LABORATORY	Test Commenced on	01.04.2024
Sample Collected on	27.03.2024	Test Completed on	06.04.2024
Temperature	38°C	Relative Humidity	21%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	51.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.8	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.4	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1816	Report Date.	06.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1816	Sample Received on	01.04.2024
Sample Collected by	LABORATORY	Test Commenced on	01.04.2024
Sample Collected on	27.03.2024	Test Completed on	06.04.2024
Temperature	38°C	Relative Humidity	21%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	48.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	22.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	8.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1817	Report Date.	06.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1817	Sample Received on	01.04.2024
Sample Collected by	LABORATORY	Test Commenced on	01.04.2024
Sample Collected on	28.03.2024	Test Completed on	06.04.2024
Temperature	38°C	Relative Humidity	22%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	54.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	26.2	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1818	Report Date.	06.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1818	Sample Received on	01.04.2024
Sample Collected by	LABORATORY	Test Commenced on	01.04.2024
Sample Collected on	28.03.2024	Test Completed on	06.04.2024
Temperature	38°C	Relative Humidity	22%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	57.0	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	27.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.0	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1819	Report Date.	06.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1819	Sample Received on	01.04.2024
Sample Collected by	LABORATORY	Test Commenced on	01.04.2024
Sample Collected on	29.03.2024	Test Completed on	06.04.2024
Temperature	38°C	Relative Humidity	27%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	60.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	28.9	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1820	Report Date.	06.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1820	Sample Received on	01.04.2024
Sample Collected by	LABORATORY	Test Commenced on	01.04.2024
Sample Collected on	29.03.2024	Test Completed on	06.04.2024
Temperature	38°C	Relative Humidity	27%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	49.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.0	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.4	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1821	Report Date.	06.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1821	Sample Received on	01.04.2024
Sample Collected by	LABORATORY	Test Commenced on	01.04.2024
Sample Collected on	30.03.2024	Test Completed on	06.04.2024
Temperature	38°C	Relative Humidity	25%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	69.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	33.3	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	13.5	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1822	Report Date.	06.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1822	Sample Received on	01.04.2024
Sample Collected by	LABORATORY	Test Commenced on	01.04.2024
Sample Collected on	30.03.2024	Test Completed on	06.04.2024
Temperature	38°C	Relative Humidity	25%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	52.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.0	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.1	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1823	Report Date.	06.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu..
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1823	Sample Received on	01.04.2024
Sample Collected by	LABORATORY	Test Commenced on	01.04.2024
Sample Collected on	31.03.2024	Test Completed on	06.04.2024
Temperature	38°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	64.4	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	30.9	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.3	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.7	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1824	Report Date.	06.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1824	Sample Received on	01.04.2024
Sample Collected by	LABORATORY	Test Commenced on	01.04.2024
Sample Collected on	31.03.2024	Test Completed on	06.04.2024
Temperature	38°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	48.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	21.9	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.1	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1837	Report Date.	13.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1837	Sample Received on	08.04.2024
Sample Collected by	LABORATORY	Test Commenced on	08.04.2024
Sample Collected on	02.04.2024	Test Completed on	13.04.2024
Temperature	40°C	Relative Humidity	20%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	69.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	33.3	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	13.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1838	Report Date.	13.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1838	Sample Received on	08.04.2024
Sample Collected by	LABORATORY	Test Commenced on	08.04.2024
Sample Collected on	02.04.2024	Test Completed on	13.04.2024
Temperature	40°C	Relative Humidity	20%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	56.4	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.8	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1839	Report Date.	13.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1839	Sample Received on	08.04.2024
Sample Collected by	LABORATORY	Test Commenced on	08.04.2024
Sample Collected on	03.04.2024	Test Completed on	13.04.2024
Temperature	40°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	62.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	30.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.6	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1840	Report Date.	13.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1840	Sample Received on	08.04.2024
Sample Collected by	LABORATORY	Test Commenced on	08.04.2024
Sample Collected on	03.04.2024	Test Completed on	13.04.2024
Temperature	40°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	53.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.3	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.4	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1841	Report Date.	13.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1841	Sample Received on	08.04.2024
Sample Collected by	LABORATORY	Test Commenced on	08.04.2024
Sample Collected on	04.04.2024	Test Completed on	13.04.2024
Temperature	40°C	Relative Humidity	24%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	61.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	29.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.6	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1842	Report Date.	13.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1842	Sample Received on	08.04.2024
Sample Collected by	LABORATORY	Test Commenced on	08.04.2024
Sample Collected on	04.04.2024	Test Completed on	13.04.2024
Temperature	40°C	Relative Humidity	24%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	47.0	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	8.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1843	Report Date.	13.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1843	Sample Received on	08.04.2024
Sample Collected by	LABORATORY	Test Commenced on	08.04.2024
Sample Collected on	05.04.2024	Test Completed on	13.04.2024
Temperature	41°C	Relative Humidity	18%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	54.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	26.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1844	Report Date.	13.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1844	Sample Received on	08.04.2024
Sample Collected by	LABORATORY	Test Commenced on	08.04.2024
Sample Collected on	05.04.2024	Test Completed on	13.04.2024
Temperature	41°C	Relative Humidity	18%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	50.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.3	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.7	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1845	Report Date.	13.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1845	Sample Received on	08.04.2024
Sample Collected by	LABORATORY	Test Commenced on	08.04.2024
Sample Collected on	06.04.2024	Test Completed on	13.04.2024
Temperature	40°C	Relative Humidity	20%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	50.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.2	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.6	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1846	Report Date.	13.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1846	Sample Received on	08.04.2024
Sample Collected by	LABORATORY	Test Commenced on	08.04.2024
Sample Collected on	06.04.2024	Test Completed on	13.04.2024
Temperature	40°C	Relative Humidity	20%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	47.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	22.0	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.0	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	8.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1847	Report Date.	13.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1847	Sample Received on	08.04.2024
Sample Collected by	LABORATORY	Test Commenced on	08.04.2024
Sample Collected on	07.04.2024	Test Completed on	13.04.2024
Temperature	40°C	Relative Humidity	22%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	48.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	22.2	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.1	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1848	Report Date.	13.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1848	Sample Received on	11.03.2024
Sample Collected by	LABORATORY	Test Commenced on	11.03.2024
Sample Collected on	07.04.2024	Test Completed on	16.03.2024
Temperature	40°C	Relative Humidity	22%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	50.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.1	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1861	Report Date.	20.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1861	Sample Received on	15.04.2024
Sample Collected by	LABORATORY	Test Commenced on	15.04.2024
Sample Collected on	09.04.2024	Test Completed on	20.04.2024
Temperature	36°C	Relative Humidity	34%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	55.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	12.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1862	Report Date.	20.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1862	Sample Received on	15.04.2024
Sample Collected by	LABORATORY	Test Commenced on	15.04.2024
Sample Collected on	09.04.2024	Test Completed on	20.04.2024
Temperature	36°C	Relative Humidity	34%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	51.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.7	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1863	Report Date.	20.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1863	Sample Received on	15.04.2024
Sample Collected by	LABORATORY	Test Commenced on	15.04.2024
Sample Collected on	10.04.2024	Test Completed on	20.04.2024
Temperature	37°C	Relative Humidity	30%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	52.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.1	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.7	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1864	Report Date.	20.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1864	Sample Received on	15.04.2024
Sample Collected by	LABORATORY	Test Commenced on	15.04.2024
Sample Collected on	10.04.2024	Test Completed on	20.04.2024
Temperature	37°C	Relative Humidity	30%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	50.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.8	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1865	Report Date.	20.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1865	Sample Received on	15.04.2024
Sample Collected by	LABORATORY	Test Commenced on	15.04.2024
Sample Collected on	11.04.2024	Test Completed on	20.04.2024
Temperature	38°C	Relative Humidity	29%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	56.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	27.2	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1866	Report Date.	20.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1866	Sample Received on	15.04.2024
Sample Collected by	LABORATORY	Test Commenced on	15.04.2024
Sample Collected on	11.04.2024	Test Completed on	20.04.2024
Temperature	38°C	Relative Humidity	29%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	52.2	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	26.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.1	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1867	Report Date.	20.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1867	Sample Received on	15.04.2024
Sample Collected by	LABORATORY	Test Commenced on	15.04.2024
Sample Collected on	12.04.2024	Test Completed on	20.04.2024
Temperature	37°C	Relative Humidity	37%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	53.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.8	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1868	Report Date.	20.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1868	Sample Received on	15.04.2024
Sample Collected by	LABORATORY	Test Commenced on	15.04.2024
Sample Collected on	12.04.2024	Test Completed on	20.04.2024
Temperature	37°C	Relative Humidity	37%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	50.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.2	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.1	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1869	Report Date.	20.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1869	Sample Received on	15.04.2024
Sample Collected by	LABORATORY	Test Commenced on	15.04.2024
Sample Collected on	13.04.2024	Test Completed on	20.04.2024
Temperature	37°C	Relative Humidity	36%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	74.8	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	35.9	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	15.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1870	Report Date.	20.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1870	Sample Received on	15.04.2024
Sample Collected by	LABORATORY	Test Commenced on	15.04.2024
Sample Collected on	13.04.2024	Test Completed on	20.04.2024
Temperature	37°C	Relative Humidity	36%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	53.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.9	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1871	Report Date.	20.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1871	Sample Received on	15.04.2024
Sample Collected by	LABORATORY	Test Commenced on	15.04.2024
Sample Collected on	14.04.2024	Test Completed on	20.04.2024
Temperature	37°C	Relative Humidity	32%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	68.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	32.7	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.1	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	13.4	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1872	Report Date.	20.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1872	Sample Received on	15.04.2024
Sample Collected by	LABORATORY	Test Commenced on	15.04.2024
Sample Collected on	14.04.2024	Test Completed on	20.04.2024
Temperature	37°C	Relative Humidity	32%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	47.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	21.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	5.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1885	Report Date.	27.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1885	Sample Received on	22.04.2024
Sample Collected by	LABORATORY	Test Commenced on	22.04.2024
Sample Collected on	16.04.2024	Test Completed on	27.04.2024
Temperature	38°C	Relative Humidity	27%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	63.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	30.7	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.7	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1886	Report Date.	27.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1886	Sample Received on	22.04.2024
Sample Collected by	LABORATORY	Test Commenced on	22.04.2024
Sample Collected on	16.04.2024	Test Completed on	27.04.2024
Temperature	38°C	Relative Humidity	27%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	54.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1887	Report Date.	27.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1887	Sample Received on	22.04.2024
Sample Collected by	LABORATORY	Test Commenced on	22.04.2024
Sample Collected on	17.04.2024	Test Completed on	27.04.2024
Temperature	40°C	Relative Humidity	24%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	67.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	32.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.0	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	13.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1888	Report Date.	27.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1888	Sample Received on	22.04.2024
Sample Collected by	LABORATORY	Test Commenced on	22.04.2024
Sample Collected on	17.04.2024	Test Completed on	27.04.2024
Temperature	40°C	Relative Humidity	24%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	51.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.1	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1889	Report Date.	27.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1889	Sample Received on	22.04.2024
Sample Collected by	LABORATORY	Test Commenced on	22.04.2024
Sample Collected on	18.04.2024	Test Completed on	27.04.2024
Temperature	40°C	Relative Humidity	28%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	58.8	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	28.2	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.7	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1890	Report Date.	27.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1890	Sample Received on	22.04.2024
Sample Collected by	LABORATORY	Test Commenced on	22.04.2024
Sample Collected on	18.04.2024	Test Completed on	27.04.2024
Temperature	40°C	Relative Humidity	28%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	55.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	27.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.8	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.4	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1891	Report Date.	27.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1891	Sample Received on	22.04.2024
Sample Collected by	LABORATORY	Test Commenced on	22.04.2024
Sample Collected on	19.04.2024	Test Completed on	27.04.2024
Temperature	40°C	Relative Humidity	28%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	56.4	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	27.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1892	Report Date.	27.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1892	Sample Received on	22.04.2024
Sample Collected by	LABORATORY	Test Commenced on	22.04.2024
Sample Collected on	19.04.2024	Test Completed on	27.04.2024
Temperature	40°C	Relative Humidity	28%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	50.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	29.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1893	Report Date.	27.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1893	Sample Received on	22.04.2024
Sample Collected by	LABORATORY	Test Commenced on	22.04.2024
Sample Collected on	20.04.2024	Test Completed on	27.04.2024
Temperature	42°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	58.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	27.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	10.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	13.5	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1894	Report Date.	27.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1894	Sample Received on	22.04.2024
Sample Collected by	LABORATORY	Test Commenced on	22.04.2024
Sample Collected on	20.04.2024	Test Completed on	27.04.2024
Temperature	42°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	51.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.0	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1895	Report Date.	27.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1895	Sample Received on	22.04.2024
Sample Collected by	LABORATORY	Test Commenced on	22.04.2024
Sample Collected on	21.04.2024	Test Completed on	27.04.2024
Temperature	41°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	55.8	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.7	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.7	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	12.5	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1896	Report Date.	27.04.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1896	Sample Received on	22.04.2024
Sample Collected by	LABORATORY	Test Commenced on	22.04.2024
Sample Collected on	21.04.2024	Test Completed on	27.04.2024
Temperature	41°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	53.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.9	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1909	Report Date.	04.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1909	Sample Received on	29.04.2024
Sample Collected by	LABORATORY	Test Commenced on	29.04.2024
Sample Collected on	23.04.2024	Test Completed on	04.05.2024
Temperature	40°C	Relative Humidity	21%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	57.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	26.7	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	10.3	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	13.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1910	Report Date.	04.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1910	Sample Received on	29.04.2024
Sample Collected by	LABORATORY	Test Commenced on	29.04.2024
Sample Collected on	23.04.2024	Test Completed on	04.05.2024
Temperature	40°C	Relative Humidity	21%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	55.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	27.0	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	10.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1911	Report Date.	04.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1911	Sample Received on	29.04.2024
Sample Collected by	LABORATORY	Test Commenced on	29.04.2024
Sample Collected on	24.04.2024	Test Completed on	04.05.2024
Temperature	40°C	Relative Humidity	22%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	55.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	12.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1912	Report Date.	04.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1912	Sample Received on	29.04.2024
Sample Collected by	LABORATORY	Test Commenced on	29.04.2024
Sample Collected on	24.04.2024	Test Completed on	04.05.2024
Temperature	40°C	Relative Humidity	22%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	52.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.7	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.6	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.5	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1912	Report Date.	04.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1913	Sample Received on	29.04.2024
Sample Collected by	LABORATORY	Test Commenced on	29.04.2024
Sample Collected on	25.04.2024	Test Completed on	04.05.2024
Temperature	40°C	Relative Humidity	25%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	52.8	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.3	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.7	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.5	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1914
------------	--------------

Report Date.	04.05.2024
--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1914	Sample Received on	29.04.2024
Sample Collected by	LABORATORY	Test Commenced on	29.04.2024
Sample Collected on	25.04.2024	Test Completed on	04.05.2024
Temperature	40°C	Relative Humidity	25%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	56.4	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.9	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.0	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.5	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1915	Report Date.	04.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1915	Sample Received on	29.04.2024
Sample Collected by	LABORATORY	Test Commenced on	29.04.2024
Sample Collected on	26.04.2024	Test Completed on	04.05.2024
Temperature	40°C	Relative Humidity	24%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	57.6	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	27.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.7	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1916	Report Date.	04.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1916	Sample Received on	29.04.2024
Sample Collected by	LABORATORY	Test Commenced on	29.04.2024
Sample Collected on	26.04.2024	Test Completed on	04.05.2024
Temperature	40°C	Relative Humidity	24%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	46.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	27.0	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.6	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1917	Report Date.	04.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1917	Sample Received on	29.04.2024
Sample Collected by	LABORATORY	Test Commenced on	29.04.2024
Sample Collected on	27.04.2024	Test Completed on	04.05.2024
Temperature	39°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	65.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	31.2	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.8	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	12.4	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1918	Report Date.	04.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1918	Sample Received on	29.04.2024
Sample Collected by	LABORATORY	Test Commenced on	29.04.2024
Sample Collected on	27.04.2024	Test Completed on	04.05.2024
Temperature	39°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	54.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.6	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.7	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1919	Report Date.	04.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1919	Sample Received on	29.04.2024
Sample Collected by	LABORATORY	Test Commenced on	29.04.2024
Sample Collected on	28.04.2024	Test Completed on	04.05.2024
Temperature	40°C	Relative Humidity	26%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	68.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	33.0	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.1	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	13.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1920	Report Date.	04.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1920	Sample Received on	29.04.2024
Sample Collected by	LABORATORY	Test Commenced on	29.04.2024
Sample Collected on	28.04.2024	Test Completed on	04.05.2024
Temperature	40°C	Relative Humidity	26%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	51.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.0	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.7	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1933	Report Date.	11.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1933	Sample Received on	06.05.2024
Sample Collected by	LABORATORY	Test Commenced on	06.05.2024
Sample Collected on	30.04.2024	Test Completed on	11.05.2024
Temperature	41°C	Relative Humidity	21%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	69.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	33.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	14.1	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1934	Report Date.	11.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1934	Sample Received on	06.05.2024
Sample Collected by	LABORATORY	Test Commenced on	06.05.2024
Sample Collected on	30.04.2024	Test Completed on	11.05.2024
Temperature	41°C	Relative Humidity	21%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	47.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	21.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	5.8	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1935	Report Date.	11.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1935	Sample Received on	06.05.2024
Sample Collected by	LABORATORY	Test Commenced on	06.05.2024
Sample Collected on	02.05.2024	Test Completed on	11.05.2024
Temperature	43°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	71.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	34.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	14.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1936	Report Date.	11.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1936	Sample Received on	06.05.2024
Sample Collected by	LABORATORY	Test Commenced on	06.05.2024
Sample Collected on	02.05.2024	Test Completed on	11.05.2024
Temperature	43°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	51.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.2	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.8	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1937	Report Date.	11.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1937	Sample Received on	06.05.2024
Sample Collected by	LABORATORY	Test Commenced on	06.05.2024
Sample Collected on	02.05.2024	Test Completed on	11.05.2024
Temperature	43°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	54.4	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	26.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.1	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1938	Report Date.	11.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1938	Sample Received on	06.05.2024
Sample Collected by	LABORATORY	Test Commenced on	06.05.2024
Sample Collected on	02.05.2024	Test Completed on	11.05.2024
Temperature	43°C	Relative Humidity	23%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	50.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.7	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8.8.24
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1939	Report Date.	11.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1939	Sample Received on	06.05.2024
Sample Collected by	LABORATORY	Test Commenced on	06.05.2024
Sample Collected on	03.05.2024	Test Completed on	11.05.2024
Temperature	42°C	Relative Humidity	22%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	50.8	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1940	Report Date.	11.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1940	Sample Received on	06.05.2024
Sample Collected by	LABORATORY	Test Commenced on	06.05.2024
Sample Collected on	03.05.2024	Test Completed on	11.05.2024
Temperature	42°C	Relative Humidity	22%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	50.8	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1941	Report Date.	11.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1941	Sample Received on	06.05.2024
Sample Collected by	LABORATORY	Test Commenced on	06.05.2024
Sample Collected on	04.05.2024	Test Completed on	11.05.2024
Temperature	42°C	Relative Humidity	27%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	53.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.7	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.1	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1942	Report Date.	11.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1942	Sample Received on	06.05.2024
Sample Collected by	LABORATORY	Test Commenced on	06.05.2024
Sample Collected on	04.05.2024	Test Completed on	11.05.2024
Temperature	42°C	Relative Humidity	27%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	49.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.7	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1943	Report Date.	11.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1943	Sample Received on	06.05.2024
Sample Collected by	LABORATORY	Test Commenced on	06.05.2024
Sample Collected on	05.05.2024	Test Completed on	11.05.2024
Temperature	42°C	Relative Humidity	24%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	56.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.9	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.8	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	12.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1944	Report Date.	11.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1944	Sample Received on	06.05.2024
Sample Collected by	LABORATORY	Test Commenced on	06.05.2024
Sample Collected on	05.05.2024	Test Completed on	11.05.2024
Temperature	42°C	Relative Humidity	24%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	47.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.3	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1957	Report Date.	18.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1957	Sample Received on	13.05.2024
Sample Collected by	LABORATORY	Test Commenced on	13.05.2024
Sample Collected on	07.05.2024	Test Completed on	18.05.2024
Temperature	41°C	Relative Humidity	29%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	52.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.3	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1958	Report Date.	18.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1958	Sample Received on	13.05.2024
Sample Collected by	LABORATORY	Test Commenced on	13.05.2024
Sample Collected on	07.05.2024	Test Completed on	18.05.2024
Temperature	41°C	Relative Humidity	29%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	53.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	26.3	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	10.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1959	Report Date.	18.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1959	Sample Received on	13.05.2024
Sample Collected by	LABORATORY	Test Commenced on	13.05.2024
Sample Collected on	08.05.2024	Test Completed on	18.05.2024
Temperature	24°C	Relative Humidity	88%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	51.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.8	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1960	Report Date.	18.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1960	Sample Received on	13.05.2024
Sample Collected by	LABORATORY	Test Commenced on	13.05.2024
Sample Collected on	08.05.2024	Test Completed on	18.05.2024
Temperature	24°C	Relative Humidity	88%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	48.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.9	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.6	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.5	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1961	Report Date.	18.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1961	Sample Received on	13.05.2024
Sample Collected by	LABORATORY	Test Commenced on	13.05.2024
Sample Collected on	09.05.2024	Test Completed on	18.05.2024
Temperature	39°C	Relative Humidity	31%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	53.6	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.7	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.7	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1962	Report Date.	18.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1962	Sample Received on	13.05.2024
Sample Collected by	LABORATORY	Test Commenced on	13.05.2024
Sample Collected on	09.05.2024	Test Completed on	18.05.2024
Temperature	39°C	Relative Humidity	31%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	49.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	29.9	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.4	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1963	Report Date.	18.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1963	Sample Received on	13.05.2024
Sample Collected by	LABORATORY	Test Commenced on	13.05.2024
Sample Collected on	10.05.2024	Test Completed on	18.05.2024
Temperature	39°C	Relative Humidity	32%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	51.6	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.8	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1964	Report Date.	18.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1964	Sample Received on	13.05.2024
Sample Collected by	LABORATORY	Test Commenced on	13.05.2024
Sample Collected on	10.05.2024	Test Completed on	18.05.2024
Temperature	39°C	Relative Humidity	32%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	57.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	28.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.8	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1965	Report Date.	18.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1965	Sample Received on	13.05.2024
Sample Collected by	LABORATORY	Test Commenced on	13.05.2024
Sample Collected on	11.05.2024	Test Completed on	18.05.2024
Temperature	38°C	Relative Humidity	36%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	62.8	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	30.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.1	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.1	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1966	Report Date.	18.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1966	Sample Received on	13.05.2024
Sample Collected by	LABORATORY	Test Commenced on	13.05.2024
Sample Collected on	11.05.2024	Test Completed on	18.05.2024
Temperature	38°C	Relative Humidity	36%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	46.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	20.8	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	5.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1967	Report Date.	18.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1967	Sample Received on	13.05.2024
Sample Collected by	LABORATORY	Test Commenced on	13.05.2024
Sample Collected on	12.05.2024	Test Completed on	18.05.2024
Temperature	39°C	Relative Humidity	33%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	67.6	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	32.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.7	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	12.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1968	Report Date.	18.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1968	Sample Received on	13.05.2024
Sample Collected by	LABORATORY	Test Commenced on	13.05.2024
Sample Collected on	12.05.2024	Test Completed on	18.05.2024
Temperature	39°C	Relative Humidity	33%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	49.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	22.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.5	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1981	Report Date.	25.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1981	Sample Received on	20.05.2024
Sample Collected by	LABORATORY	Test Commenced on	20.05.2024
Sample Collected on	14.05.2024	Test Completed on	25.05.2024
Temperature	38°C	Relative Humidity	35%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	65.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	31.4	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	12.1	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1982	Report Date.	25.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1982	Sample Received on	20.05.2024
Sample Collected by	LABORATORY	Test Commenced on	20.05.2024
Sample Collected on	14.05.2024	Test Completed on	25.05.2024
Temperature	38°C	Relative Humidity	35%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	49.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	22.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1983	Report Date.	25.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1983	Sample Received on	20.05.2024
Sample Collected by	LABORATORY	Test Commenced on	20.05.2024
Sample Collected on	15.05.2024	Test Completed on	25.05.2024
Temperature	35°C	Relative Humidity	44%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	66.8	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	32.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.6	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	12.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1984	Report Date.	25.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1984	Sample Received on	20.05.2024
Sample Collected by	LABORATORY	Test Commenced on	20.05.2024
Sample Collected on	15.05.2024	Test Completed on	25.05.2024
Temperature	35°C	Relative Humidity	44%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	53.9	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.3	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.5	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AA YCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1985	Report Date.	25.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1985	Sample Received on	20.05.2024
Sample Collected by	LABORATORY	Test Commenced on	20.05.2024
Sample Collected on	16.05.2024	Test Completed on	25.05.2024
Temperature	29°C	Relative Humidity	65%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	59.4	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	28.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.7	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1986	Report Date.	25.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1986	Sample Received on	20.05.2024
Sample Collected by	LABORATORY	Test Commenced on	20.05.2024
Sample Collected on	16.05.2024	Test Completed on	25.05.2024
Temperature	29°C	Relative Humidity	65%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	54.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	30.8	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.7	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1987	Report Date.	25.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1987	Sample Received on	20.05.2024
Sample Collected by	LABORATORY	Test Commenced on	20.05.2024
Sample Collected on	17.05.2024	Test Completed on	25.05.2024
Temperature	34°C	Relative Humidity	47%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	56.6	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	27.2	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.5	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1988	Report Date.	25.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1988	Sample Received on	20.05.2024
Sample Collected by	LABORATORY	Test Commenced on	20.05.2024
Sample Collected on	17.05.2024	Test Completed on	25.05.2024
Temperature	34°C	Relative Humidity	47%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	59.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	29.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.0	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1989	Report Date.	25.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1989	Sample Received on	20.05.2024
Sample Collected by	LABORATORY	Test Commenced on	20.05.2024
Sample Collected on	18.05.2024	Test Completed on	25.05.2024
Temperature	36°C	Relative Humidity	40%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	53.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.7	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1990	Report Date.	25.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1990	Sample Received on	20.05.2024
Sample Collected by	LABORATORY	Test Commenced on	20.05.2024
Sample Collected on	18.05.2024	Test Completed on	25.05.2024
Temperature	36°C	Relative Humidity	40%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	47.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.2	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.1	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1991	Report Date.	25.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1991	Sample Received on	20.05.2024
Sample Collected by	LABORATORY	Test Commenced on	20.05.2024
Sample Collected on	19.05.2024	Test Completed on	25.05.2024
Temperature	34°C	Relative Humidity	49%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	51.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1992	Report Date.	25.05.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-1992	Sample Received on	20.05.2024
Sample Collected by	LABORATORY	Test Commenced on	20.05.2024
Sample Collected on	19.05.2024	Test Completed on	25.05.2024
Temperature	34°C	Relative Humidity	49%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	50.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	24.8	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.1	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.1	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2005	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-2005	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	21.05.2024	Test Completed on	01.06.2024
Temperature	36°C	Relative Humidity	41%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	57.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	26.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	10.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	13.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2006	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-2006	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	21.05.2024	Test Completed on	01.06.2024
Temperature	36°C	Relative Humidity	41%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	53.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	26.1	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	10.0	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2007	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A5-KUNNAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-2007	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	22.05.2024	Test Completed on	01.06.2024
Temperature	36°C	Relative Humidity	42%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	55.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.5	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	12.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2008	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A6-PERUMBAKKAM VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-2008	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	22.05.2024	Test Completed on	01.06.2024
Temperature	36°C	Relative Humidity	42%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	51.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	25.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.3	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2009	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-2009	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	23.05.2024	Test Completed on	01.06.2024
Temperature	36°C	Relative Humidity	45%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	54.8	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	26.3	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.9	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2010	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-2010	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	23.05.2024	Test Completed on	01.06.2024
Temperature	36°C	Relative Humidity	45%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	55.5	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	28.0	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	8.8	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2011	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A3-THOLLAMUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-2011	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	24.05.2024	Test Completed on	01.06.2024
Temperature	30°C	Relative Humidity	68%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	51.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.4	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	9.2	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2012	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A4-PARANGAI VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-2012	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	24.05.2024	Test Completed on	01.06.2024
Temperature	30°C	Relative Humidity	68%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	53.1	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	29.6	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	9.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.3	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2013	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-2013	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	25.05.2024	Test Completed on	01.06.2024
Temperature	36°C	Relative Humidity	40%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	63.6	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	30.5	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.2	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.4	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2014	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-2014	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	25.05.2024	Test Completed on	01.06.2024
Temperature	36°C	Relative Humidity	40%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	52.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	23.7	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.1	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	11.1	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2015	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A1-PROPOSED MINE LEASE AREA
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-2015	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	26.05.2024	Test Completed on	01.06.2024
Temperature	38°C	Relative Humidity	33%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	65.7	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	30.3	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	7.9	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	12.6	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2016	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	AMBIENT AIR QUALITY
Sampling Procedure	IS – 5182 (Part – 14: 2000 & Part – V: Reaffirmed - 2003), CPCB Guide lines

Sample Location	A2-ERAIYUR VILLAGE
Positioned height of Sampler	1.5 M above Ground Level

Customer Reference	By Mail	Sampling Duration	24 hrs
Sample Reference No	SARL/A/CHE-2016	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	26.05.2024	Test Completed on	01.06.2024
Temperature	38°C	Relative Humidity	33%
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results	*Limits
1	Particulate Matter less than 10micron size (PM ₁₀)	IS:5182: Part 23:2006	µg/m ³	48.3	100
2	Particulate Matter less than 2.5micron size (PM _{2.5})	IS 5182 (Part 24):2019	µg/m ³	21.7	60
3	Sulphur dioxide (SO ₂)	IS:5182: Part 02:2001	µg/m ³	6.0	80
4	Nitrogen Dioxide (NO ₂)	IS:5182: Part 06:2006	µg/m ³	10.4	80
5	Carbon monoxide (CO)	SARL/IOP/013 (Issue No:01, Issue Date – 01.03.2023)	mg/m ³	BDL (D.L – 1.1)	-

Remarks: Limits: *National Ambient air quality standards from CPCB. BDL- Below detectable limit. DL –Detectable limit

For Shrient Analytical and Research Labs Pvt. Ltd

8 Paul
Verified



J. G.
Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2029	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	NOISE LEVEL DATA

Customer Reference	As per work order	Sampling Method	SARL/IOP/023
Sample Reference No	SARL/N/CHE-2029	Date of Monitoring	25.05.2024/ 26.05.2024
Sample Collected by	LABORATORY		

Time in hrs	N1	N2	N3	N4	N5	N6
06.00	41.5	41.3	45.2	44.7	45.4	41.0
07.00	43.5	42.2	44.8	46.0	47.2	42.9
08.00	45.2	46.3	46.3	46.8	48.6	46.7
09.00	49.8	48.6	51.7	51.9	47.0	50.9
10.00	54.8	54.7	53.8	53.9	51.7	51.2
11.00	56.3	55.2	52.9	48.8	47.8	46.8
12.00	55.2	52.8	53.5	48.0	48.6	48.8
13.00	52.8	54.7	52.8	54.8	50.5	46.9
14.00	50.6	51.2	52.3	55.2	47.9	47.7
15.00	51.2	50.8	51.7	52.9	48.3	49.9
16.00	57.7	54.8	44.5	54.7	45.6	52.0
17.00	55.2	56.0	43.9	53.3	47.8	53.2
18.00	56.8	52.9	46.3	49.3	46.3	50.9
19.00	51.7	51.2	47.9	46.3	44.7	51.7
20.00	46.5	42.9	44.4	44.5	45.4	47.6
21.00	46.0	42.2	42.9	44.0	42.8	46.8
22.00	42.9	41.7	43.5	42.7	43.4	44.7
23.00	42.0	41.2	42.7	41.3	44.5	43.9
24.00	41.7	41.0	41.6	42.2	41.6	41.8
01.00	42.3	40.5	40.9	41.8	43.3	40.9
02.00	43.0	41.3	41.0	41.0	41.2	41.0
03.00	47.0	42.6	41.3	40.5	40.3	42.2
04.00	44.8	42.7	41.6	43.2	41.6	43.5
05.00	43.8	41.8	40.5	44.4	43.6	42.7

Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No. SARL/24/2029

Report Date. 01.06.2024

	N1	N2	N3	N4	N5	N6
DAY EQUIVALENT	53.1	52.1	50.1	51.3	47.8	49.4
NIGHT EQUIVALENT	43.8	41.7	41.7	42.3	42.6	42.8
DAY & NIGHT EQUIVALENT	51.6	50.5	48.6	49.8	46.6	48.1

Remarks:

LOCATIONS:

- N1-PROPOSED MINE LEASE AREA
- N2-ERAIYUR VILLAGE
- N3-THOLLAMUR VILLAGE
- N4-PARANGAI VILLAGE
- N5-KUNNAM VILLAGE
- N6-PERUMBAKKAM VILLAGE

For Shrient Analytical and Research Labs Pvt. Ltd


Verified



END OF THE REPORT


Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2023	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	SOIL
Sample Mark	S1-PROPOSED MINE LEASE AREA

Customer Reference	By Mail	Sampling Procedure	-
Sample Reference No	SARL/SO/CHE-2023	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	26.05.2024	Test Completed on	01.06.2024
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results
1	pH at 25 °C	IS 2720: Part 26: 1987	-	8.17
2	Electrical Conductivity	IS 14767: 2000	µmhos/cm	207.8
3	Dry matter content	IS 15106: 2002	%	79.20
4	Water Content	IS 15106: 2002	%	20.80
5	Organic Matter	IS 2720: Part 22: 1972	%	0.42
6	Nitrogen and Nitrogenous compounds	IS 14684: 1999	mg/kg	192
7	Soil Texture	Methods Manual - Soil testing in India - P. No-67: 2011	%	LOAM
8	<u>Grain Size Distribution</u>	Methods Manual - Soil testing in India - P. No-67: 2011	%	2.70
	i. Sand	Methods Manual - Soil testing in India - P. No-67: 2011	%	41.94
	ii. Silt	Methods Manual - Soil testing in India - P. No-67: 2011	%	55.37
	iii. Clay	Methods Manual - Soil testing in India - P. No-67: 2011	%	BDL (D.L.0.02)
9	Phosphorus as P	IS 10158: 1982	mg/kg	0.42
10	Sodium as Na	USEPA 3050 B: 1996	mg/kg	1015
11	Potassium as K	USEPA 3050 B: 1996	mg/kg	515
12	Total soluble sulphates	IS 2720: Part 27: 1977	%	BDL (D.L.0.02)
13	Porosity	SARL/SOP/SO/001 (Issue No:01, Issue Date – 01.03.2023): 2023	%	22.5
14	Water holding capacity	Methods Manual - Soil testing in India - P. No-76: 2011	Inches/foot	3.2

BDL – Below Detectable limit (DL - Detectable limit).

For Shrient Analytical and Research Labs Pvt. Ltd


Verified




Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AA YCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2024
------------	--------------

Report Date.	01.06.2024
--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	SOIL
Sample Mark	S2-ERAIYUR VILLAGE

Customer Reference	By Mail	Sampling Procedure	-
Sample Reference No	SARL/SO/CHE-2024	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	26.05.2024	Test Completed on	01.06.2024
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results
1	pH at 25 °C	IS 2720: Part 26: 1987	-	6.97
2	Electrical Conductivity	IS 14767: 2000	µmhos/cm	391.7
3	Dry matter content	IS 15106: 2002	%	80.77
4	Water Content	IS 15106: 2002	%	19.23
5	Organic Matter	IS 2720: Part 22: 1972	%	0.54
6	Nitrogen and Nitrogenous compounds	IS 14684: 1999	mg/kg	270
7	Soil Texture	Methods Manual - Soil testing in India - P. No-67: 2011	%	LOAM
8	<u>Grain Size Distribution</u>	Methods Manual - Soil testing in India - P. No-67: 2011	%	2.86
	i. Sand	Methods Manual - Soil testing in India - P. No-67: 2011	%	57.45
	ii. Silt	Methods Manual - Soil testing in India - P. No-67: 2011	%	39.69
	iii. Clay	Methods Manual - Soil testing in India - P. No-67: 2011	%	BDL (D.L.0.02)
9	Phosphorus as P	IS 10158: 1982	mg/kg	0.67
10	Sodium as Na	USEPA 3050 B: 1996	mg/kg	825
11	Potassium as K	USEPA 3050 B: 1996	mg/kg	339
12	Total soluble sulphates	IS 2720: Part 27: 1977	%	BDL (D.L.0.02)
13	Porosity	SARL/SOP/SO/001 (Issue No:01, Issue Date – 01.03.2023): 2023	%	23.4
14	Water holding capacity	Methods Manual - Soil testing in India - P. No-76: 2011	Inches/foot	3.6

BDL – Below Detectable limit (DL - Detectable limit).

For Shrient Analytical and Research Labs Pvt. Ltd


Verified




Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2025	Report Date.	01.06.2024
------------	--------------	--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	SOIL
Sample Mark	S3-THOLLAMUR VILLAGE

Customer Reference	By Mail	Sampling Procedure	-
Sample Reference No	SARL/SO/CHE-2025	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	26.05.2024	Test Completed on	01.06.2024
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results
1	pH at 25 °C	IS 2720: Part 26: 1987	-	7.43
2	Electrical Conductivity	IS 14767: 2000	µmhos/cm	287.9
3	Dry matter content	IS 15106: 2002	%	81.10
4	Water Content	IS 15106: 2002	%	18.90
5	Organic Matter	IS 2720: Part 22: 1972	%	0.25
6	Nitrogen and Nitrogenous compounds	IS 14684: 1999	mg/kg	284
7	Soil Texture	Methods Manual - Soil testing in India - P. No-67: 2011	%	CLAY LOAM
8	<u>Grain Size Distribution</u>	Methods Manual - Soil testing in India - P. No-67: 2011	%	5.10
	i. Sand	Methods Manual - Soil testing in India - P. No-67: 2011	%	37.44
	ii. Silt	Methods Manual - Soil testing in India - P. No-67: 2011	%	57.46
	iii. Clay	Methods Manual - Soil testing in India - P. No-67: 2011	%	BDL (D.L.0.02)
9	Phosphorus as P	IS 10158: 1982	mg/kg	0.92
10	Sodium as Na	USEPA 3050 B: 1996	mg/kg	793
11	Potassium as K	USEPA 3050 B: 1996	mg/kg	384
12	Total soluble sulphates	IS 2720: Part 27: 1977	%	BDL (D.L.0.02)
13	Porosity	SARL/SOP/SO/001 (Issue No:01, Issue Date – 01.03.2023): 2023	%	32.1
14	Water holding capacity	Methods Manual - Soil testing in India - P. No-76: 2011	Inches/foot	3.8

BDL – Below Detectable limit (DL - Detectable limit).

For Shrient Analytical and Research Labs Pvt. Ltd


Verified




Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/1379
------------	--------------

Report Date.	01.06.2024
--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	SOIL
Sample Mark	S4-PARANGAI VILLAGE

Customer Reference	By Mail	Sampling Procedure	-
Sample Reference No	SARL/SO/CHE-1379	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	26.05.2024	Test Completed on	01.06.2024
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results
1	pH at 25 °C	IS 2720: Part 26: 1987	-	4.84
2	Electrical Conductivity	IS 14767: 2000	µmhos/cm	190.2
3	Dry matter content	IS 15106: 2002	%	95.48
4	Water Content	IS 15106: 2002	%	4.52
5	Organic Matter	IS 2720: Part 22: 1972	%	0.72
6	Nitrogen and Nitrogenous compounds	IS 14684: 1999	mg/kg	397
7	Soil Texture	Methods Manual - Soil testing in India - P. No-67: 2011	%	SILT LOAM
8	<u>Grain Size Distribution</u>	Methods Manual - Soil testing in India - P. No-67: 2011	%	4.26
	i. Sand	Methods Manual - Soil testing in India - P. No-67: 2011	%	42.69
	ii. Silt	Methods Manual - Soil testing in India - P. No-67: 2011	%	53.05
	iii. Clay	Methods Manual - Soil testing in India - P. No-67: 2011	%	BDL (D.L.0.02)
9	Phosphorus as P	IS 10158: 1982	mg/kg	0.55
10	Sodium as Na	USEPA 3050 B: 1996	mg/kg	604
11	Potassium as K	USEPA 3050 B: 1996	mg/kg	234
12	Total soluble sulphates	IS 2720: Part 27: 1977	%	BDL (D.L.0.02)
13	Porosity	SARL/SOP/SO/001 (Issue No:01, Issue Date – 01.03.2023): 2023	%	28.9
14	Water holding capacity	Methods Manual - Soil testing in India - P. No-76: 2011	Inches/foot	3.4

BDL – Below Detectable limit (DL - Detectable limit).

For Shrient Analytical and Research Labs Pvt. Ltd


Verified




Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2027
------------	--------------

Report Date.	01.06.2024
--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	SOIL
Sample Mark	S5-KUNNAM VILLAGE

Customer Reference	By Mail	Sampling Procedure	-
Sample Reference No	SARL/SO/CHE-2027	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	26.05.2024	Test Completed on	01.06.2024
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results
1	pH at 25 °C	IS 2720: Part 26: 1987	-	6.02
2	Electrical Conductivity	IS 14767: 2000	µmhos/cm	86.35
3	Dry matter content	IS 15106: 2002	%	90.65
4	Water Content	IS 15106: 2002	%	9.35
5	Organic Matter	IS 2720: Part 22: 1972	%	0.47
6	Nitrogen and Nitrogenous compounds	IS 14684: 1999	mg/kg	166
7	Soil Texture	Methods Manual - Soil testing in India - P. No-67: 2011	%	SANDY CLAY LOAM
8	<u>Grain Size Distribution</u>	Methods Manual - Soil testing in India - P. No-67: 2011	%	5.74
	i. Sand	Methods Manual - Soil testing in India - P. No-67: 2011	%	44.48
	ii. Silt	Methods Manual - Soil testing in India - P. No-67: 2011	%	49.78
	iii. Clay	Methods Manual - Soil testing in India - P. No-67: 2011	%	BDL (D.L.0.02)
9	Phosphorus as P	IS 10158: 1982	mg/kg	0.76
10	Sodium as Na	USEPA 3050 B: 1996	mg/kg	1010
11	Potassium as K	USEPA 3050 B: 1996	mg/kg	649
12	Total soluble sulphates	IS 2720: Part 27: 1977	%	BDL (D.L.0.02)
13	Porosity	SARL/SOP/SO/001 (Issue No:01, Issue Date – 01.03.2023): 2023	%	30.4
14	Water holding capacity	Methods Manual - Soil testing in India - P. No-76: 2011	Inches/foot	3.7

BDL – Below Detectable limit (DL - Detectable limit).

For Shrient Analytical and Research Labs Pvt. Ltd


Verified




Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No.	SARL/24/2028
------------	--------------

Report Date.	01.06.2024
--------------	------------

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	SOIL
Sample Mark	S6-PERUMBAKKAM VILLAGE

Customer Reference	By Mail	Sampling Procedure	-
Sample Reference No	SARL/SO/CHE-2028	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	26.05.2024	Test Completed on	01.06.2024
Sample Condition	Fit for Analysis		

S. No.	Parameters	Protocol	Unit	Results
1	pH at 25 °C	IS 2720: Part 26: 1987	-	7.71
2	Electrical Conductivity	IS 14767: 2000	µmhos/cm	227.4
3	Dry matter content	IS 15106: 2002	%	86.10
4	Water Content	IS 15106: 2002	%	13.90
5	Organic Matter	IS 2720: Part 22: 1972	%	0.89
6	Nitrogen and Nitrogenous compounds	IS 14684: 1999	mg/kg	344
7	Soil Texture	Methods Manual - Soil testing in India - P. No-67: 2011	%	CLAY LOAM
8	<u>Grain Size Distribution</u>	Methods Manual - Soil testing in India - P. No-67: 2011	%	4.67
	i. Sand	Methods Manual - Soil testing in India - P. No-67: 2011	%	47.66
	ii. Silt	Methods Manual - Soil testing in India - P. No-67: 2011	%	47.66
	iii. Clay	Methods Manual - Soil testing in India - P. No-67: 2011	%	47.66
9	Phosphorus as P	IS 10158: 1982	mg/kg	0.47
10	Sodium as Na	USEPA 3050 B: 1996	mg/kg	606
11	Potassium as K	USEPA 3050 B: 1996	mg/kg	234
12	Total soluble sulphates	IS 2720: Part 27: 1977	%	BDL (D.L.0.02)
13	Porosity	SARL/SOP/SO/001 (Issue No:01, Issue Date – 01.03.2023): 2023	%	20.8
14	Water holding capacity	Methods Manual - Soil testing in India - P. No-76: 2011	Inches/foot	3.2

BDL – Below Detectable limit (DL - Detectable limit).

For Shrient Analytical and Research Labs Pvt. Ltd


Verified




Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

END OF THE REPORT

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

LAB SERVICES FOR:- Food, Water, Milk, Environment, Academic & Industrial Segment.

CIN : U74999TN2017PTC116807 / GST No : 33AAYCS7325R1ZA / PAN No: AAYCS7325R



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No. SARL/2024/2017

Report Date. 01.06.2024

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	WATER
Sample Mark	W1-PROPOSED MINE LEASE AREA

Customer Reference	By Mail	Sampling Procedure	IS 17614: Part 14: 2021
Sample Reference No	SARL/W/CHE-2017	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	26.05.2024	Test Completed on	01.06.2024
Sample Condition	Fit for Analysis		

Sl. No.	Parameters	Protocol	Unit	Result	*Limits
					Permissible
A.	Physical parameters				
1	Odour	IS 3025 (Part 5): 2018	-	Agreeable	Agreeable
2	Turbidity	APHA 24 th Edition 2130 B: 2023	NTU	<1.0	5.0
3	pH at 25 °C	APHA 24 th Edition 4500 – H+ B: 2023	-	6.79	6.50-8.50
4	Electrical Conductivity	APHA 24 th Edition 2510 B: 2023	(µS/cm)	1650	-
B.	Chemical parameters				
5	Total Dissolved Solids	APHA 24 th Edition 2540-C: 2023	mg/L	992	2000
6	Total hardness (as CaCO ₃)	APHA 24 th Edition 2340 C: 2023	mg/L	455	600
7	Calcium (as Ca)	IS 3025 (Part 40): 1991	mg/L	79.2	200
8	Magnesium (as Mg)	IS 3025 (Part 46): 1994	mg/L	61.8	100
9	Calcium Hardness (as CaCO ₃)	APHA 24 th Edition 3500 Ca B: 2023	mg/L	198	-
10	Magnesium Hardness (as CaCO ₃)	APHA 24 th Edition 3500 Mg B: 2023	mg/L	257	-
11	Total alkalinity (as CaCO ₃)	APHA 24 th Edition 2320 B: 2023	mg/L	440	600
12	Chloride (as Cl)	APHA 24 th Edition 4500 Cl- B: 2023	mg/L	243	1000



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No. SARL/2024/2017

Report Date. 01.06.2024

Sl. No	Parameters	Protocol	Unit	Result	*Limits
					Permissible
13	Free Residual chlorine	APHA 24th Edition 4500 Cl- B: 2023	mg/L	BDL (D.L - 0.2)	1.0
14	Sulphate as (SO42-)	APHA 24th Edition 4500 SO42- E: 2023	mg/L	189	400
15	Iron (as Fe)	APHA 24th Edition 3500 Fe B: 2023	mg/L	0.04	0.3
16	Nitrate (as NO3)	IS 3025 (Part 34): 1988	mg/L	2.31	45
17	Fluoride (as F)	APHA 24th Edition 4500 F- D: 2023	mg/L	0.46	1.5
18	Manganese (as Mn)	APHA 24th Edition 3500 Mn B: 2023	mg/L	BDL (D.L - 0.05)	0.3

Remarks: *Drinking Water Specifications as per IS – 10500:2012. BDL – Below Detectable limit (DL - Detectable limit).

For Shrient Analytical and Research Labs Pvt. Ltd


Verified



END OF THE REPORT


Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No. SARL/2024/2018

Report Date. 01.06.2024

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	WATER
Sample Mark	W2-ERAIYUR VILLAGE

Customer Reference	By Mail	Sampling Procedure	IS 17614: Part 14: 2021
Sample Reference No	SARL/W/CHE-2018	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	26.05.2024	Test Completed on	01.06.2024
Sample Condition	Fit for Analysis		

Sl. No.	Parameters	Protocol	Unit	Result	*Limits
					Permissible
A.	Physical parameters				
1	Odour	IS 3025 (Part 5): 2018	-	Agreeable	Agreeable
2	Turbidity	APHA 24 th Edition 2130 B: 2023	NTU	<1.0	5.0
3	pH at 25 °C	APHA 24 th Edition 4500 – H+ B: 2023	-	6.70	6.50-8.50
4	Electrical Conductivity	APHA 24 th Edition 2510 B: 2023	(µS/cm)	1325	-
B.	Chemical parameters				
5	Total Dissolved Solids	APHA 24 th Edition 2540-C: 2023	mg/L	1032	2000
6	Total hardness (as CaCO ₃)	APHA 24 th Edition 2340 C: 2023	mg/L	796	600
7	Calcium (as Ca)	IS 3025 (Part 40): 1991	mg/L	519	200
8	Magnesium (as Mg)	IS 3025 (Part 46): 1994	mg/L	96.6	100
9	Calcium Hardness (as CaCO ₃)	APHA 24 th Edition 3500 Ca B: 2023	mg/L	66.5	-
10	Magnesium Hardness (as CaCO ₃)	APHA 24 th Edition 3500 Mg B: 2023	mg/L	242	-
11	Total alkalinity (as CaCO ₃)	APHA 24 th Edition 2320 B: 2023	mg/L	277	600
12	Chloride (as Cl)	APHA 24 th Edition 4500 Cl- B: 2023	mg/L	210	1000



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No. SARL/2024/2018

Report Date. 01.06.2024

Sl. No	Parameters	Protocol	Unit	Result	*Limits
					Permissible
13	Free Residual chlorine	APHA 24th Edition 4500 Cl- B: 2023	mg/L	BDL (D.L - 0.2)	1.0
14	Sulphate as (SO42-)	APHA 24th Edition 4500 SO42- E: 2023	mg/L	105	400
15	Iron (as Fe)	APHA 24th Edition 3500 Fe B: 2023	mg/L	0.03	0.3
16	Nitrate (as NO3)	IS 3025 (Part 34): 1988	mg/L	2.14	45
17	Fluoride (as F)	APHA 24th Edition 4500 F- D: 2023	mg/L	0.47	1.5
18	Manganese (as Mn)	APHA 24th Edition 3500 Mn B: 2023	mg/L	BDL (D.L - 0.05)	0.3

Remarks: *Drinking Water Specifications as per IS – 10500:2012. BDL – Below Detectable limit (DL - Detectable limit).

For Shrient Analytical and Research Labs Pvt. Ltd


Verified



END OF THE REPORT


Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No. SARL/2024/2019

Report Date. 01.06.2024

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	WATER
Sample Mark	W3-THOLLAMUR VILLAGE

Customer Reference	By Mail	Sampling Procedure	IS 17614: Part 14: 2021
Sample Reference No	SARL/W/CHE-2019	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	26.05.2024	Test Completed on	01.06.2024
Sample Condition	Fit for Analysis		

Sl. No.	Parameters	Protocol	Unit	Result	*Limits
					Permissible
A.	Physical parameters				
1	Odour	IS 3025 (Part 5): 2018	-	Agreeable	Agreeable
2	Turbidity	APHA 24 th Edition 2130 B: 2023	NTU	<1.0	5.0
3	pH at 25 °C	APHA 24 th Edition 4500 – H+ B: 2023	-	6.99	6.50-8.50
4	Electrical Conductivity	APHA 24 th Edition 2510 B: 2023	(µS/cm)	1789	-
B.	Chemical parameters				
5	Total Dissolved Solids	APHA 24 th Edition 2540-C: 2023	mg/L	1075	2000
6	Total hardness (as CaCO ₃)	APHA 24 th Edition 2340 C: 2023	mg/L	479	600
7	Calcium (as Ca)	IS 3025 (Part 40): 1991	mg/L	117	200
8	Magnesium (as Mg)	IS 3025 (Part 46): 1994	mg/L	44.7	100
9	Calcium Hardness (as CaCO ₃)	APHA 24 th Edition 3500 Ca B: 2023	mg/L	293	-
10	Magnesium Hardness (as CaCO ₃)	APHA 24 th Edition 3500 Mg B: 2023	mg/L	186	-
11	Total alkalinity (as CaCO ₃)	APHA 24 th Edition 2320 B: 2023	mg/L	525	600
12	Chloride (as Cl)	APHA 24 th Edition 4500 Cl- B: 2023	mg/L	312	1000



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No. SARL/2024/2019

Report Date. 01.06.2024

Sl. No	Parameters	Protocol	Unit	Result	*Limits
					Permissibl e
13	Free Residual chlorine	APHA 24th Edition 4500 Cl- B: 2023	mg/L	BDL (D.L - 0.2)	1.0
14	Sulphate as (SO42-)	APHA 24th Edition 4500 SO42- E: 2023	mg/L	238	400
15	Iron (as Fe)	APHA 24th Edition 3500 Fe B: 2023	mg/L	0.02	0.3
16	Nitrate (as NO3)	IS 3025 (Part 34): 1988	mg/L	3.35	45
17	Fluoride (as F)	APHA 24th Edition 4500 F- D: 2023	mg/L	0.55	1.5
18	Manganese (as Mn)	APHA 24th Edition 3500 Mn B: 2023	mg/L	BDL (D.L - 0.05)	0.3

Remarks: *Drinking Water Specifications as per IS – 10500:2012. BDL – Below Detectable limit (DL - Detectable limit).

For Shrient Analytical and Research Labs Pvt. Ltd


Verified



END OF THE REPORT


Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No. SARL/2024/2020

Report Date. 01.06.2024

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	WATER
Sample Mark	S4-PARANGAI VILLAGE

Customer Reference	By Mail	Sampling Procedure	IS 17614: Part 14: 2021
Sample Reference No	SARL/W/CHE-2020	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	26.05.2024	Test Completed on	01.06.2024
Sample Condition	Fit for Analysis		

Sl. No.	Parameters	Protocol	Unit	Result	*Limits
					Permissible
A.	Physical parameters				
1	Odour	IS 3025 (Part 5): 2018	-	Agreeable	Agreeable
2	Turbidity	APHA 24 th Edition 2130 B: 2023	NTU	<1.0	5.0
3	pH at 25 °C	APHA 24 th Edition 4500 – H+ B: 2023	-	7.22	6.50-8.50
4	Electrical Conductivity	APHA 24 th Edition 2510 B: 2023	(µS/cm)	696.9	-
B.	Chemical parameters				
5	Total Dissolved Solids	APHA 24 th Edition 2540-C: 2023	mg/L	420	2000
6	Total hardness (as CaCO ₃)	APHA 24 th Edition 2340 C: 2023	mg/L	166	600
7	Calcium (as Ca)	IS 3025 (Part 40): 1991	mg/L	39.6	200
8	Magnesium (as Mg)	IS 3025 (Part 46): 1994	mg/L	16.2	100
9	Calcium Hardness (as CaCO ₃)	APHA 24 th Edition 3500 Ca B: 2023	mg/L	99.0	-
10	Magnesium Hardness (as CaCO ₃)	APHA 24 th Edition 3500 Mg B: 2023	mg/L	67.3	-
11	Total alkalinity (as CaCO ₃)	APHA 24 th Edition 2320 B: 2023	mg/L	178	600
12	Chloride (as Cl)	APHA 24 th Edition 4500 Cl- B: 2023	mg/L	144	1000



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No. SARL/2024/2020

Report Date. 01.06.2024

Sl. No	Parameters	Protocol	Unit	Result	*Limits
					Permissible
13	Free Residual chlorine	APHA 24th Edition 4500 Cl- B: 2023	mg/L	BDL (D.L - 0.2)	1.0
14	Sulphate as (SO42-)	APHA 24th Edition 4500 SO42- E: 2023	mg/L	76.5	400
15	Iron (as Fe)	APHA 24th Edition 3500 Fe B: 2023	mg/L	0.05	0.3
16	Nitrate (as NO3)	IS 3025 (Part 34): 1988	mg/L	1.46	45
17	Fluoride (as F)	APHA 24th Edition 4500 F- D: 2023	mg/L	0.25	1.5
18	Manganese (as Mn)	APHA 24th Edition 3500 Mn B: 2023	mg/L	BDL (D.L - 0.05)	0.3

Remarks: *Drinking Water Specifications as per IS – 10500:2012. BDL – Below Detectable limit (DL - Detectable limit).

For Shrient Analytical and Research Labs Pvt. Ltd


Verified



END OF THE REPORT


Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No. SARL/2024/2021

Report Date. 01.06.2024

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	WATER
Sample Mark	W5-KUNNAM VILLAGE

Customer Reference	By Mail	Sampling Procedure	IS 17614: Part 14: 2021
Sample Reference No	SARL/W/CHE-2021	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	26.05.2024	Test Completed on	01.06.2024
Sample Condition	Fit for Analysis		

Sl. No.	Parameters	Protocol	Unit	Result	*Limits
					Permissible
A.	Physical parameters				
1	Odour	IS 3025 (Part 5): 2018	-	Agreeable	Agreeable
2	Turbidity	APHA 24 th Edition 2130 B: 2023	NTU	<1.0	5.0
3	pH at 25 °C	APHA 24 th Edition 4500 – H+ B: 2023	-	7.09	6.50-8.50
4	Electrical Conductivity	APHA 24 th Edition 2510 B: 2023	(µS/cm)	1021	-
B.	Chemical parameters				
5	Total Dissolved Solids	APHA 24 th Edition 2540-C: 2023	mg/L	615	2000
6	Total hardness (as CaCO ₃)	APHA 24 th Edition 2340 C: 2023	mg/L	404	600
7	Calcium (as Ca)	IS 3025 (Part 40): 1991	mg/L	68.1	200
8	Magnesium (as Mg)	IS 3025 (Part 46): 1994	mg/L	56.1	100
9	Calcium Hardness (as CaCO ₃)	APHA 24 th Edition 3500 Ca B: 2023	mg/L	170	-
10	Magnesium Hardness (as CaCO ₃)	APHA 24 th Edition 3500 Mg B: 2023	mg/L	234	-
11	Total alkalinity (as CaCO ₃)	APHA 24 th Edition 2320 B: 2023	mg/L	372	600
12	Chloride (as Cl)	APHA 24 th Edition 4500 Cl- B: 2023	mg/L	169	1000



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No. SARL/2024/2021

Report Date. 01.06.2024

Sl. No	Parameters	Protocol	Unit	Result	*Limits
					Permissible
13	Free Residual chlorine	APHA 24th Edition 4500 Cl- B: 2023	mg/L	BDL (D.L - 0.2)	1.0
14	Sulphate as (SO42-)	APHA 24th Edition 4500 SO42- E: 2023	mg/L	82.4	400
15	Iron (as Fe)	APHA 24th Edition 3500 Fe B: 2023	mg/L	0.04	0.3
16	Nitrate (as NO3)	IS 3025 (Part 34): 1988	mg/L	2.11	45
17	Fluoride (as F)	APHA 24th Edition 4500 F- D: 2023	mg/L	0.33	1.5
18	Manganese (as Mn)	APHA 24th Edition 3500 Mn B: 2023	mg/L	BDL (D.L - 0.05)	0.3

Remarks: *Drinking Water Specifications as per IS – 10500:2012. BDL – Below Detectable limit (DL - Detectable limit).

For Shrient Analytical and Research Labs Pvt. Ltd


Verified



END OF THE REPORT


Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No. SARL/2024/2022

Report Date. 01.06.2024

Customer Name & Address	Thiru.K.RAJAMANI, 2.02.5 Ha, Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu.
Sample Description	WATER
Sample Mark	W6-PERUMBAKKAM VILLAGE

Customer Reference	By Mail	Sampling Procedure	IS 17614: Part 14: 2021
Sample Reference No	SARL/W/CHE-2022	Sample Received on	27.05.2024
Sample Collected by	LABORATORY	Test Commenced on	27.05.2024
Sample Collected on	26.05.2024	Test Completed on	01.06.2024
Sample Condition	Fit for Analysis		

Sl. No.	Parameters	Protocol	Unit	Result	*Limits
					Permissible
A.	Physical parameters				
1	Odour	IS 3025 (Part 5): 2018	-	Agreeable	Agreeable
2	Turbidity	APHA 24 th Edition 2130 B: 2023	NTU	<1.0	5.0
3	pH at 25 °C	APHA 24 th Edition 4500 – H+ B: 2023	-	6.87	6.50-8.50
4	Electrical Conductivity	APHA 24 th Edition 2510 B: 2023	(µS/cm)	2503	-
B.	Chemical parameters				
5	Total Dissolved Solids	APHA 24 th Edition 2540-C: 2023	mg/L	1505	2000
6	Total hardness (as CaCO ₃)	APHA 24 th Edition 2340 C: 2023	mg/L	493	600
7	Calcium (as Ca)	IS 3025 (Part 40): 1991	mg/L	111	200
8	Magnesium (as Mg)	IS 3025 (Part 46): 1994	mg/L	51.6	100
9	Calcium Hardness (as CaCO ₃)	APHA 24 th Edition 3500 Ca B: 2023	mg/L	278	-
10	Magnesium Hardness (as CaCO ₃)	APHA 24 th Edition 3500 Mg B: 2023	mg/L	215	-
11	Total alkalinity (as CaCO ₃)	APHA 24 th Edition 2320 B: 2023	mg/L	364	600
12	Chloride (as Cl)	APHA 24 th Edition 4500 Cl- B: 2023	mg/L	600	1000



Shrient Analytical and Research Labs Pvt. Ltd

416/15, Dhargas Road, West Tambaram, Chennai- 600045
Phone Number +91 82208 36377 Email: - info@shrientanalytical.com
www.shrientanalytical.com

TEST REPORT

Report No. SARL/2024/2022

Report Date. 01.06.2024

Sl. No	Parameters	Protocol	Unit	Result	*Limits
					Permissible
13	Free Residual chlorine	APHA 24th Edition 4500 Cl- B: 2023	mg/L	BDL (D.L - 0.2)	1.0
14	Sulphate as (SO42-)	APHA 24th Edition 4500 SO42- E: 2023	mg/L	357	400
15	Iron (as Fe)	APHA 24th Edition 3500 Fe B: 2023	mg/L	0.11	0.3
16	Nitrate (as NO3)	IS 3025 (Part 34): 1988	mg/L	4.57	45
17	Fluoride (as F)	APHA 24th Edition 4500 F- D: 2023	mg/L	0.62	1.5
18	Manganese (as Mn)	APHA 24th Edition 3500 Mn B: 2023	mg/L	BDL (D.L - 0.05)	0.3

Remarks: *Drinking Water Specifications as per IS – 10500:2012. BDL – Below Detectable limit (DL - Detectable limit).

For Shrient Analytical and Research Labs Pvt. Ltd


Verified



END OF THE REPORT


Authorized Signatory
J. GNANAPRAKASAM
Technical Manager

Please Contact:

For any Technical Issues & Complaints: vimalnath@shrientanalytical.com

Terms and conditions:

(1) The test items will not be retained for more than 15 days from the date of issue of test report. (2) The results relate only to the items tested (3) The test report shall not be reproduced except in full without the written approval of the laboratory (4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.



ANNEXURE-9



National Accreditation Board for
Testing and Calibration Laboratories

CERTIFICATE OF ACCREDITATION

**SHRIENT ANALYTICAL & RESEARCH LABS PRIVATE
LIMITED**

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

416/15, DHARGAS ROAD, PERUNGALATHUR, WEST TAMBARAM, CHENNAI, KANCHIPURAM, TAMIL
NADU, INDIA

in the field of

TESTING

Certificate Number: TC-12339

Issue Date: 30/09/2023

Valid Until:

29/09/2025

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.

(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Entity: SHRIENT ANALYTICAL AND RESEARCH LABS PRIVATE LIMITED


Signed for and on behalf of NABL



N. Venkateswaran
Chief Executive Officer




ANNEXURE-10




INDEX

QUARRY LEASE APPLIED AREA	
300M RADIUS	
500M RADIUS	
KULAM	
CART TRACK	
STATE HIGHWAY	



ANNEXURE-11


PROPOSED ROUGH STONE AND GRAVEL QUARRY OF TMT.K.RAJAMANI OVER AN EXTENT 2.02.5HA LOCATED AT S.F.NO.171/1A AND 171/1B OF KARASANUR VILLAGE, VANUR TALUK, VILUPPURAM DISTRICT, TAMIL NADU STATE.



INDEX
TOPO SHEET NO:
57 P / 12, 16 & 58 M / 9



Q.LEASE APPLIED AREA	
10km RADIUS	
5.0km RADIUS	
1.0km RADIUS	
STATE HIGHWAY	
NATIONAL HIGHWAY	
HABITATION	
RIVER & Ar	
DAM	
CANAL	



ANNEXURE-12



தமிழ்நாடு தமில்நாடு TAMILNADU 1.04.2024

RS. 100/
DR 076399

M. ஜோசி

K. Rajamani

Viluppuram

AFFIDAVIT TO SEIAA - TAMIL NADU

M. ஜோசி (எ) தாமிரவரணி, மு.நா.க.

உரிமம் எண்: 6206-14/91

கச்சேரி வீதி, ஓமலூர்

சேலம் மாவட்டம்

I, Tmt.K.Rajamani, W/o. Kuppusamy, No.168, Mettu Street, Karasanur Village, Vanur Taluk, Viluppuram District. Pin Code- 605609, I have applying for Environmental Clearance to SEIAA - Tamil Nadu for my proposed Rough Stone and Gravel Quarry lease over an extent of 2.02.5Ha located at the S.F.Nos. 171/1A and 171/1B of Karasanur Village, Vanur Taluk, Viluppuram District, Tamil Nadu State, do hereby solemnly declare and sincerely affirm that;

1. None of the following features are located within a 10 km radius from the proposed quarry site;
 - a. Protected areas notified under the Wildlife (Protection) Act, 1972 (NBWL).
 - b. Wild Life Sanctuary: Nil within 10km radius
Oussudu Lake Birds Sanctuary - 12.4km (SE)
 - c. Critically polluted areas as notified by the central pollution control board constituted under Water (Prevention and Control of Pollution) Act 1974.



K. ஜனகலட்சுமி.

58715

2. My proposal for Corporate Environment Responsibility (CER) activities is given as follows;

PROPOSED CER ACTIVITIES	PROJECT COST (INR)	CER COST 2.0% OF PROJECT COST (INR)
To implement various social development activities for the nearby Government school	71,65,000/-	1,43,300
Revised CER budget allotted	5,00,000/-	

I assure you that, I will complete the above proposed Corporate Environment Responsibility (CER) activities before the commencement of the quarrying operations.

3. Details of quarries located within a 500m radius from the applied mine lease area:

Sl.No	Name of the Lessee	Village & S. F. No.	Extent (Ha)	Lease Status
a. Abandoned Quarries				
1	V.Sadaiyappan, No.18, Amal Nagar, West Tambaram, Chennai-600045.	Thollamur Village, Vanur Taluk, S.F.No: 1/3A, 12/3, 12/5B1	3.57.0 Ha	16.08.2018 to 15.08.2023
2	K.Gnanasekaran, S/o. Kannadi Gounder, Mettu Street, Karasanur Village, Vanur Taluk, Viluppuram	Thollamur Village, Vanur Taluk, S.F.No: 12/4, 12/5A	1.24.5 Ha	24.09.2017 to 23.09.2022
3	K.Balamurugan, S/o. Kuppusamy, Karasanur Post, Vanur Taluk, Viluppuram	Thollamur Village, Vanur Taluk, S.F.No: 11/4A2, 15/2, 15/3A, 15/3B, 15/4	2.12.0 Ha	27.08.2018 to 26.08.2023



K. Gnanasekaran

4	S.Nanthini, W/o.Sankar, No.14, 3 rd Street, Jayapuram, Tindivanam Taluk, Viluppuram	Thollamur Village, Vanur Taluk, S.F.No: 11/5A, 11/6, 11/7, 16/2, 16/3, 16/4, 16/5, 16/6, 16/7, 16/8B, 16/9, 16/10	3.32.5 Ha	31.12.2015 to 30.12.2020
5	V.Sankar, S/o.Vivekanandan, No.14, Jayapuram Colony, Tindivanam Taluk Viluppuram	Thollamur Village, Vanur Taluk, S.F.No: 2/1, 2/2, 2/3, 2/4, 2/5, 3/1, 3/2, 3/3, 3/4, 3/5, 3/6, 3/7	3.66.5 Ha	20.09.2016 to 19.09.2021
b. Existing Quarries				
1	I.Justin Prabu, S/o.Iyyadurai, No.1/56, D9, Church Street, Christopher Nagar, Peruvilai, Kanniyakumari	Karasanur Village, Vanur Taluk, S.F.No: 43/4A, 43/4B, 43/4C, 43/5, 43/6, 44/6	3.67.5 Ha	03.06.2022 to 02.06.2032
c. Present Proposed Quarries				
1	Tmt.K.Rajamani, W/o. Kuppusamy, No.168, Mettu Street, Karasanur Village, Vanur Taluk, Viluppuram	Karasanur Village S.F.No: 171/1A, 171/1B	2.02.5 Ha	Under Proposed Quarry
2	G.Arjunan, S/o.Govindasamy, No.63, Throwpathi Amman Kovil Street, Thiruvakkarai, Vanur Taluk,	Thollamur Village S.F.No: 11/5A, 11/6, 11/7, 16/2, 16/3, 16/4, 16/5, 16/6, 16/7, 16/8B, 16/9, 16/10	3.32.5 Ha	Proposed Quarry



K. J. S. S. S. S.

The total lease within the 500m radius (Proposed + Existing) (2 nos + 1 nos) works out to 9.02.5 Ha including this lease area.

Sl.No	Name of the Lessee	Village & S. F. No.	Extent (Ha)	Lease Status
Existing Quarries – (Granite)				
1	M/s. Kattima, No.18, Sulaiman Jakkariya avenue casa major road, Egmore, Chennai - 8	Karasanur Village, Vanur Taluk, S.F.No: 169/7A, 169/8, 170/1	1.76.5 Ha	11.08.2008 to 10.08.2028 Non Operation From 2017
2	Shanthakumari, W/o. (Late) Selvaraj, No.139, Gopalapuram, Marakanam Road, Tindivanam	Karasanur Village, Vanur Taluk, S.F.No: 49/6, 49/7, 50/1, 50/2, 169/3	1.00.0 Ha	04.06.2010 to 03.06.2030 Non Operation From 2017
3	M/s. Aswani Enterprises, No.49A, Jayapuram Colony, Tindivanam	Karasanur Village, Vanur Taluk, S.F.No: 169/9, 169/10, 169/12, 172/1 (P)	1.38.5 Ha	08.02.2010 to 07.02.2030 Non Operation From 2017

4. There will be no hindrance/disturbance due to the proposed quarrying activities to the people living nearby my proposed quarry site.
5. There are no approved habitations within a 300m radius from the periphery of my proposed quarry lease.
6. I assure you that the greenbelt will be developed and maintained before commencing the quarrying operations as proposed in the EC application.
7. I assure you that the required life insurance policy for the employees engaged in the quarrying operations will be taken without fail.
8. The existing main road connecting the quarry road will be maintained in good condition and it will be utilized for the mineral transportation.



K. Jaganathan

9. I assure you that I will not engage any child for labor in the quarrying operations and I am aware that engaging child labor is punishable under the law.
10. Personnel Protective Equipment (PPE) will be provided to all the employees engaged in the quarrying operations.
11. No permanent structures, such as temples, etc., are located within a 300 meter radius of the periphery of our quarry.
12. I will erect the wire fence with barbed wires all around the periphery of the quarry lease before the commencement of mining activities.
13. The mining operations will be carried out in a systematic and scientific manner by employing a qualified statutory person as per the requirement of the Mines Act, Mines Rules, and other Guidelines issued by Govt.
14. I will inform DGMS before the commencement of mining activities.
15. To the best of our knowledge, I ensure to do the social and environmental commitments as mentioned in the mining plan.

Notary Sign & Seal




Lessee Sign & Sea

K. Rajamani
K.Rajamani

R. Ramamathan
1.4.24
R. RAMANATHAN, B.Sc., MA., B.L.
ADVOCATE & NOTARY
Enroll No: 588/97
.O. Office Opposite, Sukumaran C
Omalur, Salem (Dt)-636 455.
Cell: 9486762208

K. Rajamani



ANNEXURE-13

From
Tmt. S.Safiya, M.Sc.,
Assistant Director,
Geology and Mining,
Viluppuram.

To
Tmt.K.Rajamani,
W/o. Kuppusamy,
No.168, Mettu Street,
Karasanur Village,
Vanur Taluk,
Viluppuram District.

Rc.No.A/G&M/82/2024 Dated 15.03.2024

Sub: Mines & Minerals - Minor Mineral - Rough stone and Gravel - Viluppuram District - Vanur Taluk - Karasanur Village - over an extent of 2.02.5 hectares of patta lands - S.F.Nos. 171/1A (1.21.5) and 171/1B (0.81.0) - Quarry lease application preferred by Tmt.K.Rajamani, Karasanur Village - Precise area communicated - Mining Plan approved - Further particulars called for - Furnished -Reg.

- Ref: 1. Quarry lease application dated 26.02.2024 preferred by Tmt.K.Rajamani, W/o. Kuppusamy, No.168, Mettu Street, Karasanur Village, Vanur Taluk, Viluppuram District.
2. Assistant Director, Geology and Mining, Viluppuram Letter Rc.No.A/G&M/82/2024 Dated 13.03.2024.
3. Representation from Tmt.K.Rajamani, Karasanur Village Dated 15.03.2024.


In the reference 3rd cited, Tmt.K.Rajamani, W/o. Kuppusamy has requested to furnish details of previously granted lease pit dimensions for the area for which precise area communication was issued vide reference 2nd cited.


In this connection, the following details are furnished.


Previously a quarry lease was granted to Thiru. V.Lakshminarayanan, S/o Vivekanandan for quarrying Rough stone over an extent of 1.21.5 hec. of patta land in S.F.No.171/1A of Karasanur Village, Vanur Taluk, Viluppuram District vide District Collector, Viluppuram Proceedings Rc.No.A/G&M/825/2011 dated 10.08.2012 for a period of five years from 22.08.2011 to 21.08.2016.

Due to the removal of minerals by Thiru. V.Lakshminarayanan during the above mentioned lease period quarry pit exists in the applied area and previously lease granted area with the following dimensions.

Existing Pit Dimensions				
Pit No.	S.F.No.	Length (meter)	Width (meter)	Depth (meter)
1	171/1A	55 (Max)	20 (Avg)	8 (Max)


Assistant Director,
Geology and Mining,
Viluppuram.


15.3.24



ANNEXURE-14

அனுப்புநர்

வெ. பச்சையம்மாள்,
உலையமையாசிரியர்,
உள. ஓ. வெ. பள்ளி,
கரசானூர்,
வானூர் வட்டம்,
விடுப்புரம் மாவட்டம்;

பெறுநர்

திருமதி. ராஜாமணி,
W/O சூப்புகாமி,
கரசானூர், V. பரவக்கனி அஞ்சல்,
வானூர் வட்டம்,
விடுப்புரம் மாவட்டம்,

பொருள் : கரசானூர் ஊராட்சி ஒன்றிய தொடக்கப்பள்ளியில் அடிப்படை
வகுதி சென்ற தருவது - தொடர்ச்சு

மதிப்பிற்குரிய அம்மா,

தாங்கள் பள்ளிக்கு தீவிரமாக கழிவுகூறு சீர்படுத்தல்
செய்தல், கழிவு பகுதி நீக்கல், பிள் வகுதி ஒயரிங் மாற்றித் தருதல்
R.O குழிர் வகுதி சென்ற தருதல், பீரோ-2, பின்சாரமணி, ரெக்டர்
ரெக்டர் - 1 ரெட் டெயர், சேர் - 2 ரெட் புதிய பின்வகுதி அமைத்து
தருதல் பணிகளுக்காக ரூபாய் 5 லட்சம் தீவிரப்படுவதால் தாங்கள்
தாம் பள்ளிக்கு சென்றண்ட (வசதிக்கான) சீரமைத்து சென்ற தருதல்
பணிவுடன் கைடுக் கொள்கிறேன்

நாள் : 18 : 03 : 2024,

கிடம் : கரசானூர்.

திப்படிக்கு

HEADMASTER
P.U.P. SCHOOL
KARASANUR-605 109
VANUR T.K.,
VILLUPURAM DIST.