



**TAMILNADU POLLUTION CONTROL BOARD**

**321<sup>st</sup> Consent Clearance Committee Meeting held on 20.3.2024**

**Follow up Action**

Item No.	Subject	Order Sought for	Decision of the Committee
321-1	<b>M/s. Raj Petro Specialities Pvt Ltd.,</b> Manali Village, Chennai District.	CTO(Direct)	Approved
321-2	<b>M/s. OLA Cell Technologies Private Ltd.,</b> Parandapalli Village Krishnagiri District.	CTO after CTE (Phase I)	Approved
321-3	<b>M/s. Indian Oil Corporation Ltd.,</b> Maramangalathupatti Village Salem District.	CTE (Expn)	Approved
321-4	<b>M/s. Madurai District Co-Operative Milk Producers Union Ltd.,</b> Sathamangalam Village Madurai District	CTO(Expn)	Approved
321-5	<b>M/s. Sri Kauvery Medical Care India Limited.,</b> Kovilambakkam Village, Chengalpattu District.	CTO after CTE	Approved
321-6	<b>M/s.OM Paper Mill</b> Thorapalli Agraharam Village, Krishnagiri District.	CTO(Expn)	Approved
321-7	<b>M/s.Sir Ivan Stedford Hospital.,</b> Oragadam&Thirumullaivoyal Villages, Tiruvallur District.	CTO(Expn)	Approved
321-8	<b>M/s.SHV Energy Private Ltd.,</b> Kallapalayam Village, Coimbatore District.	CTE(Extn)	Approved
321-9	<b>M/s. Krishna Constructions Chennai Pvt Ltd.,</b> Saligramam Village, Chennai District.	CTE(New)	Approved
321-10	<b>M/s. IndospaceVallam II Pvt Ltd.,</b> (Phase II),Boothanur Village, Kancheepuram District.	CTO after CTE(Combined Phase I,II & III)	Approved

Item No.	Subject	Order Sought for	Decision of the Committee
321-11	<b>M/s. Indian Oil Corporation Ltd., (Indane Bottling Plant)</b> Gangaikondan Village, Tirunelveli District.	CTO(Expn)-I	Approved
321-12	<b>M/s.Meena LPG Industries., LPG Bottling Unit.</b> Kunnavakkam Village, Tiruvannamalai District.	CTO after CTE	Approved
321-13	<b>M/s.Indian Oil Corporation Ltd., LPG Bottling Plant</b> Palladam Village, Chengalpattu District.	CTO(Direct)	Approved
321-14	<b>M/s.KaleesuwariAgro Industries Pvt Ltd,</b> Mullakadu Part I Village,Harbour Estate V.O.Chidambaranar Port Authority Thoothukudi District.	CTO after CTE	Approved

*A.M*  
A.M  
4/14/24

*R. L. S.*  
6/14/24  
ADDL. CHIEF ENVIRONMENTAL ENGINEER

11/11