

Air Quality Index, Cuddalore, January - 2020

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.01.2020	53	Satisfactory	1	02.01.2020	49	Good	1	01.01.2020	64	Satisfactory
2	07.01.2020	60	Satisfactory	2	06.01.2020	50	Good	2	04.01.2020	66	Satisfactory
3	10.01.2020	53	Satisfactory	3	09.01.2020	48	Good	3	08.01.2020	66	Satisfactory
4	14.01.2020	58	Satisfactory	4	13.01.2020	48	Good	4	11.01.2020	66	Satisfactory
5	17.01.2020	53	Satisfactory	5	16.01.2020	49	Good	5	15.01.2020	66	Satisfactory
6	21.01.2020	55	Satisfactory	6	20.01.2020	47	Good	6	18.01.2020	66	Satisfactory
7	24.01.2020	58	Satisfactory	7	23.01.2020	50	Good	7	22.01.2020	65	Satisfactory
8	28.01.2020	53	Satisfactory	8	27.01.2020	49	Good	8	25.01.2020	67	Satisfactory
9	31.01.2020	58	Satisfactory	9	30.01.2020	48	Good	9	29.01.2020	65	Satisfactory

Air Quality index Cuddalore February-2020											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	4.2.2020	52	Satisfactory	1	3.2.2020	50	Good	1	1.2.2020	63	Satisfactory
2	7.2.2020	58	Satisfactory	2	6.2.2020	52	Satisfactory	2	8.2.2020	65	Satisfactory
3	11.2.2020	54	Satisfactory	3	10.2.2020	52	Satisfactory	3	12.2.2020	62	Satisfactory
4	14.2.2020	60	Satisfactory	4	13.2.2020	51	Satisfactory	4	15.2.2020	63	Satisfactory
5	18.2.2020	53	Satisfactory	5	17.2.2020	50	Good	5	19.2.2020	64	Satisfactory
6	21.2.2020	53	Satisfactory	6	20.2.2020	49	Good	6	22.2.2020	65	Satisfactory
7	25.2.2020	55	Satisfactory	7	24.2.2020	49	Good	7	26.2.2020	64	Satisfactory
8	28.2.2020.	57	Satisfactory	8	27.2.2020	52	Satisfactory	8	29.2.2020	63	Satisfactory

Air Quality Index, Cuddalore, March - 2020

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.03.2020	53	Satisfactory	1	02.03.2020	52	Satisfactory	1	04.03.2020	63	Satisfactory
2	06.03.2020	60	Satisfactory	2	05.03.2020	51	Satisfactory	2	07.03.2020	62	Satisfactory
3	10.03.2020	57	Satisfactory	3	09.03.2020	52	Satisfactory	3	11.03.2020	62	Satisfactory
4	13.03.2020	60	Satisfactory	4	12.03.2020	51	Satisfactory	4	14.03.2020	62	Satisfactory
5	17.03.2020	62	Satisfactory	5	16.03.2020	52	Satisfactory	5	18.03.2020	63	Satisfactory
6	20.03.2020	53	Satisfactory	6	19.03.2020	53	Satisfactory	6	21.03.2020	63	Satisfactory
7	24.03.2020	58	Satisfactory	7	23.03.2020	53	Satisfactory	7	25.03.2020	43	Good
8	27.03.2020	42	Good	8	26.03.2020	37	Good	8	28.03.2020	47	Good
9	31.03.2020	43	Good	9	30.03.2020	38	Good				

Air Quality Index, Cuddalore, April - 2020											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.04.2020	42	Good	1	02.04.2020	33	Good	1	01.04.2020	42	Good
2	07.04.2020	45	Good	2	06.04.2020	38	Good	2	04.04.2020	48	Good
3	10.04.2020	45	Good	3	09.04.2020	35	Good	3	08.04.2020	47	Good
4	14.04.2020	43	Good	4	13.04.2020	38	Good	4	11.04.2020	48	Good
5	17.04.2020	45	Good	5	16.04.2020	34	Good	5	15.04.2020	42	Good
6	21.04.2020	42	Good	6	20.04.2020	37	Good	6	18.04.2020	43	Good
7	24.04.2020	40	Good	7	23.04.2020	38	Good	7	22.04.2020	48	Good
8	28.04.2020	43	Good	8	27.04.2020	35	Good	8	25.04.2020	42	Good
				9	30.04.2020	34	Good	9	29.04.2020	43	Good

Air Quality Index, Cuddalore, May - 2020

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.05.2020	42	Good	1	04.05.2020	51	Satisfactory	1	02.05.2020	45	Good
2	05.05.2020	53	Satisfactory	2	07.05.2020	50	Good	2	06.05.2020	58	Satisfactory
3	08.05.2020	54	Satisfactory	3	11.05.2020	50	Good	3	09.05.2020	57	Satisfactory
4	12.05.2020	57	Satisfactory	4	14.05.2020	50	Good	4	13.05.2020	60	Satisfactory
5	15.05.2020	58	Satisfactory	5	18.05.2020	51	Satisfactory	5	14.05.2020	58	Satisfactory
6	19.05.2020	53	Satisfactory	6	21.05.2020	51	Satisfactory	6	20.05.2020	59	Satisfactory
7	22.05.2020	58	Satisfactory	7	25.05.2020	52	Satisfactory	7	23.05.2020	59	Satisfactory
8	26.05.2020	53	Satisfactory	8	28.05.2020	51	Satisfactory	8	27.05.2020	59	Satisfactory
9	29.05.2020	58	Satisfactory					9	30.05.2020	59	Satisfactory

Air Quality Index, Cuddalore, JUNE - 2020

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.06.2020	55	Satisfactory	1	01.06.2020	46	Good	1	03.06.2020	63	Satisfactory
2	05.06.2020	54	Satisfactory	2	04.06.2020	49	Good	2	06.06.2020	66	Satisfactory
3	09.06.2020	57	Satisfactory	3	08.06.2020	47	Good	3	10.06.2020	66	Satisfactory
4	12.06.2020	58	Satisfactory	4	11.06.2020	48	Good	4	13.06.2020	65	Satisfactory
5	16.06.2020	58	Satisfactory	5	15.06.2020	49	Good	5	17.06.2020	66	Satisfactory
6	19.06.2020	57	Satisfactory	6	18.06.2020	49	Good	6	20.06.2020	65	Satisfactory
7	23.06.2020	58	Satisfactory	7	22.06.2020	49	Good	7	24.06.2020	65	Satisfactory
8	26.06.2020	57	Satisfactory	8	25.06.2020	48	Good	8	27.06.2020	63	Satisfactory
9	30.06.2020	55	Satisfactory	9	29.06.2020	47	Good				

Air Quality Index, Cuddalore, JULY - 2020

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.07.2020	53	Satisfactory	1	02.07.2020	47	Good	1	01.07.2020	64	Satisfactory
2	07.07.2020	57	Satisfactory	2	06.07.2020	47	Good	2	04.07.2020	65	Satisfactory
3	10.07.2020	57	Satisfactory	3	09.07.2020	49	Good	3	08.07.2020	65	Satisfactory
4	17.07.2020	55	Satisfactory	4	13.07.2020	49	Good	4	11.07.2020	65	Satisfactory
5	19.07.2020	57	Satisfactory	5	16.07.2020	48	Good	5	15.07.2020	63	Satisfactory
6	21.07.2020	55	Satisfactory	6	20.07.2020	52	Satisfactory	6	18.07.2020	64	Satisfactory
7	24.07.2020	54	Satisfactory	7	23.07.2020	47	Good	7	22.07.2020	64	Satisfactory
8	28.07.2020	54	Satisfactory	8	27.07.2020	48	Good	8	25.07.2020	65	Satisfactory
9	31.07.2020	57	Satisfactory	9	30.07.2020	47	Good	9	29.07.2020	63	Satisfactory

Air Quality Index, Cuddalore, AUGUST - 2020											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	04.08.2020	57	Satisfactory	1	03.08.2020	47	Good	1	01.08.2020	63	Satisfactory
2	07.08.2020	55	Satisfactory	2	06.08.2020	48	Good	2	05.08.2020	65	Satisfactory
3	11.08.2020	55	Satisfactory	3	10.08.2020	48	Good	3	08.08.2020	63	Satisfactory
4	14.08.2020	57	Satisfactory	4	13.08.2020	48	Good	4	15.08.2020	63	Satisfactory
5	18.08.2020	53	Satisfactory	5	17.08.2020	49	Good	5	16.08.2020	63	Satisfactory
6	21.08.2020	55	Satisfactory	6	20.08.2020	50	Good	6	19.08.2020	66	Satisfactory
7	25.08.2020	53	Satisfactory	7	24.08.2020	50	Good	7	22.08.2020	65	Satisfactory
8	28.08.2020	57	Satisfactory	8	27.08.2020	49	Good	8	26.08.2020	64	Satisfactory
				9	31.08.2020	48	Good	9	29.08.2020	64	Satisfactory

Air Quality Index, Cuddalore, SEPTEMBER - 2020

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.09.2020	55	Satisfactory	1	03.09.2020	48	Good	1	02.09.2020	64	Satisfactory
2	04.09.2020	57	Satisfactory	2	07.09.2020	50	Good	2	05.09.2020	64	Satisfactory
3	08.09.2020	53	Satisfactory	3	10.09.2020	50	Good	3	09.09.2020	65	Satisfactory
4	11.09.2020	55	Satisfactory	4	14.09.2020	48	Good	4	12.09.2020	65	Satisfactory
5	15.09.2020	57	Satisfactory	5	17.09.2020	48	Good	5	16.09.2020	63	Satisfactory
6	18.09.2020	57	Satisfactory	6	21.09.2020	48	Good	6	19.09.2020	64	Satisfactory
7	22.09.2020	55	Satisfactory	7	24.09.2020	48	Good	7	23.09.2020	65	Satisfactory
8	25.09.2020	57	Satisfactory	8	28.09.2020	48	Good	8	26.09.2020	65	Satisfactory
9	29.09.2020	57	Satisfactory					9	30.09.2020	64	Satisfactory

Air Quality Index, Cuddalore, OCTOBER - 2020

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.10.2020	55	Satisfactory	1	01.10.2020	46	Good	1	03.10.2020	63	Satisfactory
2	06.10.2020	54	Satisfactory	2	05.10.2020	49	Good	2	07.10.2020	64	Satisfactory
3	09.10.2020	57	Satisfactory	3	08.10.2020	47	Good	3	10.10.2020	65	Satisfactory
4	13.10.2020	55	Satisfactory	4	12.10.2020	49	Good	4	14.10.2020	63	Satisfactory
5	16.10.2020	57	Satisfactory	5	15.10.2020	48	Good	5	17.10.2020	65	Satisfactory
6	23.10.2020	53	Satisfactory	6	19.10.2020	48	Good	6	21.10.2020	65	Satisfactory
7	27.10.2020	55	Satisfactory	7	22.10.2020	48	Good	7	24.10.2020	64	Satisfactory
8	30.10.2020	53	Satisfactory	8	26.10.2020	48	Good	8	28.10.2020	64	Satisfactory
				9	29.10.2020	49	Good	9	31.10.2020	63	Satisfactory

Air Quality Index, Cuddalore, NOVEMBER - 2020

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.11.2020	53	Satisfactory	1	02.11.2020	53	Satisfactory	1	04.11.2020	70	Satisfactory
2	06.11.2020	55	Satisfactory	2	05.11.2020	52	Satisfactory	2	07.11.2020	78	Satisfactory
3	10.11.2020	53	Satisfactory	3	09.11.2020	53	Satisfactory	3	11.11.2020	81	Satisfactory
4	13.11.2020	55	Satisfactory	4	12.11.2020	42	Good	4	14.11.2020	90	Satisfactory
5	17.11.2020	57	Satisfactory	5	16.11.2020	40	Good	5	18.11.2020	70	Satisfactory
6	20.11.2020	53	Satisfactory	6	19.11.2020	51	Satisfactory	6	27.11.2020	64	Satisfactory
7	24.11.2020	58	Satisfactory	7	23.11.2020	53	Satisfactory	7	28.11.2020	62	Satisfactory
8	27.11.2020	54	Satisfactory	8	26.11.2020	40	Good				
				9	30.11.2020	52	Satisfactory				

Air Quality Index, Cuddalore, DECEMBER - 2020

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.12.2020	54	Satisfactory	1	03.12.2020	Rain		1	02.12.2020	28	Satisfactory
2	04.12.2020	Rain		2	07.12.2020	58	Satisfactory	2	05.12.2020	Rain	
3	08.12.2020	57	Satisfactory	3	10.12.2020	57	Satisfactory	3	09.12.2020	64	Satisfactory
4	11.12.2020	54	Satisfactory	4	14.12.2020	60	Satisfactory	4	12.12.2020	63	Satisfactory
5	15.12.2020	55	Satisfactory	5	17.12.2020	58	Satisfactory	5	16.12.2020	65	Satisfactory
6	18.12.2020	57	Satisfactory	6	21.12.2020	60	Satisfactory	6	19.12.2020	65	Satisfactory
7	22.12.2020	54	Satisfactory	7	24.12.2020	57	Satisfactory	7	23.12.2020	63	Satisfactory
8	25.12.2020	55	Satisfactory	8	28.12.2020	58	Satisfactory	8	26.12.2020	66	Satisfactory
9	30.12.2020	57	Satisfactory	9	31.12.2020	60	Satisfactory				