

Air Quality Index, Cuddalore, January - 2021											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.01.2021	57	Satisfactory	1	04.01.2021	58	Satisfactory	1	02.01.2021	64	Satisfactory
2	03.01.2021	55	Satisfactory	2	07.01.2021	54	Satisfactory	2	06.01.2021	65	Satisfactory
3	05.01.2021	54	Satisfactory	3	11.01.2021	55	Satisfactory	3	09.01.2021	64	Satisfactory
4	08.01.2021	57	Satisfactory	4	14.01.2021	57	Satisfactory	4	13.01.2021	65	Satisfactory
5	12.01.2021	55	Satisfactory	5	18.01.2021	58	Satisfactory	5	16.01.2021	63	Satisfactory
6	15.01.2021	53	Satisfactory	6	21.01.2021	60	Satisfactory	6	20.01.2021	64	Satisfactory
7	19.01.2021	57	Satisfactory	7	25.01.2021	57	Satisfactory	7	23.01.2021	64	Satisfactory
8	22.01.2021	55	Satisfactory	8	28.01.2021	55	Satisfactory	8	27.01.2021	63	Satisfactory
9	29.01.2021	55	Satisfactory					9	30.01.2021	63	Satisfactory
10	31.01.2021	55	Satisfactory								

V. Theagarajan
 4/5/21
 Deputy Director (Labs)
 Tamilnadu Pollution Control Board
 Chennai - 600 032.

Air Quality index Cuddalore February - 2021											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.02.2021	55	Satisfactory	1	01.02.2021	53	Satisfactory	1	03.02.2021	65	Satisfactory
2	05.02.2021	53	Satisfactory	2	04.02.2021	60	Satisfactory	2	06.02.2021	63	Satisfactory
3	09.02.2021	57	Satisfactory	3	08.02.2021	58	Satisfactory	3	10.02.2021	63	Satisfactory
4	12.02.2021	55	Satisfactory	4	11.02.2021	52	Satisfactory	4	13.02.2021	64	Satisfactory
5	16.02.2021	53	Satisfactory	5	15.02.2021	55	Satisfactory	5	17.02.2021	64	Satisfactory
6	19.02.2021	55	Satisfactory	6	18.02.2021	58	Satisfactory	6	20.02.2021	65	Satisfactory
7	23.02.2021	58	Satisfactory	7	22.02.2021	53	Satisfactory	7	24.02.2021	62	Satisfactory
8	26.02.2021	60	Satisfactory	8	25.02.2021	60	Satisfactory	8	27.02.2021	65	Satisfactory

V. Theagleson
4/5/21

S. Bala
4/5/21
Deputy Director (Labs)
Tamilnadu Pollution Control Board
Chennai - 600 032.

Air Quality Index, Cuddalore, March - 2021											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.03.2021	55	Satisfactory	1	01.03.2021	60	Satisfactory	1	03.03.2021	65	Satisfactory
2	05.03.2021	57	Satisfactory	2	04.03.2021	53	Satisfactory	2	06.03.2021	65	Satisfactory
3	09.03.2021	53	Satisfactory	3	08.03.2021	60	Satisfactory	3	10.03.2021	63	Satisfactory
4	12.03.2021	55	Satisfactory	4	11.03.2021	58	Satisfactory	4	13.03.2021	63	Satisfactory
5	16.03.2021	53	Satisfactory	5	15.03.2021	55	Satisfactory	5	17.03.2021	64	Satisfactory
6	19.03.2021	57	Satisfactory	6	18.03.2021	58	Satisfactory	6	20.03.2021	63	Satisfactory
7	23.03.2021	58	Satisfactory	7	22.03.2021	57	Satisfactory	7	24.03.2021	63	Satisfactory
8	26.03.2021	60	Satisfactory	8	25.03.2021	60	Satisfactory	8	27.03.2021	65	Satisfactory
9	30.03.2021	60	Satisfactory	9	29.03.2021	60	Satisfactory		31.03.2021	63	Satisfactory

V. Thangarajam
4/5/21

S. Bala
4/5/21
Deputy Director (Labs)
Tamilnadu Pollution Control Board
Chennai - 600 032.

Air Quality Index, Cuddalore, April - 2021											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.04.2021	53	Satisfactory	1	01.04.2021	57	Satisfactory	1	03.04.2021	63	Satisfactory
2	06.04.2021	57	Satisfactory	2	05.04.2021	53	Satisfactory	2	07.04.2021	63	Satisfactory
3	09.04.2021	52	Satisfactory	3	08.04.2021	60	Satisfactory	3	10.04.2021	63	Satisfactory
4	13.04.2021	57	Satisfactory	4	12.04.2021	58	Satisfactory	4	14.04.2021	63	Satisfactory
5	16.04.2021	53	Satisfactory	5	15.04.2021	55	Satisfactory	5	17.04.2021	62	Satisfactory
6	20.04.2021	57	Satisfactory	6	19.04.2021	58	Satisfactory	6	21.04.2021	62	Satisfactory
7	23.04.2021	55	Satisfactory	7	22.04.2021	57	Satisfactory	7	24.04.2021	63	Satisfactory
8	27.04.2021	60	Satisfactory	8	26.04.2021	62	Satisfactory	8	28.04.2021	65	Satisfactory
				9	26.04.2021	60	Satisfactory				

Air Quality Index, Cuddalore, May - 2021

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	04.05.2021	50	Satisfactory	1	03.05.2021	57	Satisfactory	1	01.05.2021	65	Satisfactory
2	07.05.2021	48	Good	2	06.05.2021	55	Satisfactory	2	05.05.2021	63	Satisfactory

Air Quality Index, Cuddalore, July - 2021											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.07.2021	43	Good	1	01.07.2021	41	Good	1	03.07.2021	51	Satisfactory
2	06.07.2021	43	Good	2	05.07.2021	44	Good	2	07.07.2021	51	Satisfactory
3	09.07.2021	52	Satisfactory	3	08.07.2021	57	Satisfactory	3	10.07.2021	50	Satisfactory
4	13.07.2021	47	Good	4	12.07.2021	47	Good	4	14.07.2021	57	Satisfactory
5	16.07.2021	49	Good	5	15.07.2021	43	Good	5	17.07.2021	52	Satisfactory
6	20.07.2021	45	Good	6	19.07.2021	43	Good	6	21.07.2021	50	Good
7	23.07.2021	46	Good	7	22.07.2021	46	Good	7	24.07.2021	51	Satisfactory
8	27.07.2021	43	Good	8	26.07.2021	42	Good	8	28.07.2021	58	Satisfactory
9	30.07.2021	47	Good	9	29.07.2021	38	Good	9	31.07.2021	52	Satisfactory

Air Quality Index, Cuddalore, August - 2021											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.08.2021	44	Good	1	02.08.2021	46	Good	1	04.08.2021	48	Good
2	06.08.2021	42	Good	2	05.08.2021	41	Good	2	07.08.2021	51	Satisfactory
3	10.08.2021	43	Good	3	09.08.2021	48	Good	3	11.08.2021	52	Satisfactory
4	13.08.2021	47	Good	4	12.08.2021	42	Good	4	14.08.2021	55	Satisfactory
5	17.08.2021	44	Good	5	16.08.2021	44	Good	5	18.08.2021	54	Satisfactory
6	20.08.2021	45	Good	6	19.08.2021	43	Good	6	21.08.2021	48	Good
7	24.08.2021	46	Good	7	23.08.2021	42	Good	7	25.08.2021	51	Satisfactory
8	27.08.2021	43	Good	8	26.08.2021	39	Good	8	28.08.2021	53	Satisfactory
9	31.08.2021	47	Good	9	30.08.2021	41	Good				

Air Quality Index, Cuddalore, September - 2021											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.09.2021	21	Good	1	02.09.2021	33	Good	1	01.09.2021	52	Satisfactory
2	07.09.2021	45	Good	2	06.09.2021	44	Good	2	04.09.2021	50	Good
3	10.09.2021	43	Good	3	09.09.2021	38	Good	3	08.09.2021	51	Satisfactory
4	14.09.2021	33	Good	4	13.09.2021	39	Good	4	11.09.2021	47	Good
5	17.09.2021	40	Good	5	16.09.2021	41	Good	5	15.09.2021	49	Good
6	21.09.2021	48	Good	6	20.09.2021	44	Good	6	18.09.2021	52	Satisfactory
7	24.09.2021	40	Good	7	23.09.2021	40	Good	7	22.09.2021	48	Good
8	28.09.2021	35	Good	8	27.09.2021	39	Good	8	25.09.2021	51	Satisfactory
				9	30.09.2021	40	Good				

Air Quality Index, Cuddalore, October - 2021											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.10.2021	37	Good	1	04.10.2021	44	Good	1	02.10.2021	54	Satisfactory
2	05.10.2021	40	Good	2	07.10.2021	36	Good	2	06.10.2021	47	Good
3	08.10.2021	21	Good	3	11.10.2021	20	Good	3	09.10.2021	19	Good
4	12.10.2021	43	Good	4	14.10.2021	39	Good	4	13.10.2021	42	Good
5	15.10.2021	40	Good	5	18.10.2021	38	Good	5	16.10.2021	39	Good
6	19.10.2021	39	Good	6	22.10.2021	34	Good	6	20.10.2021	45	Good
7	22.10.2021	43	Good	7	25.10.2021	40	Good	7	23.10.2021	44	Good
8	26.10.2021	39	Good	8	28.10.2021	39	Good	8	27.10.2021	52	Satisfactory
9	29.10.2021	55	Satisfactory					9	30.10.2021	51	Satisfactory

Air Quality Index, Cuddalore, November - 2021											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.11.2021	42	Good	1	01.11.2021	36	Good	1	03.11.2021	56	Satisfactory
2	05.11.2021	39	Good	2	04.11.2021	44	Good	2	06.11.2021	32	Good
3	09.11.2021	-	Rainfall	3	08.11.2021	-	Rainfall	3	10.11.2021	-	Rainfall
4	12.11.2021	46	Good	4	11.11.2021	-	Rainfall	4	13.11.2021	51	Satisfactory
5	16.11.2021	20	Good	5	15.11.2021	38	Good	5	17.11.2021	27	Good
6	19.11.2021	40	Good	6	18.11.2021	-	Rainfall	6	20.11.2021	44	Good
7	23.11.2021	40	Good	7	22.11.2021	40	Good	7	24.11.2021	21	Good
8	26.11.2021	-	Rainfall	8	25.11.2021	-	Rainfall	8	27.11.2021	-	Rainfall
9	30.11.2021	44	Good	9	29.11.2021	-	Rainfall				

Air Quality Index, Cuddalore, December - 2021											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.12.2021	40	Good	1	02.12.2021	37	Good	1	01.12.2021	49	Good
2	07.12.2021	36	Good	2	06.12.2021	42	Good	2	04.12.2021	46	Good
3	10.12.2021	33	Rainfall	3	09.12.2021	36	Good	3	08.12.2021	34	Good
4	14.12.2021	43	Good	4	13.12.2021	41	Good	4	11.12.2021	42	Good
5	17.12.2021	40	Good	5	16.12.2021	39	Good	5	15.12.2021	39	Good
6	21.12.2021	39	Good	6	20.12.2021	37	Good	6	18.12.2021	38	Good
7	24.12.2021	41	Good	7	23.12.2021	41	Good	7	22.12.2021	46	Good
8	28.12.2021	37	Rainfall	8	27.12.2021	37	Good	8	25.12.2021	42	Good
9	31.12.2021	41	Good	9	30.12.2021	44	Good	9	29.12.2021	48	Good