

Air Quality Index, Cuddalore, March 2024											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	04.03.2024	49	Good	1	02.03.2024	47	Good	1	01.03.2024	50	Good
2	07.03.2024	47	Good	2	06.03.2024	48	Good	2	05.03.2024	49	Good
3	11.03.2024	47	Good	3	09.03.2024	49	Good	3	08.03.2024	50	Good
4	14.03.2024	48	Good	4	13.03.2024	50	Good	4	12.03.2024	50	Good
5	18.03.2024	47	Good	5	16.03.2024	48	Good	5	15.03.2024	49	Good
6	21.03.2024	47	Good	6	20.03.2024	50	Good	6	19.03.2024	49	Good
7	25.03.2024	49	Good	7	23.02.2024	49	Good	7	22.02.2024	48	Good
8	28.03.2024	48	Good	8	27.03.2024	49	Good	8	26.03.2024	49	Good
				9	30.03.2024	50	Good	9	29.03.2024	49	Good

Air Quality Index, Cuddalore, April 2024											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.04.2024	50	Good	1	03.04.2024	62	Satisfactory	1	02.04.2024	61	Satisfactory
2	04.04.2024	53	Satisfactory	2	06.04.2024	60	Satisfactory	2	05.04.2024	60	Satisfactory
3	08.04.2024	49	Good	3	10.04.2024	62	Satisfactory	3	09.04.2024	61	Satisfactory
4	11.04.2024	54	Satisfactory	4	13.04.2024	61	Satisfactory	4	12.04.2024	60	Satisfactory
5	15.04.2024	50	Good	5	17.04.2024	60	Satisfactory	5	16.04.2024	59	Satisfactory
6	18.04.2024	49	Good	6	20.04.2024	62	Satisfactory	6	19.04.2024	60	Satisfactory
7	22.04.2024	50	Good	7	24.04.2024	63	Satisfactory	7	23.04.2024	61	Satisfactory
8	25.04.2024	49	Good	8	27.04.2024	62	Satisfactory	8	26.04.2024	60	Satisfactory
9	29.04.2024	50	Good					9	30.04.2024	60	Satisfactory

Air Quality Index, Cuddalore, MAY 2024											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.05.2024	49	Good	1	01.05.2024	54	Satisfactory	1	02.05.2024	53	Satisfactory
2	04.05.2024	51	Satisfactory	2	06.05.2024	53	Satisfactory	2	07.05.2024	53	Satisfactory
3	09.05.2024	53	Satisfactory	3	08.05.2024	54	Satisfactory	3	10.05.2024	54	Satisfactory
4	13.05.2024	50	Good	4	11.05.2024	53	Satisfactory	4	14.05.2024	53	Satisfactory
5	16.05.2024	50	Good	5	15.05.2024	54	Satisfactory	5	17.05.2024	54	Satisfactory
6	22.05.2024	52	Satisfactory	6	18.05.2024	53	Satisfactory	6	21.05.2024	53	Satisfactory
7	23.05.2024	49	Good	7	20.05.2024	55	Satisfactory	7	24.05.2024	54	Satisfactory
8	27.05.2024	51	Satisfactory	8	25.05.2024	55	Satisfactory	8	28.05.2024	55	Satisfactory
9	30.05.2024	52	Satisfactory	9	29.05.2024	53	Satisfactory	9	31.05.2024	53	Satisfactory

Air Quality Index, Cuddalore, June 2024											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.06.2024	52	Satisfactory	1	03.06.2024	54	Satisfactory	1	04.06.2024	53	Satisfactory
2	02.06.2024	51	Satisfactory	2	05.06.2024	54	Satisfactory	2	06.06.2024	54	Satisfactory
3	07.06.2024	52	Satisfactory	3	08.06.2024	55	Satisfactory	3	10.06.2024	54	Satisfactory
4	11.06.2024	51	Satisfactory	4	13.06.2024	54	Satisfactory	4	14.06.2024	53	Satisfactory
5	12.06.2024	51	Satisfactory	5	15.06.2024	54	Satisfactory	5	17.06.2024	54	Satisfactory
6	18.06.2024	51	Satisfactory	6	19.06.2024	53	Satisfactory	6	20.06.2024	53	Satisfactory
7	21.06.2024	50	Good	7	22.06.2024	54	Satisfactory	7	24.06.2024	54	Satisfactory
8	25.06.2024	50	Good	8	26.06.2024	53	Satisfactory	8	27.06.2024	53	Satisfactory
9	28.06.2024	51	Satisfactory	9	29.06.2024	54	Satisfactory				

Air Quality Index, Cuddalore, July 2024											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.07.2024	52	Satisfactory	1	03.07.2024	55	Satisfactory	1	01.07.2024	54	Satisfactory
2	05.07.2024	52	Satisfactory	2	06.07.2024	55	Satisfactory	2	04.07.2024	53	Satisfactory
3	09.07.2024	53	Satisfactory	3	10.07.2024	54	Satisfactory	3	08.07.2024	54	Satisfactory
4	12.07.2024	50	good	4	13.07.2024	56	Satisfactory	4	11.07.2024	56	Satisfactory
5	16.07.2024	52	Satisfactory	5	17.07.2024	54	Satisfactory	5	15.07.2024	58	Satisfactory
6	19.07.2024	50	good	6	20.07.2024	57	Satisfactory	6	18.07.2024	54	Satisfactory
7	23.07.2024	52	Satisfactory	7	24.07.2024	56	Satisfactory	7	22.07.2024	53	Satisfactory
8	26.07.2024	50	good	8	27.07.2024	54	Satisfactory	8	25.07.2024	54	Satisfactory
9	30.07.2024	51	Satisfactory	9	31.07.2024	53	Satisfactory	9	29.07.2024	55	Satisfactory

Air Quality Index, Cuddalore, August 2024											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.08.2024	49	Good	1	01.08.2024	53	Satisfactory	1	02.08.2024	53	Satisfactory
2	07.08.2024	47	Good	2	05.08.2024	60	Satisfactory	2	06.08.2024	51	Satisfactory
3	10.08.2024	47	Good	3	08.08.2024	54	Satisfactory	3	09.08.2024	53	Satisfactory
4	14.08.2024	48	Good	4	12.08.2024	53	Satisfactory	4	13.08.2024	54	Satisfactory
5	17.08.2024	47	Good	5	15.08.2024	52	Satisfactory	5	16.08.2024	54	Satisfactory
6	21.08.2024	47	Good	6	19.08.2024	53	Satisfactory	6	20.08.2024	54	Satisfactory
7	24.08.2024	49	Good	7	22.08.2024	50	Good	7	23.08.2024	53	Satisfactory
8	28.08.2024	48	Good	8	26.08.2024	54	Satisfactory	8	27.08.2024	49	Good
9	31.08.2024	48	Good	9	29.08.2024	54	Satisfactory	9	30.08.2024	49	Good

Air Quality Index, Cuddalore, September 2024

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	09.09.2024	49	Good	1	11.09.2024	68	Satisfactory	1	10.09.2024	52	Satisfactory
2	12.09.2024	46	Good	2	14.09.2024	73	Satisfactory	2	13.09.2024	50	Good
3	16.09.2024	48	Good	3	21.09.2024	72	Satisfactory	3	17.09.2024	51	Satisfactory
4	19.09.2024	47	Good	4	23.09.2024	71	Satisfactory	4	20.09.2024	54	Satisfactory
5	26.09.2024	47	Good	5	28.09.2024	75	Satisfactory	5	24.09.2024	52	Satisfactory
								6	30.09.2024	51	Satisfactory

Air Quality Index, Cuddalore, October 2024

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.10.2024	49	Good	1	02.10.2024	68	Satisfactory	1	03.10.2024	55	Satisfactory
2	04.10.2024	46	Good	2	05.10.2024	73	Satisfactory	2	09.10.2024	50	Good
3	08.10.2024	48	Good	3	09.10.2024	36	Good	3	15.10.2024	31	Good
4	11.10.2024	47	Good	4	12.10.2024	71	Satisfactory	4	21.10.2024	57	Satisfactory
5	15.10.2024	39	Good	5	16.10.2024	75	Satisfactory	5	24.10.2024	42	Good
6	18.10.2024	52	Satisfactory	6	19.10.2024	44	Good	6	25.10.2024	44	Good
7	22.10.2024	54	Satisfactory	7	23.10.2024	78	Satisfactory	7	26.10.2024	42	Good
8	25.10.2024	50	Good	8	26.10.2024	80	Satisfactory	8	27.10.2024	45	Good
9	29.10.2024	50	Good	9	30.10.2024	84	Satisfactory	9	28.10.2024	51	Satisfactory
								10	29.10.2024	68	Satisfactory
								11	30.10.2024	72	Satisfactory
								12	31.10.2024	128	Moderate

Air Quality Index, Cuddalore, November 2024

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	04.11.2024	46	Good	1	04.11.2024	62	Satisfactory	1	01.11.2024	89	Satisfactory
2	08.11.2024	50	Good	2	09.11.2024	64	Satisfactory	2	02.11.2024	78	Satisfactory
3	11.11.2024	49	Good	3	20.11.2024	58	Satisfactory	3	03.11.2024	75	Satisfactory
4	14.11.2024	52	Satisfactory	4	27.11.2024	49	Good	4	04.11.2024	73	Satisfactory
5	25.11.2024	47	Good	5	30.11.2024	56	Satisfactory	5	05.11.2024	81	Satisfactory
6	28.11.2024	53	Satisfactory					6	06.11.2024	71	Satisfactory
								7	07.11.2024	72	Satisfactory
								8	13.11.2024	67	Satisfactory
								9	15.11.2024	70	Satisfactory
								10	19.11.2024	65	Satisfactory

Air Quality Index, Cuddalore, December 2024

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.12.2024	49	Good	1	04.12.2024	59	Satisfactory	1	03.12.2024	63	Satisfactory
2	05.12.2024	49	Good	2	07.12.2024	64	Satisfactory	2	06.12.2024	61	Satisfactory
3	09.12.2024	42	Good	3	11.12.2024	61	Satisfactory	3	10.12.2024	64	Satisfactory
4	12.12.2024	47	Good	4	14.12.2024	62	Satisfactory	4	13.12.2024	66	Satisfactory
5	16.12.2024	46	Good	5	18.12.2024	68	Satisfactory	5	17.12.2024	63	Satisfactory
6	19.12.2024	52	Satisfactory	6	21.12.2024	58	Satisfactory	6	20.12.2024	65	Satisfactory
7	23.12.2024	48	Good	7	25.12.2024	68	Satisfactory	7	24.12.2024	62	Satisfactory
8	26.12.2024	47	Good	8	28.12.2024	60	Satisfactory	8	27.12.2024	64	Satisfactory
9	30.12.2024	44	Good					9	31.12.2024	67	Satisfactory