

Air Quality Index, Nagercoil, January 2024											
Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.01.2024	55	Satisfactory	1	01.01.2024	47	Good	1	02.01.2024	50	Good
2	06.01.2024	59	Satisfactory	2	04.01.2024	44	Good	2	05.01.2024	54	Satisfactory
3	10.01.2024	63	Satisfactory	3	08.01.2024	47	Good	3	09.01.2024	56	Satisfactory
4	13.01.2024	57	Satisfactory	4	11.01.2024	50	Good	4	12.01.2024	60	Satisfactory
5	17.01.2024	58	Satisfactory	5	15.01.2024	42	Good	5	16.01.2024	52	Satisfactory
6	20.01.2024	60	Satisfactory	6	18.01.2024	54	Satisfactory	6	19.01.2024	56	Satisfactory
7	24.01.2024	59	Satisfactory	7	22.01.2024	48	Good	7	23.01.2024	59	Satisfactory
8	27.01.2024	56	Satisfactory	8	25.01.2024	43	Good	8	26.01.2024	47	Good
9	31.01.2024	65	Satisfactory	9	29.01.2024	52	Satisfactory	9	30.01.2024	60	Satisfactory

Air Quality Index, Nagercoil, February 2024											
Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.02.2024	65	Satisfactory	1	01.02.2024	42	Good	1	02.02.2024	49	Good
2	07.02.2024	54	Satisfactory	2	05.02.2024	47	Good	2	06.02.2024	48	Good
3	10.02.2024	59	Satisfactory	3	08.02.2024	50	Good	3	09.02.2024	57	Satisfactory
4	14.02.2024	64	Satisfactory	4	12.02.2024	48	Good	4	13.02.2024	60	Satisfactory
5	17.02.2024	60	Satisfactory	5	15.02.2024	50	Good	5	16.02.2024	64	Satisfactory
6	21.02.2024	66	Satisfactory	6	19.02.2024	55	Satisfactory	6	20.02.2024	63	Satisfactory
7	24.02.2024	57	Satisfactory	7	22.02.2024	52	Satisfactory	7	23.02.2024	50	Good
8	28.02.2024	66	Satisfactory	8	26.02.2024	49	Good	8	27.02.2024	61	Satisfactory
				9	29.02.2024	46	Good				

Air Quality Index, Nagercoil, March 2024											
Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.03.2024	67	Satisfactory	1	04.03.2024	47	Good	1	01.03.2024	60	Satisfactory
2	06.03.2024	65	Satisfactory	2	07.03.2024	48	Good	2	05.03.2024	57	Satisfactory
3	09.03.2024	68	Satisfactory	3	11.03.2024	55	Satisfactory	3	08.03.2024	53	Satisfactory
4	13.03.2024	61	Satisfactory	4	14.03.2024	49	Good	4	12.03.2024	56	Satisfactory
5	16.03.2024	67	Satisfactory	5	18.03.2024	50	Good	5	15.03.2024	63	Satisfactory
6	20.03.2024	69	Satisfactory	6	21.03.2024	57	Satisfactory	6	19.03.2024	56	Satisfactory
7	23.03.2024	66	Satisfactory	7	25.03.2024	47	Good	7	22.03.2024	61	Satisfactory
8	27.03.2024	70	Satisfactory	8	28.03.2024	48	Good	8	26.03.2024	67	Satisfactory
9	30.03.2024	71	Satisfactory					9	29.03.2024	64	Satisfactory

Air Quality Index, Nagercoil, April 2024											
Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.04.2024	59	Satisfactory	1	01.04.2024	48	Good	1	03.04.2024	59	Satisfactory
2	05.04.2024	63	Satisfactory	2	04.04.2024	44	Good	2	06.04.2024	59	Satisfactory
3	09.04.2024	68	Satisfactory	3	08.04.2024	55	Satisfactory	3	10.04.2024	62	P
4	12.04.2024	63	Satisfactory	4	11.04.2024	52	Satisfactory	4	13.04.2024	57	Satisfactory
5	16.04.2024	56	Satisfactory	5	15.04.2024	48	Good	5	17.04.2024	53	Satisfactory
6	23.04.2024	67	Satisfactory	6	18.04.2024	49	Satisfactory	6	20.04.2024	61	Satisfactory
7	26.04.2024	70	Satisfactory	7	22.04.2024	54	Satisfactory	7	24.04.2024	63	Satisfactory
8	30.04.2024	74	Satisfactory	8	25.04.2025	45	Good	8	27.04.2024	66	Satisfactory
				9	29.04.2026	50	Good				

Air Quality Index, Nagercoil, May 2024											
Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.05.2024	55	Satisfactory	1	02.05.2024	47	Good	1	03.05.2024	51	Satisfactory
2	04.05.2024	60	Satisfactory	2	08.05.2024	56	Satisfactory	2	09.05.2024	52	Satisfactory
3	06.05.2024	65	Satisfactory	3	11.05.2024	49	Good	3	13.05.2024	56	Satisfactory
4	07.05.2024	58	Satisfactory	4	15.05.2024	45	Good	4	16.05.2024	60	Satisfactory
5	10.05.2024	62	Satisfactory	5	18.05.2024	54	Satisfactory	5	23.05.2024	56	Satisfactory
6	14.05.2024	57	Satisfactory	6	22.05.2024	44	Good	6	25.05.2024	63	Satisfactory
7	17.05.2024	52	Satisfactory	7	24.05.2024	47	Good	7	28.05.2024	52	Satisfactory
8	20.05.2024	56	Satisfactory	8	27.05.2024	53	Satisfactory	8	31.05.2024	56	Satisfactory
9	21.05.2024	67	Satisfactory	9	30.05.2024	55	Satisfactory				
10	29.05.2024	59	Satisfactory								

Air Quality Index, Nagercoil, June 2024											
Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.06.2024	62	Satisfactory	1	05.06.2024	49	Good	1	01.06.2024	53	Satisfactory
2	04.06.2024	67	Satisfactory	2	07.06.2024	46	Good	2	06.06.2024	57	Satisfactory
3	10.06.2024	60	Satisfactory	3	12.06.2024	43	Good	3	08.06.2024	50	Good
4	11.06.2024	55	Satisfactory	4	14.06.2024	48	Good	4	13.06.2024	61	Satisfactory
5	18.06.2024	65	Satisfactory	5	17.06.2024	54	Satisfactory	5	15.06.2024	56	Satisfactory
6	21.06.2024	69	Satisfactory	6	20.06.2024	57	Satisfactory	6	19.06.2024	62	Satisfactory
7	25.06.2024	73	Satisfactory	7	24.06.2024	52	Satisfactory	7	22.06.2024	59	Satisfactory
8	28.06.2024	57	Satisfactory	8	27.06.2024	48	Good	8	26.06.2024	65	Satisfactory
								9	29.06.2024	52	Satisfactory

Air Quality Index, Nagercoil, July 2024

Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type: Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.07.2024	57	Satisfactory	1	01.07.2024	45	Good	1	02.07.2024	53	Satisfactory
2	06.07.2024	61	Satisfactory	2	04.07.2024	50	Good	2	05.07.2024	57	Satisfactory
3	10.07.2024	66	Satisfactory	3	08.07.2024	45	Good	3	09.07.2024	60	Satisfactory
4	13.07.2024	59	Satisfactory	4	11.07.2024	48	Good	4	12.07.2024	52	Satisfactory
5	17.07.2024	63	Satisfactory	5	15.07.2024	53	Satisfactory	5	16.07.2024	66	Satisfactory
6	20.07.2024	67	Satisfactory	6	18.07.2024	43	Good	6	19.07.2024	58	Satisfactory
7	24.07.2024	71	Satisfactory	7	22.07.2024	47	Good	7	23.07.2024	64	Satisfactory
8	27.07.2024	54	Satisfactory	8	25.07.2024	44	Good	8	26.07.2024	50	Good
9	31.07.2024	67	Satisfactory	9	29.07.2024	55	Satisfactory	9	30.07.2024	57	Satisfactory

Air Quality Index, Nagercoil, August 2024

Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type: Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.08.2024	54	Satisfactory	1	01.08.2024	40	Good	1	02.08.2024	51	Satisfactory
2	07.08.2024	59	Satisfactory	2	05.08.2024	47	Good	2	06.08.2024	54	Satisfactory
3	10.08.2024	51	Satisfactory	3	08.08.2024	43	Good	3	09.08.2024	49	Good
4	14.08.2024	62	Satisfactory	4	12.08.2024	49	Good	4	13.08.2024	58	Satisfactory
5	17.08.2024	65	Satisfactory	5	15.08.2024	54	Satisfactory	5	16.08.2024	61	Satisfactory
6	21.08.2024	54	Satisfactory	6	19.08.2024	44	Good	6	20.08.2024	51	Satisfactory
7	24.08.2024	63	Satisfactory	7	22.08.2024	51	Satisfactory	7	23.08.2024	59	Satisfactory
8	28.08.2024	57	Satisfactory	8	26.08.2024	39	Good	8	27.08.2024	55	Satisfactory
9	31.08.2024	55	Satisfactory	9	29.08.2024	49	Good	9	30.08.2024	51	Satisfactory

Air Quality Index, Nagercoil, September 2024

Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.09.2024	54	Satisfactory	1	02.09.2024	47	Good	1	04.09.2024	52	Satisfactory
2	06.09.2024	59	Satisfactory	2	05.09.2024	41	Good	2	07.09.2024	59	Satisfactory
3	10.09.2024	51	Satisfactory	3	09.09.2024	50	Good	3	11.09.2024	57	Satisfactory
4	13.09.2024	62	Satisfactory	4	12.09.2024	43	Good	4	14.09.2024	46	Good
5	17.09.2024	65	Satisfactory	5	16.09.2024	53	Satisfactory	5	18.09.2024	49	Good
6	20.09.2024	54	Satisfactory	6	19.09.2024	46	Good	6	21.09.2024	58	Satisfactory
7	24.09.2024	63	Satisfactory	7	23.09.2024	49	Good	7	25.09.2024	61	Satisfactory
8	27.09.2024	57	Satisfactory	8	26.09.2024	55	Satisfactory	8	28.09.2024	52	Satisfactory
				9	30.09.2024	51	Satisfactory				

Air Quality Index, Nagercoil, October 2024

Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.10.2024	55	Satisfactory	1	03.10.2024	44	Good	1	01.10.2024	48	Good
2	05.10.2024	59	Satisfactory	2	07.10.2024	46	Good	2	04.10.2024	56	Satisfactory
3	09.10.2024	66	Satisfactory	3	10.10.2024	50	Good	3	08.10.2024	58	Satisfactory
4	12.10.2024	85	Satisfactory	4	14.10.2024	53	Satisfactory	4	11.10.2024	63	Satisfactory
5	16.10.2024	77	Satisfactory	5	17.10.2024	56	Satisfactory	5	15.10.2024	67	Satisfactory
6	19.10.2024	79	Satisfactory	6	21.10.2024	58	Satisfactory	6	18.10.2024	70	Satisfactory
7	23.10.2024	62	Satisfactory	7	24.10.2024	44	Good	7	22.10.2024	56	Satisfactory
8	26.10.2024	57	Satisfactory	8	28.10.2024	65	Satisfactory	8	25.10.2024	63	Satisfactory
9	30.10.2024	78	Satisfactory	9	31.10.2024	98	Satisfactory	9	29.10.2024	83	Satisfactory

Air Quality Index, Nagercoil, November 2024

Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.11.2024	66	Satisfactory	1	04.11.2024	59	Satisfactory	1	01.11.2024	97	Satisfactory
2	06.11.2024	60	Satisfactory	2	07.11.2024	50	Good	2	05.11.2024	53	Satisfactory
3	09.11.2024	64	Satisfactory	3	11.11.2024	46	Good	3	08.11.2024	56	Satisfactory
4	13.11.2024	58	Satisfactory	4	14.11.2024	42	Good	4	12.11.2024	52	Satisfactory
5	16.11.2024	60	Satisfactory	5	18.11.2024	48	Good	5	15.11.2024	61	Satisfactory
6	20.11.2024	59	Satisfactory	6	21.11.2024	52	Satisfactory	6	19.11.2024	57	Satisfactory
7	23.11.2024	64	Satisfactory	7	25.11.2024	45	Good	7	22.11.2024	56	Satisfactory
8	27.11.2024	56	Satisfactory	8	28.11.2024	54	Satisfactory	8	26.11.2024	53	Satisfactory
9	30.11.2024	64	Satisfactory					9	29.11.2024	56	Satisfactory

Air Quality Index, Nagercoil, December 2024

Anna University Campus-1052				Scott Christian College, 1053				Aavin-1054			
Type:Industrial				Type: Residential				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	04.12.2024	64	Satisfactory	1	02.12.2024	47	Good	1	03.12.2024	56	Satisfactory
2	07.12.2024	61	Satisfactory	2	05.12.2024	49	Good	2	06.12.2024	58	Satisfactory
3	11.12.2024	66	Satisfactory	3	09.12.2024	46	Good	3	10.12.2024	57	Satisfactory
4	14.12.2024	72	Satisfactory	4	12.12.2024	51	Satisfactory	4	13.12.2024	55	Satisfactory
5	18.12.2024	60	Satisfactory	5	16.12.2024	50	Good	5	17.12.2024	61	Satisfactory
6	21.12.2024	72	Satisfactory	6	19.12.2024	42	Good	6	20.12.2024	66	Satisfactory
7	25.12.2024	60	Satisfactory	7	23.12.2024	46	Good	7	24.12.2024	56	Satisfactory
8	28.12.2024	75	Satisfactory	8	26.12.2024	53	Satisfactory	8	27.12.2024	55	Satisfactory
				9	30.12.2024	47	Good	9	31.12.2024	56	Satisfactory