

Air Quality Index for the period of January 2025 to June 2025

Madurai - January 2025

Hotel Tamil Nadu - 306				Pichai Pillai Chavadi - 307				Birla Guest House - 308			
Type: Residential				Type: Industrial				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.01.2025	48	Good	1	04.01.2025	59	Satisfactory	1	03.01.2025	55	Satisfactory
2	06.01.2025	50	Good	2	08.01.2025	62	Satisfactory	2	07.01.2025	56	Satisfactory
3	09.01.2025	49	Good	3	11.01.2025	60	Satisfactory	3	10.01.2025	59	Satisfactory
4	13.01.2025	49	Good	4	15.01.2025	60	Satisfactory	4	17.01.2025	59	Satisfactory
5	16.01.2025	47	Good	5	18.01.2025	61	Satisfactory	5	21.01.2025	60	Satisfactory
6	20.01.2025	54	Satisfactory	6	22.01.2025	61	Satisfactory	6	24.01.2025	58	Satisfactory
7	23.01.2025	45	Good	7	25.01.2025	59	Satisfactory	7	28.01.2025	59	Satisfactory
8	27.01.2025	53	Satisfactory	8	29.01.2025	62	Satisfactory	8	31.01.2025	53	Satisfactory
9	30.01.2025	52	Satisfactory								

Madurai - February 2025

Hotel Tamil Nadu - 306				Pichai Pillai Chavadi - 307				Birla Guest House - 308			
Type: Residential				Type: Industrial				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.02.2025	33	Good	1	01.02.2025	48	Good	1	04.02.2025	25	Good
2	06.02.2025	22	Good	2	05.02.2025	56	Satisfactory	2	07.02.2025	30	Good
3	10.02.2025	29	Good	3	08.02.2025	49	Good	3	12.02.2025	23	Good
4	13.02.2025	27	Good	4	15.02.2025	51	Satisfactory	4	14.02.2025	36	Good
5	17.02.2025	22	Good	5	19.02.2025	48	Good	5	18.02.2025	31	Good
6	20.02.2025	24	Good	6	26.02.2025	54	Satisfactory	6	21.02.2025	33	Good
7	22.02.2025	37	Good					7	25.02.2025	42	Good
8	24.02.2025	51	Satisfactory					8	28.02.2025	31	Good
9	27.02.2025	44	Good								

Madurai - March 2025											
Hotel Tamil Nadu - 306				Pichai Pillai Chavadi - 307				Birla Guest House - 308			
Type: Residential				Type: Industrial				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.03.2025	33	Good	1	01.03.2025	51	Satisfactory	1	04.03.2025	51	Satisfactory
2	06.03.2025	42	Good	2	05.03.2025	63	Satisfactory	2	07.03.2025	50	Good
3	10.03.2025	46	Good	3	08.03.2025	53	Satisfactory	3	11.03.2025	33	Good
4	13.03.2025	45	Good	4	12.03.2025	57	Satisfactory	4	14.03.2025	49	Good
5	17.03.2025	41	Good	5	15.03.2025	62	Satisfactory	5	18.03.2025	45	Good
6	20.03.2025	37	Good	6	19.03.2025	59	Satisfactory	6	21.03.2025	45	Good
7	24.03.2025	41	Good	7	22.03.2025	64	Satisfactory	7	25.03.2025	42	Good
8	27.03.2025	38	Good	8	26.03.2025	59	Satisfactory	8	28.03.2025	44	Good
				9	29.03.2025	68	Satisfactory				

Madurai - April 2025											
Hotel Tamil Nadu - 306				Pichai Pillai Chavadi - 307				Birla Guest House - 308			
Type: Residential				Type: Industrial				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.04.2025	33	Good	1	02.04.2025	51	Satisfactory	1	01.04.2025	40	Good
2	07.04.2025	24	Good	2	05.04.2025	53	Satisfactory	2	04.04.2025	45	Good
3	10.04.2025	32	Good	3	09.04.2025	56	Satisfactory	3	08.04.2025	25	Good
4	17.04.2025	39	Good	4	12.04.2025	61	Satisfactory	4	11.04.2025	34	Good
5	21.04.2025	45	Good	5	16.04.2025	58	Satisfactory	5	15.04.2025	27	Good
6	24.04.2025	41	Good	6	19.04.2025	60	Satisfactory	6	18.04.2025	37	Good
7	28.04.2025	46	Good	7	23.04.2025	59	Satisfactory	7	22.04.2025	56	Good
				8	26.04.2025	62	Satisfactory	8	25.04.2025	45	Good
				9	30.04.2025	53	Satisfactory	9	29.04.2025	45	Good

Madurai - May 2025											
Hotel Tamil Nadu - 306				Pichai Pillai Chavadi - 307				Birla Guest House - 308			
Type: Residential				Type: Industrial				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	05.05.2025	38	Good	1	03.05.2025	64	Satisfactory	1	02.05.2025	44	Good
2	08.05.2025	36	Good	2	07.05.2025	56	Satisfactory	2	06.05.2025	51	Satisfactory
3	12.05.2025	40	Good	3	10.05.2025	65	Satisfactory	3	09.05.2025	43	Good
4	15.05.2025	42	Good	4	14.05.2025	44	Good	4	13.05.2025	32	Good
5	19.05.2025	31	Good	5	17.05.2025	55	Satisfactory	5	16.05.2025	36	Good
6	22.05.2025	39	Good	6	21.05.2025	64	Satisfactory	6	20.05.2025	34	Good
7	26.05.2025	15	Good	7	24.05.2025	66	Satisfactory	7	23.05.2025	34	Good
8	29.05.2025	29	Good	8	28.05.2025	42	Good	8	27.05.2025	32	Good
				9	31.05.2025	67	Satisfactory	9	30.05.2025	29	Good

Madurai - June 2025											
Hotel Tamil Nadu - 306				Pichai Pillai Chavadi - 307				Birla Guest House - 308			
Type: Residential				Type: Industrial				Type: Mixed			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.06.2025	46	Good	1	04.06.2025	50	Good	1	03.06.2025	56	Satisfactory
2	05.06.2025	42	Good	2	07.06.2025	60	Satisfactory	2	06.06.2025	49	Good
3	09.06.2025	48	Good	3	11.06.2025	52	Satisfactory	3	10.06.2025	55	Satisfactory
4	12.06.2025	40	Good	4	14.06.2025	64	Satisfactory	4	13.06.2025	53	Satisfactory
5	16.06.2025	51	Satisfactory	5	18.06.2025	64	Satisfactory	5	17.06.2025	57	Satisfactory
6	19.06.2025	50	Good	6	21.06.2025	61	Satisfactory	6	20.06.2025	52	Satisfactory
7	23.06.2025	49	Good	7	25.06.2025	61	Satisfactory	7	24.06.2025	53	Satisfactory
8	26.06.2025	46	Good	8	28.06.2025	63	Satisfactory	8	27.06.2025	56	Satisfactory