

Air Quality Index for the period of January 2025 to June 2025

Trichy - January 2025

Gandhi Park Thennur - 769				Main Guard Gate - 770				Bishop Heber College - 771			
Type: Residential				Type: Traffic inter - section				Type: Sensitive			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.01.2025	56	Satisfactory	1	01.01.2025	64	Satisfactory	1	02.01.2025	55	Satisfactory
2	07.01.2025	50	Good	2	06.01.2025	76	Satisfactory	2	06.01.2025	66	Satisfactory
3	09.01.2025	52	Satisfactory	3	08.01.2025	77	Satisfactory	3	09.01.2025	51	Satisfactory
4	14.01.2025	76	Satisfactory	4	13.01.2025	69	Satisfactory	4	13.01.2025	57	Satisfactory
5	16.01.2025	79	Satisfactory	5	15.01.2025	64	Satisfactory	5	16.01.2025	65	Satisfactory
6	21.01.2025	66	Satisfactory	6	20.01.2025	70	Satisfactory	6	20.01.2025	67	Satisfactory
7	23.01.2025	65	Satisfactory	7	22.01.2025	59	Satisfactory	7	23.01.2025	55	Satisfactory
8	28.01.2025	56	Satisfactory	8	27.01.2025	70	Satisfactory	8	27.01.2025	61	Satisfactory
9	30.01.2025	60	Satisfactory	9	29.01.2025	66	Satisfactory	9	30.01.2025	57	Satisfactory

Golden Rock - 772				Trichy Corporation Office - 773			
Type: Residential				Type: Traffic inter - section			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.01.2025	49	Good	1	01.01.2025	66	Satisfactory
2	07.01.2025	56	Satisfactory	2	03.01.2025	57	Satisfactory
3	10.01.2025	65	Satisfactory	3	08.01.2025	64	Satisfactory
4	14.01.2025	55	Satisfactory	4	10.01.2025	60	Satisfactory
5	17.01.2025	63	Satisfactory	5	15.01.2025	59	Satisfactory
6	21.01.2025	51	Satisfactory	6	17.01.2025	64	Satisfactory
7	24.01.2025	55	Satisfactory	7	22.01.2025	57	Satisfactory
8	28.01.2025	59	Satisfactory	8	24.01.2025	60	Satisfactory
9	31.01.2025	44	Good	9	29.01.2025	72	Satisfactory
				10	31.01.2025	56	Satisfactory

Trichy - February 2025											
Gandhi Park Thennur - 769				Main Guard Gate - 770				Bishop Heber College - 771			
Type: Residential				Type: Traffic inter - section				Type: Sensitive			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	04.02.2025	59	Satisfactory	1	03.02.2025	68	Satisfactory	1	03.02.2025	52	Satisfactory
2	06.02.2025	62	Satisfactory	2	05.02.2025	65	Satisfactory	2	06.02.2025	57	Satisfactory
3	11.02.2025	54	Satisfactory	3	10.02.2025	74	Satisfactory	3	10.02.2025	60	Satisfactory
4	13.02.2025	55	Satisfactory	4	12.02.2025	70	Satisfactory	4	13.02.2025	61	Satisfactory
5	18.02.2025	58	Satisfactory	5	17.02.2025	65	Satisfactory	5	17.02.2025	63	Satisfactory
6	20.02.2025	51	Satisfactory	6	19.02.2025	76	Satisfactory	6	20.02.2025	56	Satisfactory
7	25.02.2025	46	Good	7	24.02.2025	63	Satisfactory	7	24.02.2025	64	Satisfactory
8	27.02.2025	55	Satisfactory	8	26.02.2025	73	Satisfactory	8	27.02.2025	58	Satisfactory

Golden Rock - 772				Trichy Corporation Office - 773			
Type: Residential				Type: Traffic inter - section			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	04.02.2025	45	Good	1	05.02.2025	61	Satisfactory
2	07.02.2025	55	Satisfactory	2	07.02.2025	57	Satisfactory
3	11.02.2025	52	Satisfactory	3	12.02.2025	62	Satisfactory
4	14.02.2025	44	Good	4	14.02.2025	68	Satisfactory
5	18.02.2025	49	Good	5	19.02.2025	66	Satisfactory
6	21.02.2025	56	Satisfactory	6	21.02.2025	58	Satisfactory
7	25.02.2025	60	Satisfactory	7	26.02.2025	64	Satisfactory
8	28.02.2025	47	Good	8	28.02.2025	51	Satisfactory

Trichy - March 2025											
Gandhi Park Thennur - 769				Main Guard Gate - 770				Bishop Heber College - 771			
Type: Residential				Type: Traffic inter - section				Type: Sensitive			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	04.03.2025	46	Good	1	03.03.2025	64	Satisfactory	1	03.03.2025	54	Satisfactory
2	06.03.2025	57	Satisfactory	2	05.03.2025	67	Satisfactory	2	06.03.2025	59	Satisfactory
3	11.03.2025	30	Good	3	10.03.2025	60	Satisfactory	3	10.03.2025	45	Good
4	13.03.2025	39	Good	4	12.03.2025	56	Satisfactory	4	13.03.2025	55	Satisfactory
5	18.03.2025	42	Good	5	17.03.2025	66	Satisfactory	5	17.03.2025	50	Good
6	20.03.2025	46	Good	6	19.03.2025	62	Satisfactory	6	20.03.2025	53	Satisfactory
7	25.03.2025	58	Satisfactory	7	24.03.2025	70	Satisfactory	7	24.03.2025	61	Satisfactory
8	27.03.2025	45	Good	8	26.03.2025	73	Satisfactory	8	27.03.2025	57	Satisfactory
				9	31.03.2025	65	Satisfactory	9	31.03.2025	54	Satisfactory

Golden Rock - 772				Trichy Corporation Office - 773			
Type: Residential				Type: Traffic inter - section			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	04.03.2025	44	Good	1	05.03.2025	66	Satisfactory
2	07.03.2025	56	Satisfactory	2	07.03.2025	74	Satisfactory
3	11.03.2025	29	Good	3	12.03.2025	36	Good
4	14.03.2025	60	Satisfactory	4	14.03.2025	68	Satisfactory
5	18.03.2025	46	Good	5	19.03.2025	57	Satisfactory
6	21.03.2025	51	Satisfactory	6	21.03.2025	50	Good
7	25.03.2025	61	Satisfactory	7	26.03.2025	62	Satisfactory
8	28.03.2025	52	Satisfactory	8	28.03.2025	58	Satisfactory

Trichy - April 2025											
Gandhi Park, Anna Nagar - 769				Main Guard Gate - 770				Bishop Heber College - 771			
Type: Residential				Type: Traffic inter - section				Type: Sensitive			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.04.2025	53	Satisfactory	1	02.04.2025	72	Satisfactory	1	03.04.2025	50	Good
2	03.04.2025	50	Good	2	07.04.2025	69	Satisfactory	2	07.04.2025	62	Satisfactory
3	08.04.2025	55	Satisfactory	3	09.04.2025	65	Satisfactory	3	10.04.2025	48	Good
4	10.04.2025	54	Satisfactory	4	14.04.2025	76	Satisfactory	4	14.04.2025	54	Satisfactory
5	15.04.2025	56	Satisfactory	5	16.04.2025	67	Satisfactory	5	17.04.2025	52	Satisfactory
6	17.04.2025	62	Satisfactory	6	21.04.2025	63	Satisfactory	6	21.04.2025	49	Good
7	22.04.2025	56	Satisfactory	7	23.04.2025	73	Satisfactory	7	24.04.2025	54	Satisfactory
8	24.04.2025	64	Satisfactory	8	28.04.2025	61	Satisfactory	8	28.04.2025	51	Satisfactory
9	29.04.2025	61	Satisfactory	9	30.04.2025	66	Satisfactory				

Golden Rock - 772				Trichy Corporation Office - 773			
Type: Residential				Type: Traffic inter - section			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.04.2025	56	Satisfactory	1	02.04.2025	53	Satisfactory
2	04.04.2025	63	Satisfactory	2	04.04.2025	64	Satisfactory
3	08.04.2025	52	Satisfactory	3	09.04.2025	61	Satisfactory
4	11.04.2025	43	Good	4	11.04.2025	54	Satisfactory
5	15.04.2025	50	Good	5	16.04.2025	58	Satisfactory
6	18.04.2025	53	Satisfactory	6	18.04.2025	55	Satisfactory
7	22.04.2025	64	Satisfactory	7	23.04.2025	65	Satisfactory
8	25.04.2025	58	Satisfactory	8	25.04.2025	63	Satisfactory
9	29.04.2025	50	Good	9	30.04.2025	68	Satisfactory

Trichy - May 2025											
Gandhi Park, Anna Nagar - 769				Main Guard Gate - 770				Bishop Heber College - 771			
Type: Residential				Type: Traffic inter - section				Type: Sensitive			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.05.2025	48	Good	1	05.05.2025	67	Satisfactory	1	01.05.2025	44	Good
2	06.05.2025	46	Good	2	07.05.2025	70	Satisfactory	2	05.05.2025	58	Satisfactory
3	08.05.2025	63	Satisfactory	3	12.05.2025	78	Satisfactory	3	08.05.2025	53	Satisfactory
4	13.05.2025	52	Satisfactory	4	14.05.2025	72	Satisfactory	4	12.05.2025	52	Satisfactory
5	15.05.2025	61	Satisfactory	5	19.05.2025	59	Satisfactory	5	15.05.2025	50	Good
6	20.05.2025	55	Satisfactory	6	21.05.2025	63	Satisfactory	6	19.05.2025	56	Satisfactory
7	22.05.2025	53	Satisfactory	7	26.05.2025	57	Satisfactory	7	22.05.2025	53	Satisfactory
8	27.05.2025	34	Good	8	28.05.2025	45	Good	8	26.05.2025	55	Satisfactory
9	29.05.2025	37	Good					9	29.05.2025	36	Good

Golden Rock - 772				Trichy Corporation Office - 773			
Type: Residential				Type: Traffic inter - section			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.05.2025	53	Satisfactory	1	02.05.2025	57	Satisfactory
2	06.05.2025	40	Good	2	07.05.2025	63	Satisfactory
3	09.05.2025	61	Satisfactory	3	09.05.2025	54	Satisfactory
4	13.05.2025	52	Satisfactory	4	14.05.2025	60	Satisfactory
5	16.05.2025	47	Good	5	16.05.2025	56	Satisfactory
6	20.05.2025	62	Satisfactory	6	21.05.2025	62	Satisfactory
7	23.05.2025	48	Good	7	23.05.2025	57	Satisfactory
8	27.05.2025	39	Good	8	28.05.2025	36	Good
9	30.05.2025	34	Good	9	30.05.2025	43	Good

Trichy - June 2025											
Gandhi Park, Anna Nagar - 769				Main Guard Gate - 770				Bishop Heber College - 771			
Type: Residential				Type: Traffic inter - section				Type: Sensitive			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.06.2025	61	Satisfactory	1	02.06.2025	70	Satisfactory	1	02.06.2025	53	Satisfactory
2	05.06.2025	63	Satisfactory	2	04.06.2025	73	Satisfactory	2	05.06.2025	42	Good
3	10.06.2025	54	Satisfactory	3	09.06.2025	68	Satisfactory	3	09.06.2025	54	Satisfactory
4	12.06.2025	68	Satisfactory	4	11.06.2025	57	Satisfactory	4	12.06.2025	55	Satisfactory
5	17.06.2025	55	Satisfactory	5	16.06.2025	70	Satisfactory	5	16.06.2025	57	Satisfactory
6	19.06.2025	51	Satisfactory	6	23.06.2025	58	Satisfactory	6	19.06.2025	49	Good
7	24.06.2025	44	Good	7	25.06.2025	66	Satisfactory	7	23.06.2025	56	Satisfactory
8	26.06.2025	47	Good		30.06.2025	62	Satisfactory	8	26.06.2025	47	Good
						68	Satisfactory	9	30.06.2025	52	Satisfactory

Golden Rock - 772				Trichy Corporation Office - 773			
Type: Residential				Type: Traffic inter - section			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.06.2025	44	Good	1	04.06.2025	60	Satisfactory
2	06.06.2025	48	Good	2	06.06.2025	62	Satisfactory
3	10.06.2025	46	Good	3	11.06.2025	74	Satisfactory
4	13.06.2025	54	Satisfactory	4	13.06.2025	63	Satisfactory
5	17.06.2025	41	Good	5	18.06.2025	53	Satisfactory
6	20.06.2025	49	Good	6	20.06.2025	64	Satisfactory
7	24.06.2025	53	Satisfactory	7	25.06.2025	59	Satisfactory
8	27.06.2025	43	Good	8	27.06.2025	50	Good