

## TAMIL NADU POLLUTION CONTROL BOARD

# 76, Mount Salai, Guindy, Chennai - 600 032.

## Water Quality Status of Polluted River Stretches

# River Bhavani Polluted river stretches from Sirumugai to Kalingarayan - 60 KM - Priority-IV


					727.0°		11701	01101	ones	110111	Ontan	lugai	to Ka	iiiiya	arayaı	1 - 60	LZIVI -	Prior	ity-iv									
					Jai	1-22					Fel	b-22			Mar-22							Apr-22						
SI. No.	Name of station	Station Code No.	D.O mg/L	Hd	BOD at 27° C mg/L	Fecal coliform MPN/100 ml	Total coliform MPN/100 ml	DBU Class	D.O mg/L	Нd	BOD at 27° C mg/L	Fecal coliform MPN/100 ml	Total coliform MPN/100 ml	DBU Class	D.O mg/L	Hd	BOD at 27° C mg/L	Fecal coliform MPN/100 ml	Total coliform MPN/100 ml	DBU Class	D.O mg/L	Hd	BOD at 27° C mg/L	Fecal coliform MPN/100 ml	Total coliform MPN/100 ml	DBU Class		
1	Badrakaliamman koil	1201	5.7	6.6	2.8	26	63	В	6.4	6.2	<2	31	70	В	6.6	6.5	<2	21	46	Α	6.2	6.1	2	58	120	В		
2	Sirumugai	1204	5.6	6.7	3	21	58	В	5.7	6.0	2.3	14	39	В	6.4	6.9	<2	22	48	Α	6.3	6.2	2	46	110	В		
3	Bhavanisagar	1321	6.2	7.1	<2	26	63	В	6	6.8	2.9	21	48	В	6.2	6.5	<2	21	46	Α	6.2	6.5	<2	17	49	Α		
4	Bhavani	1205	6.2	7.3	<2	27	79	В	6.1	6.3	<2	33	110	В	6.6	6.6	<2	43	94	В	6.4	6.4	<2	79	130	В		
5	Sathyamangalam	3019	6.0	6.9	<2	31	70	В	6.0	6.7	2	25	58	В	6.2	6.1	<2	17	39	В	6.6	6.3	<2	20	47	В		
6	Kalingarayan Canal (B5)	3020	6.0	7.4	<2	17	48	Α	6.2	6.2	<2	46	94	В	6.3	6.6	<2	70	150	В	6.6	6.7	<2	63	120	В		
7	Kalingarayan Canal (B10)	3021	6.0	7.5	<2	43	84	В	5.8	6.4	2.2	140	220	В	6.4	6.6	<2	130	320	В	6.9	6.7	<2	110	210	В		
	DBU Class-Designated Best Use Class of							r	Criteria																			
Drinking Water Source without conventional treatment but after disinfection A							1		Total Coliforms Organism MPN/100ml shall be 50 or less pH between 6.5 and 8.5. Dissolved Oxygen 6mg/l or more. Biochemical Oxygen Demand 5 days'20 C 2mg/l or less.													ore.						
Outdoor bathing (Organised)  B								Total Coliforms Organism MPN/100ml shall be 500 or less. pH between 6.5 and 8.5. Dissolved Oxygen 5mg/l or more Biochemical Oxygen Demand 5 days '20 C 3mg/l or less.																				
disinfection C								Total Coliforms Organism MPN/100ml shall be 5000 or less pH between 6 to 9 Dissolved Oxygen 4mg/l or more. Biochemical Oxygen Demand 5 days 20 C 3mg/l or less.																				
	gation of Wild life and Fisheries					D	)		- 17							3 ( <u> </u>		e Amm	onia (a	as N)	1.2 mg	/I or les	SS.					
									pH between 6.5 to 8.5 Dissolved Oxygen 5mg/l or more. Free Ammonia (as N) 1.2 mg/l or less.  pH between 6.5 to 8.5. Electrical Conductivity at 25 ,micro mhos/cm Max.2250																			

#### TAMIL NADU POLLUTION CONTROL BOARD

### 76, Mount Salai, Guindy, Chennai - 600 032.

#### Water Quality Status of Polluted River Stretches

## River Bhavani Polluted river stretches from Sirumugai to Kalingarayan - 60 KM - Priority-IV







# TAMIL NADU POLLUTION CONTROL BOARD 76, Mount Salai, Guindy, Chennai - 600 032. Water Quality Status of Polluted River Stretches

River Bhavani Polluted river stretches from Sirumugai to Kalingarayan - 60 KM - Priority- V

					Sep	o-22			Oct-22							Nov-22							Dec-22						
SI. No.	Name of station	Station Code No.	Н	D.O mg/L	BOD at 27° C mg/L	Fecal coliform MPN/100 ml	Total coliform MPN/100 ml	DBU Class	Hd	D.O mg/L	BOD at 27° C mg/L	Fecal coliform MPN/100 ml	Total coliform MPN/100 ml	DBU Class	Hd	D.O mg/L	BOD at 27° C mg/L	Fecal coliform MPN/100 ml	Total coliform MPN/100 ml	DBU Class	Hd	D.O mg/L	BOD at 27° C mg/L	Fecal coliform MPN/100 ml	Total coliform MPN/100 ml	DBU Class			
1	Badrakaliamman koil	1201	7.2	6.2	2.7	21	63	В	7.2	6.5	2.4	46	94	В	8.4	6.5	<2	17	47	Α	7.7	6.9	<2	17	32	Α			
2	Sirumugai	1204	7.1	6.9	2.1	17	49	Α	7.2	6.9	<2	12	24	Α	8.0	5.9	3.3	17	24	Α	8.1	6.2	2.7	26	39	Α			
3	Bhavanisagar	1321	7.5	6.7	<2	21	48	Α	7.3	6.5	<2	14	39	Α	7.4	5.9	2.4	14	24	Α	7.4	6.2	2.1	24	47	Α			
4	Bhavani	1205	7.2	6.9	<2	33	79	В	7.7	6.8	<2	46	84	В	8.2	6.8	<2	26	94	В	7.9	6.7	<2	17	32	Α			
5	Sathyamangalam	3019	7.5	6.9	<2	17	46	Α	7.5	6.8	<2	26	63	В	7.8	6.9	<2	20	47	Α	7.9	6.7	<2	27	48	Α			
6	Kalingarayan Canal (B5)	3020	7.5	6.8	<2	46	110	В	7.8	6.5	<2	58	120	В	8.3	5.9	3	32	150	В	8.2	5.9	3	20	39	Α			
7	Kalingarayan Canal (B10)	3021	7.6	7.0	<2	63	150	В	7.9	6.5	<2	79	170	В	8.2	5.6	3	70	220	В	8.6	6.5	2	17	32	Α			
DBU Class-Designated Best Use Class of water								ter	Criteria																				
								Total Coliforms Organism MPN/100ml shall be 50 or less pH between 6.5 and 8.5. Dissolved Oxygen 6mg/l or more. Biochemical Oxygen Demand 5 days 20 C 2mg/l or less.													ays 20								
Outdoor bathing (Organised)								Total Coliforms Organism MPN/100ml shall be 500 or less. pH between 6.5 and 8.5. Dissolved Oxygen 5mg/l or more Biochemical Oxygen Demand 5 days '20 C 3mg/l or less.													days								
								Total Coliforms Organism MPN/100ml shall be 5000 or less pH between 6 to 9 Dissolved Oxygen 4mg/l or more. Biochemical Oxygen Demand 5 days 20 C 3mg/l or less.																					
1 0									pH between 6.5 to 8.5 Dissolved Oxygen 5mg/l or more. Free Ammonia (as N) 1.2 mg/l or less. pH between 6.5 to 8.5. Electrical Conductivity at 25 ,micro mhos/cm Max.2250																				
Irrigation, Industrial cooling, Controlled									pH betwe	een 6.5 to	o 8.5. Ele	ectrical (	Conductiv	ity at 25	micro ml,	hos/cm M	ax.2250												