DRAFT ENVIRONMENTAL IMPACT ASSESSMENT REPORT OF

ROUGH STONE AND GRAVEL QUARRY

(As per EIA Notification, 2006 dated 14.09.2006 and amendments)

Category-B1 (Cluster) - Minor Mineral - Patta Land

Project Proponents

PP1-Thiru. B. Karthik

No. 3/563, Kuttai Thottam, 63, Velampalayam, Palladam, Tirupur- 641 663

PP2-Thiru. V. P. Ramasamy

2/697-A, Vivekananda Nagar Main st, S.R. Nagar South, Mangalam Road, Tirupur – 641 687

Project Location

Extent: 2.05.0 Ha
S. F. No: 277, Iduvai Village,
Tirupur South Taluk,
Tirupur District

Extent: 1.59.0 Ha
S. F. No: 286/1 (P), Iduvai Village,
Tirupur South Taluk,
Tirupur District

Terms of References

i) Lr. No. TO25B0108TN5138034N Dated: 15.06.2025-PP1

ii)Lr. No. TO25B0108TN5952127N Dated: 30.05.2025-PP2

EIA CONSULTANT



AADHI BOOMI MINING & ENVIRO TECH (P) LTD

(QCI/NABET Accredited EIA Organization)
3/216, K.S.V.Nagar, Narasothipatti, Alagapuram (PO),
Salem – 636004, Tamil Nadu

Website: www.abmenvirotec.com

Email: abmenvirotech@gmail.com/ suriyakumarsemban@gmail.com

Mob: 98427 29655.

Executive Summary

1.0 Introduction

The Applicants, Thiru. B. Karthik and Thiru. V.P. Ramasamy has applied for grant of permission for quarrying rough stone and gravel quarry over an extent of 2.05.0 Ha and 1.59.0 Ha in S.F.N: 277 and S.F. No: 286/1 (P) respectively located in Iduvai Village, Tirupur South Taluk, Tirupur District and Tamil Nadu for a period of 10 years and 5 years (From the date of execution).

The Deputy Director, Department of Geology and Mining, Tirupur has directed the applicants, Thiru. B. Karthik and Thiru. V.P. Ramasamy, vide his precise area communication letter Roc. No. 58/Kanimam/2023 dated 05.07.2024 and Roc. No. 712/Kanimam/2021 dated 05.07.2024 obtain Environmental clearance from the State Environment Impact Assessment Authority (SEIAA) as per the EIA Notification, 2006 and its amendments for grant of quarrying lease to rough stone and gravel quarry in Iduvai Village, Tirupur South Taluk, Tirupur District and Tamil Nadu for the period of 10 years and 5 Years (From the date of execution). In continuation, Deputy Director, Department of Geology and Mining, Tirupur has directed the two applicants, Thiru. B. Karthik and Thiru. V.P. Ramasamy to get mining plan is approved vide letter No. 58/Kanimam/2023 dated 13.08.2024 and Roc. No. 712/Kanimam/2021 dated 13.08.2024 and obtain Environmental clearance from the State Environment Impact Assessment Authority (SEIAA) as per the EIA Notification, 2006 and its amendments for grant of quarrying lease to rough Stone & Gravel quarry in Iduvai Village, Tirupur South Taluk, Tirupur District and Tamil Nadu for the period of 10 years and 5 years (From the date of execution).

The mining plan for rough stone and gravel quarry of two applicants has been prepared as per the Deputy Director's Precise area communication letter under Rule 41& 42 of Tamil Nadu Minor Minerals Concession Rules, 1959 for quarrying rough stone and gravel and it has been approved by Deputy Director, Department of Geology and Mining, Tirupur.

As per the cluster letter issued by Deputy Director, Department of Geology and Mining, Tirupur vide Rc.No.58/Mines/2023, dated 13.08.2024 for Thiru. B. Karthik (2.05.0 Ha) and vide Rc.No.712/Mines/2021 dated 13.08.2024 for Thiru. V.P. Ramasamy (1.59.0 Ha) the lease area of above said 9 applicants comes in cluster of 500m radius. The total area of cluster is 15.02.0 Ha. The extents of lease area of all individual as per cluster letter are given below.

Proposed Quarries

Thiru.B.Karthik - 2.05.0 Ha
 Thiru. V.P.Ramasamy - 1.59.0 Ha
 Thiru.K.Eswaran - 1.59.50 Ha

Existing Quarries

Thiru. K.Balasubramaniam - 1.40.0 Ha
 Mrs. B. Radhika - 0.89.0 Ha

Abandoned Quarries

Thiru.A.Kandasamy - 1.20.0 Ha
 Thiru. Silver C. Venkatachalam - 2.29.0 H
 Thiru. P. E. Thangavel - 2.49.0 Ha
 Thiru. K. Balasubramaniam - 1.52.0 Ha

As the projects comes under B1(cluster) category, the four applicants made TOR application individually the PARIVESH website for carrying out EIA Studies for obtaining Environmental clearance. The details are given in below table 1.1.

Table No. 1.1: Details on Terms of Reference

S. No	Name of	ToR Application	SEAC and	TOR letter No
	Proponent	No	SEIAA Meeting	
			No	
1.	B. Karthik	SIA/TN/MIN/529	565 th SEAC-II	Lr. No:
		488/2025 Dated	meeting, dated	TO25B018TN5138034
		15.03.2025.	15.05.2025 and	N Dated: 15.06.2025
			833 rd SEIAA	
			meeting dated	
			03.06.2025.	
2.	V.P. Ramasamy	SIA/TN/MIN/528	556 th SEAC	Lr. No:
		542/2025 dated	meeting, dated	TO25B018TN5952127
		10.03.2025	25.04.2025 and	N Dated: 30.05.2025
			828 th SEIAA	
			meeting dated	
			26.05.2025	

In TOR letters, it is mentioned that public hearing needs to be conducted for the proposed rough stone and gravel quarry of two project proponents for obtaining EC. As per MOEF&CC SO 141 (E) dated 15.01.2016-Appendix XI, there shall be one public consultation for entire cluster after which the final Environmental Impact Assessment Report or Environmental Management Plan report for the cluster shall be prepared. Based on the OM issued by MOEF & CC, the combined Draft EIA/EMP report has been prepared for the two quarries in the cluster of 15.02.0 Ha for conducting public hearing. The points raised in the

Cluster Area Rough Stone and Gravel Quarry, Tirupur District

public hearing and the commitments of the project proponent will be given detail in the final EIA Report which will be submitted to SEAC/SEIAA, TN for obtaining environmental clearance.

1.1. Identification of Project and Project Proponent

Table No. 1.2: Details on Project and Project Proponent

A. Proposed Projects to Conduct Public Hearing					
1. Thiru. B. Karthik					
Particulars	Details				
Address of the Project Proponent	Thiru. B. Karthik 3/563, Kuttai Thottam, 63, Velampalayam Palladam Taluk Tirupur District 641663 Mobil No: 9842284083				
Lease Area	Email id: karthikgokul999@gmail.com 2.05.0 Ha (Patta Land)				
Site Location	S.F. No: 277, Iduvai Village, Tirupur South Taluk, Tirupur District, Tamil Nadu.				
Geographical Co-ordinates	Latitude: 11° 03'52.61" N to 11° 03'58.68" N Longitude: 77°16'52.50" E to 77°16'58.19" E.				
Toposheet No. 58E/08					
Elevation	Elevation of the area is 367m above MSL.				
Precise Area Communication	Roc.No.58/Kanimam/2023, dated 05.07.2024				
Period of Lease	10 years from the date of execution.				
Mining Plan Approval Details	Mining plan approved by DD, Dept of Geology and Mining Vide Roc. No.58/Mines/2023, dated 13.08.2024				
AD Cluster letter	Rc. No. 58/Mines/2023, dated 13.08.2024				
	2. Thiru. V. P. Ramasamy				
Particulars	Details				
Address of the Project Proponent	Thiru. V. P. Ramasamy 2/697-A, Vivkananda Nagar Main Street, S.R. Nagar South, Mangalam Road Tirupur District- 641 687 Mobile No: 9965561626 Email: vprcrusher.office@gmail.com				
Lease Area	1.59.0 Ha (Patta Land)				
Site Location	S.F. No: 286/1 (P), Iduvai Village, Tirupur South Taluk, Tirupur District, Tamil Nadu.				
Geographical Co-ordinates	Latitude: 11° 03'43.08" N to 11° 03'49.31" N				

Cluster Area Rough Stone and Gravel Quarry, Tirupur District

	Longitude: 77°16'50.81" E to 77°16'54.73" E.
Toposheet No.	58E/08
Elevation	Elevation of the area is 369m above MSL
Precise Area communication	Rc.No.712/Kanimam/2021 dated 05.07.2024
Period of Lease	5 years from the date of execution.
Mining Plan Approval Details	Mining plan approved by DD, Dept of Geology and Mining Vide Rc.No.712/Mines/2021 dated 13.08.2024
AD Cluster letter	Rc. No. 712/Mines/2021 dated 13.08.2024

Table No. 1.3: Land Particulars

1. Thiru. B. Karthik							
District & State Taluk Village S.F. No.				Area (Ha)	Ownership/		
					Occupancy		
Tirupur &	Tirupur South	Iduvai	277	2.05.0 Ha			
Tamil Nadu					D 44 1 1		
					Patta land		
	2. Thiru. V. P. Ramasamy						
District & State	Taluk	Village	S.F. No.	Area (Ha)	Ownership/		
					Occupancy		
Tirupur &	Tirupur South	Iduvai	268/1 (P)	1.59.0 Ha			
Tamil Nadu					Patta land		
	Total 1.59.0 Ha						

1.2 Scope of the Project

The proposal for Environmental Clearance of rough stone and gravel of Thiru. B. Karthik, (2.05.0 Ha) and Thiru. V.P. Ramasamy (1.59.0 Ha) requires EIA/EMP Report as per respective Terms of Reference for conducting public hearing and obtaining for environmental clearance from SEAC/SEIAA.

1.3 Environmental Settings and Mining Details

Table No. 1.3: Environmental Settings

Accessibility						
Nearest Village	MGR Nagar – 270 m - W					
	S. No	Village Name	Total population as per 2011 census	Distance with Direction		
Nearest Settlement	1	MGR Nagar	5074	0.3 km-NW		
	2	Iduvai	8751	1.2 km-NE		
	3	Velampalayam	3207	1.8 km -SW		
	4	Chinnakalipalayam	847	0.5 km- SE		

Cluster Area Rough Stone and Gravel Quarry, Tirupur District

Nearest Town	Tirupur- 7 km - NE				
Nearest Railway	Tirupur Railway Station-7.9 km-NE				
station					
Nearest Airport	Coimbatore International Airport – 25.2 km - SW				
	Environmental Sensitiveness				
Interstate Boundary	Tamil Nadu –Kerala Interstate boundary – 53 Km (SW)				
Coastal Zone	Arabian sea – 149.0 km –W				
Reserve Forest	Nil within 25 km radius.				
	The proposed projects site does not attract Forest Conservation Act,				
	1980.				
Wildlife sanctuary	Nil within 10km radius. The Proposed projects site does not the				
	Wildlife (Protection) Act, 1972.				
Water bodies	1. Canal – 110m - West				
	2. Andipalayam Lake - 4.40 km- NE				
	3. Noyyal River - 4.5 km- North				
	4. Samalapuram Lake - 8.2km- NW				
Defense Installations Nil within 10km radius					
Critically Polluted	d Nil within 10km radius				
area					
Seismic zone	Zone-II, Moderate damage risk zone as per BMTPC, Vulnerability				
	atlas Seismic zone of India IS: 1893-2002				

Table No. 1.4: Mining Details

Thiru. B. Karthik, Rough Stone and Gravel Quarry					
Method of Mining Open cast -Mechanized mining					
Geological resources	615000 m ³				
Mineable reserves (100%)	172820m ³ of rough stone up to depth 32m and 22546m ³ of				
	gravel up to a depth of 2m after leaving necessary safety				
	distance from the lease boundary.				
Production (100%)	Rough Stone – 172820m ³ for five years				
Top soil	Gravel – 22546m ³ for three years.				
Depth of Mining	32m bgl				
Water Table	68-73 m bgl				
Road design 1: 10 inside the pit and ramp					
1:16 for transport					
Overall Pit Slope 45°					
Period of Lease	10 years (From the date of execution)				
Project Cost	Rs 59.69 Lakhs				
EMP Cost	Rs 3.80 lakhs				
CER Cost	Rs.5 lakhs				
Thiru. V. P.	Thiru. V. P. Ramasamy, Rough Stone and Gravel Quarry				
Method of Mining	Open cast -Mechanized mining				

Cluster Area Rough Stone and Gravel Quarry, Tirupur District

Geological resources	3,87,721m ³		
Mineable reserves (100%)	Rough stone - 95,843m ³		
Production (100%)	Rough Stone – 95,843m ³ @ 100% recovery for five years		
Top soil	-		
Reject	-		
Depth of Mining	42 m bgl.		
Water Table	68-73 m bgl		
Road design	1: 10 inside the pit and ramp		
	1:16 for transport		
Overall Pit Slope	45°		
Period of Lease	5 years from the date of execution		
Project Cost	Rs. 44.03 Lakhs		
EMP Cost	Rs. 3.80 lakhs		
CER Cost	Rs.5 lakhs		

1.4 Description of the environment

1.4.1 Base line environmental study

Collection of base line data is an integral part of the preparation of environmental impact assessment reports. The baseline monitoring study has been carried out during March 2025 – May 2025 to assess the existing environmental scenario in the area. For the purpose of EIA studies, mine lease area was considered as the cluster core zone and area outside the mine lease boundary up to 10km radius from the lease boundary was considered as buffer zone.

Table No. 11.5: Baseline Data

Particulars	Details	Standards					
Meteorology (March 2025 – May 2025)							
Rainfall (Avg.)	114 mm						
Temperature (Avg.)	20.5-35.3°C						
Wind speed	2.4 m/s						
Wind Direction	Predominantly from East to south						
	west						
	Ambient Air Quality (NAAQS)						
PM ₁₀	47-49 μg/m ³	$100 \mu \text{g/m}^3$					
PM _{2.5}	$26-29 \mu g/m^3$	60 μg/m ³					
SO ₂	13-16 μg/m ³	$80 \mu g/m^3$					
NO _x	21-27 μg /m ³	$80 \mu \text{g/m}^3$					
	Noise Level (CPCB Standards)						
Day time (6:00 am -	Cluster Core zone – 40.9 dB (A)	Industrial Area					
10:00 pm)	Buffer zone – 36.9- 40.2 dB (A))	Day Time - 75 dB (A)					
		Residential Area					
		Day Time – 55 dB (A)					

Cluster Area Rough Stone and Gravel Quarry, Tirupur District

Night time (10:00	Cluster core zone – 36.4 dB (A)	Industrial Area				
pm - 06:00 am)	Buffer zone – 33.0-35.4 dB (A)	Night Time – 70 dB(A)				
		Residential Area				
		Night Time – 45 dB (A)				
Wat	ter Quality IS 10500:2012 (Desirable	e limits)				
pH	6.86-7.58	6.5 to 8.5				
TDS	552-1752 mg/l	500 mg/l				
Electrical conductivity at 25°C	937 – 2870 micromhos/cm					
Total Hardness as CaCO ₃	115 -488 mg/l	200 mg/l				
Total suspended solids	4 -16 mg/l	IS 3025:P.17: 1984: R.2017				
Chlorides Cl	58 – 228 mg/l	250				
Total iron Fe	0.07- 1.54 mg/l	0.3mg/l				
Sulfates SO ₄	26 -54 mg/l	200 mg/l				
	Soil Quality					
pН	6.98 - 7.74	Neutral to slightly alkaline				
Bulk density	1.04 - 1.30 g/cc	Favorable physical				
		condition for plant growth.				
	Hydro Geology					
Mining Depth	32 m bgl for Thiru. B. Karthik					
Mining Depth	42 m bgl for Thiru. V.P. Ramasamy					
Water Table	68 to 72 m bgl					




Fig No. 1.1: Toposheet showing location of the lease area




Fig No. 1.2: Map Showing the Location and Accessibility of Quarry Lease Boundary




Fig No. 1.3: Google Earth Image showing 300m and 500m radius around lease area




Fig. No. 1.4: FMB of cluster lease area




Fig. No. 1.5: Village map of cluster lease area

Cluster Area Rough Stone and Gravel Quarry, Tirupur District




Fig No.1.6: Water level contour in 1km radius from the cluster boundary




Fig. No. 1.7: Progressive Quarry Closure Plan of Thiru. B. Karthik Rough Stone and Gravel Quarry




Fig. No. 1.8: Progressive Quarry Closure Plan of Thiru. V.P. Ramasamy Rough Stone and Gravel Quarry

1.5 ANTICIPATED ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES

1.5.1 Air Environment

The air borne particulate matter is the main air pollutant by opencast mining. The mining operation will be carried out by adopting mechanized methods which involves Jack Hammer drilling and blasting, excavation, loading and transportation.

AERMOD - Total predicted 24-h maximum GLC of PM₁₀ at project site for scenario 1 i.e. loading-unloading, transportation and scenario 2 i.e. Blasting was 80.42µg/m³ and 70.99µg/m³ respectively after superposition of base-line value 47µg/m³ over the incremental GLC 33.42µg/m³ and 23.99µg/m³ respectively due to combined impact of loading, unloading, open pit and transportation over the haul road and due to blasting. Therefore, the total predicted GLC of SO₂ and NO₂ will be 15 μ g/m³ and 22 μ g/m³ respectively. Maximum Impact of PM₁₀, SO₂ and NO₂ was observed close to the source within the lease area due to moderate wind speeds.

When all the quarries in the cluster area are working together the incremental GLC will be high and it may cross the prescribed limits by NAAQS. To overcome such situation, cluster committee should be formed and adopt the environmental management plan effectively as per EIA report.

1.5.2 Noise Environment

Noise pollution poses a major health risk to the mine workers. The sources of noise in the proposed open cast ordinary stone and gravel quarry are such as Drilling, Blasting, and during movement of vehicles.

The noise generated by the mining activity is dissipated within the cluster core zone. Although the noise level due to the operation of various mining machineries is 100dB(A), the noise level at different receptors is lower due to the distance involved and other topographical features adding to the noise attenuation. The calculated values at the receptors and resultant noise level are based on the mathematical formula as mentioned above.

The anticipated noise level in buffer villages due to mining activity is calculated by considering operation of one quarry only. When all the quarries in the cluster work together in same time, the resultant noise level may increase up to 5 decibels.

1.5.3 Ground Vibration

a) Thiru B. Karthik-2.05.0 Ha – Rough Stone and Gravel Quarry

The charge per blast of 56kg is well below the Peak Particle Velocity of 8mm/s as per the Director General of Mines Safety for safe level criteria through Circular No. 7 dated 29.08.

Cluster Area Rough Stone and Gravel Quarry, Tirupur District

1997. Anyhow, the applicant ensures that carry out the blasting based on the site condition under the supervision of competent qualified statutory personnel employed. However, as per statutory requirement control measures will be adopted to avoid the impacts due to ground vibration and fly rocks due to blasting.

b) Thiru. V.P. Ramasamy- 1.59.0 Ha – Rough Stone and Gravel Quarry

The charge per blast of 35kg is well below the Peak Particle Velocity of 8mm/s as per the Director General of Mines Safety for safe level criteria through Circular No. 7 dated 29.08. 1997. Anyhow, the applicant ensures that carry out the blasting based on the site condition under the supervision of competent qualified statutory personnel employed. However, as per statutory requirement control measures will be adopted to avoid the impacts due to ground vibration and fly rocks due to blasting.

1.5.4 Water Environment

Mining operations can affect groundwater quality in several ways. The most obvious occurs in the mining below the water table, either in underground workings or open pits. This provides a direct conduit to aquifers. Groundwater quality is also affected when waters (natural or process waters or wastewater) infiltrate through surface materials (including overlying waste or other material) into ground water. But this ordinary stone mine is devoid of any such impacts.

The impact due to mining on the water quality is expected to be insignificant because of no use of chemicals or hazardous substances during mining process. The mining activity will not intersect ground water table and it is 68-72m below ground level.

The WQI of the samples collected from the study area are given in table 4.26. It can be seen that the study area has water quality index value ranging from 38.16 to 85.36 which reflects the good water quality to very poor water quality status of the groundwater quality. The findings demonstrate the varying consistency of groundwater at different locations. All the groundwater samples under poor to unfit for drinking category; it may be due to the absorption of fertilisers, geological condition, channel water, solid waste, sewer drainage, septic tanks, and agricultural waste. The water should be treated by reverse osmosis to reduce dissolved solids and total hardness to the required rate.

1.5.5 Soil Environment

a) Thiru. B. Karthik - (2.05.0 Ha)

It will be dumped along mining lease boundary as earth bund and it will be utilized for green belt development within the lease area. No chemical or toxic elements will be used during mining activity. So, the health of soil in and around the quarry will not be affected.

b) Thiru. V.P. Ramasamy - (1.59.0 Ha)

It will be dumped along mining lease boundary as earth bund and it will be utilized for green belt development within the lease area. No chemical or toxic elements will be used during mining activity. So, the health of soil in and around the quarry will not be affected.

1.5.6 Biological Environment

There are no notified endangered species in the area, which may be affected due to the quarry activities; therefore, the biological environment will not have significant impact due to quarrying activity. The impact on the biological environment due to amount of dust generation is minimized by well-developed green belt in and around the quarry lease area.

1.5.7 Land Environment

Ordinary stone and gravel quarry project will result in disturbance of the land use pattern of the mine lease area. The impact on the topography in the form of changed landscape is unavoidable during mining activities like excavation, overburden dumping, soil extraction etc. Land requirement for the project has been assessed considering functional needs. So, reclamation of mined out land will be given due importance as a step for sound land resource management. There is no release of toxic elements into the ground. No adverse impact is anticipated on land use of buffer zone associated due to the mining activity, as all the activities will be confined within the project site. The mining operations will impact the land usage and land aesthetics of quarry lease area. The land use analyses show that the tree plantation was done around the mining lease area of Thiru. B. Karthik and Thiru. V.P. Ramasamy. The rate of plantation increases over a period of time due to quarry activity. At the end of the project, the quarried pit will be act as water storage pond. The stored water will be used for developing coconut, mango and groundnut plantation around the mining lease area. It will improve the livelihood of village people. The evaporation rate of the water in the pit is given detail in the report.

1.5.8 Socio Economic Environment

The quarrying activity will definitely increase the employment opportunity (directly as well as indirectly) in the project area. Some of these impacts would be beneficial. The expectation of the people of area is concerned towards employment, education, road and health facilities. The literacy rate may be increased with the economic benefits which may arise from the quarrying activities.

a) Thiru. B.Karthik (2.05.0 Ha) – Rough stone and gravel quarry

Direct Employment – 31 persons

Indirect Employment - 20 persons

b) Thiru V.P. Ramasamy (1.59.0 Ha) – Rough stone and gravel quarry

Direct Employment – 22 persons

Indirect Employment - 20 persons

	Table No. 1.6: Environmental Management Plan				
S. No	Parameters	Mining Activity		Mitigation measures	
1	Air Environment	Drilling	+	Dust extractor or wet drilling to be followed to control dust at source of	
				emission	
			#	Use of Sharp drill bits for drilling holes and charging the holes by using optimum charge and using time delay detonator	
		Blasting	4	Regular water sprinkling on blasted heaps at regular intervals will help	
		_		in reducing considerable dust pollution	
		Loading	#	Water sprinkling be done before loading by making it moist	
		Transportation	#	Water sprinklers along the sides of haul road shall be fixed to control	
				fly of dust while transporting minerals and waste	
			#	Overloading will be prevented	
			+	Trucks/Dumpers covered by tarpaulin covers	
		DG Sets	#	DG sets will be used only during power failure	
			#	Adequate stack height for DG sets will be provided as per CPCB norms	
		General measures	+	Avenue trees along roads around ML boundary shall be planted as per	
				the norms of MoEF to control fly of dust.	
			#	Labours engaged in such dust prone areas should be provided with	
				safety devices like ear muff, mask, goggles as per the MMR, 1961	
				amendments and circulars of DGMS.	
			+	Regular health check-up of workers and nearby villagers in the	
				impacted area should be carried out and also regular occupational	
				health assessment of employees should be carried out as per the	
				Factories Act	
			4	Ambient Air Quality Monitoring will be conducted on regular basis to	
				assess the quality of ambient air.	

	Water	Surface water	4	Wastewater discharge from mine will be treated in settling tanks before
2	Environment			using for dust suppression and tree plantation purposes.
		Ground water	4	The mining activity will not intersect the ground water table
			4	Desilting will be carried out before and immediately after the monsoon
				season
		Storm water	4	Pit will be used for Storage of rainwater
			+	Rain water will be collected in sump in the mining pit and will be
				allowed to store and pumped out to surface setting tank of 15 m x 10m
				x 3m to remove suspended solids if any. This collected water will be
				judiciously used for dust suppression onwards and such sites where
				dust likely to be generated and for developing green belt.
			+	The proponent will collect and judicially utilize the rainwater as part of
				rain water harvesting
		General measures	4	Regular monitoring and analyzing the quality of water
3	Noise	Drilling	4	Limiting time exposure of workers to excessive noise
	Environment	Blasting	4	Carrying out blasting only during day time and not on cloudy days
			4	Noise levels will be controlled by using optimum explosive charge,
				proper delay detonators and proper stemming to prevent blow out of
				holes.
			+	Providing proper noise proof enclosure for the workers separated from
				the noise source and noise prone equipment
		Transportation	+	Proper and regular maintenance of vehicles, machinery and other
			_	equipments.
			4	The noise generated by the machinery will be reduced by proper
				lubrication of the machinery and other equipments.
			+	Speed of trucks entering or leaving the mine will be limited to moderate
				speed to prevent undue noise from empty vehicles.

			+ + +	Adequate silencers will be provided in all the diesel engines of vehicles. Minimum use of horns and speed limit of 10 km/hr in the village area. It will be ensured that all transportation vehicles carry a valid PUC Certificates
		General measures	#	Use of personal protective devices i.e., earmuffs and earplugs by workers, who are working in high noise generating areas
			+	Provision of Quiet areas, where employees can get relief from workplace noise.
			+	The development of green belts around the periphery of the mine to attenuate noise.
			4	Regular medical check—up and proper training to personnel to create awareness about adverse noise level effects.
4	4 Vibration Blasting		+ +	Specific charge pattern has to be designed by proper trial vibration studies with varying charge ratios. Milli good determinators shall be used professibly 25, 50ms for delay to
			-	Milli second detonators shall be used preferably 25–50ms per delay to control vibrations
			4	If the vibration still exceeds the limit a long Trench to a depth of 6m may cut in the direction of wave's movement to break longitudinal waves which travel close to surface, preferably near mine buffer zone
			#	In spite of all measures periodical testing of vibration and noise using approved seismograph by DGMS has to be followed as a part of Environmental monitoring
5	Soil Environment	Topsoil	#	Humus top soil shall be preserved for reuse in afforestation and agriculture
			4	Top soil should not be mixed with other waste or reject materials. It should be conserved by judicious utilization in the mine premises
			4	Garland drains will be provided around the mine and dumps to arrest

				any soil from the mine area being carried away by the rain water. This will also avoid the soil erosion and siltation in the mining pits and maintaining the stability of the benches				
6	Waste Dump	Stabilization of Dumps				Dumps with proper dumps and suitable for toe of the s Garland dr hydrostatic		The rejects\ waste dump shall be properly terraced in to 1.5m benches with proper repose angle and then the top soil shall be spread over the dumps and slope to make them humus for some time, after the soil suitable for water retention trees will be planted at the top, slope and toe of the stabilized dumps to form vegetation Garland drainage around dump shall prevent under wash of dump by hydrostatic pressure to be developed by surface water and control wash outs and collapse
7	Plantation	Mine lease boundary and waste dump	4 4 4	Provision of green belt all along the periphery of the lease area for control of dust and to attenuate noise Stabilization of Dump with plantation It is strongly recommended that the loss of plant in each year will be counted and again planted in subsequent plantation. The plant should be planted taken from nursery, where the survival rate is high.				
8	Land Environment		4 44	The restoration of the degraded land would cover backfilling and terracing with the overburden / wastes and surfacing the same with top soil. Provision of Garland drainage around the dumps Fast growing trees and other native shrubs would be planted to stabilize the reclaimed land Appropriate measures will be taken for Green belt development. The rain water will be stored in the pit which will recharge the ground water as a part of rain water harvesting scheme for irrigating the nearby agricultural lands.				

9	Socio Economic	4	Good maintenance practices will be adopted for machinery and			
	Socio Leonomie	_	equipment, which will help to avert potential noise problems.			
		-	Green belt will be developed in and around the project site as per			
			Central Pollution Control Board (CPCB) guidelines.			
		+	Drilling, blasting etc at specified location will be followed with proper			
			schedule.			
		4	Appropriate air pollution control measure will be taken so as to			
			minimize the environmental impact within the core zone.			
		4	An emergency preparedness plan will be prepared in advance, to deal			
			with firefighting, evacuation and local communication.			
		4	For the safety of workers, personal protective appliances like har			
			gloves, helmets, safety shoes, goggles, aprons, nose masks and ear			
			protecting devices has been provided which meet 'BIS' (Bureau of			
			Indian Standards).			
		4	As a part of CSR activities community welfare measures will be taken			
			by Proponent through local Panchayat			
10	Occupational	4	First-aid facilities as per provisions under Rule (44) of Mines Rules			
	Health		1955			
		4	Initial and Periodical medical examination shall be conducted for the			
			employees under Rule 29B & 45 (A).			
		4	Insurance will be taken in the name of the labourers working in the			
			mines			
		4	Workers involved in mining work shall be provided protective			
			equipments such as Thick Gloves, Goggles, ear plugs, safety boot			
			wears, etc			
			110415, 010111			

1.6 Analysis of Alternatives

The quarrying site is dependent on the geology and mineral deposition of the area. Hence, this project is, mineral and site specific and no alternative site considered for this project.

1.7 Environmental Monitoring Program

Success of any environmental management programme depends upon the efficiency of the organizational set up responsible for the implementation of the programme. Regular monitoring of the various environmental parameters is also necessary to evaluate the effectiveness of the management programme. Environmental Monitoring Programme will be conducted for various environmental components as per conditions stipulated in the Environmental Clearance Letter issued by SEIAA & Consent to Operate issued by TNPCB.

Table No. 11.7: Post Project Environmental Monitoring Program

S. No	Environment	Location	Mo	nitoring	Remarks	
	Attributes		Duration	Frequency		
1	Meteorology and Air Quality	Continuous monitoring weather	24 hours	Monthly Once	Wind speed, direction,	
		station in core zone/ nearest IMD station			Temperature, Relative humidity and Rainfall.	
2	Air Pollution Monitoring – PM _{2.5} , PM ₁₀ , SO _x and NO _x	5 locations (One station in the core zone and at least one in nearby residential, area, one in the upwind, two station on the downwind direction and one in cross wind direction)	8 hours	Once in six months	Fine Dust Sampler and Respirable Dust Sampler	
3	Water Pollution Monitoring	Mine effluents, Set of grab samples during pre and post monsoon for ground and surface water in the vicinity.		Once in six months	Phyiso-chemical, microbiological characteristics	
4	Hydrogeology	Water level in open wells in buffer zone around 1km at specific wells	-	Once in six months	Water level monitoring devices may be used.	
5	Noise	Mine Boundary, high noise generating areas within the lease and at the	24 hours	Monthly Once	Sound level meter	

Cluster Area Rough Stone and Gravel Quarry, Tirupur District

		nearest residential				
		area				
6	Vibration	At the nearest	_	During	Digital	
		habitation (in case of		blasting	Seismograph	
		reporting)		operation		
7	Soil	Core Zone and Buffer	_	Once in six	Physical	and
		zone (Grab samples)		months	Chemical	
					characteristics	

1.8 Project Benefits

The proponents Thiru. B. Karthik and Thiru. V.P. Ramasamy is very much conscious of his obligations to society at large. Under plantation programme, it is suggested to develop green belt further all along the boundary of the quarry lease area. Apart from the green belts and aesthetic plantation for eliminating fugitive emissions and noise control, all other massive plantation efforts will be executed with the assistance of experts and cooperation of the local community. The quarrying activity will create rural employment. In addition, there will be indirect employment to many more people in the form of contractual jobs like construction of infrastructural facilities, transportation of ordinary stone and gravel to destinations, sanitation, supply of goods and services to the quarry and other community services etc. The local population will have preference to get an employment. The proponent will help in socio economic development of the village by providing educational facilities to children, and welfare amenities like drinking water to school; road and medical facilities to villages and employment opportunities to nearby villagers. CSR budget is allocated as 2.5% of the profit.

1.9 Conclusion

As discussed, it is safe to mention that the project is not likely to cause significant impacts on the ecology and environment of the area, as adequate preventive measures will be adopted to contain the pollutants within permissible limits. The total operations shall be carried out with ease & minimum risk to the workers. The proposed Environmental Management Plan will keep the area in a safe environment with negligible impact on the environment. Plantation will substantiate the impact due to the quarrying activity. Quarrying activity will help in improving the socio–economic benefits in areas like employment, communication and infrastructure development.