

EXECUTIVE SUMMARY

DRAFT ENVIRONMENTAL IMPACT ASSESSMENT REPORT OF

MULTICOLOUR GRANITE QUARRY

(As per EIA Notification, 2006 dated 14.09.2006 and amendments)

Category- B1

Project Proponent

M/s. M.P. Granite
No.131/29, R.R. Complex,
Kollapatti, Tiruchengode Taluk,
Namakkal District - 637 211

Project Details

S. F. No	: 260/A1, 260/A2, etc.,
Extent Area	: 4.01.5 Ha
Village	: K. Pitchampatti
Taluk	: Karur
District	: Karur

ToR Identification No: TO26B0108TN5488325N Dated: 13.04.2026

EIA CONSULTANT



AADHI BOOMI MINING & ENVIRO TECH (P) LTD

(QCI/NABET Accredited EIA Organization)

3/216, K.S.V.Nagar, Narasothipatti, Alagapuram (PO),

Salem – 636004, Tamil Nadu


Website: www.abmenvirotec.com

Email: abmenvirotech@gmail.com/ suriyakumarsemban@gmail.com

Mob: 98427 29655.



2026



Executive Summary

1.0 Introduction

The applicant, M/s. M.P.Granite having registered office at No.131/29, RR Complex, Kollapatti, Animoor Post, Trichengode Taluk, Namakkal District, Tamil Nadu-637211 has applied for grant of Granite quarry lease to the secretary to Government, Industries Dept, Fort St. George, Chennai-9 through District Collector, Karur District and Director of Geology and Mining, Chennai for quarrying Multicolour Granite from a patta land over an extent of 4.01.5 Hectares in S.F. Nos: 260/A1, 260/A2, 260/A3, 260/C, 262/A3, 262/A4, 262/A5, 262/A6, 262/A7, 262/A8, 262/B1 and 262/B2 in K.Pitchampatti Village, Karur Taluk, Karur District, Tamil Nadu.

M/s. M.P.Granite is a partnership firm. The Partnership deed executed on 09.07.2012 with two partners under Indian Partnership Act, 1932. The details of the partners are given below.

S. No	Name of the Partners	Designation
1	Tmt. N.Madhavi	Partner
2	Thiru. G.P. Panneer	Managing Partner

Thiru G.P.Panneer is the partner of the firm and he is an authorised person for signing all the documents on behalf of this company.

The principal secretary, Govt. of Tamil Nadu directed the applicant M/s. M.P.Granite, through his precise area communication letter No. 11030/MMB.2/2016-1, Dated: 17.10.2016 to get approved mining plan and obtain Environmental clearance from the Environment Impact Assessment Authority (SEIAA) as per the EIA Notification, 2006 and its amendments for grant of quarrying for Multicolour Granite over an extent of 4.01.5 hectares of patta land in S.F. No's: 260/A1, 260/A2, 260/A3, 260/C, 262/A3, 262/A4, 262/A5, 262/A6, 262/A7, 262/A8, 262/B1 and 262/B2, K.Pitchampatti Village, Karur Taluk, Karur District, Tamil Nadu for a period of 20 years.

Accordingly, Mining Plan is prepared under Rule 12 & 13 of Granite conservation and development Rules, 1999 for quarrying Multicolour Granite with due consideration of environmental parameters so as to obtain Environmental clearance (EC) from Environment Impact Assessment Authority (SEIAA) vide MoEF&CC Notification S.O 141(E) dated 15th January, 2016. The mining plan was approved by Department of Geology and Mining,

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District

Guindy, Chennai and the PP obtained EC from DEIAA. The Government has issued vide letter G.O.(3D) No.10 Industries (MMB.2) Department dated: 11.08.2017. The lease was executed on 18.08.2017 and expired on 17.08.2037. The mining plan and EC was expired on 01.08.2022.

Now the PP obtained Scheme of Mining Plan approval from the Commissionerate of Geology and Mining, Chennai, vide his letter Roc No. 4342/MM2/2022 Dated. 29.09.2022 for the period of 2022-23 to 2026-27.

The cluster letter issued by Deputy Director, Department of Geology and Mining, Karur vide No.2374/MM2/2022 Dated 12.12.2025 for M/s. M.P.Granite, (4.01.5 Ha) the lease area of above said there is 3 existing quarries comes under the cluster of 500m radius. Namely M/s. M.P. Granite it's an extent of 4.01.50 Ha, 2.43.5 Ha and 4.45.0 Ha respectively the total area of cluster is 13.90.0 Ha. Which is above 5 hectares hence the proposed project comes under Category B1 as per EIA Notification 2006 and its amendments. Now the application has been made for Terms of Reference for carrying out EIA studies. The project cost is about Rs. 31.92 lakhs and EMP cost is Rs. 0.76 lakhs.

Proposed Quarries

1. M/s. G.P Exports – 3.00.0 Ha

Existing Quarries

1. M/s. M.P Granites - 2.43.50 Ha
2. M/s. M.P Granites - 4.01.50 Ha
3. M/s. M.P Granites - 4.45.50 Ha
4. M/s. S.R.P. Rock Exports – 3.60.0 Ha

Abandoned Quarries

Nil

As the projects comes under B1(cluster) category, the applicant made TOR application individually the PARIVESH website for carrying out EIA Studies for obtaining Environmental clearance. The details are given in below table 1.1.

Table 1.1 Details on Terms of Reference

S. No	Name of Applicant	ToR Application No	SEAC and SEIAA Meeting	TOR Identification No
1	M/s. M.P Granite	SIA/TN/MIN/570774/2026, Dated 11.03.2026	697 th SEAC Meeting dated 26.03.2026 & 990 th SEIAA Meeting dated 07.04.2026	TO26B0108TN5488 325N Dated: 13.04.2026

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District

The Draft EIA report has been prepared based on the Terms of Reference issued by SEIAA. The points raised in the public hearing and the commitments of the project proponent will be given detail in the Final EIA Report which will be submitted to SEAC/SEIAA, TN for obtaining environmental clearance. The production achieved by the Lessee since inception of mining activity as against approved Mining plan/Scheme is given below.

1.2. IDENTIFICATION OF PROJECT AND PROJECT PROPONENT

1.2.1. IDENTIFICATION OF PROJECT

Table 1.3 Details on Project and Project Proponent

Particulars	Details
Address of the Project Proponent	M/s. M.P.Granite , No.131/29, RR Complex, Kollapatti, Animoor Post, Trichengode Taluk, Namakkal District, Tamil Nadu-637211
S. F. No	260/A1, 260/A2, 260/A3, 260/B1, 260/B2, 260/B3, 260/C, 262/A3 (P), 262/A4 (P), 262/A5 (P), 262/A6 (P), 262/A7, 262/A8 (P), 262/B1 & 262/B2
Lease Area	4.01.5 Hectares
Site Location	K. Pitchampatti Village, Karur Taluk, Karur District, Tamil Nadu
Geographical Co-ordinates	Latitude: 10°46' 47.1743"N to 10°46'54.9115"N Longitude: 78°05' 01.7543"E to 78°05'09.5432"E
Toposheet No.	58J/1
Precise Area Communication	Rc. No. 11030/MMB.2/2016-1, Dated: 17.10.2016
Mining Plan Approval	Rc. No. 4342/MM2/2022 Dated. 29.09.2022
Period of Lease	20 years
AD Cluster letter	Rc. No. 2374/MM2/2022 Dated 12.12.2025

Table 1.4 Land Particulars

State & District	Taluk	Village	S.F. No.	Total Extent of area (Ha)	Ownership Occupancy
Tamil Nadu & Karur	Karur	K.Pichampatti	260/A1, 260/A2, 260/A3, 260/B1, 260/B2, 260/B3, 260/C, 262/A3 (P), 262/A4 (P), 262/A5 (P), 262/A6 (P), 262/A7, 262/A8 (P), 262/B1 & 262/B2	4.01.5	Own patta land

1.3 BRIEF DESCRIPTION OF THE PROJECT

1.3.1. Nature and Size of the Project

Open cast, mechanized mining will be adopted to extract Granite of required size from the quarry area. Hydraulic excavators and diamond wire saw will be used for cutting the rocks. Close spaced cutting of 1m is adapted along a straight line. The Wire saw cutting is adopted below second bench to recover more granite blocks to increase the rate of recovery.

Geological resources and Mineable reserves: Geological resource of total ROM is estimated to be 4,04,622m³ including the resources of safety zone of which, Multicolour granite is about 2,42,773m³ at the recovery of 60% and granite rejects is about 1,61,849m³. The mineable reserve of total ROM is estimated as 2,73,726m³ by deducting the reserve safety zone, block in benches from the total mineable resources of which, Multicolour granite is about 1,64,236m³ at the recovery of 60% and granite rejects are 1,09,490m³ of 40% up to a depth of 45m below the ground level (Refer Plate No's. VIII).

Proposed production schedule: Total proposed production of ROM is about 59,400m³ out of which, Multicolour granite is about 35,640m³ at the recovery of 60% and granite rejects are 23,760 @40%, up to a depth of 40m below the ground level for first five years scheme of mining plan period. Annual Peak production is RoM 12,150m³ of Multicolour granite (Refer Plate No. VIIIA).

1.2 SCOPE OF THE PROJECT

The proposal for Environmental Clearance of Multicolour Granite quarry of M/s. M.P. Granite require EIA/EMP Report as per Terms of Reference for conducting public hearing and obtaining environmental clearance from SEAC/SEIAA.

1.3 ENVIRONMENTAL SETTINGS & MINING DETAILS

FEATURE	DETAILS
Name of the Proponent and address	M/s. M.P. Granite, No.131/29, RR Complex, Kollapatti, Animoor Post, Trichengode Taluk, Namakkal District
Existing/New Quarry	Existing
Survey number	260/A1, 260/A2, 260/A3, 260/C, 262/A3, 262/A4, 262/A5, 262/A6, 262/A7, 262/A8, 262/B1 and 262/B2
Geographical features	Latitude: 10°46' 47.1743"N to 10°46'54.9115"N Longitude: 78°05' 01.7543"E to 78°05'09.5432"E Toposheet No: 58J/1

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District

Site Location	K. Pitchampatti Village, Karur Taluk, Karur District, Tamil Nadu.
Type of Project	Multicolour Granite
Category	B1
Mining lease area	4.01.5 Hectares
Depth of Mining	45 m bgl
Water Table	60 m bgl
Method of Mining	Open cast semi mechanized mining
Blasting Pattern	Chemical rock blasting, also known as non-explosive rock blasting, uses a chemical agent that expands when mixed with water, creating pressure that fractures the rock.
Types of Explosives	Chemical explosive is not proposed chemical powder called as Rock breaking powder $\text{Ca}(\text{OH})_2$ are also used for granite splitting.
Measures proposed to minimize ground vibrations due to blasting	It is an Eco-friendly quarry operation; diamond wire saw cutting method shall be practiced to this quarrying operation. Chemical rock blasting, also known as non-explosive rock blasting No impact on surroundings due to blasting.
Storage of Explosive	Not Applicable
Category	B1
Mining plan approval	Director of Geology and Mining, Chennai vide Rc. No: 4342/MM2/2022 Dated. 29.09.2022.
Period of Lease	20 years.
Does it attract any general conditions specified in the EIA notification, 2006?	Not applicable
Man Power	40 persons
Water requirement	Total water requirement – 7.0 KLD Drinking water – 1.0 KLD Domestic purposes – 2.0 KLD Water sprinkling – 2.0 KLD, Wet drilling and Green Belt 2.0 KLD. Source: Mineral water supply and nearby bore wells
EMP Cost	Rs. 0.76 Lakhs
Project Cost	Rs. 31.92 Lakhs
Nearest habitation	630m -South
Nearest Village	K. Pitchampatti -0.630m -South
PMHC	P. Kullampatti –3.2km –North
Nearest Town	Velliyanai – 8.0km –NE
Nearest Road	SH 74- 4.3km- NE NH 44 –13.4 km- NW Approach road for the Transportation is located at the north-

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District

	eastern side.				
Nearest Railway station	Velliyanai – 7.5 km –NE				
Nearest Airport	Tiruchirapalli –68.6km –East				
Water bodies	Tank- 0.83km East Erattai kulam -1.3km NW Kodaganar River-10.43km -NW, Amaravathi River-15.8km- NW, Cauvery River -23.7km NE Mayanur check dam -26km NE				
Interstate Boundary	Tamil Nadu -Kerala Interstate Boundary –104km (SW)				
Coastal Zone	Bay of Bengal – 145km - East				
Reserve Forest	No reserve forest around 10km radius from the periphery of the lease applied area.				
Wildlife Sanctuary	There is no wild life sanctuary or National Park found within 10km radius Kadavur Slender Loris Sanctuary – 23.0km – SE Vellode Birds Sanctuary–70km- North-western Side				
Land use pattern	S. No	Description	Present Area (Ha)	Proposed land use (Ha)	
	1	Mine working area	0.88.2	1.05.0	
	2	Road	0.01.0	0.01.0	
	3	Safety and Area under plantation	---	0.16.0	
	4	Labour shed and office	---	---	
	5	Waste Dump	0.51.0	0.51.0	
	6	Garland drainage& settling tank	---	---	
	7	Stocking Blocks	2.61.3	2.28.5	
	Total		4.01.5	4.01.5	

Table 1.5 Mining Details

Particulars	Details
Method of Mining	Open cast – mechanized mining
Geological resources	4,04,622m ³ (2,42,773m ³ at the recovery of 60% and granite rejects is about 1,61,849m ³ @ 40%)
Mineable reserves	2,73,726m ³ (1,64,236m ³ at the recovery of 60% and granite rejects are 1,09,490m ³ of 40%)
Production	59,400m ³ (35,640m ³ at the recovery of 60% and granite rejects are 23,760 @40%,) up to a depth of 40m during the first scheme of mining plan period.
Reject	23,760 m ³ (Rejects 40%)

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District

Top soil	-
Side Burden	35,375 m ³
Weathered rock	5,592 m ³
Ore: Waste ratio	1: 5.4
Depth of Mining	45m bgl
Water Table	60mbgl
Road design	1: 10 inside the pit and ramp 1:16 for transport
Overall Pit Slope	45°
Period of Lease	20 years

1.4 Description of the environment

1.4.1 Base line environmental study

Collection of base line data is an integral part of the preparation of environmental impact assessment reports. The baseline monitoring study has been carried out during December, 2025 – February, 2026 to assess the existing environmental scenario in the area. For the purpose of EIA studies, mine lease area was considered as the core zone and area outside the mine lease boundary up to 10km radius from the lease boundary was considered as buffer zone.

Table No 1.6 Baseline Data

Particulars	Details	Standards
Meteorology (December, 2025 – February, 2026)		
Rainfall (Avg.)	37.4 mm	--
Temperature (Avg.)	20-37°C	--
Wind speed	2.5 m/s	--
Wind Direction	From east to west directions	
Ambient Air Quality (NAAQS)		
PM ₁₀	32-54 µg/m ³	100 µg/m ³
PM _{2.5}	15 – 31 µg/m ³	60 µg/m ³
SO ₂	7 - 19 µg/m ³	80 µg/m ³
NO _x	11 - 30 µg /m ³	80 µg/m ³
Noise Level (CPCB Standards)		
Day time (6:00 am - 10:00 pm)	Core zone – 39.9 – 47.2 dB (A) Buffer zone – 37.2- 42.6 dB (A))	Industrial Area Day Time - 75 dB (A) Residential Area Day Time – 55 dB (A)

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District

Night time (10:00 pm - 06:00 am)	Core zone – 38.9 – 41.6 dB (A) Buffer zone – 35.2 – 38.5 dB(A)	Industrial Area Night Time – 70 dB(A) Residential Area Night Time – 45 dB (A)
Water Quality IS 10500:2012 (Desirable limits)		
pH	6.90 – 7.59	6.5 to 8.5
TDS	724-1052 mg/l	500 mg/l
Electrical conductivity at 25°C	1205-1753 micromhos/cm	
Total Hardness as CaCO ₃	496-824 mg/l	200 mg/l
Total suspended solids	16 - 28 mg/l	IS 3025:P.17: 1984: R. 2017
Chlorides Cl	142 - 260mg/l	250
Total iron Fe	0.02 – 0.34	0.3mg/l
Sulfates SO ₄	65-114mg/l	200 mg/l
Soil Quality		
pH	7.05 – 7.68	Neutral to slightly alkaline
Bulk density	1.04-1.30 g/cc	Favorable physical condition for plant growth.
EC	185 – 297 µs/cm	-
Organic Matter	0.2 – 0.3 %	-
Hydro Geology		
Water Table	60 m bgl	

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District




Fig No 1.1 Toposheet showing location of the lease area

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District




Fig No 1.2 Map Showing the Location and Accessibility of Quarry Lease Boundary

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District




Fig No 1.3 Google Earth Image showing 300m and 500m radius around lease area

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District




Fig. No: 1.4. Village Map

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District



Fig. No: 1.5. progressive quarry closure plan

1.5 ANTICIPATED ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES

1.5.1 Air Environment

The air borne particulate matter is the main air pollutant by opencast mining. The mining operation will be carried out by adopting semi-mechanized methods which involves Jack Hammer drilling and blasting, excavation, loading and transportation.

Total predicted 24-h maximum GLC of PM₁₀ at project site for scenario 1 i.e. loading-unloading, transportation and scenario 2 i.e. Blasting was 68.07µg/m³ and 54.18µg/m³ respectively after superposition of base-line value 48µg/m³ over the incremental GLC 20.07µg/m³ and 6.18µg/m³ respectively due to combined impact of loading, unloading, open pit and transportation over the haul road and due to blasting.

Maximum Impact of PM₁₀, SO₂ and NO₂ was observed close to the source within the lease area due to moderate wind speeds.

1.5.2 Noise Environment

Noise pollution poses a major health risk to the mine workers. The sources of noise in the proposed open cast granite quarry are such as Drilling, Blasting, and during movement of vehicles.

The noise generated by the mining activity is dissipated within the core zone. This is because of distance involved and other topographical features adding to the noise attenuation. From the results, it can be seen that the ambient noise levels (day time and night time) at all the locations will remain within permissible limits prescribed by CPCB and 90dB (A) norms of DGMS. At present there is no mining activity carried out. However, the expected noise levels are not likely to have any effect. Precaution will be made to keep down the noise exposure level of 85 dB (A) to the operating personnel for 8 hrs duration.

1.5.3 Ground Vibration

From the above results, it can be seen that the charge per blast of 7 kg is within the Peak Particle Velocity of 5mm/s for the habitation located at the distance of 190m. So, the project proponent if any changes for the production (G.P Exports) is recommended to adopt delay detonators to keep PPV of ground vibration below 5mm/s.

1.5.4 Water Environment

Mining operations can affect groundwater quality in several ways. The most obvious occurs in the mining below the water table, either in underground workings or open pits. This

provides a direct conduit to aquifers. Groundwater quality is also affected when waters (natural or process waters or wastewater) infiltrate through surface materials (including overlying waste or other material) into ground water. But this multicolour granite quarry mine is devoid of any such impacts.

The WQI of the samples collected from the study area are given in table 4.25. It can be seen that the study area has water quality index value ranging from 65.7 to 301.4 which reflects the Poor water quality to unfit for drinking status of the groundwater quality. The findings demonstrate the varying consistency of groundwater at different locations. All the groundwater samples under poor to unfit for drinking category; it may be due to the absorption of fertilisers, geological condition, channel water, solid waste, sewer drainage, septic tanks, and agricultural waste. The water should be treated by reverse osmosis to reduce dissolved solids and total hardness to the required rate.

1.5.5 Soil Environment

The generation of top soil is estimated as 31590 m³. It will be dumped along mining lease boundary as earth bund and it will be utilized for green belt development within the lease area. No chemical or toxic elements will be used during mining activity. So, the health of soil in and around the quarry will not be affected.

1.5.6 Waste Dump

The proposed rate of production of multicolour granite for five years is about 59,400 m³ at the rate of 60% recovery up to permissible depth. The 40% reject of 25641 m³ shall be dumped over existing dump in South west side and on virgin barren land in east side as per approved scheme of mining. During monsoon seasons, the runoff from the dump will carry silts and small stones and it affect the land use around the project site which means it may affect the carrying capacity of stream, water holding capacity of lakes and affect nearest agricultural lands.

1.5.7 Biological Environment

There are no notified endangered species in the area, which may be affected due to the quarry activities; therefore, the biological environment will not have significant impact due to quarrying activity. The impact on the biological environment due to amount of dust generation is minimized by well-developed green belt in and around the quarry lease area.

1.5.8 Land Environment

Multi colour granite Quarry project will result in disturbance of the land use pattern of the mine lease area. The impact on the topography in the form of changed landscape is unavoidable during mining activities like excavation, overburden dumping, soil extraction etc. Land requirement for the project has been assessed considering functional needs. So, reclamation of mined out land will be given due importance as a step for sound land resource management. There is no release of toxic elements into the ground. No adverse impact is anticipated on land use of buffer zone associated due to the mining activity, as all the activities will be confined within the project site. The mining operations will impact the land usage and land aesthetics of quarry lease area. The rate of plantation increases over a period of time due to quarry activity. At the end of the project, the quarried pit will be act as water storage pond. The stored water will be used for developing mango plantation around the mining lease area. It will improve the livelihood of village people. The evaporation rate of the water in the pit is given detail in the report.

1.5.9 Socio Economic Environment

The quarrying activity will definitely increase the employment opportunity (directly as well as indirectly) in the project area. Some of these impacts would be beneficial. The expectation of the people of area is concerned towards employment, education, road and health facilities. The literacy rate may be increased with the economic benefits which may arise from the quarrying activities.

Direct Employment – 40 persons

Indirect Employment - 20 persons

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District

Table 1.7 Environmental Management Plan

S. No	Parameters	Mining Activity	Mitigation measures
1	Air Environment	Drilling	○ Dust extractor or wet drilling to be followed to control dust at source of emission ○ Use of Sharp drill bits for drilling holes and charging the holes by using optimum charge and using time delay detonator
		Blasting	○ Regular water sprinkling on blasted heaps at regular intervals will help in reducing considerable dust pollution
		Loading	○ Water sprinkling be done before loading by making it moist
		Transportation	○ Water sprinklers along the sides of haul road shall be fixed to control fly of dust while transporting minerals and waste ○ Overloading will be prevented ○ Trucks/Dumpers covered by tarpaulin covers
		DG Sets	○ DG sets will be used only during power failure ○ Adequate stack height for DG sets will be provided as per CPCB norms
		General measures	○ Avenue trees along roads around ML boundary shall be planted as per the norms of MoEF to control fly of dust. ○ Labours engaged in such dust prone areas should be provided with safety devices like ear muff, mask, goggles as per the MMR, 1961 amendments and circulars of DGMS. ○ Regular health check-up of workers and nearby villagers in the impacted area should be carried out and also regular occupational health assessment of employees should be carried out as per the Factories Act ○ Ambient Air Quality Monitoring will be conducted on regular basis to assess the quality of ambient air.

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District

2	Water Environment	Surface water	Wastewater discharge from mine will be treated in settling tanks before using for dust suppression and tree plantation purposes.
		Ground water	- The mining activity will not intersect the ground water table - Desilting will be carried out before and immediately after the monsoon season
		Storm water	- Pit will be used for Storage of rainwater - Rain water will be collected in sump in the mining pit and will be allowed to store and pumped out to surface setting tank of 15 m x 10m x 3m to remove suspended solids if any. This collected water will be judiciously used for dust suppression onwards and such sites where dust likely to be generated and for developing green belt. - The proponent will collect and judiciously utilize the rainwater as part of rain water harvesting
		General measures	Regular monitoring and analyzing the quality of water
3	Noise Environment	Drilling	Limiting time exposure of workers to excessive noise
		Blasting	- Carrying out blasting only during day time and not on cloudy days - Noise levels will be controlled by using optimum explosive charge, proper delay detonators and proper stemming to prevent blow out of holes. - Providing proper noise proof enclosure for the workers separated from the noise source and noise prone equipment
		Transportation	- Proper and regular maintenance of vehicles, machinery and other equipments. - The noise generated by the machinery will be reduced by proper lubrication of the machinery and other equipments. - Speed of trucks entering or leaving the mine will be limited to moderate speed to prevent undue noise from empty vehicles.

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District

			○ Adequate silencers will be provided in all the diesel engines of vehicles. ○ Minimum use of horns and speed limit of 10 km/hr in the village area. ○ It will be ensured that all transportation vehicles carry a valid PUC Certificates
		General measures	○ Use of personal protective devices i.e., earmuffs and earplugs by workers, who are working in high noise generating areas ○ Provision of Quiet areas, where employees can get relief from workplace noise. ○ The development of green belts around the periphery of the mine to attenuate noise. ○ Regular medical check-up and proper training to personnel to create awareness about adverse noise level effects.
4	Vibration	Blasting	○ Specific charge pattern has to be designed by proper trial vibration studies with varying charge ratios. ○ Milli second detonators shall be used preferably 25–50ms per delay to control vibrations ○ If the vibration still exceeds the limit a long Trench to a depth of 6m may cut in the direction of wave's movement to break longitudinal waves which travel close to surface, preferably near mine buffer zone ○ In spite of all measures periodical testing of vibration and noise using approved seismograph by DGMS has to be followed as a part of Environmental monitoring
5	Soil Environment	Topsoil	○ Humus top soil shall be preserved for reuse in afforestation and agriculture ○ Top soil should not be mixed with other waste or reject materials. It should be conserved by judicious utilization in the mine premises ○ Garland drains will be provided around the mine and dumps to arrest any soil from the mine area being carried away by the rain water. This will

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District

			also avoid the soil erosion and siltation in the mining pits and maintaining the stability of the benches
6	Waste Dump	Stabilization of Dumps	○ The rejects\ waste dump shall be properly terraced in to 1.5m benches with proper repose angle and then the top soil shall be spread over the dumps and slope to make them humus for some time, after the soil suitable for water retention trees will be planted at the top, slope and toe of the stabilized dumps to form vegetation ○ Garland drainage around dump shall prevent under wash of dump by hydrostatic pressure to be developed by surface water and control wash outs and collapse
7	Plantation	Mine lease boundary and waste dump	○ Provision of green belt all along the periphery of the lease area for control of dust and to attenuate noise ○ Stabilization of Dump with plantation ○ It is strongly recommended that the loss of plant in each year will be counted and again planted in subsequent plantation. ○ The plant should be planted taken from nursery, where the survival rate is high.
8	Land Environment		○ The restoration of the degraded land would cover backfilling and terracing with the overburden / wastes and surfacing the same with top soil. ○ Provision of Garland drainage around the dumps ○ Fast growing trees and other native shrubs would be planted to stabilize the reclaimed land ○ Appropriate measures will be taken for Green belt development. ○ The rain water will be stored in the pit which will recharge the ground water as a part of rain water harvesting scheme for irrigating the nearby agricultural lands.
9	Socio Economic		○ Good maintenance practices will be adopted for machinery and

Executive Summary

Proponent: M/s. M.P. Granite, Multicolour Granite Quarry, Karur District

			equipment, which will help to avert potential noise problems. ○ Green belt will be developed in and around the project site as per Central Pollution Control Board (CPCB) guidelines. ○ Drilling, blasting etc at specified location will be followed with proper schedule. ○ Appropriate air pollution control measure will be taken so as to minimize the environmental impact within the core zone. ○ An emergency preparedness plan will be prepared in advance, to deal with firefighting, evacuation and local communication. ○ For the safety of workers, personal protective appliances like hand gloves, helmets, safety shoes, goggles, aprons, nose masks and ear protecting devices has been provided which meet 'BIS' (Bureau of Indian Standards). ○ As a part of CSR activities community welfare measures will be taken by Proponent through local Panchayat
10	Occupational Health		○ First-aid facilities as per provisions under Rule (44) of Mines Rules 1955 ○ Initial and Periodical medical examination shall be conducted for the employees under Rule 29B & 45 (A). ○ Insurance will be taken in the name of the labourers working in the mines ○ Workers involved in mining work shall be provided protective equipments such as Thick Gloves, Goggles, ear plugs, safety boot wears, etc.,

1.6 Analysis of Alternatives

The quarrying site is dependent on the geology and mineral deposition of the area. Hence, this project is, mineral and site specific and no alternative site considered for this project.

1.8 Project Benefits

The proponent, M/s. M.P. Granite is very much conscious of his obligations to society at large. Under plantation programme, it is suggested to develop greenbelt further all along the boundary of the quarry lease area. Apart from the green belts and aesthetic plantation for eliminating fugitive emissions and noise control, all other massive plantation efforts will be executed with the assistance of experts and cooperation of the local community. The quarrying activity will create rural employment. In addition, there will be indirect employment to many more people in the form of contractual jobs like construction of infrastructural facilities, transportation of Granite and gravel to destinations, sanitation, supply of goods and services to the quarry and other community services etc. The local population will have preference to get an employment. The proponent will help in socio economic development of the village by providing educational facilities to children, and welfare amenities like drinking water to school; road and medical facilities to villages and employment opportunities to nearby villagers. CSR budget is allocated as 2.5% of the profit.

1.9 Conclusion

As discussed, it is safe to mention that the project is not likely to cause significant impacts on the ecology and environment of the area, as adequate preventive measures will be adopted to contain the pollutants within permissible limits. The total operations shall be carried out with ease & minimum risk to the workers. The proposed Environmental Management Plan will keep the area in a safe environment with negligible impact on the environment. Plantation will substantiate the impact due to the quarrying activity. Quarrying activity will help in improving the socio-economic benefits in areas like employment, communication and infrastructure development.