



TAMILNADU POLLUTION CONTROL BOARD

335th Consent Clearance Committee meeting held on 23.4.2025

Item No.	Subject	Order Sought for	Decision of the Committee
335-1	M/s Jain Resource Recycling Ltd Unit, Karumbukuppam Village Tiruvallur District	CTO (Direct)	Approved
335-2	M/s.Coimbatore Corporation – 15.43 MLD Sewage Treatment Plant for Vadavalli & Verakearalam ward 77 zone 5 Vadavalli Village, Coimbatore Districtg.	CTE(New)	Approved
335-3	M/s.Inox Air Products Pvt Ltd. Gangaikondan Part I Village, Tirunelveli District.	CTE(New)	Approved
335-4	M/s.A.Bond Strands Pvt Ltd., Sengundram Village, Chengalpattu District.	CTO(Direct)	Approved
335-5	M/s.Prabha Automotive Engineers Pvt Ltd., (Phase I, II & III) Moranapalli Village, Krishnagiri District.	CTO(Expn)-II	Approved
335-6	M/s.One Hub (Chennai) Pvt Ltd., Kunnampattu & Paiyanur Villages, Chengalpattu District.	CTO(Direct)	Approved
335-7	M/s.SCM Garments Pvt Ltd.,-Unit 28 Thekkalur Village, Tiruppur District.	CTO(Expn)	Approved
335-8	M/s.Michelin India Pvt Ltd., Phase I, II & III Thervokandigai Village, Tiruvallur District.	CTE(Expn)	Approved
335-9	M/s.Dairique Food Pvt Ltd., Gudaloor East Village, Karur District.	CTE(New)	Approved
335-10	--- Discussion for Board subjects – Foundry Units	--	--
335-11	M/s.Indian Oil Corporation Ltd., Vazhavanthankottai Village, Tiruchirapalli District.	CTO(Direct)	Approved
335-12	M/s.Saint Gobain Industries India Pvt Ltd., Gyproc Business Panrutti A B Block Village, Kancheepuram District.	CTE(New)	Deferred
335-13	M/s.Roots Multiclean Ltd., - Unit II Kaniyalampalyam Village, Coimbatore District.	CTE(Expn)	Approved
335-14	M/s.MRF Limited – Phase III Naranamangalam Village, Perambalur District.	CTO(Direct)	Approved
335-15	M/s.TES-AMM (India) Pvt Ltd., Panrutti A Village, Kancheepuram District.	CTO(Expn)	Approved

Item No.	Subject	Order Sought for	Decision of the Committee
335-16	M/s.Tata Chemicals Limited., Semmankuppam Village, Cuddalore District.	CTO(Expn)	Approved
335-17	M/s.Aranthaangi Chemical Products Limited., Aliyanilai Village, Pudukottai District.	CTO(Direct)	Approved
335-18	M/s.Saint Gobain Industries India Pvt Ltd.,-Insulation Business Panruti A B Block Village, Kancheepuram District.	CTE(New)	Deferred
335-19	M/s.Phorotech Surfin India Pvt Ltd., Katrampakkam A B Block Village, Kancheepuram District.	CTE(Expn)	Approved
335-20	M/s.Bridge Green Upcycle Pvt Ltd., Peruvoyal Village, Tiruvallur District.	CTE(New)	Approved
335-21	M/s.Fine Lead Technology. Chutalakuppam Village, Tiruvallur District.	CTE(Expn)	Approved
335-22	M/s.KPM Processing Mills Pvt Ltd., Karaipudur Village, Tiruppur District.	CTO(Expn)	Approved
335-23	M/s.Jamna Auto Industries Ltd., Senkuntram Village, Chengalpattu District.	CTO(Direct)	Approved
335-24	M/s.BELLA Premier Happy Hygiene Care Pvt Ltd., Thoppampatti & Ambathurai Villages, Dindigul District.	CTE(New)	Approved
335-25	M/s.Katsushiro Matex India Pvt Ltd., Oragadam Village, Kancheepuram District	CTE(Expn)	Approved
335-26	M/s. The Ramco Cements Ltd Amalgamated SVP Lease-I Limestone Mine., Sivalarpatti Village, Thoothukkudi District.	CTO(Direct)	Approved
335-27	M/s.Hotel Rajpark Pvt Ltd., Kalapatti East & West Villages, Coimbatore District.	CTO after CTE	Approved
335-28	M/s.SIPCOT Industrial Park Vaipur A & B and Mathur Villages, Kancheepuram District.	CTO after CTE	Approved
335-29	M/s.Viro Green India Pvt Ltd., Pappankuppam Village, Tiruvallur District.	CTO(Expn)	Approved
335-30	M/s.Sundaram Fasteners Ltd., Main Plant Kadambankulam ,Arasakulam and Aviur Villages Virudhunagar District.	CTO(Expn)	Approved
335-31	M/s.Fujitec India Pvt Ltd., Itchankaranai and Anjur Villages, Chengalpattu District.	CTO(Expn)	Approved
335-32	M/s.CUBIC Modular System India Pvt Ltd., Unit-2 Varanavasi Village Kancheepuram District.	CTE (New)	Approved
335-33	M/s.Eureka Electrodes and Wires Pvt Ltd ,. Perundurai Village Erode District.	CTO (Expn)	Approved
335-34	M/s.Vaya Life Pvt Ltd., Bandikavanur Village Tiruvallur District.	CTO after CTE	Approved

[Signature]
12/5/25
Asst. Manager

[Signature]
12/5/25
Addl. CHIEF ENVIRONMENTAL ENGINEER(II)