



**TAMILNADU POLLUTION CONTROL BOARD**

**O/o. DISTRICT ENVIRONMENTAL ENGINEER, TNPCB, DINDIGUL**

**259<sup>th</sup> District Level Consent Clearance Committee (DLCCC) Meeting**

**Held on 06.06.2025 at 2.00.00 PM**

The matter of issue of First Consent to the following files are placed before the committee for approval.

| Sl. No | Item No. | Name of the Industry and Address                                                                                                                                                                         | Category and Classification | Order sought for   | Decision of the Committee (Approved/ Not Approved) |
|--------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------|----------------------------------------------------|
| 1      | 259-01   | M/s. SRI VINAYAGA CONTAINERS,<br>S.F.No. 543(P), 544(P), 580(P),<br>Plot No:E-28 to 31,<br>Pallapatti Village,<br>Nilakkottai Taluk,<br>Dindigul District.                                               | GS                          | CTO – After<br>CTE | Approved                                           |
| 2      | 259-02   | M/s. RVS PADMAVATHI INSTITUTE<br>OF PHARMACY AND REASEARCH<br>CENTRE<br>S.F.No.987/1,2,988/1A1,1A2,1A3,2A1,2A2,<br>995/3A,3B,3C,3X & 3Y,<br>Kulathur Village,<br>Vedasandur Taluk,<br>Dindigul District. | OS                          | CTO -<br>Direct    | Approved                                           |
| 3      | 259-03   | M/s. DINDIGUL CITY SQUARE<br>PRIVATE LIMITED PHASE I,<br>S.F.No. 280/2A2, 2B2,2C2C,2D,<br>299/2A2,2B,<br>Pillayarnatham Village,<br>Athoor Taluk,<br>Dindigul District.                                  | OS                          | CTO -<br>Direct    | Approved                                           |
| 4      | 259-04   | M/s. DINDIGUL CITY SQUARE<br>PRIVATE LIMITED PHASE – II,<br>S.F.No. 300/1A2, 1A3,2Bpt, 2C,<br>Pillayarnatham Village,<br>Athoor Taluk,<br>Dindigul District.                                             | OS                          | CTO -<br>Direct    | Approved                                           |
| 5      | 259-05   | M/s. SRI VINAYAGA HOSPITAL,<br>S.F.No. 16/1,<br>Adianoothu Village,<br>Dindigul East Taluk,<br>Dindigul District.                                                                                        | OS                          | CTO -<br>Expansion | Approved                                           |
| 6      | 259-06   | M/s. YUVARAJ TUBES PVT LTD<br>S.F.No. 529(Part),530(Part),531(Part),<br>Pallapatty Village,<br>Nilakkottai Taluk,<br>Dindigul District.                                                                  | OS                          | CTO – After<br>CTE | Approved                                           |

*22/06/25*  
AE-II/TNPCB/DGL

*B A*  
AE-I/TNPCB/DGL

*6/6/25*  
Convener

Chairman

District Level Consent Clearance Committee  
Dindigul District



**TAMILNADU POLLUTION CONTROL BOARD**

**O/o. DISTRICT ENVIRONMENTAL ENGINEER, TNPCB, DINDIGUL**

**260<sup>th</sup> District Level Consent Clearance Committee (DLCCC) Meeting**

**Held on 20.06.2025 at 3.00.00 PM**

The matter of issue of First Consent to the following files are placed before the committee for approval.

| Sl. No | Item No. | Name of the Industry and Address                                                                                                              | Category and Classification | Order sought for   | Decision of the Committee (Approved/ Not Approved) |
|--------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------|----------------------------------------------------|
| 1      | 260-01   | M/s. YUVARAJ SLEETING UNIT I,<br>S.F.No. 220 Part,<br>Pallapatti Village,<br>Nilakkottai Taluk,<br>Dindigul District.                         | GS                          | CTE - New          | Approved                                           |
| 2      | 260-02   | M/s. YUVARAJ SLEETING UNIT - II,<br>S.F.No. 218 Part,<br>Pallapatti Village,<br>Nilakkottai Taluk,<br>Dindigul District.                      | GS                          | CTE - New          | Approved                                           |
| 3      | 260-03   | M/s. SRI SELVAGANAPATHI<br>MINERALS,<br>S.F.No. 455/2A3,2B2,3A4,3B4, 659/8,<br>E.Chittur Village,<br>Vedasandhur Taluk,<br>Dindigul District. | OS                          | CTO -<br>Direct    | Approved                                           |
| 4      | 260-04   | M/s. SRI DHIROWS PAPER PRODUCT,<br>S.F.No. 624/5, 625/1,<br>Thottanuthu Village,<br>Dindigul East Taluk,<br>Dindigul District.                | GS                          | CTO -<br>Direct    | Approved                                           |
| 5      | 260-05   | M/s. JAYA CRUSHER AND M SAND,<br>S.F.No. 730, 731/2,<br>Padiyur Village,<br>Vedasandhur Taluk,<br>Dindigul District.                          | OS                          | CTO - After<br>CTE | Approved                                           |
| 6      | 260-06   | M/s. VELSA VEGETABLE PRODUCTS<br>PRIVATE LIMITED,<br>S.F.No. 1471/1A,<br>R Pudukottai Village,<br>Gujilamparai Taluk,<br>Dindigul District.   | OS                          | CTE - New          | Approved                                           |

|   |        |                                                                                                                                       |    |                 |          |
|---|--------|---------------------------------------------------------------------------------------------------------------------------------------|----|-----------------|----------|
| 7 | 260-07 | <b>M/s. OUR LADY COLLEGE OF NURSING,</b><br>S.F.No. 636/2,<br>Balakrishnapuram Village,<br>Dindigul East Taluk,<br>Dindigul District. | OS | CTO -<br>Direct | Approved |
| 8 | 260-08 | <b>M/s. VEERA INDUSTRIES,</b><br>S.F.No. 217/3A, 217/3B,<br>Punnapatti Village,<br>Natham Taluk,<br>Dindigul District.                | GS | CTO -<br>Direct | Approved |

  
20/6/24  
AE-III/TNPCB/DGL

  
20/6/24  
AE-II/TNPCB/DGL

  
20/6/24  
Convenor  
AE-I/TNPCB/DGL

  
Chairman  
District Level Consent Clearance Committee  
Dindigul District