

## O/o JCEE(M), TNPC BOARD, VELLORE ZONE CONSOLIDATED MINUTES OF THE 145th ZLCCC MEETING VELLORE ZONE HELD ON 28.05.2025

## Date: 28.05.2025

| SI.<br>No | Item No                          | Name of the Industry<br>and Address   | Category and<br>Classification/Type | Order Sought<br>for | Decision of the<br>Committee  |
|-----------|----------------------------------|---|-------------------------------------|---------------------|---|
| Î.        | ZLCCC<br>-<br>VLRZ -<br>145 - 01 | M/s Zylog Composites Private Limited, S.F.No. 285/1A, Plot No. 5, Vanapadi Village, Walajah Taluk, Ranipet District   | Green – Large                       | CTO Direct          | The Committee decided to issue Consent to Operate to the unit under Water (P&CP) Act 1974 and Air (P&CP) Act 1981 subject to the conditions mentioned in the agenda.  |
| 2.        | ZLCCC -<br>VLRZ -<br>145 - 02    | M/s Calsea Footwear Private Limited Euro Shoe Division – I, S.F.No. 478/30A, Mukundrayapuram Village, Walajah Taluk, Ranipet District   | Orange – Medium                     | CTO Direct          | The Committee decided to issue Consent to Operate to the unit under Water (P&CP) Act 1974 and Air (P&CP) Act 1981 subject to the conditions mentioned in the agenda The committee decided to include additional condition in both Water Act and Air Act  The unit shall obtained necessary permission license from Department of Industrial Safety & Health and Department of Fire and Rescue Services for the handling & storage of Poly Isocyanate. |
| 3.        | ZLCCC -<br>VLRZ -<br>145 - 03    | M/s Tropical Agrosystems India Private Limited, S.F.No. B9/1B (S.F Nos. 18/1A pt, 1B pt, 20 pt, 21 pt, 22/7A pt, 7B pt, 7C, 7D, 7E, 7F pt, 12A pt, 12B pt, 13A pt, 13B pt,14 pt,15A, 15B pt, 15C pt, 15D pt, 15E pt, SIPCOT Industrial Park (Phase - II) at Cheyyar, Cholavaram Village, Vembakkam Taluk, Tiruvannamalai District | Orange – Large                      | CTE New             | The Committee decided to issue Consent to Establish to the unit under Water (P&CP) Ac 1974 and Air (P&CP) Ac 1981 subject to the conditions mentioned in the agenda   |

| 4. | ZLCCC       | M/s IOCL City Gas    | Green – Large | CTO Direct | The Committee decided                              |
|----|-------------|----------------------|---------------|------------|--|
|    | <b>/÷</b> , | Distribution,        |               |            | to issue Consent to                                |
|    | VLRZ -      | Krishnagiri and      |               |            | Operate to the unit under                          |
|    | 145 - 04    | Dharmapuri GA,       |               |            | Water (P&CP) Act 1974                              |
|    |             | S.F.No. Kagganur,    |               |            | and Air (P&CP) Act 1981                            |
|    |             | Kodiyalam,           |               |            | subject to the conditions mentioned in the agenda. |
|    |             | Sevaganapalli,       |               |            | memored in the agenda.                             |
|    |             | Kusthanapalli,       |               |            |  |
|    |             | Chokkanathapuram,    |               |            |  |
|    |             | Nallur,              |               |            |  |
|    |             | Nallur Village,      |               |            |  |
|    |             | Hosur Taluk,         |               |            |  |
|    |             | Krishnagiri District |               |            |  |

Doorgy VS



## O/o JCEE(M), TNPC BOARD, VELLORE ZONE CONSOLIDATED MINUTES OF THE 144th ZLCCC MEETING VELLORE ZONE HELD ON 14.05.2025

Date: 14.05.2025

| Sl.<br>No | Item No                      | Name of the Industry and Address   | Category and Classification/T ype | Order<br>Sought<br>for | Decision of the  Committee   |
|-----------|------------------------------|--|-----------------------------------|------------------------|--|
| 1.        | ZLCCC-<br>VLRZ -<br>144 - 01 | M/s. Calsea Footwear Private Limited - Walaja Unit, S.F.NO.85/10A,85/5,85/6, 85/7,95/1,95/2A,95/2B,95/2C,95/3,95/4A,95/4B,95/5B/1A, 95/5B/1B,95/5B/1C,95/6A,9 5/6B,95/7A,95/7B,95/8A,95/ 8B,95/9A,95/9B1,95/9B2,95/ 9B4,95/9B5,95/9B3,95/956, Katteri Village, Walajah Taluk, Ranipet District | Green - Large                     | CTO-<br>Direct         | The Committee decided to issue Consent to Operate to the unit under Water (P&CP) Act 1974 and Air (P&CP) Act 1981 subject to the conditions mentioned in the agenda. The committee decided to include additional condition in Water Act  The unit shall utilize the treated sewage for gardening purposes within the premises without any ponding / stagnation at a hydraulic loading rate of 35.0 KL / Hec / Day. |
| 2.        | ZLCCC-<br>VLRZ -<br>144 - 02 | M/s. Rockman Industries Limited Unit-II(Phase-I), Plot No. 6A, SIPCOT Industrial Park (Phase-I) at Cheyyar, Mangal Village, Vembakkam Taluk & Tiruvannamalai District  | Orange - Large                    | CTO after<br>CTE       | The Committee decided to issue Consent to Operate after Consent to Establish to the unit under Water (P&CP) Act 1974 and Air (P&CP) Act 1981 subject to the conditions mentioned in the agenda   |

| 3.  | ZLCCC-   | M/s. Velvin Rengo            | Orange - Medium | CTO after    | The Committee decided      |
|-----|----------|------------------------------|-----------------|--------------|----------------------------|
|     | VLRZ -   | Containers Private           |                 | CTE          | to issue Consent to        |
|     | 144 - 03 | Limited,                     |                 |              | Operate after Consent      |
|     |          | Plot No. A23/2 (S.F No.      |                 |              | to Establish to the unit   |
|     |          | 235pt), SIPCOT Industrial    |                 |              | under Water (P&CP) Act     |
|     |          | Park (Phase-II) at Cheyyar,  |                 |              | 1974 and Air (P&CP) Act    |
|     |          | Karanai Village,             |                 |              | 1981 subject to the        |
|     |          | Cheyyar Taluk &              |                 |              | conditions mentioned in    |
|     |          | Tiruvannamalai District      |                 |              | the agenda                 |
| 4.  | ZLCCC-   | M/s. Visudira Impex          | Orange - Large  | CTO after    | The Committee decided      |
|     | VLRZ -   | Private Limited,             |                 | CTE          | to issue Consent to        |
|     | 144 - 04 | S.F. No. 36/1, 36/2A, 36/2B, |                 |              | Operate after Consent      |
|     |          | 36/3, 36/4, 36/5, 36/6, and  |                 |              | to Establish to the unit   |
| 110 |          | 36/7, Vinnuvampattu Village, |                 |              | under Water (P&CP) Act     |
|     |          | Kalasapakkam Taluk,          |                 |              | 1974 and Air (P&CP) Act    |
|     |          | Tiruvannamalai District      |                 |              | 1981 subject to the        |
|     |          |                              |                 |              | conditions mentioned in    |
|     |          |                              |                 |              | the agenda. The            |
|     |          |                              |                 |              | committee decided to       |
|     |          |                              |                 |              | include additional         |
|     |          |                              |                 |              | condition in               |
|     |          |                              |                 |              | Water Act                  |
|     |          |                              |                 |              | The unit shall utilize the |
|     |          |                              |                 |              | treated sewage for         |
|     |          |                              |                 |              | gardening purposes         |
|     |          |                              |                 |              | within the premises        |
|     |          |                              |                 | A CONTRACTOR | without any ponding /      |
|     |          |                              |                 |              | stagnation at a hydraulic  |
|     |          |                              |                 |              | loading rate of 35.0 KL /  |
| T S |          |                              |                 |              | Hec / Day.                 |

JCEE(M)/VLRZ

JOS 2025