





Tamil Nadu Pollution Control Board

O/o. DISTRICT ENVIRONMENTAL ENGINEER, TNPCB, UDHAGAMANDALAM

159th District Level Consent Clearance Committee (DLCCC)

Meeting Held on 11.09.2024

S.No.	Name and Designation	Signature
1	Er. J. Hamoneth Joesun, M.Tech., District Environmental Engineer, Tamil Nadu Pollution Control Board, Udahagamandalam, The Nilgiris District.	 11/09/2024
2	Er. J. Janarthanan, Assistant Engineer, Tamil Nadu Pollution Control Board, Udahagamandalam, The Nilgiris District.	 11/09/2024




Tamil Nadu Pollution Control Board

O/o. DISTRICT ENVIRONMENTAL ENGINEER, TNPCB, UDHAGAMANDALAM.

159th District Level Consent Clearance Committee (DLCCC)

Meeting Held on 11 .09.2024

Item No.	Name of the Industry and Address	Category and Classification	Order Sought for	Decision of the Committee (Approved/Not Approved)
159 - 01	M/s. HOTEL ALANKAR PVT LTD, S.F.No.1072, Lower Thalaihattimund, Udhagai Town, Udhagamandalam Taluk, Nilgiris District	Green/ Small	CTO Direct	Approved
159 - 02	M/s. P. RAYIN CIVIL AND CONVEYANCE CONTRACTOR, S.F.No.:122/1, Devala Village, Gudalur Taluk, The Nilgiris District	Orange/ Small	CTE New	Rejected


District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Udhagamandalam.



Tamil Nadu Pollution Control Board

DISTRICT LEVEL CONSENT CLEARANCE COMMITTEE MINUTES
UDHAGAMANDALAM

DLCCC – ITEM NO: 159 – 01

DATE OF MEETING: 11 .09.2024

TO CONSIDER THE ISSUE OF CONSENT TO OPERATE – DIRECT TO THE UNIT OF M/s. **HOTEL ALANKAR PVT LTD** IS LOCATED AT S.F.NO.1072, LOWER THALAIHATTIMUND, UDHAGAI TOWN, UDHAGAMANDALAM TALUK, NILGIRIS DISTRICT UNDER THE WATER (PREVENTION AND CONTROL OF POLLUTION) ACT, 1974 AS AMENDED AND UNDER THE AIR (PREVENTION AND CONTROL OF POLLUTION) ACT, 1981 AS AMENDED FOR ITS ACTIVITY.

The DLCCC decided to grant Consent to Operate – Direct to the unit of M/s. **HOTEL ALANKAR PVT LTD** Located at S.F.No.1072, Lower Thalaihattimund, Udhagai Town, Udhagamandalam Taluk, Nilgiris District under Section 25 of Water (Prevention and Control of Pollution) Act, 1974 as amended and under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended for its activity up to 31.03.2026, subject to the following conditions:-


WATER ACT:


1. This consent order is granted under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, as amended in 1988, for the discharge of sewage only.
2. The unit shall store the sewage in a provided collection and dispose via Municipality Underground sewer line connected to Kandhal STP and shall ensure no effluent gain access outside the premises of the unit.
3. Granting of this consent would not forbear from obtaining the other clearances/approvals/licences required for running the Hotel/ Cottage.
4. The granting of this consent would not give any immunity from taking action by other departments for any of the violation of the Rules/Regulations in force.
5. Granting of this consent would not absolve the requirements of complying with the land use by the competent authority.
6. The unit shall not use "use and throwaway plastics" such as plastic sheets used for food wrapping, spreading on dining table etc., plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets, plastic straw, plastic carry bag and plastic flags irrespective of thickness, etc. as per the G.O. (Ms) No. 84, Environment and Forest Department of Tamil Nadu Government (EC.2) Notification dated 25.06.2018. Instead, unit shall encourage use of eco-friendly alternative such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plates / cups, cloth bag, jute bag etc.
7. The unit shall create awareness among the workers of the hotel about the ill effects of the use and throw plastic items, and about the ban of such items by the Government of Tamil Nadu.

8. Plastic water bottles and soft drinks in plastic bottles shall not be stored in the premises and sold out to the guests, after 15.08.2019. The Hotel/Cottage shall install Reverse osmosis purified drinking water, in their premises before 15.08.2019. This is in compliance to the interim orders passed by the Honorable High Court of Judicature at Madras, dated 29/05/2019, in W.P. No.:15120 of 2019 and the connected matters.
9. The consent is issued based on the list of products with quantity and effluent/ emission generation details furnished. For any variation in the above, the unit has to file application seeking fresh consent of the Board.
10. In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be withdrawn without any notice and further action will be initiated against the unit as per law
11. The unit shall ensure that E-Waste generated by them shall be handed over only to the registered producer, refurbisher or recycler/Dismantler as per the E-Waste (Management) Rules 2022 and the unit shall maintain records in Form-2 and furnish annual Returns in Form-3 for the e-waste generated.

AIR ACT:

1. This consent order is granted under the provisions of the Air (Prevention and Control of Pollution) Act, 1981, as amended in 1987, for discharge of emission only.
2. Granting of this consent would not forbear from obtaining the other clearances/approvals/licences required for running the Hotel/ Cottage.
3. The granting of this consent would not give any immunity from taking action by other departments for any of the violation of the Rules/Regulations in force.
4. The unit shall ensure that no process emission is let out from the premises of the unit.
5. The unit shall ensure that Ambient Air Quality standards are met at all times
6. The unit shall ensure that Ambient Noise Level standards are met at all times.


Assistant Engineer,
Tamil Nadu Pollution Control Board,
Udhagamandalam.


District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Udhagamandalam.



Tamil Nadu Pollution Control Board

DISTRICT LEVEL CONSENT CLEARANCE COMMITTEE MINUTES
UDHAGAMANDALAM

DLCCC – ITEM NO: 159 – 02

DATE OF MEETING: 11.09.2024

TO CONSIDER THE ISSUE OF CONSENT TO ESTABLISHMENT – CTE NEW TO THE UNIT OF M/s. P RAYIN CIVIL AND CONVEYANCE CONTRACTOR PROPOSED TO BE LOCATED AT S.F.No.122/1, DEVALA VILLAGE, GUDALUR TALUK, THE NILGIRIS DISTRICT UNDER THE WATER (PREVENTION AND CONTROL OF POLLUTION) ACT, 1974 AS AMENDED AND UNDER THE AIR (PREVENTION AND CONTROL OF POLLUTION) ACT, 1981 AS AMENDED FOR ITS ACTIVITY.

The DLCCC decided to refuse the issue of Consent to Establishment – CTE New to the unit of - M/s. P RAYIN CIVIL AND CONVEYANCE CONTRACTOR, S.F.No.122/1, Devala Village, Gudalur Taluk, The Nilgiris District under Section 25 of Water (Prevention and Control of Pollution) Act, 1974 as amended and under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended for the following reason.

The Board vide B.P No. 64 dated: 29/07/2024 issued Revised Guidelines for Hot Mix Plant in Tamilnadu in line with the TNPCB existing guidelines dated: 29/07/2016 for Hot Mix Plants in Tamilnadu and Environmental Standards for Hot Mix Plant of the MOEF & CC vide Notification No.G.S.R. 376 (E) dated: 18/05/2023. Wherein the Siting Criteria for the proposed Hot Mix Plants is specified as below:

1. 1Km from boundary of cities and towns.
2. 0.5 Km from habitation.
3. 0.5 Km from Schools or Colleges and Temples.
4. 1Km from Hospital, Court and tourist spot.
5. 200 meters away from national / state highways and distance shall be measured from edge of the metalled road to the physical / administrative boundary of the hot mix plant.
6. In respect of wild life sanctuary / reserve forest / national monuments / air ports / air strips, hot mix plant shall be established five kilometer away (or) buffer zone/eco sensitive zone declared.
7. At least 250 meters away from the boundary of another hot mix plants.
8. Hot mix plants shall have a minimum land requirement of one acre for better operating conditions.

As per the site condition, it was observed the proposed site's is not complying the siting criteria mentioned in the Guidelines for Hot Mix Plant issued vide B.P No. 64 dated: 29/07/2024. Since

as per the siting criteria in respect of wild life sanctuary / reserve forest / national monuments / air ports / air strips, it was reported that the shortest distance between the proposed plant and Valavayal Reserved Forest is calculated around 100 m.

In view of the above, the application filed by the unit requesting Consent to Establish under Water and Air Acts for shifting/establishing same capacity Hot mix plant in the proposed site is rejected based on the following grounds.

As per the Siting Criteria for the proposed Hot Mix Plants specified in the B.P No. 64 dated: 29/07/2024 issued regarding Revised Guidelines for Hot Mix Plant in Tamilnadu in line with the TNPCB existing guidelines dated: 29/07/2016 for Hot Mix Plants in Tamilnadu and Environmental Standards for Hot Mix Plant of the MOEF & CC vide Notification No.G.S.R. 376 (E) dated: 18/05/2023. It was mentioned one among other conditions as below:


‘In respect of wild life sanctuary / reserve forest / national monuments / air ports / air strips, hot mix plant shall be established five kilometer away (or) buffer zone/eco sensitive zone declared ‘

But the shortest distance between the proposed plant and Valavayal Reserved Forest is calculated around 100 m.

Hence, Issue of Consent to Establishment under Water and Air Act for shifting the existing Hot Mix Plant to the proposed locations is rejected.



Assistant Engineer,
Tamil Nadu Pollution Control Board,
Udhagamandalam



District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Udhagamandalam.