




TAMILNADU POLLUTION CONTROL BOARD
DISTRICT OFFICE – TIRUPPUR (SOUTH)
262th DLCCC MEETING HELD ON 12.01.2024

SL. NO.	NAME OF THE INDUSTRY AND ADDRESS	CATEGORY AND CLASSIFICATION	ORDER SOUGHT FOR	DECISION OF THE (Approved/ Not Approved)
1	M/s. K.M. CHINNASWAMY QUARRY, S.F. No.89/4B(Part) & 92/2, Kodangipalayam Village, Palladam Taluk, Tiruppur District	Red/Small	CTO Direct	Approved
2	M/s. GANGAI RMC, S.F.No.319/2D, 339/2, Poomalur Village, Palladam Taluk, Tiruppur District	Green/Small	CTO after CTE	Approved
3	M/s. VYSHNAV MEDICAL CENTRE, S.F. No. 230/2(Part), Kodangipalayam, Palladam Taluk, Tiruppur District	Orange/Small	CTO Direct	Approved
4	M/s. R PALANISAMY QUARRY, S.F.No.469/1B1, Kolathupalayam Village, Dharapuram Taluk, Tiruppur District	Red/Small	CTO Direct	Approved
5	M/s. ULTRA STRUCTUREE CEMENT S.F.No.470, Mungil Tholuvu Village, Udumalaipettai Taluk, Tiruppur District	Orange/Small	CTO Direct – Name change	Approved
6	M/s.SRI ANNAMALAIYAR AGRO S.F.No.436/1 (Part), 436/2 (Part) , 436/3 (Part), 439/1B, 441/2, Kasilingampalayam Village, Dharapuram Taluk, Tiruppur District	Green/Small	CTO Direct	Approved


9/2
CHAIRMAN/DLCCC


9/2/24