



TAMILNADU POLLUTION CONTROL BOARD

**MINUTES OF THE 88th DISTRICT LEVEL CONSENT CLEARANCE
COMMITTEE MEETING HELD AT O/o, DEE, CUDDALORE ON 09.05.2019**

Item No.	Subject	Category/ Classification / Type	Orders sought for
88-1	M/s. Upgraded Government Primary Health Centre Thiruvanthipuram, S.F. No.11/7, Thiruvanthipuram Village, Cuddalore Taluk and District.	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-2	M/s. Government Primary Health Centre, Palakollai, S.F. No. 108/3, Kammapuram Village, Virudhachalam Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-3	M/s. Government Upgraded Primary Health Centre, S.F. No. 171/3, 171/4, Oraiyur Village, Panruti Taluk, Cuddalore District.	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-4	M/s. Government Primary Health Centre, Melpattampakkam, S.F. No.213/1, Melpattampakkam Village, Panruti Taluk, Cuddalore District.	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-5	M/s. Government Primary Health Centre Mathur, S.F. No. 261/2, Mathur Village, Virudhachalam Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-6	M/s. Government Primary Health Centre, Iruppu, S.F. No. 157/6, Iruppu Village,	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air

	Virudhachalam Taluk, Cuddalore District	Incinerator and having total waste water generation less than 100 KLD	(P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-7	M/s. Govt Primary Health Centre Arasakuzhi, S.F. No. 33/1, Arasakuzhi Village, Virudhachalam Taluk, Cuddalore District	Orange - Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-8	M/s. Govt Primary Health Centre Sethiyathope, S.F. No. 171/11, Sethiyathope Village, Bhuvanagiri Taluk, Cuddalore District.	Orange - Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-9	M/s. Govt Primary Health Centre Krishnapuram, S.F. No. 90/3, Krishnapuram Village, Bhuvanagiri Taluk, Cuddalore District	Orange - Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-10	M/s. Government Upgraded Primary Health Centre Srimushnam, S.F.No.411, Srimushnam Village, Kattumannarkoil Taluk, Cuddalore District	Orange - Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-11	M/s. Government Primary Health Centre Palayamkottai, S.F. No. 207/1, Palayamkottai Village, Kattumannarkoil Taluk, Cuddalore District.	Orange - Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-12	M/s. Govt Primary Health Centre Srineduncheri, S.F. No. 253/8, Srineduncherry Village, Kattumannarkoil Taluk, Cuddalore District.	Orange - Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.

88-13	M/s. Government Upgraded Primary Health Centre Orathur, S.F. No.74/4C, 80/1A, Orathur Village, Chidambaram Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-14	M/s. Srinivasa Nursing Home, S.F. No. 148/5F, Ambalavanampettai Village, Kurinjipadi Taluk, Cuddalore District.	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-15	M/s. S T Hospital, S.F. No. 684, 685/1B, Cuddalore O.T., Cuddalore Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-16	M/s. Janaki Nursing Home, T.S. No. 2335, Manjakuppam Village Cuddalore Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-17	M/s. C S Hospital, S.F. No. 69/9, Serakuppam Village, Kurinjipadi Taluk, Cuddalore District.	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
88-18	M/s. Cos Greenway, S.F. No. Plot No.S-7 & S-9, SIDCO Industrial Estate, Semmandalam, Cuddalore Taluk, Cuddalore District	Orange – Small 2999-Miscellaneous (Orange)	DLCCC decided to grant the issue of Renewal with the change of Name to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.

G.V. 9/5/19
AE2
(Member)

AE1 9/5/19
AE1
(Member)

DEE 9/5/19
DEE
(Head)



TAMILNADU POLLUTION CONTROL BOARD

**MINUTES OF THE 89th DISTRICT LEVEL CONSENT CLEARANCE
COMMITTEE MEETING HELD AT O/o, DEE, CUDDALORE ON 11.05.2019**

Item No.	Subject	Category/ Classification / Type	Orders sought for
89-1	M/s. Government Primary Health Centre Puliur K, S.F. No. 490/1, Puliur Kattusagai Salai, Puliur Kattusagai Village, Kurinjipadi Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-2	M/s. Government Additional Primary Health Centre Sirumangalam, S.F. No. 46/4, Sirumangalam Village, Thittagudi Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-3	M/s. Government Primary Health Centre Madalapattu, S.F. No. 26/2, Madalapattu Village, Cuddalore Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-4	M/s. Government Primary Health Centre Gangaikondan, S.F. No. 231/3A, Gangaikondan Village, Virudhachalam Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-5	M/s. Government Primary Health Centre Elleri, S.F. No. 17/1-17, Elleri Village, Kattumannarkoil Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-6	M/s. Government Upgraded Block Primary Health Centre Vadalur, S.F. No. 136/1, Parvathipuram Village, Vadalur, Kurinjipadi Taluk,	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air

	Cuddalore District	waste water generation less than 100 KLD	(P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-7	M/s. Primary Health Centre Ayeepuram, S.F. No. 92/4C, Ayeepuram Village, Bhuvanagiri Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-8	M/s. Government Primary Health Centre Vilagam, S.F. No. 274/6, Main Road Vilagam Chidambaram Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-9	M/s. Government Primary Health Centre Muttam, S.F. No. 172, Muttam Village, Kattumannarkoil Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-10	M/s. Government Primary Health Centre Sivakkam, S.F. No. 9/14, Sivakkam Village, Kattumannarkoil Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-11	M/s. Government Primary Health Centre B Mutlur, S.F. No. 178/13, B Mutlur Village, Bhuvanagiri Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-12	M/s. Government Primary Health Centre Vallampadugai, S.F. No. 62/4, Vallampadugai Village, Kattumannarkoil Taluk, Cuddalore District.	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-13	M/s. Government Primary Healthcentre Gavarapattu,	Orange – Small 2087-Health-care Establishment (as defined in	DLCCC decided to grant the issue of Consent to Operate

	S.F. No. Old No:110/42 New No: 216/5, Gavara pattu Village, Chidambaram Taluk, Cuddalore District.	BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	(Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-14	M/s. Government Primary Health Centre Veeranthapuram, S.F. No. 190/4, Veeranthapuram Village, Kattumannarkoil Taluk, Cuddalore District.	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-15	M/s. Government Primary Health Centre Kullanchavadi, S.F. No. 119/4, Ambalavanampettai Village, Kullanchvadi, Kurinjipadi Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-16	M/s. Government Primary Health Centre E Keeranur, S.F. No. 69-6, 69-7, 69-8A, 8C, 9, 16, 13A, 13B, Mangalur Block Tittakudi Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-17	M/s. Government Primary Health Center Killai, S.F. No. 108/1, Killai South Village, And Post, Chidambaram Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-18	M/s. Government Primary Health Centre Tholar, S.F. No. 459/1A, Tholar Village, Thittakudi Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-19	M/s. Government Primary Health Centre Vandayarirupu, S.F. No. 28/4B, Vennaiyur and Vandayarirupu Village, Kattumannar Koil Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.

89-20	M/s. Government Primary Health Centre Vengadampettai, S.F. No. 255/2, Main Road, Vengadampettai Village, Kurinjipadi Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-21	M/s. Government Primary Health Centre Manamthavizhthaputhur, S.F. No. 65/83, Manamthavizhthaputhur Village, Panruti Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
89-22	M/s. Government Upgraded Primary Health Centre Karaikadu, S.F. No:66/18, Karaikadu, Kannarapettai Village, Cuddalore Taluk, Cuddalore District	Orange – Small 2087-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.

G. V. S. 11/5/19
AE2
(Member)

A. V. S. 11/5/19
AE1
(Member)

R. S. 11/5/19
DEE
(Head)



TAMILNADU POLLUTION CONTROL BOARD

**MINUTES OF THE 90th DISTRICT LEVEL CONSENT CLEARANCE
COMMITTEE MEETING HELD AT O/o, DEE, CUDDALORE ON 14.05.2019**

Item No.	Subject	Category/ Classification / Type	Orders sought for
90-1	M/s. Government Urban Primary Health Center Cuddalore-OT, S.F. No. Ward-2, Block-13, TS No. 1094, Block-7, TS No. 552/1, Claive Street, Cuddalore-OT, Cuddalore Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-2	M/s. Government Primary Health Centre Kadampuliyur, S.F. No. 279/2, Purangani Road, Kadampuliyur Village, Panruti Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-3	M/s. Government Community Health Centre Kammapuram, S.F. No. 396/1, Kammapuram Village, Vridhachalam Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-4	M/s. Government Primary Health Centre Mangalur, S.F. No. 174/3, Sirupakkam Main Road, Mangalur Village, Veppur Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-5	M/s. Upgraded Government Primary Health Centre Marungur, S.F. No. 235/2, Main Road, Marungur Village, Panruti Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-6	M/s. Government Primary Health Centre Melkumaramangalam, S.F. No.467/23, 467/32, 467/33, Melkumaramangalam Village, Panruti Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.

90-7	M/s. Government Community Health Centre Naduveerapattu, S.F. No. 187/3, Sanjeevrayan Koil Street, Naduveerapattu Village, Cuddalore Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-8	M/s. Government Urban Primary Health Center Nellikuppam, S.F. No. Ward CBI-19TS-41, 129/1, 2PT 154, O.1200, Ksar Main Road, Nellikuppam Village, Panruti Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-9	M/s. Government Urban Primary Health Center Pudupalayam, S.F. No. Ward No.6, Block-29, TS No. 989/1B, 2B, Ramadoss Naidu Street, Pudupalayam Village, Cuddalore Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-10	M/s. Government Primary Health Centre Sirupakkam, S.F. No. 210/2, 210/1, 284/1, 284/9, Perumal Kovil Street, Sirupakkam Village, Veppur Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-11	M/s. Government Urban Primary Health Center Thirupapuliur, S.F. No. Ward 5, Block 41, TS No.1503, 1514/1A, Block 46, TS No.1763/1, 2A, 2B, Lawrence Road, Thirupapuliur Village, Cuddalore Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-12	M/s. Government Primary Health Centre Veeraperumanallur, S.F. No.165/1B, Salem Main Road, Veeraperumanallur Village, Panruti Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-13	M/s. Government Urban Primary Health Center Vridhachalam, S.F. No. 291/3, Pennadam Road, Vridhachalam Village, Vridhachalam Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-14	M/s. Government Hospital Veppur, S.F. No. 129/2, Veppur Village,	Orange – Small 2085-Health-care Establishment (as defined in	DLCCC decided to grant the issue of Consent to Operate

	Veppur Taluk, Cuddalore District	BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	(Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-15	M/s. Government Primary Health Centre Karmangudi, S.F. No. 26/1, Karmangudi Village, Vridhachalam Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-16	M/s. Government Primary Health Centre Ayangudi, S.F. No. 34/1,3,4 & 30/2B 2, Ayangudi Village, Kattumannarkoil Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-17	M/s. Upgraded Primary Health Centre, Puduchatram, S.F. No. 24/1, Puduchatram Village and Bhuvanagiri Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-18	M/s. Government Hospital Bhuvanagiri, S.F. No. 373/1, Bhuvanagiri Village, Bhuvanagiri Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-19	M/s. Government Public Health Centre Neyveli, S.F. No. 10, Peramathur Village, Kurinjipadi Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-20	M/s. Government Primary Health Centre Kazhudhur, S.F. No. 87/5D, 87/5C, Kazhudhur Village, Tittakudi Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-21	M/s. Government Primary Health Centre Kumaratchi, S.F. No. 32/2, Kumaratchi Village, Kattumannarkoil Taluk,	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air

	Cuddalore District	waste water generation less than 100 KLD	(P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-22	M/s. Government Primary Health Centre Thondamanatham, S.F. No. 66-7, 66-10, 66-13, Thondamanatham Village, Cuddalore Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-23	M/s. Government Upgraded Primary Health Centre Thiruchopuram, S.F. No. 127/1, Thiruchopuram Village, Cuddalore Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-24	M/s. Urban Primary Health Centre Chidambaram, S.F. No. 76/1A, B - Block, Ward No-3, Chidambaram Municipal Village, Chidambaram Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-25	M/s. GMR Briquettes, S.F. No. 2970/1&4, Pachayakupam Village, Cuddalore Taluk, Cuddalore District	Green – Small 3005-Biomass briquettes (sun drying) without using toxic hazardous wastes	DLCCC decided to grant the issue of Consent to Establishment to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
90-26	M/s. Fireman Refractories Private Limited, S.F. No. 259/12, 276/2B, 3, 4, 5, 6, 7, 11, 279/2, 3, 4, 5, 6, T. Pudayur, (Devasthanam) Village, Veppur Taluk, Cuddalore District	Orange – Small 2022-Ceramics and Refractories having coal/fuel consumption less than 12 MT/day	DLCCC decided to grant the issue of Consent to Establishment Extension to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.

G.V.S 14/5/19
AE2
(Member)

G.V.S 14/5/19
AE1
(Member)

R.H. 14/5/19
DEE
(Head)



TAMILNADU POLLUTION CONTROL BOARD

**MINUTES OF THE 91th DISTRICT LEVEL CONSENT CLEARANCE
COMMITTEE MEETING HELD AT O/o, DEE, CUDDALORE ON 15.05.2019**

Item No.	Subject	Category/ Classification / Type	Orders sought for
91-1	M/s. Government Primary Health Center Vellakarai, S.F. No. 366/10, Vellakarai Village, Cuddalore Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
91-2	M/s. Government Upgraded Primary Health Center Theerthanagiri, S.F. No. 41/1, Theerthanagiri Village, Kurinjipadi Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
91-3	M/s. Government Primary Health Center Keezharungunam, S.F. No. 37/4, Keezharungunam Village, Panruti Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
91-4	M/s. Government Primary Health Center Avatty, S.F. No. 269, Avatty Village, Tittakudi Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
91-5	M/s. Government Upgraded Primary Health Center Pennadam, S.F. No. 276/3, Pennadam Village, Tittakudi Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
91-6	M/s. Government Primary Health Center Ganapathikurichi, S.F. No. 92/1, Ganapathikurichi	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water

	Village, Tittakudi Taluk, Cuddalore District	Incinerator and having total waste water generation less than 100 KLD	(P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
91-7	M/s. Government Primary Health Center Nallur, S.F. No. 34/2 and 34/7, Nallur Village, Veppur Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
91-8	M/s. Government Primary Health Center Mangalampet, S.F. No. 160/3B (4,5), Mangalampet Village, Virudhachalam Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
91-9	M/s. Government Primary Health Center Kundiyamallur, S.F. No. 194, Kundiyamallur Village, Kurinjipadi Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
91-10	M/s. Government Upgraded Primary Health Center Tholudur, S.F. No. 144/1 and 144/3, Tholudur Village, Tittakudi Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
91-11	M/s. Government Urban Primary Health Center Panruti, S.F. No. 8/4, 12, Panruti Village, Panruti Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
91-12	M/s. Government Primary Health Center Puliur, S.F. No. 136/16, Puliur Village, Virudhachalam Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.

91-13	M/s. Government Primary Health Center Perperiyankuppam, S.F. No. 138/7, Perperiyankuppam Village, Panruti Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
91-14	M/s. Government Primary Health Center Thookanampakkam, S.F. No. 67/1, 69/1, Thookanampakkam Village, Cuddalore Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.

G. V. S. 15/5/19
AE2
(Member)

G. V. S. 15/5/19
AE2
(Member)

R. S. H. 15/5/19
DEE
(Head)



TAMILNADU POLLUTION CONTROL BOARD

**MINUTES OF THE 92nd DISTRICT LEVEL CONSENT CLEARANCE
COMMITTEE MEETING HELD AT O/o, DEE, CUDDALORE ON 21.05.2019**

Item No.	Subject	Category/ Classification / Type	Orders sought for
92-1	M/s. Government Primary Health Centre Karuveppilankurichi, S.F. No. 53/1, Karuveppilanguruchi Village, Virudhachalam Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
92-2	M/s. Suriya Poly Clinic, S.F. No. 233/4, 234, TS No.4/7, 5/3, Thangamani Ammal Nagar, West Fort Street, Virudhachalam Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
92-3	M/s. Sujatha Hospital, T.S.No.1660/2, Nethaji Road, Manjakuppam, Cuddalore Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
92-4	M/s. Dr R Vasudevan Eye Hospital, S.F. No. 791 to 798, Chidambaram Village, Chidambaram Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate (Direct) with the change of Name to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.

G. V. 21/5/19
AE2
(Member)

A. V. 21/5/19
AE1
(Member)

R. A. 21/5/19
DEE
(Head)



TAMILNADU POLLUTION CONTROL BOARD

**MINUTES OF THE 93rd DISTRICT LEVEL CONSENT CLEARANCE
COMMITTEE MEETING HELD AT O/o, DEE, CUDDALORE ON 31.05.2019**

Item No.	Subject	Category/ Classification / Type	Orders sought for
93-1	M/s. Arcot Hospitals & Enterprises Ltd, T.S. No.80, Manjakuppam Village, Cuddalore Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	DLCCC decided to grant the issue of Consent to Operate to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
93-2	M/s. Janatha Tyre Retreaders Unit-2, S.F. NO. 273, 273/7, Parvathipuram Village, Kurinjipadi Taluk, Cuddalore District	Green – Small 3048-Tyres and tube retreating (without boilers)	DLCCC decided to grant the issue of Consent to Operate (After CTE) to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.
93-3	M/s. Krishna Hospital, T.S.No.1085/2, Manjakuppam Village, Cuddalore Taluk, Cuddalore District	Orange – Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD .	DLCCC decided to grant the issue of Renewal with the change of name to the unit under Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 as amended subject to the conditions mentioned in the agenda.

G.V.S. 31/5/19
AE2
(Member)

G.V.S. 31/5/19
AE1
(Member)

R.S. 31/5/19
DEE
(Head)