



TAMIL NADU POLLUTION CONTROL BOARD
MINUTES OF THE 173th DISTRICT CONSENT CLEARANCE COMMITTEE

MEETING HELD AT O/o. DEE, TNPC BOARD, MADURAI ON 15.05.2019

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
173-01	M/s. Government Primary Health Centre, T.Ramanathapuram S.F.No. 320 (5A, 6B, 7A, 9B,10B, 12B, 13B, 14,16, 17A,18B,19B), Peraiyur Taluk Madurai District	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-02	M/s. Government Primary Health Centre, Saptur, S.F.No. 261(5,6,7,8), 349 (1), Saptur Taluk Madurai District	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-03	M/s. Government Primary Health Centre, Allikundam,, S.F.No. 261(5,6,7,8), 349 (1), 81/16, 83/5, Allikundam Village, Usilampatti Taluk Madurai District	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-04	M/s. Government Primary Health Centre, T.Puthupatti, S.F.No. 60/2A, 60/2B, 61/3 T.Pudupatti Village, Thirumangalam Taluk Madurai District	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-05	M/s. Government Primary Health Centre, Sathangudi, S.F.No. 110/1B1, Sathangudi Village, Thirumangalam Taluk, Madurai District	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

P. S. S. S.
AE-II

San. S. S.
AE-I

Shankar
15.5.19
DEE

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
173-06	M/s. Government Primary Health Centre, Elumalai S.F.No.597 (1D), Elumalai Village, Peraiyur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-07	M/s. Government Primary Health Centre, Sedapatty S.F.No.191, Sedapatti Village, Peraiyur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-08	M/s. Government Primary Health Centre, K.Nattapatti S.F.No.122/2A/B, 122/7/A2, K.Nattapatti Village, Usilampatti Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-09	M/s. Government Primary Health Centre, Valayankulam S.F.No.178/3, Valayankulam Village, Thirupparankundram Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-10	M/s. Government Primary Health Centre, Doddappaanickanur S.F.No.578/15, 578/16 & 580/7 Doddappaanickanur Village, Usilampatti Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-11	M/s. Government Primary Health Centre, Villur S.F.No.176/1A Villur Village, Kalligudi Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-12	M/s. Government Primary Health Centre, M Subbulapuram S.F.No.96/1, 96/2B2, Mothagam Village, Peraiyur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

Thyagaraj
AE-II

Sanjiv
AE-I 15/5/19

Sanjiv
15.5.19

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
173-13	M/s. Government Primary Health Centre, Kalligudi S.F.No.58/2B, 59/1A1, K.Vellankulam Village, Peraiyur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173- 14	M/s. Government Primary Health Centre, Uthappanaickanur S.F.No.156/3, 161/7, 161/8, 161/9, Uthappaickanur Village, Usilampatti Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173- 15	M/s. Government Primary Health Centre, Thummakundu S.F.No.52/1, 52/3B, Thummakundu Village, Usilampatti Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-16	M/s. Government Primary Health Centre, Chekkanurani S.F.No.174/3 & 4, A.Kokkulam Village, Chekkanurani Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-17	M/s. Government Primary Health Centre, Chellampatti S.F.No.368 Kovilankulam Village, Usilampatti Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-18	M/s. Government Primary Health Centre, Vikkiramangalam S.F.No.37/8, Vikkiramangalam Village, Usilampatti Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-19	M/s. Government Primary Health Centre, Thanakkankulam S.F.No.46/1, 48, 49, 50, 51 Thanakkankulam Village, Thirupparankundram Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

Thany
15/5/19
AE-II

Con. S. S. S.
15/5/19
AE-I

Thany
15.5.19

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
173-20	M/s. Government Primary Health Centre, Koodakovil S.F.No.134/BA/134/3B, 134/9, 134/10B1, 134/10B2, 132/5A, 132/5B, 132/5E Koodakovil Village, Thirumangalam Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-21	M/s. Government Primary Health Centre, Virathanur S.F.No.287/29P, Virathanur Village, Madurai South Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-22	M/s. Government Primary Health Centre, Nagamalai Pudukkottai S.F.No.74/1, Nagamalai Pudukkottai Village, Madurai West Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-23	M/s. Government Primary Health Centre, Thuvariman S.F.No.12/5, Keelamathur Village, Madurai West Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-24	M/s. Government Primary Health Centre, Nilaiyur S.F.No.374/1, Nilaiyur 1 st Bit Village, Thirupparankundram Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-25	M/s. Government Primary Health Centre, Santhaiyur S.F.No.200/1, Santhaiyur Village, Peraiyur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-26	M/s. Government Primary Health Centre, T.Kallupatti S.F.No.67/7A, 69/1, 69/2, T.Kallupatti Village, Peraiyur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

T. S. S. 15/5/19

S. S. S. 15/5/19

S. S. S. 15/5/19

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
173-27	M/s. Government Primary Health Centre, Palamedu S.F.No.315 (Part) Palamedu Village, Vadipatti Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-28	M/s. Government Primary Health Centre, Kovilpakkudi S.F.No.9/8 Kovilpakkudi Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-29	M/s. Government Upgraded Primary Health Centre, Kallandiri S.F.No.50/9, Kallandiri Village, Madurai East Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-30	M/s. Government Upgraded Primary Health Centre, Vellalore S.F.No.430/9,11,12 Vellalore Village, Melur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-31	M/s. Government Primary Health Centre, Kulamangalam S.F.No.60/2, 3.4A, 4B & 61/2, 3, 5 & 61/2, 3, 4, 5 Kulamangalam Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-32	M/s. Government Primary Health Centre, Ayilangudi S.F.No.4 Ayilangudi Village, Madurai East Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-33	M/s. Government Primary Health Centre, Kancharampetti S.F.No.1A, Periapatti Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

Thy
15/5/19

Son. Singh
15/5/19

...
15.5.19

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
173-34	M/s. Government Primary Health Centre, Sakkimangalam S.F.No.43/7 Sakkimangalam Village, Madurai East Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173- 35	M/s. Government Upgraded Primary Health Centre, Alanganallur S.F.No.68/1 Alanganallur Village, Vadipatti Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173- 36	M/s. Government Upgraded Primary Health Centre, Katchaikatti S.F.No. 956/1, 956/2,956/3, 957/1D, 957/2, 955/2C, 955/3, 955/2B,1077/1,1077/7, 1077/8, 1077/9, 1077/10, 2077/11, 952/3,952/1B, 1077/22 Katchikatti Village, Vadipatti Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-37	M/s. Government Primary Health Centre, Y.Othakkadai S.F.No.53/2 Rajakambeeram Village, Madurai East Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-38	M/s. Government Primary Health Centre, Muduvarpatty S.F.No.240/5D, 3A1B (P) Muduvarpatty Village, Vadipatti Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-39	M/s. Government Primary Health Centre, Kalimangalam S.F.No.54/5, 54/6 P Kalimangalam Village, Madurai East Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
173-40	M/s. Government Upgraded Primary Health Centre, Karungalakudi S.F.No. 553/2A1, Karungalakudi Village, Melur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

[Signature]
AE-II 15/5/19

[Signature]
AE-I 15/5/19

[Signature]
15.5.19

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
173-41	M/s. Maruti Multispeciality Hospital S.F.No. 365/4A1, 365/2B, Ground Floor Thiruppalai Bit 3 Kannanendal Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2020 subject to the conditions as mentioned in the Agenda.
173-42	M/s. Maruti Test Tube Baby And Fertility Centre S.F.No. 365/4A1 & 365/2B, First Floor Thiruppalai Bit 3 Kannanendal Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2020 subject to the conditions as mentioned in the Agenda.
173-43	M/s. Ahana Hospitals LLP S.F.No. 16/2 A Part Managiri Bit 2 Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

[Signature]
AE-II 15/5/19

[Signature]
AE-I 15/5/19

[Signature]
15.5.19

DEE

[Handwritten mark]



TAMIL NADU POLLUTION CONTROL BOARD

Minutes of the 174th DISTRICT CONSENT CLEARANCE COMMITTEE MEETING HELD AT O/O,DEE,TNPC BOARD, MADURAI ON 17.05.2019

The matter of issue of Renewal Consent to the following units who have already applied for renewal by remitting consent fee, is placed before the committee for approval as per Chairman's Proc. No. TNPCB/P&D/031595/2014 dated 09/10/2014, Circular Memo No. P&D/16032/2010/ dated.29.10.2015 and vide B.P.No:6 dated:02.08.2016.

Sl. No.	Item No.	OCMMS File NO	Subject	Category/ Type	Remarks
1	174-01	0217MDU	JC GANESAN HOSPITAL	ORANGE-Small	DLCCC decided to issue RCO.
2	174-02	0227MDU	PREETHI HOSPITALS PRIVATE LIMITED	ORANGE-Small	
3	174-03	0280MDU	SELVAN NURSING HOME PVT LTD	ORANGE-Small	
4	174-04	0645MDU	GOVERNMENT HOSPITAL- T.VADIPATTI	ORANGE-Small	
5	174-05	0720MDU	GOVERNMENT DIST HEAD QUARTERS HOSPITAL	ORANGE-Small	
6	174-06	0647MDU	GOVERNMENT HOSPITAL- SHOLAVANDAN	ORANGE-Small	
7	174-07	0179MDU	VIJAYA HOSPITALS	ORANGE-Small	
8	174-08	0278MDU	SUBAM NURSING HOME	ORANGE-Small	
9	174-09	0330MDU	LAKSHMANA MULTI SPECIALITY HOSPITALS	ORANGE-Small	
10	174-10	0555MDU	SELVAM CLINIC	ORANGE-Small	
11	174-11	0563MDU	L P HOSPITAL	ORANGE-Small	
12	174-12	0568MDU	SRI RAJAN ORTHO HOSPITAL	ORANGE-Small	
13	174-13	0584MDU	GOVERNMENT HOSPITAL - BALARENGAPURAM	ORANGE-Small	
14	174-14	0583MDU	GOVT.HOSPITAL FOR THORACIC MEDICINE-THOPPUR	ORANGE-Small	

Sl. No.	Item No.	OCMMS File NO	Subject	Category/ Type	Remarks
15	174-15	0582MDU	GOVT.INFECTIOUS DISEASE HOSPITAL & GOVT CHOLERA COLLECTION CENTRE	ORANGE-Small	DLCCC decided to issue RCO.
16	174-16	0789MDU	GURU NURSING HOME	ORANGE-Small	
17	174-17	0372MDU	ANDREWS HOSPITAL	ORANGE-Small	
18	174-18	0457MDU	THEMBAVANI HOSPITALS	ORANGE-Small	

The above units have remitted the consent fees and are eligible for Auto renewal as per the Board's Circular Memo dated:29.10.2015.

Hence, it is Placed in the DLCCC Meeting and issue of Renewal of consent may be considered subject to the following additional conditions.

1. This Renewal is issued based on the previous records furnished by the unit.
2. The consent is issued based on the list of products with quantity and effluent/emission generation sources with details furnished earlier. For any variation in the above, the unit has to file application seeking fresh consent of the Board.
3. The unit shall ensure that the sewage shall be treated through septic tank followed by the soak pit arrangement.
4. The unit shall ensure that only segregated biomedical wastes shall be handed over to the facility without accumulating or storing of Biomedical waste.
5. The Biomedical waste generator shall adopt colour coding for the various wastes and shall use type of containers for disposal of the biomedical waste as prescribed in schedule-II of the biomedical (Management Handling) Rules, 2016 and shall maintain the label for biomedical waste containers/bags as prescribed in schedule-III of the said Rules.
6. The hospital should maintain records on the biomedical waste generated and handed over to the common biomedical waste disposal facility.
7. The hospital shall take all preventive measure against possible discharges/emissions of mercury and the solid waste containing this metal due to breakage of thermometers, pressure and other measuring equipment.
8. The hospital shall take all precautionary measure so that the mercury waste does not get mixed with the biomedical waste or other wastes.
9. The unit shall comply with provisions under the Biomedical waste (Management&Handling), Rules 2016.

10. The unit shall not use "use and throwaway plastics such as plastic sheets used for food wrapping, spreading on dining table , plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets ,plastic straw, plastic carry bag and plastic flags irrespective of thickness within the industry premises. Instead the unit shall encourage use of eco friendly alternatives such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plate/cups, cloth bag, jute bag etc.
11. The HCF shall adhere to the AAQ/ANL standards prescribed by the Board.

Thuvy
17/5/19
AE - II

Ben Spang
17/5/19
AE-I

Quam
17.5.19
District Environmental Engineer,
TNPCC/MDU



TAMIL NADU POLLUTION CONTROL BOARD
MINUTES OF THE 175th DISTRICT CONSENT CLEARANCE COMMITTEE

MEETING HELD AT O/o. DEE, TNPC BOARD, MADURAI ON 18.05.2019

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
175-01	M/s. Government Primary Health Centre, Mannadimangalam, S.F.No. 111/7, Mannadimangalam Village, Vadipatti Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
175-02	M/s. Government Primary Health Centre, Therukuthuru, S.F.No. 219/5A2, 220/2A3, Therukuthuru Village, Melur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
175-03	M/s. Government Primary Health Centre, Keelavalavu, S.F.No. 104/1A1, 1A2, 1A3, 1A4, 1B, 5B1, 5B2, 5B3, 5B4, 8, Keelavalavu Village, Melur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
175-04	M/s. Government Primary Health Centre, Rajakkoor S.F.No. 104/3 Rajakkoor Village, Madurai East Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
175-05	M/s. Government Primary Health Centre, Kottampatti S.F.No. 230/7A, Kottampatti Village, Melur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

Thuy
AE-II / 18/5/19

Bin. Srinivas
AE-I / 18/5/19

Bin. Srinivas
DEE / 18.5.19

DEE

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
175-06	M/s. Government Primary Health Centre, Chitthalangudi S.F.No209, Chitthalangudi Village, Vadipatti Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
175-07	M/s. Government Primary Health Centre, Thumbaipatti S.F.No.70/11A, 11B1, 11B2, 3B, 4A1, 4A2, 4B, 5, 5B, Thumbaipatti Village, Melur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
175-08	M/s. Government Primary Health Centre, Thiruvathavur S.F.No.563/6 Thiruvathavur Village, Melur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
175-09	M/s. Government Primary Health Centre, Samayanallur S.F.No.35/4, 35/5 Samayanallur Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
175-10	M/s. Government Primary Health Centre, Melakkal S.F.No.517B/32, 33, 36, 37, 29 Melakkal Village, Vadipatti Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
175-11	M/s. Government Primary Health Centre, Sekkipatti S.F.No.306/3A2, Sekkipatti Village, Melur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
175-12	M/s. Government Primary Health Centre, T. Ayyankottai S.F.No.372/17 (Part), T.Ayyankottai Village, Vadipatti Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

Tharay
AE-II 18/5/19

San. J. S. S.
AE-I 18/5/19

Prasanna
18-5-19

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
175-13	M/s. Government Primary Health Centre, Thaniyamangalam S.F.No.157/2, Thaniyamangalam Village, Melur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
175-14	M/s. Government Primary Health Centre, A Vallapatti S.F.No.277/2, 277/4, 285/1, 286/1, 292/2, 286/3, 285/2A, A.Vallalapatti Village, Melur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

Thuy
AE-II / 18/5/19

Gan. Srinivas
AE-I / 18/5/19

Pranab
DEE / 18-5-19



TAMIL NADU POLLUTION CONTROL BOARD

Minutes of the 176th DISTRICT CONSENT CLEARANCE

COMMITTEE MEETING HELD AT O/O,DEE,TNPC BOARD,

MADURAI ON 20.05.2019

The matter of issue of Renewal Consent to the following units who have already applied for renewal by remitting consent fee, is placed before the committee for approval as per Chairman's Proc. No. TNPCB/P&D/031595/2014 dated 09/10/2014, Circular Memo No. P&D/16032/2010/ dated.29.10.2015 and vide B.P.No:6 dated:02.08.2016.

Sl. No.	Item No.	MIS File NO	Subject	Category/ Type	Remarks
1	176-01	MDU2118	BHARATHI HOSPITAL	ORANGE-Small	DLCCC decided to issue RCO.
2	176-02	MDU0333	MADURAI KIDNEY CENTRE	ORANGE-Small	
3	176-03	MDU0462	ANUSHA MEDICAL CENTRE	ORANGE-Small	
4	176-04	MDU404	RAMANI HOSPITAL	ORANGE-Small	
5	176-05	MDU0282	SARAVANA MULTI SPECIALITY HOSPITAL PRIVATE LIMITED	ORANGE-Small	
6	176-06	MDU0479	JEBAM HOSPITAL	ORANGE-Small	
7	176-07	MDU0293	AMBA HOSPITAL	ORANGE-Small	
8	176-08	MDU0262	OM SAKTHI HOSPITAL	ORANGE-Small	
9	176-09	MDU0457	AATMIKA ENT CENTRE	ORANGE-Small	
10	176-10	MDU0253	V R HOSPITAL	ORANGE-Small	
11	176-11	MDU0245	ANBU NURSING HOME	ORANGE-Small	
12	176-12	MDU0269	ANAND EYE HOSPITAL	ORANGE-Small	
13	176-13	MDU0276	A R HOSPITAL	ORANGE-Small	
14	176-14	176-15	MDU0377	L P HOSPITAL	

Sl. No.	Item No.	OCMMS File NO	Subject	Category/ Type	Remarks
15					
16	176-16	MDU0397	THIRUMAL CLINIC	ORANGE-Small	DLCCC decided to issue RCO.
17	176-17	MDU0398	SUBBURAJ CLINC	ORANGE-Small	
18	176-18	MDU0463	DEVI NURSING HOME	ORANGE-Small	
19	176-19	MDU0568	P R HOSPITAL	ORANGE-Small	
20	176-20	MDU0579	DEVAKI SPECIALITY HOSPITAL	ORANGE-Small	
21	176-21	MDU0383	GANESH CLINIC AND NURSING HOME	ORANGE-Small	
22	176-22	MDU0378	CRESENT NURSING HOME	ORANGE-Small	
23	176-23	MDU0409	CHANDRABAI HOPSTIAL	ORANGE-Small	
24	176-24	MDU0452	SRI LAKSHMI HOSPITAL	ORANGE-Small	
25	176-25	MDU0469	QUALITY CARE HOSPITAL	ORANGE-Small	
26	176-26	MDU1559	A.R.HOSPITAL PVT LTD	ORANGE-Small	
27	176-27	MDU0237	ARTHUR ASIRVATHAM HOSPITAL	ORANGE-Small	
28	176-28	MDU0421	SAROJA POLY CLINIC	ORANGE-Small	
29	176-29	MDU0234	J.K.CLINIC	ORANGE-Small	
30	176-30	MDU0299	GOLDEN HOSPITAL	ORANGE-Small	
31	176-31	MDU0634	SUBAM HOSPITAL	ORANGE-Small	
32	176-32	MDU0278	S P HOSPITAL	ORANGE-Small	
33	176-33	MDU0089	GUNASUNDARI BOSE HOSPITAL	ORANGE-Small	
34	176-34	MDU0426	SRI SARADHA CLINIC	ORANGE-Small	
35	176-35	MDU0393	KEERTHI HOSPITAL	ORANGE-Small	
36	176-36	MDU0429	AARJUN POORNIMAA CLINIC	ORANGE-Small	

Sl. No.	Item No.	OCMMS File NO	Subject	Category/ Type	Remarks
37	176-37	MDU0350	SRI MEENAKSHI HOSPITAL	ORANGE-Small	DLCCC decided to issue RCO.
38	176-38	MDU0550	PRASANA KUMARAN HOSPITAL	ORANGE-Small	
39	176-39	MDU0555	MADURAI HEART CENTRE	ORANGE-Small	
40	176-40	MDU0425	SANKAR NURSING HOME	ORANGE-Small	
41	176-41	MDU0384	MAHILCHI CLINIC AND NURSING HOME	ORANGE-Small	
42	176-42	MDU0270	RASI HOSPITAL	ORANGE-Small	
43	176-43	MDU1634	SUHAM SPECIALITY HOSPITAL	ORANGE-Small	
44	176-44	MDU0433	SRINIVASA HOSPITAL	ORANGE-Small	
45	176-45	MDU0231	MADURAI CITY HOSPITAL	ORANGE-Small	
46	176-46	MDU1806	NIRMAL NURSING HOME	ORANGE-Small	
47	176-47	MDU0427	VIDYA NURSING HOME	ORANGE-Small	
48	176-48	MDU0230	D JAYASHREE CLINIC	ORANGE-Small	
49	176-49	MDU0260	TAJ NURSING HOME	ORANGE-Small	
50	176-50	MDU0449	G.N.M.NURSING HOME	ORANGE-Small	
51	176-51	MDU0232	MEENAKSHI NURSING HOME	ORANGE-Small	
52	176-52	MDU0297	AMBA HOSPITAL	ORANGE-Small	
53	176-53	MDU388	SRI RAMACHANDRA EYE HOSPITAL	ORANGE-Small	
54	176-54	MDU2051	LAKSHMI SPECIALITY HOSPITAL	ORANGE-Small	
55	176-55	MDU0571	NANDHINI NURSING HOME	ORANGE-Small	
56	176-56	MDU0375	SRI VALLIAMMAL NURSING HOME	ORANGE-Small	
57	176-57	MDU0409	GOWRIBAI CLINIC	ORANGE-Small	
58	176-58	MDU0879	DR.A.R.S INDIA LABS PVT LTD	ORANGE-Small	

Sl. No.	Item No.	OCMMS File NO	Subject	Category/ Type	Remarks
59	176-59	MDU1902	NEW SIVAM AQUA PRODUCT	GREEN -Small	DLCCC decided to issue RCO.
60	176-60	MDU1908	DHEERTHA PACKAGED DRINKING WATER	GREEN -Small	

The above units have remitted the consent fees and are eligible for Auto renewal as per the Board's Circular Memo dated:29.10.2015.

Hence, it is Placed in the DLCCC Meeting and issue of Renewal of consent may be considered subject to the following additional conditions.

1. This Renewal is issued based on the previous records furnished by the unit.
2. The consent is issued based on the list of products with quantity and effluent/emission generation sources with details furnished earlier. For any variation in the above, the unit has to file application seeking fresh consent of the Board.
3. The unit shall ensure that the sewage shall be treated through septic tank followed by the soak pit arrangement.
4. The unit shall ensure that only segregated biomedical wastes shall be handed over to the facility without accumulating or storing of Biomedical waste.
5. The Biomedical waste generator shall adopt colour coding for the various wastes and shall use type of containers for disposal of the biomedical waste as prescribed in schedule-II of the biomedical (Management Handling) Rules, 2016 and shall maintain the label for biomedical waste containers/bags as prescribed in schedule-III of the said Rules.
6. The hospital should maintain records on the biomedical waste generated and handed over to the common biomedical waste disposal facility.
7. The hospital shall take all preventive measure against possible discharges/emissions of mercury and the solid waste containing this metal due to breakage of thermometers, pressure and other measuring equipment.
8. The hospital shall take all precautionary measure so that the mercury waste does not get mixed with the biomedical waste or other wastes.

9. The unit shall comply with provisions under the Biomedical waste Management Rules 2016.
10. The unit shall not use "use and throwaway plastics such as plastic sheets used for food wrapping, spreading on dining table , plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets ,plastic straw, plastic carry bag and plastic flags irrespective of thickness within the industry premises. Instead the unit shall encourage use of eco friendly alternatives such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plate/cups, cloth bag, jute bag etc.
11. The HCF shall adhere to the AAQ/ANL standards prescribed by the Board.

P. S. S.
AE - II / 20/5/19

San. S. S.
AE-I / 20/5/19

S. S. S.
20.5.19
District Environmental Engineer,
TNPCC/MDU



TAMIL NADU POLLUTION CONTROL BOARD
MINUTES OF THE 177th DISTRICT CONSENT CLEARANCE COMMITTEE
MEETING HELD AT O/o. DEE, TNPC BOARD, MADURAI ON 28.05.2019

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
177-01	M/s. Urban Primary Health Centre, Anaiyur R.S.No. 64/4, Anaiyur Bit 2 Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-02	M/s. Urban Primary Health Centre, Annathoppu T.S.No. 166/1783, Survey Ward No.V, Block No.36 Arapalayam Village, Madurai West Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-03	M/s. Urban Primary Health Centre, Ansarinagar, T.S.No. 20/12, Block No.49 Kochadi Village, Madurai West Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-04	M/s. Urban Primary Health Centre, Anuppanadi T.S.No. 919/2, 919/ABCD, Survey No.1A, Block No.5, Anuppanadi Village, Madurai South Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-05	M/s. Urban Primary Health Centre, Aruldossapuram T.S.No. 2300/9B Thathaneri Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

[Signature]
28/5/19
AE-II

[Signature]
28/5/19
AE-I

[Signature]
28.5.19
DEE

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
177-06	M/s. Urban Primary Health Centre, Avaniyapuram T.S.No. 970-1/433, Block No.2, Avaniyapuram Village, Madurai South Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-07	M/s. Urban Primary Health Centre, Balarangapuram S.F.No. 126 Melmadurai Village, Madurai West Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-08	M/s. Urban Primary Health Centre, Bi Bi Kulam T.S.No. 1/1750 Bi Bi Kulam Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-09	M/s. Urban Primary Health Centre, Chinthamani R.S.No.103, Anuppandi Village, Madurai South Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-10	M/s. Urban Primary Health Centre, Fathimanagar S.F.No.95, 23/7B Part Vilankudi Bit I Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-11	M/s. Urban Primary Health Centre, K Pudur T.S.No. 11,12/182, Tallakulam Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

[Signature]
AE-II 28/5/19

[Signature]
AE-I 28/5/19

[Signature]
DEE 28-5-19

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
177-12	M/s. Urban Primary Health Centre, Karisalkulam R.S.No.74/1, 74/2, Vilankudi Bit I Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-13	M/s. Urban Primary Health Centre, Kodikulam S.F.No.69 Kodikulam Bit I Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-14	M/s. Urban Primary Health Centre, M K Puram S.F.No.28/28 Avaniyapuram Village, Madurai South Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-15	M/s. Urban Primary Health Centre, Masthanpatti T.S.No.31/2A, 31/3 Vandiyur Bit I Village, Madurai East Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-16	M/s. Urban Primary Health Centre, Munichalai S.F.No.811 Part Meenakshipuram Bit I Village, Madurai East Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-17	M/s. Urban Primary Health Centre, Narimedu T.S.No.163/1530 Chokkikulam Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

T. V. V.
AE-II 28/5/19

Can. J. J.
AE-I 28/05/19

D. J. J.
DEE 28.5.19

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
177- 18	M/s. Urban Primary Health Centre, Puttuthoppu T.S.No.101/1127, Survey Ward No.V, Block No.65 Arapalayam Village, Madurai West Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177- 19	M/s. Urban Primary Health Centre, Pykara Survey Ward No. XXII, Block No.42, T.S.No.8/407-1B Thirupparankundram Village, Thirupparankundram Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-20	M/s. Urban Primary Health Centre, Sathamangalam T.S.No. 27/45 Sathamangalam Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177- 21	M/s. Urban Primary Health Centre, Sellur T.S.No.60, Sellur Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177- 22	M/s. Urban Primary Health Centre, Solaiyalagupuram S.F.No.104, Avaniyapuram Village, Madurai South Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177- 23	M/s. Urban Primary Health Centre, Sub ramaniyapuram T.S.No.1/1968, Survey Ward No.IV, Block No.39 Madakulam Village, Thirupparankundram Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177- 24	M/s. Thideernagar Urban Primary Health Centre Survey Ward No. IV, Block No.14, T.S.No.1469/280F, 1470/280G, Keezh Madurai Village, Madurai South Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

Praveen
AE-II 28/5/19

Sanjay
AE-I 28/05/19

Shankar
28.5.19
DEE

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
177-25	M/s. Urban Primary Health Centre, Thirunagar R.S.No.746/8, Ward No.98 Thankankulam Village, Thirupparankundram Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-26	M/s. Urban Primary Health Centre, Thiruppalai S.F.No.169 Thiruppalai Bit I Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-27	M/s. Urban Primary Health Centre, Thirupparankundram T.S.No.205/3, Block No.53, Survey Ward No. IX, Thirupparankundram Village, Thirupparankundram Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-28	M/s. Urban Primary Health Centre, Vandiyur T.S.No.10/6P, 7P, 8P, 9P Sathamaganalm Village, Madurai North Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-29	M/s. Urban Primary Health Centre, Villapuram T.S.No.1/9, Survey Ward No. XX, Block No. 3 Villapuram Village, Madurai South Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-30	M/s. Virattipathu Urban Primary Health Centre, T.S.No. 15/135, Survey Ward No. XXIII, Block No. 25 Kochadi Village, Madurai West Taluk, Madurai District.	CTO (Direct)	Orange Small 2085 – Health –care Establishment (as defined n BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

[Signature]
AE-II

[Signature]
AE-I

[Signature]
28.5.19
DEE

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
177-31	M/s. Fores Bakeries S.F.No.232/1G2, 232/1G3, 232/1G4, Ayanappakudi Village, Madurai South Taluk, Madurai District	CTO (Direct)	Green – Small 3003- Bakery/confectionery/swe ets products (with production capacity<1tpd(with gas or electrical oven)	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2022 subject to the conditions as mentioned in the Agenda.
177-32	M/S. Fenner Conveyor Belting Private Limited S.F.NO. 169/2 (Part), 169/3, 169/4A (Part), 169/4B, 169/5B, 169/6A, 169/6B Appakkarai Village Peraiyur Taluk Madurai District	CTE (New)	Green – Small 3999-Miscellaneous (Green)	The Committee decided to recommend for the issue of Consent to Establish (New) for the period up to 31.03.2024 subject to the conditions as mentioned in the Agenda.
177-33	M/s.Madurai Pet Industries S.F.No. 632 Part and 635 Part, Uchappatti Village, Thirumangalam Taluk, Madurai District.	CTO (Direct)	Green – Small 3032-Polythene and plastic processed products manufacturing (virgin plastic)	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2020 subject to the conditions as mentioned in the Agenda.
177-34	M/s. Maxwell Industries S.F.No.134,137 Uchappatti Village, Thirumangalam Taluk, Madurai District	CTO (Direct)	Green – Small 3032-Polythene and plastic processed products manufacturing (virgin plastic)	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2020 subject to the conditions as mentioned in the Agenda.
177-35	M/s. Shri Kamatchi Blue Metals S.F.No.191/4B(P), 191/5A, 5B, Karadikkall Village, Tirumangalam Taluk, Madurai District	CTE (Exp)	Orange-Small 2064-Stone crushers	The Committee decided to recommend for the issue of Consent to Establish (Expansion) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-36	M/s. Periyanchiyaar Blue Metal R.S.No.12/1C, 4A, 4B, 5A, 5B, Kilankulam Village, Peraiyur Village, Madurai District.	CTO (Direct)	Orange-Small 2064-Stone crushers	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
177-37	M/s. Vignesh Blue Metals S.F.No.9/1, Josiyar Alankulam Village, Tirumangalam Taluk, Madurai District	CTO after CTE	Orange-Small 2064-Stone crushers	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

Thiruv
22/5/19
AE-II

San. S. S.
28/05/19
AE-I

Oliver
28.5.19
DEE



TAMIL NADU POLLUTION CONTROL BOARD
MINUTES OF THE 178th DISTRICT CONSENT CLEARANCE COMMITTEE
MEETING HELD AT O/o. DEE, TNPC BOARD, MADURAI ON 30.05.2019

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
178-01	M/s. Sachin Blue Sands, S.F.No.1611/5, Katchaikatti Village, Vadipatti Taluk, Madurai District	CTO after CTE	Orange Small 2999-Miscellaneous (Orange)	The Committee decided to recommend for the issue of Consent to Operate after CTE for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
178-02	M/s. Rajah Green Fields, S.F.No.3/1, 3/2A, Valaiseripatti Taluk, Melur Taluk, Madurai District	CTO Direct	Orange Small 2999-Miscellaneous (Orange)	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
178-03	M/s. JMC Projects India Limited S.F.No.12/3B, Veerapandi Bit I, Madurai North Taluk, Madurai District.	CTO Direct	Green Small 3037-Ready mix cement concrete	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
178-04	M/s. PR And Co Hot Mix Plant S.F.No.220/11, Thirumal Village, Thirumangalam Taluk, Madurai District	CTE New	Orange Small 2037-Hot mix plants	The Committee decided to recommend for the issue of Consent to Establish (New) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.
178-05	M/s.Suresh Mass Marketing Private Limited S.F.No.50/4B, 4C1B, 4C2, Urapanur Bit 1 Village, Thirumangalam Taluk, Madurai District.	CTO Direct	Green Small 3042 - Saw Mills	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

Thirumal
30/5/19
AE-II

Gen. Secy
30/5/19
AE-I

Chang
20.5.19
DEE