



TAMIL NADU POLLUTION CONTROL BOARD

MINUTES OF THE 188th DISTRICT CONSENT CLEARANCE COMMITTEE

MEETING HELD AT O/o. DEE, TNPC BOARD, MADURAI ON 12.11.2019

I. The matter of issue of First Consent to the following units is placed before the committee for approval.

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
188-01	M/s. Muthuvel Hospital S.F. No. 897, Melur Village Melur Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
188-02	M/s. RR Mission Hospital S.F.No.67,68,69 Melur Village Melur Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
188-03	M/s. Sakthi Hospital S.F.No. 14/3, 14/4 Part Madakulam Village, Thirppankundram Taluk, Madurai District.	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

En. S. S. S. S.
AE 12/11/19
S. S. S. S.
AEE- II

G. S. S. S. 12/11/19
District Environmental Engineer,
TNPCB/MDU

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
188-04	M/s. Rani Elangovan Hospital S.F.No. 80/10,11 Vilacheri Village, Madurai West Taluk, Madurai District.	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
188-05	M/s. Divya Hospital S.F.No.52/1B2B1, Rajakambeeram Village, Madurai East Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
188-06	M/s. Sri Kaligambal Hospital S.F.No, 20/12B2 Part Neerathan Village, Vadipatti Taluk, Madurai	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

Ean. *[Signature]*
 AE 12/11/19
 AEE- II

[Signature]
 District Environmental Engineer,
 TNPCB/MDU

II. The matter of issue of Renewal Consent to the following units who have already applied for renewal by remitting consent fee, is placed before the committee for approval as per Chairman's Proc. No. TNPCB/P&D/031595/2014 dated 09/10/2014, Circular Memo No. P&D/16032/2010/ dated.29.10.2015 and vide B.P.No:6 dated:02.08.2016.

Sl. No.	Item No.	Subject	Category/ Type
188-07	1497MDU	Divyam Granite	Green Small
188-08	1524MDU	Platinum Granite Pvt Ltd	Green Small

The above units have remitted the consent fees and are eligible for Auto renewal as per the Board's Circular Memo dated:29.10.2015.

Hence, it is Placed in the DLCCC Meeting and issue of Renewal of consent may be considered subject to the following additional conditions.

1. This Renewal is issued based on the previous records furnished by the unit.
2. The consent is issued based on the list of products with quantity and effluent/emission generation sources with details furnished earlier. For any variation in the above, the unit has to file application seeking fresh consent of the Board.
3. The unit shall not use "use and throwaway plastics such as plastic sheets used for food wrapping, spreading on dining table , plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets ,plastic straw, plastic carry bag and plastic flags irrespective of thickness within the industry premises. Instead the unit shall encourage use of eco friendly alternatives such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plate/cups, cloth bag, jute bag etc.

San. Prasad
AEE-D/11/19

das
12/11/2019
AEE-II

G. Anand
12/11/19
District Environmental Engineer,
TNPCB/MDU



TAMIL NADU POLLUTION CONTROL BOARD

MINUTES OF THE 189th DISTRICT CONSENT CLEARANCE COMMITTEE

MEETING HELD AT O/o. DEE, TNPC BOARD, MADURAI ON 22.11.2019


1. The matter of issue of First Consent to the following units is placed before the committee for approval.

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
189-01	M/s. Reshma Hospital S.F. No. 411/I (P), Villapuram Village Madurai South Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
189-02	M/s. Anto Nursing Home S.F.No.R.S.No.96/3, Thirupparankundram Village Thirupparankundram Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2020 subject to the conditions as mentioned in the Agenda.
189-03	M/s. Dr. Raos Service Hospital S.F.No. 126, 127, 128 & 4 Melur Village, Melur Taluk, Madurai District.	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

Ben. S. S. S. S.
AE 22/11/19
AEE-II

22/11/19
District Environmental Engineer,
TNPCB/MDU

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
189-04	M/s. Shri Balaji Hospital S.F.No. 41 Karuthapuliyampatti Village, Melur Taluk, Madurai District.	CTQ Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
189-05	M/s. Vijay Hospital S.F.No.R.S.No.239/8A1A1 & 239/4, T.S.No.162/1A, Usilampatti Village, Usilampatti Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
189-06	M/s. Rajan Clinic S.F.No, T.S.No.2755/1, Keezhmadurai Village, Madurai South Taluk, Madurai	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2022 subject to the conditions as mentioned in the Agenda.
189-07	M/s. Kumaran Gastro and Maternity Hospital S.F.No, 10 & 104, Melmadurai Village, Madurai West Taluk, Madurai	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.


 AE 22/11/19
 AEE- II


 District Environmental Engineer,
 TNPCB/MDU

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
189-08	M/s. Kishore Hospital S.F.No. 95/4B, Anupanadi Village, Madurai South Taluk, Madurai District.	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
189-09	M/s. Unik Readymix Concrete S.F.No.R.S.No.193/8 Part, 193/11 Part, Thubariman Village, Thirupparankundram Taluk, Madurai District.	CTO Direct	Green Small 3037 - Ready Mix Cement Concrete	The Committee decided to reject the application for the following reason. As per the siting criteria prescribed for ready mix concrete plants (based on the NGT order in Appln. No 24 of 2017) "No RMC plant shall be permitted within 250m from the residential area, layouts, NH/SH, Educational institutions, religious places and human settlements with population more than 500".
189-10	M/s.. Abban Hospital S.F.No.460 Part, Sathamangalam Village, Madurai North Taluk, Madurai District.	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) ,without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
189-11	M/s. Annai Hospital S.F.No.R.S.No.157/4A1A A Kokkulam Village, Thirumangalam Taluk, Madurai District	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

Com. 2/2/19
AE 22/11/19

AE- II
22/11/2019

22/11/19
District Environmental Engineer,
TNPCC/MDU

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
189-12	M/s. Shri Krishna Hospital S.F.No.14/3 Part, Thirumangalam Village, Thirumangalam Taluk, Madurai District	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
189-13	M/s. Jeyam Hospital S.F.No.243/2C1, Melur Village, Melur Taluk, Madurai District	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
189-14	M/s. Madav Clinic S.F.No. 243/2C1A, Melur Village, Melur Taluk, Madurai District	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
189-15	M/s. Baskarn Clinic S.F.No.243/2C1A, Melur Vilage Melur Taluk, Madurai District.	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

Can. S. Srinivas
AE 22/11/19

AE II
22/11/19

22/11/19
District Environmental Engineer,
TNPCC/MDU

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
189-16	M/s. Selviram HOSPITAL S.F.No.243/2C1A, Melur Vilage Melur Taluk, Madurai District.	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
189-17	M/s. Annai Hospital Sri Vel Fertility Centre, S.F.No.R.S.No.139/3 Part, 139/4A Part, 139/4B Part, Ponmeni Village, Madurai East Taluk Madurai District	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
189-18	M/s. Amirtha InCorporation S.F.No.R.S.No.19 & 20/2, Manikampatti Village, Vadipatti Taluk, Madurai District	CTE New	Green Small 3032 -Polythene and plastic processed products manufacturing (virgin plastic)	The Committee decided to recommend for the issue of Consent to Establish for the period up to 31.03.2024 subject to the conditions as mentioned in the Agenda.

II. The matter of issue of Renewal Consent to the following units who have already applied for renewal by remitting consent fee, is placed before the committee for approval as per Chairman's Proc. No. TNPCB/P&D/031595/2014 dated 09/10/2014, Circular Memo No. P&D/16032/2010/ dated.29.10.2015 and vide B.P.No:6 dated:02.08.2016.

Sl. No.	Item No.	Subject	Category/ Type
189-19	0657MDU	SUNDARAM INDUSTRIES LIMITED TYRE SERVICE DIVISION	ORANGE-Small
189-20	0414MDU	GRACE NURSING HOME	ORANGE-Small
189-21	0714MDU	BHUVANESWARI PLASTICS	ORANGE-Small

Gov. S. S. S.
22/11/19
AE

gaj
22/11/2019
AEE- II

g. S. S.
22/11/19
District Environmental Engineer,
TNPCB/MDU

Sl. No.	Item No.	Subject	Category/ Type
189-22	1190MDU	SRI RAMA PLASTIC	GREEN-Small
189-23	0458MDU	RAJAN HOSPITAL	ORANGE-Small
189-24	1480MDU	ARUL PACKAGING INDUSTRY	GREEN-Small
189-25	0712MDU	BALA FRIED GRAMS	GREEN-Small
189-26	0662MDU	FIXON PRODUCTS COMPANY	ORANGE-Small
189-27	0585MDU	V.P.POLEIY PLAAST	ORANGE-Small

The above units have remitted the consent fees and are eligible for Auto renewal as per the Board's Circular Memo dated:29.10.2015.

Hence, it is Placed in the DLCCC Meeting and issue of Renewal of consent may be considered subject to the following additional conditions.

1. This Renewal is issued based on the previous records furnished by the unit.
2. The consent is issued based on the list of products with quantity and effluent/emission generation sources with details furnished earlier. For any variation in the above, the unit has to file application seeking fresh consent of the Board.
3. The unit shall not use "use and throwaway plastics such as plastic sheets used for food wrapping, spreading on dining table , plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets ,plastic straw, plastic carry bag and plastic flags irrespective of thickness within the industry premises. Instead the unit shall encourage use of eco friendly alternatives such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plate/cups, cloth bag, jute bag etc.

Ann. S. Srinivas
22/11/19
AE

das
22/11/2019
AEE- II

G. Srinivas
22/11/19
District Environmental Engineer,
TNPCC/MDU