



# TAMIL NADU POLLUTION CONTROL BOARD

MINUTES OF THE 185<sup>th</sup> DISTRICT CONSENT CLEARANCE COMMITTEE

MEETING HELD AT O/o. DEE, TNPC BOARD, MADURAI ON 01.10.2019

I. The matter of issue of First Consent to the following units is placed before the committee for approval.

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
185-01	M/s. Adithya Speciality Hospital S.F. No. 148/1, Thirupparankundram Village Thirupparankundram Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2020 subject to the conditions as mentioned in the Agenda.
185-02	M/s. Kasthuri Priyaa Speciality Hospital S.F.No.245/2, Melur Village, Melur Taluk, Madurai District.	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
185-03	M/s. Dr Preethi Child Guidance Centre T.S.No.2219 (Part) & 2220/1 (Part) Keezh Madurai Village Madurai South Taluk Madurai	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

Can. Spm  
AE 01/10/19  
AEE-II 01/10/2019

G. Srinivasan  
District Environmental Engineer,  
TNPCB/MDU

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
185-04	M/s.Srinivas Maternity Hospital S.F.No.R.S.No.139/2 Part, Thiruppalai Bit I Village, Madurai North Taluk, Madurai District	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
185-05	M/s. Sri Thilagam Multi Speciality Hospital S.F.No.R.S.No.320/6 Part, Ananganallur Village, Vadipatti Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
185-06	M/s. Karthik Clinic S.F.No.Old T.S.No.2360/1A, New T.S.No.14, Ground Floor, Anupanadi Village, Madurai South Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
185-07	M/s. Sethu Hospital S.F.No.R.S.No.38/4, Madakulam Village, Thirupparankundram Taluk, Madurai District.	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

San. 2/2019  
AE 01/10/19  
AEE-II 01/10/2019

00-2019/11/19  
District Environmental Engineer,  
TNPCB/MDU

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
185-08	M/s. Urban Primary Health Centre Melur, S.F.No.A29/46 Melur Village, Melur Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2023 subject to the conditions as mentioned in the Agenda.

  
 AE 01/10/19

  
 AEE-11/10/2019

  
 District Environmental Engineer,  
 TNPCC/MDU



# TAMIL NADU POLLUTION CONTROL BOARD

MINUTES OF THE 186<sup>th</sup> DISTRICT CONSENT CLEARANCE COMMITTEE

MEETING HELD AT O/o. DEE, TNPC BOARD, MADURAI ON 15.10.2019

1. The matter of issue of First Consent to the following units is placed before the committee for approval.

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
186-01	M/s. Varna Bags S.F. No. 78/5, 11; 79/1 Nilayur Bit 1 Village Thirupparankundram Taluk, Madurai District	CTO After (CTE)	Green Small 3032 - Polythene and Plastic Processed products manufacturing ( Virgin Plastic)	The Committee decided to recommend for the issue of Consent to Operate (after CTE) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
186-02	M/s. Palanikumar Speciality Hospital T.S.No.34, Anupanadi Village Madurai South Taluk Madurai	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
186-03	M/S. Cresnet Hospital S.F.No.21/2A Part, 21/2B1, 21/5A1, Managiri Bit 2 Village Madurai North Taluk Madurai District	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

*[Signature]*  
15/10/19  
AE

*[Signature]*  
15/10/2019  
AEE-II

*[Signature]*  
15/10/19  
District Environmental Engineer,  
TNPCB/MDU


Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
186-04	M/s. A R Nursing Home S.F.No.T.S.No.95/1, Keezh Madurai Village, Madurai South Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
186-05	M/s. Sri Narayana Clinic S.F.No.T.S.No.59, R.S.No.154/1MM, Melur Village, Melur Taluk, Madurai District	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
186-06	M/s. Anandraj Speciality Hospital Private Limited S.F.No.R.S.No.7/3 Part, Parasuram Patti Village, Madurai North Taluk, Madurai District	CTO Direct	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
186-07	M/s. Meenakshi Fabrics S.F.No.146 (P), 147 (P), Shed No.88, Sidco Industrial Estate Kappalur Village, Thirumangalam Taluk, Madurai District.	CTO Direct	Green Small 3032-Polythene and Plastic processed products manufacturing (virgin plastic)	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

En. S. S. S. S.  
15/10/19  
AE

15/10/2019  
AEE-II

15/10/19  
District Environmental Engineer,  
TNPCC/MDU

Item No.	Name and Address of the Industry Messrs.	Consent Type	Category	Decision of the Meeting
186-08	M/s. Indira Hospital R.S.No:44/5A, 44/A, Kannanedal Village Madurai North Taluk, Madurai	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
186-09	M/S.Sri Balaji Hospital S.F.No. 19/4A Rajakambeeram Village, Madurai East Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.
186-10	M/S.Sri Hospital S.F.No. 26 Melur Village, Melur Taluk, Madurai District	CTO (Direct)	Orange Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	The Committee decided to recommend for the issue of Consent to Operate (Direct) for the period up to 31.03.2021 subject to the conditions as mentioned in the Agenda.

  
 AE  
 15/10/19

  
 AEE-II  
 15/10/2019

  
 District Environmental Engineer.  
 TNPCB/MDU

5. II. The matter of issue of Renewal Consent to the following units who have already applied for renewal by remitting consent fee, is placed before the committee for approval as per Chairman's Proc. No. TNPCB/P&D/031595/2014 dated 09/10/2014, Circular Memo No. P&D/16032/2010/ dated.29.10.2015 and vide B.P.No:6 dated:02.08.2016.

Sl No.	Item No	Subject	Category/ Type
186-11	0149MDU	ROYAL PLASTICS	GREEN-Small
186-12	0153MDU	GANESHPRIYA HOSPITAL	ORANGE-Small
186-13	0142MDU	COLUMBS INDUSTRIES	RED SMALL
186-14	0192MDU	MALANADU FARMERS SOCIETY MILK CHILLING PLANT	GREEN SMALL

The above units have remitted the consent fees and are eligible for Auto renewal as per the Board's Circular Memo dated:29.10.2015.

Hence, it is Placed in the DLCCC Meeting and issue of Renewal of consent may be considered subject to the following additional conditions.

1. This Renewal is issued based on the previous records furnished by the unit.
2. The consent is issued based on the list of products with quantity and effluent/emission generation sources with details furnished earlier. For any variation in the above, the unit has to file application seeking fresh consent of the Board.
3. The unit shall not use "use and throwaway plastics such as plastic sheets used for food wrapping, spreading on dining table , plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets ,plastic straw, plastic carry bag and plastic flags irrespective of thickness within the industry premises. Instead the unit shall encourage use of eco friendly alternatives such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plate/cups, cloth bag, jute bag etc.

E.20.29/2019  
15/11/2019  
AE  
AEE-II

G.22507/15/2019  
District Environmental Engineer.  
TNPCB/MDU