



**TAMIL NADU POLLUTION CONTROL BOARD**

**MINUTES OF THE 150<sup>th</sup> DISTRICT LEVEL CONSENT CLEARANCE COMMITTEE**  
**MEETING HELD ON 04.01.2020**

| Item No. | Subject   | Applied for   | Decision of the Committee |
|----------|---|---------------|---------------------------|
| 150-01   | M/s. B.M.Hospital,<br>T.S.No. 7 (Ward-B, Block-1),<br>Namakkal Village, Namakkal Taluk,<br>Namakkal District                          | CTO –Direct   | Approved                  |
| 150-02   | M/s. M S Hospital,<br>T.S.No. 74,(Ward- D, Block 12),<br>Namakkal Village, Namakkal Taluk,<br>Namakkal District                       | CTO –Direct   | Approved                  |
| 150-03   | M/s. Shristi Nursing Home,<br>S.F.No. 152 (D.No.95 ward- D,<br>Block 14), Namakkal Village,<br>Namakkal Taluk, Namakkal District      | CTO –Direct   | Approved                  |
| 150-04   | M/s. Sivasakthi Hospital,<br>S.F.No: 250/7,250/9,<br>Sendamangalam Village,<br>Sendamangalam Taluk,<br>Namakkal District              | CTO –Direct   | Approved                  |
| 150-05   | M/s. Sri Ragavendra Hospital,<br>G.R.No: 120/1162 (Ward No.1),<br>Sendamangalam Village,<br>Sendamangalam Taluk,<br>Namakkal District | CTO - Direct  | Approved                  |
| 150-06   | M/s. K K B PLASTICS,<br>SF.No. 183/2A, Marurpatti Village,<br>Namakkal Taluk, Namakkal District                                       | CTO after CTE | Approved                  |
| 150-07   | M/s. Shri Velavaa PVC Pipes Company,<br>S.F.No. 38/2, Rasipalayam Village,<br>Mohanur Taluk, Namakkal District                        | CTO –Direct   | Approved                  |

|        |  |                    |          |
|--------|--|--------------------|----------|
| 150-08 | M/s Jayamani Blue Metals- Rough Stone Quarry,<br>S.F.No.331(Bit-II), Parali Village,<br>Mohanur Taluk, Namakkal District           | CTO after CTE      | Approved |
| 150-09 | M/s. SURYA HOSPITAL,<br>SF.No. 132/1A, 132/17, Rasipuram,<br>Rasipuram Taluk, Namakkal District                                    | CTO –Direct        | Approved |
| 150-10 | M/s. Malar Hospital,<br>TS No.42/1A1B, Door No.77/50<br>Koneripatti, Kattukottai, Rasipuram,<br>Rasipuram Taluk, Namakkal District | CTO –Direct        | Approved |
| 150-11 | M/s Srinivasaa Traders,<br>S.F. No.36/1A2, Alampatty Village,<br>Rasipuram Taluk,<br>Namakkal District                             | CTE –New           | Approved |
| 150-12 | M/s. Sudha Hospital,<br>T.S.No.26/4, Rasipuram,<br>Rasipuram Taluk, Namakkal District  | CTO –<br>Expansion | Approved |

*N. [Signature]*  
4/11/20  
AE J

*V. [Signature]*  
06/10/20  
District Environmental Engineer,  
Tamil Nadu Pollution Control Board,  
Namakkal.