### **SUMMARY**

**OF** 

## DRAFT EIA / EMP REPORT

**FOR** 

### **ROUGHSTONE AND GRAVEL QUARRY**

A. Project Proponent Details					
Name	APK Minerals Pvt. Ltd.				
Address	1A, Manikandan Nagar, Hasthinapuram Chennai – 600 064				
<b>B.</b> Location Details					
Extent	2.2312 На				
Location	Pazhaveri Village, Uthiramerur Taluk, Kancheepuram District, Tamil Nadu				
C. Production Details					
	Year Gravel in m3 I		Roughstone in m3		
Production	1-5	1-5 31,776		1,58,460	
Troduction	6-10	-		25,320	
	Total	31,776		1,83,780	
	Year Depth				
Depth	1-5			22m	
Бери	6-10		10m		
	Total 32m				
D. EIA/EMP details					
ToR reference	TO24B0108TN5919768N dated 10.08.2024				
<b>Baseline Monitoring</b>	Summer Season, March - May 2024				

#### **CONSULTANT**

### **CREATIVE ENGINEERS & CONSULTANTS**

NABET ACCREDITED CONSULTANCY, NABL ACCREDITED TESTING LAB 9B/4, Bharathwajar Street, East Tambaram, Chennai-600059.

Ph: 044-22395170, Cell: 09444133619 Email: cecgiri@yahoo.com,

**OCTOBER 2024** 

PRO CODE: CEC/EMP/MI-225

#### **SUMMARY**

#### 1.1 INTRODUCTION:

**APK Minerals Private Limited** propose to operate Rough Stone and Gravel Quarry in S.No-207/4B, 5B, 6B, 7B, 8B, 9, 208/1A, 2A, 2B1, 2B2, 5A, 5C, 5D, 5E, 5F, 5G, 212/1L, 1M, 1N Over an area of 2.2312Ha in Pazhaveri Village, uthiramerur Taluk, Kancheepuram District, Tamil Nadu. It involves the production capacity of 1,83,780m3 of Roughstone and 31,776 m3 of Gravel for 10 years upto 32m depth with the annual peak production capacity of 68,890m3 of roughstone and 15,312m3 of gravel.

Besides **APK Minerals Private Limited** propose to operate Rough Stone and Gravel Quarry in S.No-263/1A, 1B, 1C, 1M1, 1M2, 1N1, 1N2, 1O, 1P1, 1P2, 1Q, 1R, 1S, 1T, 264/1, 2, 3, 4, 5, 6, 7, 8A, 8B, 9, 1O, 11A, 11B, 12A, 12B, 12C, 13, 14, 15, 16A, 16B, 17, 18A, 18B, 19, 20A, 20B, 21, 22, 265/1, 2, 3, 4 & 5 Over an area of 2.58Ha in Pazhaveri Village, uthiramerur Taluk, Kancheepuram District, Tamil Nadu. It involves the production capacity of 3,90,600m3 of Roughstone and 41,250 m3 of Gravel for 10 years upto 42mm with the annual peak production capacity of 65,625m3 of roughstone and 21,250m3 of gravel.

Although the individual lease area of each project is less than 5 Ha, the other existing & proposed quarries within the 500m radius cluster along with this subject project works out to >5 Ha. Hence, this proposal is considered under Category – B1 and as per MoEF & CC notification necessitates preparation of EIA/EMP report and public hearing.

Considering that both the leases belong to the same proponent, in homogeneous mineral area with common extended cluster leases, combined draft EIA report with separate EMP measures is prepared for the above two mentioned projects based on the respective standard and additional Terms of Reference issued by SEIAA, Tamil Nadu and is in conformance of the generic structure prescribed by MOEF&CC in their notification of September 2006 and the approved mining plan. Salient details of the EIA/ EMP report prepared for APK Minerals Private Limited (2.2312ha)project is provided below:

#### **Table 1: Salient Details of the Project**

Details	APK Minerals Private Limited (2.2312 Ha)			
A.Statutory Clearances				
Precise Area Communication	Issued by Department of Geology & Mining vide Lr.No.346/Q3/2022 dated 03.02.2024			
Mining Plan Approval	Approved by Deputy Director, Geology & Mining vide Lr.No.346/Q3/2022 dated 04.03.2024			
Details of Quarries within 500m radius	Obtained from Deputy Director, Geology & Mining vide Lr.No.346/Q3/2022 dated 04.03.2024			
B. Application for Environmental Cl	earance			
Terms of Reference	TO24B0108TN5919768N dated 10.08.2024			
Baseline Data Collection	Carried out by Creative Engineers & Consultants , Chennai for Winter Season (March – May 2024)			
Location	Pazhaveri Village, Uthiramerur Taluk, Kancheepuram District			
Coordinates	12°44'46.1684"N to 12°44' 38.8482"N 79°52' 42.9836"E to 79°52' 36.3755"E			
Nearest Village	Pazhaveri – 358m (SE)			
Nearest Town	Walajabad – 6.8Km (NW)			
Nearest Highway	NH-132B – 3.0Km (N)			
Nearest Railway Station	Pazhayaseevaram – 3.4Km (N)			
Nearest Airport	Chennai Airport – 41Km (NW)			
Accessibility	The lease area can be approached from Arumbuliyur – Pazhaveri road which connects to NH-132B at a distance of 3.0Km on the northern side of the lease area.			
Topography	The area applied for quarry lease exhibits almost plain topography covered by Gravel formation and has an altitude of 68 m MSL.			
C.Environmental Setting of the Stu	dy Area			
Nearest Water Bodies	Palar River- 1.6Km-NE Cheyyar River – 1.7Km- W & Ninjalmadu River - 7.4Km-NE			
Nearest Reserve Forests	Kavanippakkam RF- 2.2Km-S, Idaimichi RF- 5.2Km- S, Appur RF- 9.2KM- NE, Maiyur RF- 10.0km-SE, Vadakkuppattu RF-9.8km-NE			
Notified Archaeologically important places, Monuments	Nil within 10km radius			
Local Places of Historical and Tourism Interest	Nil within 10km radius			
Environmental sensitive areas, Protected areas as per Wildlife Protection Act, 1972*	Nil within 10km radius			
Other industries	Other than crushers, Roughstone quarries, no other major industries are located in the study area.			

#### 1.2 Technical details:

Geological Reserves	Roughstone - 10,27,890m3 Gravel - 45,684m3		
Mineable Reserves	Roughstone - 1,83,780m3 Gravel - 31,776m3		
Mining Method	Opencast mechanized mining using jackhammer drilling, blasting, excavation through excavator & mineral transport through tippers will be carried out.		
	Year	Roughstone (m3)	Gravel (m3)
	1	20670	10080
	2	22980	6384
	3	19800	15312
	4	68890	0
D 1 "	5	26120	0
Production	6	5040	
	7	5130	
	8	5100	
	9	5100	
	10	4950	
	Total	183780	31776
Waste Generation and Management	There is no waste generation anticipated in these quarries since the entire excavated material will be utilized.		
Ultimate Depth	32m		
•			
Manpower	12 persons directly and 50 people indirectly.		
Water Requirement and Source	Water Requirement: 8 KLD Source: The required water will be procured initially from outside agencies. Later Rain water harvested in the mine sump can also be used.		
Power Requirement	No electricity needed for mining operation. The minimum power requirement for office, etc will be met from state grid.		
Site Services	This is a proposed project. Site services like mine office, first aid room, rest shelters, toilets etc. will be provided as semi-permanent structures.		
Project Cost	Rs.230 Lakhs		

Figure 1: Location Map




E-378050 N-1409350 SCALE: - 1 cm = 10 m V.NO.90 PINAYUR 6 21.2 207/4B 207/5B N-1409300 0.0586 212 207/6B 207/7B 0.046 1M 207/8B 0.0339 1N 0.01 INDEX 208/1A APPLIED AREA 208/2A 0.085 N-1409250 208/2B1 0.085 SURVEY BOUNDARY 208/5A 0.095 208/5D 208/5F 0.03 14 208/5G N-1409200 212/1L 0.215 0.21 212/1M 212/1N 208 TOTAL PLATE - 02 LEASE PLAN **ROUGH STONE & GRAVEL QUARRY** N-1409150 APPLICANT
APK MINERALS PVT LTD
NO.1A, MANIKANDAN NAGAR,
HASTHINAPURAM,
CHENNAI - 600064
risly that the Plan is Correct APPLIED AREA - 2.23.12 Ha. VILLAGE - PAZHAVERI 209 DISTRICT - KANCHEEPURAM STATE - TAMILNADU DATE OF PLAN - 10.02.2024 E-378050 E-378100 E-378150 Figure 3: Satellite Imagery Showing Corner Co-ordinates – Roughstone and Gravel E-378250

Figure 2: Lease Plan - Roughstone and Gravel Quarry (Over an area of 2.2312 Ha)







#### 1.3 EXISTING ENVIRONMENTAL SCENARIO:

The studies and data collection have been carried out systematically and meticulously as per relevant IS codes, CPCB and MoEF&CC guidelines and as per approved ToR during **Summer Season (March to May 2024)**. For the purpose of this study, the area has been divided into two zones, namely, core and buffer zones. The combined lease area is considered to be the core zone while the buffer zone encompasses a 10km radius from the periphery of the core zone. Based on 2011 census data, in the 10km radius there are 97 Rural villages from Five Taluks namely Uthiramerur, Kancheepuram, Chengalpattu, Maduranthakam, Sriperumbudur Taluk of Kancheepuram District and 1 urban area Walajabad (TP) of Kancheepuram Taluk. The demographic profile of the study area is given below:

Table 2: Social, Economic And Demographic Profile of the Study Area

Details	Population	Percentage	
A. Gender-wise distribution			
Male Population	69771	50.11	
Female Population	69467	49.89	
Total	139238	100	
B. Caste-wise population distribu	ition		
Scheduled Caste	57340	41.18	
Scheduled Tribes	2841	2.04	
Other	79057	56.78	
Total	139238	100	
C. Literate and Illiterate population	on		
Literate Males	51331	36.87	
Literate Females	41496	29.80	
Total Literate Population	92827	66.67	
Others Males	18440	13.24	
Others Females	27971	20.09	
Others Population	46411	33.33	
Total	139238	100	
D. Occupational structure			
Main workers	51542	37.00	
Marginal workers	13451	9.70	
Total Workers	64993	46.70	
Total Non-workers	74245	53.30	
Total	139238	100	

Further developments in this area with respect to these various facilities has occurred over the years.

#### 1.3.1 EXISTING ENVIRONMENTAL QUALITY:

**Table 3: Baseline Data** 

A. AMBIENT AIR QUALITY	Monitoring Location – 5 locations		
Parameter	Result (µg/m3)		*LIMIT (µg/m3)
Location	Core Zone	Buffer Zone	Liwii (µg/iiis)
Particulate Matter (Size <10 µm)	58.2 <b>–</b> 76.8	47.4 – 68.4	100
Particulate Matter (Size <2.5 µm)	28.3 – 37.3	21.6 – 32.3	60
Sulphur Dioxide (as SO <sub>2</sub> )	6.6 – 10.6	5.8 – 10.5	80
Nitrogen Dioxide (as NO <sub>2</sub> )	9.4 – 14.9	8.4 – 15.1	80

**Conclusion:** The existing Ambient Air Quality levels for PM10, PM2.5, SO2 and NO2, are within the NAAQ standards prescribed CPCB limits of 100  $\mu$ g/m3, 60  $\mu$ g/m3, 80  $\mu$ g/m3. The CO values in all the locations were found to be below detectable limit.

B. WATER QUALITY	Monitoring Location – 5 locations	
Parameter	Result	*LIMIT (µg/m3)
pH at 25 °C	6.95 - 7.61	6.5-8.5
Total Dissolved Solids, mg/L	212 – 550	2000
Chloride as Cl-, mg/L	82.30 – 212	1000
Total Hardness (as CaCO3), mg/L	105 – 450	600
Total Alkalinity (as CaCO3), mg/L	94.50- 266	600
Sulphates as SO42-, mg/L	18.90 – 53.20	400
Iron as Fe, mg/L	0.02 - 0.07	0.3
Nitrate as NO3, mg/L	1.36 – 2.95	45
Fluoride as F, mg/L	0.21 - 0.45	1.5

**Conclusion:** The water quality of ground water is found to be within the prescribed Permissible limits of IS: 10500 Norms in the absence of an alternative source as per Drinking Water Specifications.

C. NOISE LEVELS		Monitoring Location – 5 locations	
Parameter	RES	SULT dB(A)	*LIMIT (ug/m2)
Parameter	Day Equivalent	Night Equivalent	*LIMIT (μg/m3)
Core Zone	52.8	44.5	90
Buffer Zone	49.8 – 52.2	40.8 – 43.9	Day Equivalent - 55dB(A), Night Equivalent - 45dB(A)

<sup>\*</sup>Permissible noise for industrial workers as laid down by CPCB (at 8 hrs Exposure Time). While comparing with the MoEF&CC Norms, the monitored ambient noise levels are generally within the limit values

D. SOIL QUALITY	<b>Monitoring Location –</b> 5	locations
Parameter	Core Zone	Buffer Zone
pH	7.25 – 7.28	7.01 – 7.26
Electrical Conductivity (µmho/cm)	81.24 - 84.65	50.28 - 90.24
Organic matter (%)	1.21 – 1.26	0.86 -1.34
Total Nitrogen (mg/kg)	746 – 751	456 – 620
Phosphorus (mg/kg)	1.32 – 1.34	0.57 – 1.21
Sodium (mg/kg)	740 – 745	360 – 632
Potassium (mg/kg)	310 – 320	206 – 268
Soil is of clay loam type.		



#### **E. LAND ENVIRONMENT:**

Land use pattern study carried out through remote sensing satellite data around the 10km buffer zone shows that 42.92 % of the buffer area is fallow land followed by 25.57 % classified under the Agriculture/ Plantation followed by, 13.0 % constitutes land with scrub and the balance 18.51 % falls under other land use categories

#### F. BIOLOGICAL ENVIRONMENT:

**Flora:** lease areas are covered with rocky exposures devoid of vegetation except bushes and shrubs.

Buffer Zone comprise of Seasonal Agricultural land, rocky waste land, barren land, mined out pits, forests namely Kavanippakkam R F, Idaimichi R F, Marudam R F, Cheyar River, Palar River, Ponds etc. Patches of Banana and rice cultivation are observed in the agricultural area mainly adjustant to irrigated areas. Idaimichi R F is mostly rocky with patches of barren land. Kavanippakkam R F consist of shrubs and bushes. Only general species are observed in the study area.

**Fauna:** There is no Wild Life Sanctuary or National Park within the study area of 10 km. Domesticated animals are commonly found. From the study it observed that the area in general consists of species of least concern only.

#### G. HYDROLOGICAL STUDY:

There is a pond located at a distance of 190m on the southern side of APK Blue metals 2.2312 ha lease area. It is dry, covered with silt, bushes and not interconnected from the upstreamside. These water bodies are mainly rainwater drainage arrangements and it remains dry for most of the period. There is no proposal to discharge any effluent into water bodies. No major impact is envisaged on the nearby water bodies due to project operations.

Study of the Water Regime shows that ground water level after good monsoon gives better yield whereas it lowers down substantially during summer season.

The occurrence of groundwater mainly in the porous soil are weathered layers, very negligible amount of groundwater percolated through the poorly fractured layer, after that there is no existence of groundwater. Besides, the mining area consists of hard compact rock, no major water seepage within the mine is expected. The deeper working mines in the region confirms this scenario.



#### 1.4 ANTICIPATED ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES

The identified impacts due to this mine during mining and associated activities have been studied in relation to various environmental components like Air, water, noise, vibration, land, transport etc.

#### 1.4.1 AIR ENVIRONMENT:

The principal sources of air pollution in general due to mining and allied activities will be Excavation, Drilling, Movement of HEMM such as Excavators, tippers etc., Loading and unloading operation and transportation. In case of this mine, the following measures will be adopted to control impact on the air quality due to mining operations in the lease area:

- > Regular wetting of transport road using mobile water tanker.
- Wet drilling / Covering of drill holes with wet clothes
- ➤ Use of controlled blasting techniques with Nonel to keep the dust generation within the prescribed limits.
- > Proper maintenance of roads.
- Avoiding overloading of tippers
- > Transportation of material by tarpaulin covered trucks
- Proper maintenance of HEMM to minimize gaseous emission
- Setting up of tyre washing facility in the lease area exit.
- Vehicular emission tests with digital smoke meter.
- > Provision of green netting around the lease periphery on all sides.
- Development of green belt/ plantation in various areas within the mine lease area etc.

By adoption of all these measures, no adverse impact on air quality is envisaged due to this proposed opencast mining operation.

The impact on air quality due to the proposed cumulative project operations is estimated using AERMOD dispersion models show that the resultant added concentrations with baseline figures even at worst scenario, the values of ambient air quality with respect to PM<sub>10</sub> are in the range of

 $52.9 \,\mu g/m3$  to  $80.1 \,\mu g/m3$  and with respect to PM2.5 are in the range of  $24.7 \,\mu g/m3$  to  $39.2 \,\mu g/m3$  which are within the statutory limits in each case.

For preservation of environment in this mine strict enforcement of management schemes will be undertaken for taking corrective actions, as needed. By adopting the effective implementation of all the mitigative measures, no adverse impact on Air quality due to the mining operation in this lease area is expected.

#### 1.4.2 WATER ENVIRONMENT:

The total water requirement for this project will be 8.0 KLD. The water will be sourced initially from outside agencies. Later the rainwater collected in the mine pit sump will be used for this purpose.

The domestic effluent to be generated from the project will be collected in septic tank with soak pits arrangements. This being a mining project there will not be any process effluent. Towards surface runoff management, a garland drain of length 720m for Roughstone and Gravel Quarry of APK Minerals over an area of 2.2312Ha will be constructed and will be connected to settling ponds with silt traps. The supernatant clear water from the settling pond will be flow to the downstream users..

As already mentioned, the lease area is part of a compact rock formation with less intergranular porosity and fractures leading to less permeability and transmissivity values and as such the ground water level in this area is deep from surface. As such hence no major water seepage within the mines is expected from the periphery.

Good rainwater harvesting measures for augmenting the ground water level in the region will be implemented.

#### 1.4.3 NOISE ENVIRONMENT:

During mining operation there will be noise generation due to working of excavators, movement of vehicles, etc. However, it will be felt near the active working area only and at away from its source it will get reduced. There will also be attenuation due to vegetation, tin sheet/ green netting to be erected by the proponent all around the lease and as such there will not be any adverse noise propagation outside the lease boundary Due to natural attenuation effects, by proper green belt development, design / maintenance of machines, etc., the impact on noise levels will be negligible and are expected to be well within the prescribed limits.

#### 1.4.4 VIBRATION:



In the proposed mine workings, blasting & vibration effects will be controlled by adopting following measures.

- Carrying out controlled blasting using Nonel delay detonator.
- Optimum design for burden and spacing.
- The peak particle velocity (PPV) of ground vibration will be kept very low through optimally controlled blasting techniques, after necessary field trials.
- Reducing explosive charge per delay to minimum.
- Using rock breaker wherever possible
- Proper care and supervision during blasting by a competent and experienced person to be carried out.
- ➤ Besides, different blasting time for both the projects is suggested and the timing is to be mentioned in the display board in the mines entrance.

By adoption of above measures, it will be ensured that ground vibrational levels due to blasting will be maintained within the prescribed DGMS conditions of 10 mm/s for the domestic houses/structures.

#### 1.4.5 IMPACT ON LAND ENVIRONMENT:

There is no waste generation anticipated in these quarry operations since the entire excavated material will be utilized. Hence, there is no external overburden dump involved. Plantation will be carried out in this safety zone area. In the post mining stage, in the quarry of at the end of the lease period, 1.6093Ha of mined out area will be left as water body and 0.6219 Ha will be greenbelt area. Entire mined out area will be properly fenced to prevent inadvertent entry of men and animals. In the post mining stage the rainwater harvested in the mined out void shall be utilized.

Effective post closure monitoring will be done to ensure that there will be no adverse impact due to mining operations.

#### 1.4.6 BIOLOGICAL ENVIRONMENT:

Since the lease area is free from useful trees, no clearance of major vegetation is involved. Since the lease area forms part of rocky formation, no major agricultural activities are possible and practiced in the lease and its nearby areas. By adoption of systematic mining adhering to all the



environmental mitigation measures as explained earlier, no adverse impact on the far away agricultural or surrounding environs envisaged.

There are no migratory corridors, migratory avian-fauna, rare endemic and endangered species. Therefore, there shall be no impacts due to mining activity on them. Even though there are no adverse impact on bio diversity and flora/fauna status due to project operations, positive impacts will arise due to well-planned reclamation measures for restoration of land status in the area ultimately to productive land category with well-planned green belt development activities. In the Roughstone and Gravel Quarry of APK Minerals about 1200 trees will be planted in and around the lease area.

#### 1.4.7 SOCIO ECONOMIC ENVIRONMENT:

The entire lease area is own private patta land. There are no habitations or hutments in the core zone area and no rehabilitation or resettlement problems will arise here. The mining operations in the proposed mine will provide the following socio-economic benefits:

- Direct Employment for about 12 persons.
- Besides through allied opportunities in logistics, trading, repairing works etc. good employment potential will arise in this area, which will provide raising income levels and standards of living in the area through various service-related activities connected with the project operations.
- Benefit to State and central exchequer by way of royalty, taxes.
- Improvement in infrastructural facilities, providing education aids etc. in nearby schools
- Betterment of drinking water facilities.

From above details, it is clear that the project operations will have highly beneficial positive impact in the area. Towards the socio-economic development of the surrounding area, APK Minerals (over an area of 2.23Ha)have allocated Rs.5 Lakhs. The activities identified will be implemented in a phased manner. In consultation with the locals based on the need & priority it will be implemented.

#### 1.4.8 IMPACT ON LOCAL LOGISTICAL SYSTEM DUE TO PROJECT:

The material mined out from this lease area will be directly transported to the crusher units for producing stone aggregates of different sizes or construction of roads, bridges, buildings and other buyers etc. During the combined project operations, there will be 6 trips/hr. The transport route will be properly maintained to absorb this traffic due to this project. The following mitigative measures are suggested for mitigation of adverse impacts on the logistical aspect of the project:

- Water sprinkling on material in the transport vehicles before transporting, so that no dust nuisance during transport will arise.
- Plantation in consultation with the concerned department.
- Proper maintenance of transport roads and transport vehicles.
- Avoiding overloading of material
- Covering of loaded vehicles with tarpaulins sheet
- Keeping traffic regulators at vulnerable locations.
- Distribution of transport vehicles for avoiding choking of roads
- Limiting of speed
- Installation of barriers at vulnerable locations
- Provision of tyre washing facility at the mine outlet

#### 1.4.9 WASTE MANAGEMENT:

There is no process effluent generation from this mine. Hence no liquid waste is generated. Single use plastics/ use and throwaway plastics will be banned in the site as directed by the Tamil Nadu Government vide GO(Ms)No.84 regarding ban on use of plastic products. The employees will be encouraged to use compostable material or reusable material.

#### 1.2 ENVIRONMENTAL MONITORING PROGRAME:

Regular, systematic and sustained programme schedules for implementation and monitoring of various control measures are devised with clear cut guidelines of various concerned plans for keeping a continuous surveillance on the various environmental quality parameters in the area. The Mines Manager in the mine project site will be directly responsible for various environmental activities in the mine and will undertake effective monitoring and implementation of various environmental control measures promptly and effectively and to oversee various environmental



management schemes for air quality control, water quality status, noise level control, plantation programme, social development schemes, etc in the mine. Towards implementation of the environmental control measures, Rs.21.30 Lakhs is allocated under capital cost and Rs.14.77 Lakhs per annum will be spent under recurring cost.

#### 1.3 ADDITIONAL STUDIES:

Although the individual lease area of this project is less than 5 Ha, the other existing and proposed quarries within the 500m radius along with this subject project works out to >5 Ha. The baseline monitoring carried out for this project reflects the cumulative impact of the existing quarries. The cumulative impact assessment of both the proposed quarries in the homogeneous mineral area with common extended cluster leases, given in the EIA/ EMP report also reflects no adverse impact on the surrounding environ on the post project basis.

Besides, these mines will be more of an alternate for the nearby expired leases of the proponent and as such no additional adverse effect is expected

#### 1.4 CONCLUSION:

By systematic and scientific mining adhering to all the statutory norms and enforcing and strictly implementing the above said mitigation measures mentioned in this report, no adverse impact is envisaged. The proposed mining project will benefit this region in the fields of potential employment opportunities, improved income for local people, improved social welfare facilities in respect of education, medical healthcare systems, etc. in its own way and also revenue to Government through royalty, taxes etc. Besides, it will meet the raw material requirement of the construction industry also.

\* \* \* \* \* \* \* \* \*