

**January
2024**

**Executive Summary for Conducting Public Hearing
FOR**

**“Thiru.K.P.Anand Rough Stone Quarry over a
total extent of 4.00.0 Ha”**

At

**S.F.No. 637 (Part-1) of Thuppuganapalli Village,
Shoolagiri Taluk, Krishnagiri District, Tamilnadu State**


Project Proponent:

**Thiru.K.P.Anand,
S/o. V.P. Perumal,
No.2/10, Velampatty Post,
Pennagaram Taluk,
Dharmapuri District 636 809**

Project termed under schedule 1(a) Category B₁

Prepared By:

Ecotech Labs Pvt. Ltd.



NABET Accredited EIA Consultant

**48, 2nd Main Road, Ram Nagar South Extension,
Pallikaranai, Chennai -600100**

EXECUTIVE SUMMARY

1. Project Background:

The Proposed project is in Government Poramboke Land having total extent area of 4.00.0 Ha, located at S.F.No. 637 (Part-I) of Thuppuganapalli Village of Shoolagiri Taluk, Krishnagiri District and Tamil Nadu. The category of project is B1, it is an existing rough stone quarry in Thuppuganapalli village. The area is situated on hilly terrain sloping towards the Southeast covered with Rough Stone which does not sustain any type of vegetation.

The quarry operation is proposed to carry out with conventional open cast mechanized mining with a 5.0-meter vertical bench with a bench width of 5.0 meter. The Quarry operation involves shallow jack hammer drilling, slurry blasting, loading and transportation.

The quarry operation is proposed up to depth for 41 m Surface Ground Level Above. The Total Geological reserve is about 2607850m³ of Rough Stone and 58776m³ of Topsoil. The Mineable Reserves are about 1252800m³ of Rough Stone and 49476m³ of Topsoil. The year wise production/recoverable resources of rough stone and Gravel is about 842300m³ and 49476m³ for 5 years.

The Mining Plan was approved by the Deputy Director, Geology & Mining, Krishnagiri vide letter Rc.No.209/2018 Mines dated 07.05.2018. The project area does not fall in Hill Area Conservation Authority region. There is no interstate boundary, CRZ zone, Western Ghats, notified Bird sanctuaries, wildlife sanctuaries as per Wildlife protection Act 1972, within a radius of 15 km.

2. Nature & Size of the Project

The Rough Stone Quarry over an extent of 4.00.0 Hectares land is located Thuppuganapalli Village of Shoolagiri Taluk, Krishnagiri District.

Mineral intends to quarry : Rough stone.
District : Krishnagiri
Taluk : Shoolagiri
Village : Thuppuganapalli
S. F. Nos. : 637 (Part-I)
Extent : 4.00.0 Hectares

Table 1: Brief Description of the Project

S. No	Particulars	Details
1	Latitude	12° 37' 42.79"N To 12° 37' 51.07"N
2	Longitude	77° 57' 04.71"E To 77° 57' 14.73"E
3	Site Elevation above MSL	Maximum 813m and Minimum 768m above MSL.
4	Topography	Hilly terrain
5	Land use of the site	Government Poramboke land
6	Extent of lease area	4.00.0 Ha
7	Nearest highway	AH-45: Chennai to Bengaluru Highway – 5.15 Km – NNE. SH-85: Kelamangalam Road – 10.89 Km - W
8	Nearest railway station	Kelamangalam Railway Station – 9.60Km - W
9	Nearest airport	Kempagowda International Airport – 67.58Km - NNW
10	Nearest town / city	Town - Shoolagiri – 6.95 Km - NE City - Krishnagiri – 28.30 Km - NE District - Krishnagiri – 28.30 Km - SE
11	Rivers / Canal	• Ponnaniyar River – 0.77Km - NE
12	Lake	➤ Chappadi Lake – 5.21Km – NE ➤ Konerapalli Lake - 5.47Km – N ➤ Kamandoddi Lake – 5.68Km – N ➤ Kamandoddi New Lake – 6.58 Km - NW ➤ Kamandoddi Old Lake – 5.54Km – NW ➤ Nagamangalam Lake – 7.23Km – S ➤ Anachandiram Lake – 7.74Km – NE ➤ Bukkasagaram Lake – 10.06 Km – N


		<ul style="list-style-type: none"> ➤ Doripalli Lake – 8.57 Km – N ➤ Thummanapalli Lake – 8.64 Km – NNE ➤ Gangapuram Lake – 7.96 Km – NW ➤ A. Kothur Lake – 7.12 Km – NNW ➤ Subbagiri Lake – 6.60 Km – N ➤ Thiyagarsanapalli Lake – 5.79 Km – NE ➤ Obeapalayam Lake – 4.50 Km – W ➤ Addakurukki Lake – 3.81 Km – N ➤ Beerjapalli Lake – 3.90 Km - NW
13	Hills / valleys	Nil in 15 km radius
14	Archaeologically places	Nil in 15 km radius
15	National parks / Wildlife Sanctuaries	Nil in 15 Km radius
16	Reserved / Protected Forests	<ul style="list-style-type: none"> ➤ Perandapalli RF – 5.74Km – NW ➤ Sanamavu RF – 6.01 Km – W ➤ Settipalli RF – 7.01 Km - NE ➤ Udedurgam RF – 11.60 Km – S ➤ Denkanikaottai RF – 14.17 Km - SW
17	Seismicity	Proposed Lease area come under Seismic zone-II (low risk area)
18	Defense Installations	Nil in 15 Km radius

3. Need for the Project

- ❖ The mining activities as proposed are the backbone of all construction and infrastructure projects as the raw material for construction is available only from such mining. The Rough stone extracted will be transported to be Stone crusher of district Krishnagiri.
- ❖ The raw Rough stone as well as the crushed material of stone is in high demand in real estate, construction projects as well as in building construction projects.
- ❖ Rough stone is quarried for producing crusher aggregates to the nearby building contractors, road contractors and nearby villagers.
- ❖ After quarrying the entire reserves mined out, the area will be used as water reservoir to have an artificial recharge to the nearby wells.

- ❖ No damage to the land is caused, no reclamation or back filling is required.

Figure 1: Location Map of the Project Site






Figure 2: Google Image of the Project Site

4. Charnockite

Charnockite and granitic gneisses are extensively quarried as rough stone which is used as aggregates for construction of building, laying of roads and for preparation of value added products like hollow blocks, pillar stones, M-sand etc. Charnockite occurs as massive bodies, greyish colour, medium to coarse grained, composed quartz, feldspar and orthopyroxene. At places, metamorphic gneissic banding (alternate dark and black colour) in charnockite is noticed. Top portion, it gives gneissic appearance but 1-5m depth below it is typical charnockite of grey color.

5. Geological resources

The geological resources have been calculated based on the cross-section method.

Table 2. Geological resources

GEOLOGICAL RESOURCES							
Section	Bench	L (m)	W (m)	D (m)	Volume in (Cu.m.)	Recoverable Reserve in Cbm (100%)	Topsoil
XY-AB	I	248	237	1			58776

	II	58	9	5	2610	2610	
	III	248	35	5	43400	43400	
	IV	248	81	5	100440	100440	
	V	248	121	5	150040	150040	
	VI	248	205	5	254200	254200	
	VII	248	237	5	293880	293880	
	VIII	248	237	5	293880	293880	
	IX	248	237	5	293880	293880	
	X	248	237	5	293880	293880	
	XI	248	237	5	293880	293880	
	XII	248	237	5	293880	293880	
	XIII	248	237	5	293880	293880	
Total					2607850	2607850	58776

Table 3. Mineable Reserves

MINEABLE RESERVES							
Section	Bench	L (m)	W (m)	D (m)	Volume in (Cu.m.)	Recoverable Reserve in Cbm (100%)	Topsoil
XY-AB	I	228	217	1			49476
	II	47	1	5	235	235	
	III	221	24	5	26520	26520	
	IV	211	65	5	68575	68575	
	V	201	100	5	100500	100500	
	VI	191	179	5	170945	170945	
	VII	181	195	5	176475	176475	
	VIII	171	185	5	158175	158175	
	IX	161	175	5	140875	140875	
	X	151	165	5	124575	124575	
	XI	141	155	5	109275	109275	
	XII	131	145	5	94975	94975	
	XIII	121	135	5	81675	81675	
Total=					1252800	1252800	49476

Table 4. Year wise Production Plan

YEARWISE DEVELOPMENT AND PRODUCTION								
Year	Section	Bench	L (m)	W (m)	D (m)	Volume in (Cu.m.)	Recoverable Reserve in Cbm (100%)	Topsoil
I-Year II-Year III-Year IV-Year V-Year	XY-AB	I	228	217	1			49476
		II	47	1	5	235	235	
		III	221	24	5	26520	26520	
		IV	211	65	5	68575	68575	
		V	201	100	5	100500	100500	
		VI	191	179	5	170945	170945	
		VII	181	195	5	176475	176475	
		VIII	171	185	5	158175	158175	
		IX	161	175	5	140875	140875	
Total=						842300	842300	49476

6. Mining

Opencast mining

The quarry operation is proposed to carry out with conventional open cast mechanized mining with a 5.0-meter vertical bench with a bench width of 5.0 meter. The Quarry operation involves shallow jack hammer drilling, blasting, loading and transportation.

Process Description

- The reserves and resources are arrived based upon the Geological investigation.
- Removal of Topsoil by Excavators and directly Loaded into Tippers.
- Removal of Rough Stone by Excavators by Drilling and Blasting.
- Shallow Drilling With Jackhammer of 25.5mm Dia.
- Minimum Blasting With Class 3 Explosives.
- Loading of Rough Stone By Excavators Into Tippers.

7. Water Requirement

Total water requirement for the mining project is 2.0 KLD. Domestic water will be sourced from nearby Ayarnapalli Village and other water will be source from nearby road tankers supply.

Table 5. Water Balance

Purpose	Quantity	Source
Drinking Water	1.0 KLD	Packaged Drinking water vendors available in Thuppuganapalli which is about 0.50 km-N from the project site.
Green belt	0.5 KLD	Other domestic activities through road tankers supply
Dust suppression	0.5 KLD	From road tankers supply
Total	2.0 KLD	

8. Manpower

Total manpower required for the project is approximately 18 persons. Workers will be from nearby villages.

Table 6. Man Power

1.	Skilled	Operator	2 No.
		Mechanic	1 No.
		Blaster/Mat	1 No.
2.	Semi – skilled	Driver	2 Nos
3.	Unskilled	Musdoor / Labors	5 Nos
		Cleaners	3 Nos
		Office Boy	1 No
4.	Management & Supervisory staff		3 Nos
	Total		18 Nos

9. Solid Waste Management**Table 7 Solid Waste Management**

S. No	Type	Quantity	Disposal Method
1	Organic	3.24 kg/day	Municipal bin including food waste
2	Inorganic	4.86 kg/day	TNPCB authorized recyclers

As per CPCB guidelines: MSW per capita/day =0.45 kg/day

Table 8 500m Radius Cluster Mine

1) Details of Existing quarries:

S. No.	Name of the lessee	ROC. No. dated	Village	S.F No	Extent in Het	Lease period
1.	M/s. AVS Building Solutions India Private Limited, Plot No.298, Sipcot Staff Housing Colony, Mookandapalli, Hosur 635 126	Rc.No.211 /2018/ Mines dated: 25.01.2018	Thuppuganapalli village, Shoolagiri Taluk	637 (Part - 3)	4.50.0	25.01.2019 to 24.01.2029
2.	S.Sundraiah, S/o Subramaniam (Late), 14/5 Amman Nagar, Opp to Government ITI, HCF (Post), Hosur.	Rc. No. 98/2016/ Mines dated: 08.08.2016	Thuppuganapalli village, Shoolagiri Taluk	420 (Part - 2)	3.00.0	22.08.2016 to 21.08.2026

2) Details of abandoned/Old Quarries Proposed Quarries

S. No.	Name of the lessee	ROC. No. dated	Village & Taluk	S.F. No	Extent	Lease period
1.	Thiru.R.Rathinam, Manangkundram, Alagu Goundanapatti Post, Buthar Natham, Trichy.	Rc.No.91/ 2008/ Mines dated: 29.03.2018	Thuppuganapalli village, Shoolagiri Taluk	420 (Part- 5)	5.00.0	03.07.2008 to 02.07.2018

3) Details of other Proposed/ applied Quarries

S. No.	Name of the lessee	ROC. No. dated	Village & Taluk	S.F. No	Extent	Lease period
1.	Thiru.Anand, V.P.Perumal, No.2/10, Velampatty Post, Pennagaram Taluk, Dharmapuri District 636809	Rc.No.209/ 2018/ Mines dated: 09.03.2018	Thuppuganapalli , Shoolagiri Taluk	637 (Part-1)	4.00.0	Ec Obtained Tender lease not yet granted (Instant Proposal)

2.	M/s. Sri Vari Infrastructure, Prop.Thiru.Adal Arasu S/o,Ramathilagan, D.No.2/389, Poosaripatti Village and Sogathur Post, A.Reddyhalli, Dharmapuri.	Rc.No.231/ 2019/ Mines dated: 13.06.2019	Thuppuganapalli and Agaram Agraharam Village, Shoolagiri Taluk	637 (Part) & 4 (Part)	2.95.0	Precise area given
3.	Thiru.Anand, V.P.Perumal, No.2/10, Velampatty Post, Pennagaram Taluk, Dharmapuri District 636809	Rc.No.210/ 2018/ Mines dated: 09.03.2018	Thuppuganapalli , Shoolagiri Taluk	637 (Part-2)	4.50.0	Precise area given
4.	M/s.AVS Building Solutions India Private Limited, Plot No.298, Sipcot Staff Housing Colony, Mookandapalli, Hosur 635 126	Rc.No.230/ 2019/ Mines dated: 13.06.2019	Thuppuganapalli , Shoolagiri Taluk	420 (Part-5)	4.90.0	Precise area given

The Total extent of the Existing / Lease expired / Proposed quarries is 23.35.0 Ha.

10. Land Requirement

The total extent area of the project is 4.00.0 Ha, Government Poramboke land in Thuppuganapalli Village of Shoolagiri Taluk, Krishnagiri District.

Table 9 Land Use Breakup

S. No.	Land Use	Present Area (Hect)	Area in use during the quarrying period (Hect)
1.	Quarrying Pit	Nil	3.14.2
2.	Infrastructure	Nil	0.01.0
3.	Roads	Nil	0.02.0

4.	Green Belt	Nil	0.82.8
5.	Unutilized Area	4.00.0	Nil
	Total	4.00.0	4.00.0

11. Human Settlement

There are no habitations within 300m radius. There are villages located in this area within 5km radius of the quarry.

Table 10 Habitation

SL. NO.	DIRECTION	VILLAGE	POPULATION	DISTANCE
1	North	Ayarnapalli	4986	0.50 Km
2	South	Devasanapalli	1450	1.30 Km
3	East	Samanapalli	3198	2.47 Km
4	West	Thuppuganapalli	4281	1.24 Km

12. Power Requirement

The Rough Stone Quarry project does not require huge water and electricity for the project.

16 Litre diesel per hour for excavator for mining and loading for Rough stone needed.

13. Scope of the Baseline Study

This chapter contains information on existing environmental scenarios on the following parameters.

1. Micro – Meteorology
2. Water Environment
3. Air Environment
4. Noise Environment
5. Soil / Land Environment
6. Biological Environment
7. Socio-economic Environment

13.1 Micro – Meteorology

Meteorology plays a vital role in affecting the dispersion of pollutants, once discharged into the atmosphere. Since meteorological factors show wide fluctuations with time, meaningful interpretation can be drawn only from long-term reliable data.

- i) Average Minimum Temperature : 18 °C
- ii) Average Maximum Temperature : 38 °C
- iii) Average Annual Rainfall of the area: 800 mm to 900 mm

13.2 Air Environment

Ambient air monitoring was carried out on a monthly basis in the surrounding areas of the Mine Lease area to assess the ambient air quality at the source. To know the ambient air quality at a larger distance i.e., in the study area of 5 km. radius, air quality survey has been conducted at 7 locations. Major air pollutants like Particulate Matter (PM10), Sulphur Dioxide (SO₂), Nitrogen Dioxide (NO₂) were monitored and the results are summarized below.

The baseline levels of PM10 (69-41 µg/m³), PM2.5 (34-16 µg/m³), SO₂ (19-5 µg/m³), NO₂ (37-8 µg/m³), all the parameters are well within the standards prescribed by National Ambient Air Quality during the study period from October 2023 to December 2023.

13.3 Noise Environment

The maximum Day noise and Night noise were found to be 59 dB(A) and 47 dB(A) respectively in in Jama Masjid, Mosque, Thirumalaigowni kotta. The minimum Day Noise and Night noise were 47 dB(A) and 41 dB(A) respectively which was observed in project site. The observed values are all well within the Standards prescribed by CPCB.

13.4 Water Environment

- The average pH ranges from 7.25 – 7.92.
- TDS value varied from 198 mg/l to 962 mg/l
- Hardness varied from 164 to 557 mg/l
- Chloride varied from 20.5 to 243 mg/l

13.5 Land Environment

The analysis results show that the majority of soil in the project and surrounding area is slightly alkaline in nature and pH value ranges from 6.87 to 7.87 with organic matter 0.31 to 1.04 %. The concentration of Nitrogen, Phosphorus & Potassium has been found to be in good amount in the soil samples.

13.6 Biological Environment

The proposed Mining lease area is mostly dry barren ground with small shrubs and bushes. No specific endangered flora & fauna exist within the mining lease area.

14. Rehabilitation/ Resettlement

- The overall land of the mine is Government Poramboke land. There is no displacement of the population within the project area and adjacent nearby area. Social development of nearby villages will be considered in this project.
- The mine area does not cover any habitation. Hence the mining activity does not involve any displacement of human settlement.

15. Greenbelt Development

1. The development of greenbelt in the peripheral buffer zone of the mine area.
2. The Green belt has been recommended as one of the major components of the Environmental Management Plan, which will improve ecology, environment and quality of the surrounding area.
3. Local trees like Neem, Pungam, Naval etc will be planted along the lease boundary and avenues as well as over non-active dumps at a rate of 400 trees per annum with interval 5m.
4. The rate of survival expected to be 80% in this area

Table.11 Plantation/ Afforestation Program

Name of species proposed	Survival	No of species
Neem, Pungam, Poovarasu, Naval, Mantharai, Arasa Maram, Magizham, Vilvam, vaagai, Marudha maram, Thandri, Poovarasu, Manjadi, Usil, Aathi, Panai, Uzha, Illuppai, Eachai, Vanni Maram	80%	2000
Total		2000

16. Anticipated Environmental Impacts

16.1 Air Environment and Mitigation Measures

1. Water sprinkling will be done on the roads & unpaved roads.
2. Proper mitigation measures like water sprinkling will be adopted to control dust emissions.
3. Plantation will be carried out on approach roads, solid waste site & nearby mine premises.
4. To control the emissions regular preventive maintenance of equipments will be carried out.

16.2 Noise Environment and Mitigation Measures

1. Periodical monitoring of ambient noise will be done as per CPCB guidelines.
2. No other equipment except the transportation vehicles and excavator for loading will be allowed.
3. Noise generated by these equipments shall be intermittent and does not cause much adverse impact

17. Responsibilities for Environmental Management Cell (EMC)

The responsibilities of the EMC include the following:

- i. Environmental Monitoring of the surrounding area
- ii. Developing the green belt/Plantation
- iii. Ensuring minimal use of water
- iv. Proper implementation of pollution control measures

18. Environmental Monitoring Program

A monitoring schedule with respect to Ambient Air Quality, Water & Wastewater Quality, Noise Quality as per Tamil Nadu State Pollution Control Board (TNPCB), shall be maintained.

19. Project Cost

The total project cost is **Rs.1,42,60,000/-** for deployment of machinery and creation of infrastructural facilities like approach road, mine office / Workers Shed, First Aid Room etc., including electrifications and water supply.

Table 12 Project Cost details

S. No.	Description	Cost
1	Fixed Asset Cost	Rs.1,22,60,000/-
2	Operational and Fencing Cost	Rs. 20,00,000/-
	Total	Rs. 1,42,60,000/-

EMP Cost: Rs.1,54,10,473/- (Rupees one crore forty two lakhs ten thousand and four hundred seventy three only).

20. Corporate Environmental Responsibility

The Corporate Environment Responsibility (CER) fund will be provided to the below activity.

Table 13 CER Cost

S.No.	CER Activity	CER value (Rs)
1.	Government Higher Secondary School, Uddanapalli, Krishnagiri – 635119, Provision of ➤ To construct Additional Toilets and water tank ➤ And Basic amenities such as Environmental books for library (in Tamil language), Greenbelt development, Hygienic Toilet and maintenance of toilet upto lease period And ➤ Conservation activity to Cauvery North Wildlife Sanctuary.	10,00,000/-
	Total	10,00,000/-

21. Benefits of the Project

- There is positive impact on socioeconomics of people living in the villages. Mining operations in the subject area has positive impact by providing direct and indirect jobs opportunities.
- The project is environmentally compatible, financially viable and would be in the interest of the construction industry thereby indirectly benefiting the masses.
- Quarrying in this area is not going to have any negative impact on the social or cultural life of the villagers in the nearby vicinity.

.....