



**TAMILNADU POLLUTION CONTROL BOARD**  
**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Adyar River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		Thiru.Vi.Ka.Bridge (Downstream)						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	6.86	21700	182	13094	8498	5.04	12	160
May-22	6.92	26100	16	15680	11396	6.16	7	56
Jun-22	7.33	1259	16	740	250	2.24	7	56
Jul-22	6.61	5860	34	3706	205	11.20	14	96
Aug-22	7.07	4140	26	2694	1330	6.72	15	88
Sep-22	6.95	19940	144	13360	6048	7.28	33	192
Oct-22	7.22	10710	70	7158	3710	10.64	22	232
Nov-22	7.26	9760	20	6470	3399	10.64	13	48
Dec-22	7.04	8020	62	5424	2449	6.16	12	104
Jan-23	7.18	4280	14	2492	1200	8.4	12	80
Feb-23	7.83	13970	8	9772	3898	8.4	6	48
Mar-23	7.21	2980	24	1758	670	7.84	14	120
<b>Range</b>	<b>6.88~7.83</b>	<b>540~28800</b>	<b>14~216</b>	<b>304~20190</b>	<b>80~13296</b>	<b>2.0~11.76</b>	<b>8~108</b>	<b>72~280</b>

**Assistant Director (Lab)**  
**AEL, TNPCB, Chennai**



**TAMILNADU POLLUTION CONTROL BOARD**  
**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Adyar River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		Alandur Abraham Bridge (Downstream)						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	7.13	1577	8	856	250	7.28	8	80
May-22	6.79	1718	14	950	255	6.16	14	96
Jun-22	7.38	757	88	450	98	2.8	8	64
Jul-22	6.51	1579	46	952	260	16.24	24	128
Aug-22	7.01	1082	8	702	197	7.28	16	96
Sep-22	7.52	1750	58	1058	285	14.56	26	184
Oct-22	7.15	1408	22	876	255	14.56	15	64
Nov-22	7.10	1622	12	980	275	8.96	9	64
Dec-22	7.08	1035	4	618	145	4.48	13	40
Jan-23	7.10	4060	16	2602	860	3.92	14	88
Feb-23	7.18	1519	16	960	233	3.92	8	64
Mar-23	7.12	1538	20	896	207	10.08	12	64
<b>Range</b>	<b>7.02~7.49</b>	<b>923~2028</b>	<b>8~48</b>	<b>290~1034</b>	<b>80~295</b>	<b>2.0~17.36</b>	<b>6~29</b>	<b>40~144</b>

**Assistant Director (Lab)**  
**AEL, TNPCB, Chennai**



**TAMILNADU POLLUTION CONTROL BOARD**

**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Adyar River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		Nesapakkam 23 MLD STP (Outlet)						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	7.63	1996	2	1180	405	3.92	2	24
May-22	7.11	1432	12	784	255	2.8	6	48
Jun-22	7.57	1284	6	666	175	<2	6	40
Jul-22	6.56	1508	12	940	130	<2	10	56
Aug-22	8.43	2370	8	1486	600	<2	8	40
Sep-22	7.01	610	4	414	56	1.12	3	16
Oct-22	7.98	933	4	558	187	2.8	3	40
Nov-22	8.96	2640	4	1640	740	<2	3	24
Dec-22	9.13	4330	42	2698	940	<2	2	16
Jan-23	8.85	3040	2	2066	770	BDL [DL 2]	1	32
Feb-23	8.71	3070	2	2170	675	BDL [DL 2]	2	16
Mar-23	9.07	4580	8	2702	780	5.04	2	48
<b>Range</b>	<b>7.25~9.95</b>	<b>776~8110</b>	<b>2~18</b>	<b>462~4706</b>	<b>117~1930</b>	<b>2~3.36</b>	<b>3~13</b>	<b>16~72</b>

Assistant Director (Lab)  
AEL, TNPCB, Chennai



**TAMILNADU POLLUTION CONTROL BOARD**

**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Adyar River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		Nesapakkam 40 MLD STP (Outlet)						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	7.61	2010	2	1206	420	2.24	2	16
May-22	7.25	1739	14	1108	350	6.16	5	32
Jun-22	7.37	1590	2	940	330	2.24	2	16
Jul-22	7.36	2570	10	1698	92	9.52	9	48
Aug-22	8.78	2900	6	1886	785	<2	9	56
Sep-22	8.97	1496	6	994	355	2.8	3	16
Oct-22	8.81	2450	44	1628	610	1.68	5	48
Nov-22	9.80	5540	48	3696	1600	<2	4	48
Dec-22	9.26	5300	84	3702	1350	<2	2	40
Jan-23	8.95	3510	2	2250	1000	3.36	1	24
Feb-23	8.87	3430	2	2370	650	BDL [DL 2]	2	24
Mar-23	9.56	6400	14	3786	1500	BDL [DL 2]	2	96
<b>Range</b>	<b>7.53~9.88</b>	<b>1474~3700</b>	<b>2~26</b>	<b>754~2132</b>	<b>190~1010</b>	<b>2~15.68</b>	<b>3~12</b>	<b>24~72</b>

  
Assistant Director (Lab)  
AEL, TNPCE, Chennai



**TAMILNADU POLLUTION CONTROL BOARD**

**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Adyar River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		Nesapakkam 54 MLD STP (Outlet)						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	7.48	1863	4	1098	360	3.36	3	24
May-22	7.36	1950	14	1180	395	6.72	6	56
Jun-22	7.55	1763	2	1010	295	2.24	2	24
Jul-22	7.55	2930	8	1806	68	8.96	7	40
Aug-22	8.66	2480	10	1490	530	<2	8	40
Sep-22	9.30	1758	8	1180	405	2.8	4	32
Oct-22	8.08	1273	8	796	242	2.8	4	56
Nov-22	9.60	5060	14	3244	1375	<2	7	104
Dec-22	8.74	3000	10	1940	600	<2	2	16
Jan-23	8.87	3080	2	1800	650	BDL [DL 2]	2	16
Feb-23	8.57	2860	2	2040	650	BDL [DL 2]	2	16
Mar-23	9.58	7840	16	4682	1799	2.8	4	192
<b>Range</b>	<b>7.67~10.16</b>	<b>880~4910</b>	<b>2~12</b>	<b>520~2930</b>	<b>126~1140</b>	<b>2~14.56</b>	<b>3~10</b>	<b>32~72</b>

Assistant Director (Lab)  
AEL, TNPCB, Chennai





**TAMILNADU POLLUTION CONTROL BOARD**  
**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Buckingham Canal River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		Wallaja Road Bridge						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	6.64	1978	180	1052	360	13.44	150	360
May-22	6.34	1827	110	956	320	14	60	264
Jun-22	6.79	1978	230	1114	315	16.8	99	352
Jul-22	6.33	2100	134	1208	350	16.24	66	256
Aug-22	6.73	1738	252	1098	307	18.48	126	400
Sep-22	7.35	2000	90	1280	290	14	28	248
Oct-22	7.64	2160	170	1222	440	25.2	72	440
Nov-22	6.50	1558	154	942	275	19.04	58	208
Dec-22	6.80	1787	50	1070	315	9.52	9	56
Jan-23	6.72	1925	120	1032	350	3.36	23	200
Feb-23	6.78	1613	76	888	250	22.4	14	64
Mar-23	6.62	1938	130	1120	324	22.4	79	376
<b>Range</b>	<b>6.69~7.53</b>	<b>1596~2790</b>	<b>62~232</b>	<b>954~1666</b>	<b>240~485</b>	<b>11.2~27.44</b>	<b>11~234</b>	<b>96~832</b>

**Assistant Director (Lab)**  
**AEL, TNPCB, Chennai**



**TAMILNADU POLLUTION CONTROL BOARD**  
**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Buckingham Canal River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		Kodungaiyur 40 MLD STP (Outlet)						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	6.81	1279	8	710	225	7.84	6	48
May-22	7.03	1981	16	1200	380	15.68	8	32
Jun-22	6.94	1153	6	670	185	7.28	7	64
Jul-22	6.46	1587	10	1060	280	11.20	8	56
Aug-22	7.23	1477	20	962	240	12.88	23	104
Sep-22	7.65	2010	20	1312	315	10.64	16	32
Oct-22	7.92	1934	26	1126	315	18.48	20	72
Nov-22	6.89	1178	4	742	200	8.96	3	32
Dec-22	7.14	1466	10	882	205	24.08	7	40
Jan-23	6.78	1204	10	708	195	BDL [DL 2]	8	40
Feb-23	7.20	1807	14	998	300	12.32	12	96
Mar-23	7.15	1408	32	812	200	14	16	120
<b>Range</b>	<b>6.94~7.80</b>	<b>841~2220</b>	<b>6~34</b>	<b>660~1256</b>	<b>140~400</b>	<b>2.0~22.4</b>	<b>6~23</b>	<b>24~120</b>

**Assistant Director (Lab)**  
**AEL, TNPCB, Chennai**





**TAMILNADU POLLUTION CONTROL BOARD**  
**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Buckingham Canal River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		<b>Kodungaiyur 80 MLD STP (Outlet)</b>						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	6.92	2200	16	1150	365	14	13	96
May-22	6.75	1386	12	992	250	8.96	7	48
Jun-22	6.91	1555	18	866	225	10.64	6	72
Jul-22	6.52	1818	16	1176	320	13.44	14	96
Aug-22	7.24	1361	14	842	268	12.88	23	112
Sep-22	7.91	2180	110	1364	335	21.28	51	152
Oct-22	7.91	1472	24	876	320	10.08	16	48
Nov-22	7.04	1690	18	920	275	19.6	6	40
Dec-22	7.28	1127	16	674	160	15.68	4	32
Jan-23	6.87	2010	14	1128	300	3.7	10	40
Feb-23	7.57	1317	12	744	233	5.6	10	88
Mar-23	7.32	1807	22	1068	240	25.76	29	144
<b>Range</b>	<b>6.91~7.90</b>	<b>1132~2410</b>	<b>8~38</b>	<b>654~1416</b>	<b>175~525</b>	<b>9.52~25.2</b>	<b>7~19</b>	<b>40~128</b>

**Assistant Director (Lab)**  
**AEL, TNPCB, Chennai**



**TAMILNADU POLLUTION CONTROL BOARD**  
**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Buckingham Canal River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		Kodungaiyur STP 110 MLD (Outlet)						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	7.53	1689	18	940	310	6.16	6	56
May-22	7.16	2540	16	1542	470	8.96	14	104
Jun-22	7.41	1706	4	1106	275	4.48	7	48
Jul-22	6.61	1985	10	1268	305	7.84	6	48
Aug-22	7.41	1465	4	954	272	7.28	10	80
Sep-22	7.46	2060	24	1380	340	7.28	9	48
Oct-22	8.05	1767	20	1042	350	6.16	10	40
Nov-22	6.84	1755	4	1056	305	14.56	6	24
Dec-22	7.12	1538	6	958	250	12.88	5	40
Jan-23	7.15	1030	8	720	165	BDL [DL 2]	8	32
Feb-23	7.28	1664	8	1094	31.7	2.8	6	56
Mar-23	7.25	1906	14	1142	275	7.28	16	88
<b>Range</b>	<b>7.10~7.60</b>	<b>1122~2470</b>	<b>2~30</b>	<b>638~1362</b>	<b>177~405</b>	<b>2.0~20.16</b>	<b>7~17</b>	<b>32~96</b>

**Assistant Director (Lab)**  
**AEL, TNPCB, Chennai**




**TAMILNADU POLLUTION CONTROL BOARD**

**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Coovum River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		Thirumangalam Causeway (Downstream)						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	7.09	2110	28	1204	405	8.4	27	128
May-22	6.40	1837	192	1014	300	17.36	75	544
Jun-22	6.69	1547	136	902	275	8.4	54	160
Jul-22	6.37	1331	76	946	205	11.20	39	128
Aug-22	6.70	4900	22	3090	1575	15.68	35	104
Sep-22	7.09	1747	86	1102	555	13.44	34	216
Oct-22	7.41	13140	104	9086	4300	12.32	40	152
Nov-22	6.72	1534	14	864	285	4.48	10	64
Dec-22	6.80	1859	30	1202	330	12.88	4	16
Jan-23	7.16	1961	74	1084	340	5.04	13	96
Feb-23	7.30	7790	8	5814	2199	BDL [DL 2]	14	80
Mar-23	6.55	1745	40	1046	400	11.76	78	288
<b>Range</b>	<b>6.45~7.55</b>	<b>683~2029</b>	<b>22~316</b>	<b>398~1126</b>	<b>80~370</b>	<b>2.24~29.68</b>	<b>12~252</b>	<b>56~728</b>

  
**Assistant Director (Lab)**  
**AEL, TNPCB, Chennai**



**TAMILNADU POLLUTION CONTROL BOARD**  
**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Coovum River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		<b>Chitra Talkies Bridge (Downstream)</b>						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	7.12	2050	22	1080	355	11.76	23	104
May-22	6.53	1888	22	970	330	12.32	15	104
Jun-22	7.06	1887	54	968	295	10.08	21	120
Jul-22	6.55	1971	16	1174	330	21.84	15	88
Aug-22	7.56	1484	6	834	267	3.92	12	72
Sep-22	7.33	1934	44	1162	345	10.68	8	64
Oct-22	7.55	1824	38	1014	350	16.24	18	48
Nov-22	6.71	1790	152	1130	290	26.88	83	280
Dec-22	6.76	1794	40	1084	325	10.64	6	40
Jan-23	6.79	1938	208	1060	440	6.16	22	272
Feb-23	7.12	11620	24	8384	2999	7.28	6	48
Mar-23	7.00	2120	14	1272	270	18.48	36	144
<b>Range</b>	<b>6.75~7.78</b>	<b>883~2580</b>	<b>14~486</b>	<b>514~1318</b>	<b>120~473</b>	<b>3~23.52</b>	<b>8~82</b>	<b>32~328</b>

**Assistant Director (Lab)**  
**AEL, TNPCE, Chennai**



**TAMILNADU POLLUTION CONTROL BOARD**

**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Coovum River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		Napier Bridge (Downstream)						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	6.96	8780	66	5308	3200	10.64	18	80
May-22	6.45	5150	36	3120	1600	11.2	13	96
Jun-22	7.27	1696	18	1054	290	8.4	12	88
Jul-22	6.44	2010	20	1210	1450	22.4	12	72
Aug-22	7.52	1108	4	720	210	3.36	9	48
Sep-22	7.22	11170	52	7598	3449	11.76	12	128
Oct-22	7.24	13610	14	8174	4850	12.32	8	120
Nov-22	6.80	1623	16	878	285	10.08	12	64
Dec-22	6.75	1671	32	992	305	10.08	7	24
Jan-23	7.12	2180	8	1232	440	8.4	7	32
Feb-23	7.05	12080	46	8448	3499	12.88	8	40
Mar-23	7.09	3460	12	2068	700	20.16	28	136
<b>Range</b>	<b>6.84~7.95</b>	<b>1402-18590</b>	<b>12~126</b>	<b>786~10052</b>	<b>220~5248</b>	<b>6.16~21.84</b>	<b>7~54</b>	<b>40~296</b>

  
Assistant Director (Lab)  
AEL, TNPCB, Chennai



TAMILNADU POLLUTION CONTROL BOARD

ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI

Physico Chemical properties of Coovum River APRIL 2022 to MARCH 2023

CHENNAI CITY WATER WAYS PROJECT - (CCWW)

Point of collection :		Koyambedu 34 MLD STP (Outlet)						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	7.44	1760	8	1060	325	11.76	2	24
May-22	7.07	1706	10	1070	350	10.08	7	56
Jun-22	7.48	1787	4	1020	315	2.8	2	24
Jul-22	7.20	1676	10	1110	400	7.84	9	56
Aug-22	6.88	1853	98	1130	382	15.12	32	160
Sep-22	7.98	1659	8	1114	305	4.48	6	40
Oct-22	7.93	1632	8	950	355	8.96	6	24
Nov-22	8.17	1770	6	996	345	6.72	3	72
Dec-22	7.45	1240	14	746	240	3.92	4	16
Jan-23	7.77	1662	2	976	440	6.7	2	16
Feb-23	8.02	1563	4	1098	383	3.92	4	32
Mar-23	7.99	1830	4	1070	300	3.36	2	32
<b>Range</b>	<b>7.21~8.47</b>	<b>1154~2088</b>	<b>2~10</b>	<b>640~1186</b>	<b>191~430</b>	<b>2~14.0</b>	<b>2~17</b>	<b>16~104</b>

Assistant Director (Lab)  
AEL, TNPCB, Chennai



**TAMILNADU POLLUTION CONTROL BOARD**

**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Coovum River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		Koyambedu 60 MLD STP (Outlet)						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22		Sample not received						
May-22		Sample not received						
Jun-22		Sample not received						
Jul-22	6.75	1823	8	1074	317	10.08	7	32
Aug-22		Sample not received						
Sep-22		Sample not received						
Oct-22		Sample not received						
Nov-22		Sample not received						
Dec-22		Sample not received						
Jan-23		Sample not received						
Feb-23		Sample not received						
Mar-23		Sample not received						
<b>Range</b>	<b>7.04~7.94</b>	<b>1490~2350</b>	<b>2~12</b>	<b>878~1340</b>	<b>250~390</b>	<b>2~18.48</b>	<b>4~12</b>	<b>24~96</b>

  
Assistant Director (Lab)  
AEL, TNPCB, Chennai



**TAMILNADU POLLUTION CONTROL BOARD**

**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Coovum River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		Koyambedu 120 MLD STP (Outlet)						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	7.18	1785	4	972	345	3.92	4	32
May-22	6.89	1563	12	938	305	3.92	5	40
Jun-22	7.72	1622	20	970	280	BDL [DL 2]	3	24
Jul-22	6.19	1269	90	750	235	19.6	53	208
Aug-22	7.17	1591	288	1020	352	13.44	34	168
Sep-22	7.48	2230	12	1338	290	2.8	9	56
Oct-22	7.50	1612	6	832	340	7.28	4	16
Nov-22	7.65	1816	2	1054	320	10.08	2	16
Dec-22	7.26	1321	18	772	200	8.4	2	16
Jan-23	6.74	2150	200	1266	390	4.48	34	360
Feb-23	7.27	1592	2	1078	317	2.8	4	24
Mar-23	8.66	2150	2	1286	384	BDL [DL 2]	2	40
<b>Range</b>	<b>6.90~8.40</b>	<b>887~2140</b>	<b>4~198</b>	<b>468~1192</b>	<b>112~350</b>	<b>2~25.2</b>	<b>3~180</b>	<b>16~520</b>

**Assistant Director (Lab)**  
**AEL, TNPCB, Chennai**





**TAMILNADU POLLUTION CONTROL BOARD**

**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Coovum River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		Koyambedu 120 MLD STP (Inlet)						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22		Sample not received						
May-22		Sample not received						
Jun-22		Sample not received						
Jul-22		Sample not received						
Aug-22		Sample not received						
Sep-22		Sample not received						
Oct-22		Sample not received						
Nov-22	6.50	1767	120	1030	310	19.04	120	248
Dec-22		Sample not received						
Jan-23		Sample not received						
Feb-23		Sample not received						
Mar-23		Sample not received						
<b>Range</b>	<b>6.93~7.65</b>	<b>929~1857</b>	<b>6~268</b>	<b>502~1084</b>	<b>153~303</b>	<b>4.48~21.28</b>	<b>8~162</b>	<b>48~400</b>

  
Assistant Director (Lab)  
AEL, TNPCE, Chennai





**TAMILNADU POLLUTION CONTROL BOARD**

**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Otteri Nullah River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		<b>Asprin Garden Bridge (Downstream)</b>						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	6.69	2210	72	1194	500	12.32	102	320
May-22	6.57	2140	146	1154	400	15.12	126	380
Jun-22	6.70	1955	22	980	315	10.08	13	88
Jul-22	6.30	1891	210	1182	350	20.72	126	392
Aug-22	6.97	1268	34	766	242	6.72	17	96
Sep-22	7.56	2150	20	1232	425	7.28	15	104
Oct-22	7.23	1529	98	978	310	17.92	19	160
Nov-22	6.64	1655	110	910	305	11.76	31	104
Dec-22	6.66	1567	88	944	250	11.2	33	96
Jan-23	6.91	1902	56	1068	295	BDL [DL 2]	13	88
Feb-23	6.94	2060	56	1170	425	20.16	34	104
Mar-23	6.92	2110	86	1248	350	21.2	39	216
<b>Range</b>	<b>6.87~7.70</b>	<b>788~2780</b>	<b>12~242</b>	<b>498~1472</b>	<b>114~450</b>	<b>6~28.56</b>	<b>10~120</b>	<b>72~456</b>

**Assistant Director (Lab)**  
**AEL, TNPCB, Chennai**



**TAMILNADU POLLUTION CONTROL BOARD**

**ADVANCED ENVIRONMENTAL LABORATORY – CHENNAI**

Physico Chemical properties of Otteri Nullah River APRIL 2022 to MARCH 2023

**CHENNAI CITY WATER WAYS PROJECT - (CCWW)**

Point of collection :		Vyasarpadi Road Bridge (Downstream)						
Month	pH	Conductivity	TSS	TDS	Chloride	Amm. Nitrogen	BOD	COD
		umhos/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Apr-22	6.92	1884	38	966	340	12.32	25	136
May-22	6.58	1848	60	1020	330	13.44	47	256
Jun-22	6.49	1918	42	1050	295	11.2	9	64
Jul-22	6.29	1473	40	850	290	17.92	33	104
Aug-22	6.83	1166	32	748	187	7.28	36	104
Sep-22	7.48	10980	60	7438	3199	12.28	8	40
Oct-22	7.14	1442	60	766	285	19.04	49	320
Nov-22	6.67	1723	128	1122	310	12.32	28	128
Dec-22	6.57	1519	80	916	240	14	35	104
Jan-23	7.31	2160	28	1154	440	3.16	24	72
Feb-23	7.05	2000	30	1184	450	16.80	32	176
Mar-23	6.95	1884	48	1088	330	12.3	30	152
<b>Range</b>	<b>6.73~7.75</b>	<b>922~2280</b>	<b>10~672</b>	<b>550~1286</b>	<b>140~410</b>	<b>5.6~22.4</b>	<b>13~216</b>	<b>34~640</b>

**Assistant Director (Lab)**  
**AEL, TNPCB, Chennai**