



O/o.JCEE(M), TNPC BOARD,

CUDDALORE ZONE

MINUTES OF THE 7TH ZONAL LEVEL CONSENT CLEARANCE COMMITTEE MEETING,
CUDDALORE ZONE HELD ON 16.12.2022 AT OFFICE OF THE JOINT CHIEF
ENVIRONMENTAL ENGINEER (M), CUDDALORE ZONE, TNPC BOARD, CUDDALORE

Date: 16.12.2022

Sl. No.	Item No	Subject	Category & Classification	Order sought for	Decision of the Committee
DISTRICT OFFICE: NAGAPPATINAM					
1.	ZLCCC- Item No. – 7-01	M/s. Thiruthuraipoondi Municipality Fecal Septage Treatment Plant S.F.No. 27/5, 27/8, 27/9 Thiruthuraipoondi Village Thiruthuraipoondi Taluk, Thiruvarur District	R/S	CTO after CTE	The Committee decided to issue Consent to Operate after CTE to the unit under Water (P&CP) Act 1974 and Air (P&CP) Act 1981 subject to the conditions mentioned in the agenda. The committee decided to include the following additional condition under Water Act:- <ol style="list-style-type: none">1. The Municipality shall ensure that the entire quantity of treated septage water (sewage) shall be utilized for gardening/irrigation on their own land as reported after satisfying standards as prescribed by the Board.2. The Municipality shall install the OCEMS (Online Continuous Effluent Monitoring System) for self-surveillance of the FSTP as per the procedure and guidelines for OCEMS as recommended by CPCB.
2.	ZLCCC- Item No. –	M/s. Koothanallur Municipality FSTP	R/S	CTO after	The Committee decided to issue Consent to Operate

	7-02	S.F.NO. 5/10 Part Koothanallur Village & Taluk, Thiruvarur District		CTE	<p>after CTE to the unit under Water (P&CP) Act 1974 and Air (P&CP) Act 1981 subject to the conditions mentioned in the agenda. The committee decided to include the following additional condition under</p> <p>Water Act</p> <ol style="list-style-type: none"> 1. The Municipality shall ensure that the part of treated septage water shall be utilized on land for gardening purposes within the premises and remaining part shall be utilized in private agricultural lands of adequate area located adjacent to FSTP as per undertaken given by the land owners as reported by the Municipality.\ 2. The Municipality shall install the OCEMS (Online Continuous Effluent Monitoring System) for self-surveillance of the FSTP as per the procedure and guidelines for OCEMS as recommended by CPCB.
--	------	--	--	-----	--

DISTRICT OFFICE: CUDDALORE

NIL

JCEE(M)/Cuddalore(a/c)

16.12.22