

Air Quality Index, Cuddalore, January - 2019

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.01.19	55	Satisfactory	1	03.01.19	45	Good	1	02.01.19	57	Satisfactory
2	04.01.19	48	Good	2	07.01.19	45	Good	2	05.01.19	60	Satisfactory
3	08.01.19	53	Satisfactory	3	10.01.19	42	Good	3	09.01.19	58	Satisfactory
4	11.01.19	50	Satisfactory	4	14.01.19	47	Good	4	12.01.19	57	Satisfactory
5	15.01.19	53	Satisfactory	5	17.01.19	42	Good	5	16.01.19	62	Satisfactory
6	18.01.19	55	Satisfactory	6	21.01.19	42	Good	6	19.01.19	58	Satisfactory
7	22.01.19	48	Good	7	24.01.19	48	Good	7	23.01.19	59	Satisfactory
8	25.01.19	53	Satisfactory	8	28.01.19	45	Good	8	26.01.19	59	Satisfactory
9	29.01.19	49	Good	9	31.01.19	43	Good	9	30.01.19	60	Satisfactory

Air Quality Index, Cuddalore, February - 2019

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.02.19	53	Satisfactory	1	04.02.19	45	Good	1	02.02.19	60	Satisfactory
2	05.02.19	50	Good	2	07.02.19	50	Good	2	06.02.19	58	Satisfactory
3	08.02.19	52	Satisfactory	3	11.02.19	45	Good	3	09.02.19	57	Satisfactory
4	12.02.19	52	Satisfactory	4	14.02.19	48	Good	4	13.02.19	57	Satisfactory
5	15.02.19	57	Satisfactory	5	18.02.19	52	Satisfactory	5	16.02.19	58	Satisfactory
6	19.02.19	53	Satisfactory	6	21.02.19	52	Satisfactory	6	20.02.19	57	Satisfactory
7	22.02.19	53	Satisfactory	7	25.02.19	50	Good	7	23.02.19	58	Satisfactory
8	26.02.19	50	Satisfactory	8	28.02.19	50	Good	8	27.02.19	57	Satisfactory

Air Quality Index, Cuddalore, March - 2019

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.03.19	58	Satisfactory	1	04.03.19	53	Satisfactory	1	02.03.19	61	Satisfactory
2	05.03.19	54	Satisfactory	2	11.03.19	50	Good	2	06.03.19	62	Satisfactory
3	08.03.19	54	Satisfactory	3	14.03.19	53	Satisfactory	3	09.03.19	58	Satisfactory
4	12.03.19	57	Satisfactory	4	18.03.19	48	Good	4	13.03.19	63	Satisfactory
5	13.03.19	53	Satisfactory	5	21.03.19	50	Good	5	16.03.19	62	Satisfactory
6	19.03.19	55	Satisfactory	6	25.03.19	47	Good	6	20.03.19	59	Satisfactory
7	22.03.19	54	Satisfactory	7	28.03.19	52	Satisfactory	7	23.03.19	61	Satisfactory
8	26.03.19	53	Satisfactory	8	31.03.19	45	Good	8	27.03.19	62	Satisfactory
9	29.03.19	52	Satisfactory					9	30.03.19	51	Satisfactory

Air Quality Index, Cuddalore, April - 2019

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.04.19	58	Satisfactory	1	01.04.19	48	good	1	03.04.19	63	Satisfactory
2	04.04.19	54	Satisfactory	2	04.04.19	50	Good	2	06.04.19	63	Satisfactory
3	09.04.19	57	Satisfactory	3	08.04.19	53	Satisfactory	3	10.04.19	60	Satisfactory
4	11.04.19	55	Satisfactory	4	11.04.19	49	Good	4	13.04.19	63	Satisfactory
5	16.04.19	57	Satisfactory	5	15.04.19	48	Good	5	17.04.19	61	Satisfactory
6	19.04.19	55	Satisfactory	6	18.04.19	52	Satisfactory	6	20.04.19	61	Satisfactory
7	23.04.19	53	Satisfactory	7	22.04.19	55	Satisfactory	7	24.04.19	62	Satisfactory
8	25.04.19	58	Satisfactory	8	25.04.19	53	Satisfactory	8	27.04.19	63	Satisfactory
9	30.04.19	55	Satisfactory	9	29.04.19	52	Satisfactory				

Air Quality Index, Cuddalore, May - 2019

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.05.19	55	Satisfactory	1	02.05.19	53	Satisfactory	1	01.05.19	62	Satisfactory
2	07.05.19	58	Satisfactory	2	06.05.19	50	Good	2	04.05.19	63	Satisfactory
3	10.05.19	57	Satisfactory	3	09.05.19	52	Satisfactory	3	08.05.19	61	Satisfactory
4	14.05.19	57	Satisfactory	4	13.05.19	47	Good	4	11.05.19	60	Satisfactory
5	17.05.19	53	Satisfactory	5	16.05.19	53	Satisfactory	5	15.05.19	61	Satisfactory
6	21.05.19	55	Satisfactory	6	20.05.19	49	Good	6	18.05.19	63	Satisfactory
7	24.05.19	55	Satisfactory	7	23.05.19	49	Good	7	22.05.19	61	Satisfactory
8	28.05.19	57	Satisfactory	8	27.05.19	52	Satisfactory	8	25.05.19	60	Satisfactory
9	31.05.19	58	Satisfactory	9	30.05.19	49	Good	9	29.05.19	62	Satisfactory

Air Quality Index, Cuddalore, June - 2019

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	04.06.19	55	Satisfactory	1	03.06.19	50	Satisfactory	1	01.06.19	63	Satisfactory
2	07.06.19	57	Satisfactory	2	06.06.19	52	Good	2	05.06.19	63	Satisfactory
3	11.06.19	58	Satisfactory	3	10.06.19	53	Satisfactory	3	08.06.19	63	Satisfactory
4	14.06.19	57	Satisfactory	4	13.06.19	48	Good	4	12.06.19	60	Satisfactory
5	18.06.19	53	Satisfactory	5	17.06.19	53	Satisfactory	5	15.06.19	63	Satisfactory
6	21.06.19	54	Satisfactory	6	20.06.19	52	Good	6	19.06.19	61	Satisfactory
7	28.06.19	57	Satisfactory	7	24.06.19	49	Good	7	22.06.19	61	Satisfactory
8	30.06.19	55	Satisfactory	8	27.06.19	49	Satisfactory	8	26.06.19	62	Satisfactory
							Good	9	29.06.19	63	Satisfactory

Air Quality Index, Cuddalore, July - 2019

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.07.19	53	Satisfactory	1	01.07.19	49	Good	1	03.07.19	60	Satisfactory
2	05.07.19	58	Satisfactory	2	04.07.19	49	Good	2	06.07.19	63	Satisfactory
3	09.07.19	57	Satisfactory	3	08.07.19	53	Satisfactory	3	10.07.19	61	Satisfactory
4	12.07.19	53	Satisfactory	4	11.07.19	50	Good	4	13.07.19	60	Satisfactory
5	16.07.19	55	Satisfactory	5	15.07.19	52	Satisfactory	5	17.07.19	62	Satisfactory
6	19.07.19	57	Satisfactory	6	18.07.19	49	Good	6	20.07.19	63	Satisfactory
7	23.07.19	53	Satisfactory	7	22.07.19	49	Good	7	24.07.19	61	Satisfactory
8	26.07.19	53	Satisfactory	8	25.07.19	53	Satisfactory	8	27.07.19	62	Satisfactory
9	30.07.19	52	Satisfactory	9	29.07.19	50	Good	9	31.07.19	62	Satisfactory

Air Quality Index, Cuddalore, August - 2019

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	02.08.19	51	Satisfactory	1	04.08.19	48	Good	1	03.08.19	61	Satisfactory
2	06.08.19	52	Satisfactory	2	05.08.19	50	Good	2	07.08.19	60	Satisfactory
3	09.08.19	57	Satisfactory	3	08.08.19	53	Satisfactory	3	10.08.19	63	Satisfactory
4	13.08.19	53	Satisfactory	4	12.08.19	52	Satisfactory	4	14.08.19	61	Satisfactory
5	16.08.19	58	Satisfactory	5	15.08.19	50	Good	5	17.08.19	61	Satisfactory
6	20.08.19	57	Satisfactory	6	19.08.19	48	Good	6	21.08.19	62	Satisfactory
7	23.08.19	55	Satisfactory	7	22.08.19	47	Good	7	24.08.19	60	Satisfactory
8	27.08.19	51	Satisfactory	8	26.08.19	53	Satisfactory	8	28.08.19	63	Satisfactory
9	30.08.19	58	Satisfactory	9	29.08.19	52	Satisfactory	9	31.08.19	60	Satisfactory

Air Quality Index, Cuddalore, September - 2019

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.09.2019	52	Satisfactory	1	02.09.2019	49	Good	1	04.09.2019	60	Satisfactory
2	06.09.2019	53	Satisfactory	2	05.09.2019	49	Good	2	07.09.2019	62	Satisfactory
3	10.09.2019	57	Satisfactory	3	09.09.2019	52	Satisfactory	3	11.09.2019	60	Satisfactory
4	13.09.2019	58	Satisfactory	4	12.09.2019	52	Satisfactory	4	14.09.2019	59	Satisfactory
5	17.09.2019	54	Satisfactory	5	16.09.2019	53	Satisfactory	5	18.09.2019	62	Satisfactory
6	20.09.2019	57	Satisfactory	6	19.09.2019	48	Good	6	21.09.2019	62	Satisfactory
7	24.09.2019	57	Satisfactory	7	23.09.2019	48	Good	7	25.09.2019	62	Satisfactory
8	27.09.2019	53	Satisfactory	8	26.09.2019	52	Satisfactory	8	28.09.2019	62	Satisfactory
				9	30.09.2019	52	Satisfactory				

Air Quality Index, Cuddalore, October - 2019											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.10.19	53	Satisfactory	1	03.10.19	52	Satisfactory	1	02.10.19	64	Satisfactory
2	04.10.19	52	Satisfactory	2	07.10.19	49	Good	2	05.10.19	65	Satisfactory
3	08.10.19	55	Satisfactory	3	10.10.19	49	Good	3	09.10.19	63	Satisfactory
4	11.10.19	58	Satisfactory	4	14.10.19	48	Good	4	12.10.19	66	Satisfactory
5	15.10.19	57	Satisfactory	5	17.10.19	50	Good	5	16.10.19	66	Satisfactory
6	18.10.19	58	Satisfactory	6	21.10.19	48	Good	6	19.10.19	66	Satisfactory
7	22.10.19	53	Satisfactory	7	24.10.19	49	Good	7	23.10.19	67	Satisfactory
8	25.10.19	55	Satisfactory	8	25.10.19	52	Satisfactory	8	26.10.19	73	Satisfactory
9	29.10.19	50	Good	9	31.10.19	50	Good	9	30.10.19	65	Satisfactory

Air Quality Index, Cuddalore, November - 2019											
Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	01.11.19	52	Satisfactory	1	04.11.19	52	Satisfactory	1	02.11.19	68	Satisfactory
2	05.11.19	55	Satisfactory	2	07.11.19	49	Good	2	06.11.19	73	Satisfactory
3	08.11.19	58	Satisfactory	3	11.11.19	50	Good	3	09.11.19	70	Satisfactory
4	12.11.19	53	Satisfactory	4	14.11.19	48	Good	4	13.11.19	67	Satisfactory
5	15.11.19	58	Satisfactory	5	18.11.19	49	Good	5	16.11.19	67	Satisfactory
6	22.11.19	50	Good	6	21.11.19	49	Good	6	20.11.19	66	Satisfactory
7	24.11.19	55	Satisfactory	7	25.11.19	50	Good	7	23.11.19	67	Satisfactory
8	26.11.19	57	Satisfactory	8	28.11.19	47	Good	8	27.11.19	68	Satisfactory
9	29.11.19	53	Satisfactory					9	30.11.19	61	Satisfactory

Air Quality Index, Cuddalore, December - 2019

Eachankadu Village - 759				Sipcot - 760				Imperial Road - 761			
Type: Residential				Type: Industrial				Type: Commercial			
S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks	S.No	Date of Sampling	AQI	Remarks
1	03.12.2019	53	Satisfactory	1	02.12.2019	50	Good	1	04.12.2019	66	Satisfactory
2	06.12.2019	57	Satisfactory	2	05.12.2019	49	Good	2	07.12.2019	65	Satisfactory
3	10.12.2019	55	Satisfactory	3	09.12.2019	50	Good	3	11.12.2019	67	Satisfactory
4	13.12.2019	53	Satisfactory	4	12.12.2019	52	Satisfactory	4	14.12.2019	68	Satisfactory
5	17.12.2019	60	Satisfactory	5	16.12.2019	50	Good	5	18.12.2019	73	Satisfactory
6	20.12.2019	58	Satisfactory	6	19.12.2019	49	Good	6	21.12.2019	72	Satisfactory
7	24.12.2019	53	Satisfactory	7	23.12.2019	50	Good	7	25.12.2019	64	Satisfactory
8	27.12.2019	57	Satisfactory	8	26.12.2019	50	Good	8	28.12.2019	65	Satisfactory
9	31.12.2019	52	Satisfactory	9	30.12.2019	48	Good				